

## **PREVENTIVE CARE AND SCREENING GUIDELINES**

#### Policy#06

Implementation Date: 1/1/04

Revision Dates: 3/1/06, 11/17/06, 2/20/07, 7/16/07, 9/3/08, 10/1/10, 2/1/11, 2/1/12, 4/18/12, 8/1/12, 5/1/13, 7/1/13, 7/17/13, 3/6/14, 9/11/14, 9/4/15, 11/13/15, 1/1/16, 5/13/16, 9/6/16, 11/10/16, 1/10/17, 3/1/17, 6/13/17, 9/6/17, 9/7/17, 1/1/18, 6/6/18, 8/17/18, 9/19/18, 11/20/18, 12/28/18, 1/8/19, 4/25/19, 6/18/19, 8/23/19, 9/24/19, 2/14/20, 4/2/20, 5/20/20, 8/11/20, 12/7/20, 12/16/20, 1/11/21, 1/21/21, 3/1/21, 3/9/21, 4/21/21, 6/8/21, 6/15/21, 7/29/21, 9/14/21, 10/8/21, 1/7/22, 1/28/22, 2/2/22, 4/1/22, 5/12/22, 5/24/22, 6/10/22, 6/17/22, 9/2/22, 9/7/22, 10/20/22, 1/1/24

#### Disclaimer:

- 1. Policies are subject to change without notice.
- 2. Policies outline coverage determinations for Select Health Commercial, Select Health Advantage (Medicare/CMS), and Select Health Community Care (Medicaid/CHIP) plans. Refer to the "Policy" section for more information.

### Description

Preventive and screening services are to promote wellness and prevent disease.

In the ICD-9-CM official guidelines, and in the ICD-10-CM official draft guidelines for Coding and Reporting, the following is stated:

### <u>Screening</u>

"Screening is the testing for disease or disease precursors in seemingly well individuals so that early detection and treatment can be provided for those who test positive for the disease. ...

The testing of a person to rule out or confirm a suspected diagnosis because the patient has some sign or symptom is a diagnostic examination, not a screening exam. In these cases, the sign or symptom is used to explain the reason for the test.

A screening code may be first listed if the reason for the visit is specifically the screening exam. It may also be used as an additional code if the screening is done during an office visit for other health problems. A screening code is not necessary if the screening is inherent to a routine examination, such as a pap smear done during a routine pelvic examination.

Should a condition be discovered during the screening then the code for the condition may be assigned as an additional diagnosis."

### Preventive/Routine Examinations

"The ICD-9-CM V codes and ICD-10-CM Z codes allow for the description of encounters for routine examinations, such as, general check-up. The codes are for use as first listed codes, only, and are not to be used if the examination is for a diagnosis of a suspected condition or for treatment purposes. In such cases the diagnosis code is used. During a routine exam, should a diagnosis or condition be discovered, it should be coded as an additional code. Pre-existing and chronic conditions and history codes may also be included as additional codes as long as the examination is for administrative purposes and not focused on any particular condition."

According to the American Hospital Association (AHA), it is stated in coding rules:

"When a diagnostic test is ordered in the absence of signs, symptoms or other evidence of illness or injury (e.g., screening), the principal or first-listed diagnosis should be the reason for the test. Should a condition be discovered during the screening, then the code for the condition may be used as an additional diagnosis."

The following codes will never be reimbursed when billed with a preventive evaluation and management visit: G0101, G0102, G0396, G0442, G0444, S0265, S9470, 96127, 96161, 99406, 99407, 99408, 99409, 97802, 97803, and 0333T.

Select Health will reimburse according to policy, as well as NCCI edits.

### **COMMERCIAL PLAN POLICY**

Select Health considers preventive services to be covered, based on individual plan guidelines, and may differ from plan to plan. Select Health follows the requirements of the Affordable Care Act and Select Health internal policies for what is considered preventive.

Services performed outside of these guidelines and with a medical diagnosis will be applied to the appropriate medical benefits.

HCPCS/ CPT Code(s)	ICD-10 Diagnosis	Frequency
	Code(s)	
Pediatric - Birth	to Age 18	
Examination/Counseling		
99381, 99382, 99383, 99384, 99391, 99392, 99393, 99394 (Physical exam)	Z00.00, Z00.01, Z00.121, Z00.129	No limit from birth to age 12; every 275 days from ages 12 to 18
92002, 92004, 92012, 92014, 92015, 92081, 92082, 92083, 99172, 99174, 99177 S0620, S0621 (Eye exam	Z01.00, Z01.01	Every 12 months (99174 and 99177, age 5 and younger)
<b>99406, 99407, S9453</b> (Tobaccouse counseling)	Z00.00, Z00.01	Please note, effective 7/1/19, 99406 and 99407 will not be reimbursed separately when billed with a preventive exam as it is considered part of the exam
96110 (Developmental testing)	Z00.121, Z00.129, Z13.40, Z13.41, Z13.42, Z13.49	
(92585, 92586, termed 12/31/2020), Effective 1/1/21: 92558, 92587, 92588, 92650, 92651, 92652 (Newborn hearing screening)	Z00.121, Z00.129	Once, younger than 1 year of age
92551, 92552, 92553, V5008 (Hearing screening)	Z00.00, Z00.01, Z00.121, Z00.129	Effective 1/1/21: Annually, for ages 18 and younger
97802, 97803, 97804, G0270, G0271, S9445, S9446, S9452, S9470, G0108, G0109, G0446, G0447 (Dietary and obesity counseling)		5 visits every 12 months (see plan for specific services)
99401, 99402, 99403, 99404, G0445 (Sexually transmitted infections, domestic violence counseling, skin cancer, contraceptive management)	Z00.00, Z00.01, Z30.8, Z30.9	
G0444 (Depression screening)	Z00.00, Z00.01	Every 12 months (not payable separately if billed with a preventive exam)
Laboratory Tests		
S3620 (Newborn metabolic screening)	Z00.121, Z00.129	Once, younger than 1 year of age

Once, younger than 1 year of age
1, Once, younger than 1 year of age
Once, younger than 1 year of age
1,
1,
1,
1,
As recommended by the CDC/ACIP)
This immunization is a series (2–3 doses) that should be covered as preventive for ages 9–45, male and female. Please note, this series (2–3 doses is only covered once per lifetime.

99188 (Fluoride varnish)	Z00.00, Z00.01, Z00.121, Z00.129	Under age 5
Adult - Age 18	and older	
Examination/Counseling		
99385, 99386, 99387, 99395, 99396, 99397, S0610, S0612 (Physical exam)	Z00.00, Z00.01, Z01.411, Z01.419	Every 275 days
92002, 92004, 92012, 92014, 92015, 92081, 92082, 92083, 99172, S0620, S0621 (Eye exam)	Z01.00, Z01.01	Every 12 months
<b>99406, 99407, S9453</b> (Tobaccouse counseling)	Z00.00, Z00.01	Please note, effective 7/1/19, 99406 and 99407 will not be reimbursed separately when billed with a preventive exam as it is considered part of the exam
<b>99408, 99409, G0396, G0397, G0442, G0443, G2011</b> (Alcohol misuse screening and counseling)	Z00.00, Z00.01 or Maternity diagnosis	
92551, 92552, 92553, V5008 (Hearing screening)	Z00.00, Z00.01	Effective 1/1/21: Annually, only for ages 18-21 and 65 and older
G0117, G0118 (Glaucoma screening)	Z13.5	Every 12 months
<b>99401, 99402, 99403, 99404, G0445</b> (Sexually transmitted infections, domestic violence counseling, skin cancer, contraceptive management)	Z00.00, Z00.01, Z11.3, Z30.8, Z30.9	
97802, 97803, 97804, G0270, G0271, S9445, S9446, S9452, S9470, G0108, G0109, G0446, G0447 (Dietary and obesity counseling)		5 visits every 12 months (see plan for specific services)
G0463, S9443 (Breast feeding education)	Z39.1 or Maternity diagnosis	Once per pregnancy
G0444 (Depression screening)	Z00.00, Z00.01	Every 12 months (not payable separately if billed with a preventive exam)
96040 (Genetic counseling related to BRCA)	Numerous diagnosis codes if related to BRCA.	Once per lifetime
Laboratory Tests		
80047, 80048, 80053 (Basic metabolic panel/comprehensive metabolic panel) (No longer a preventive benefit, effective 1/1/17)	Z00.00, Z00.01	
<b>80050</b> (General Health Panel) (No longer a preventive benefit, effective 1/1/17)	Z00.00, Z00.01	
85025, 85027, G0306, G0307 (CBC)	Z00.00, Z00.01	
84153, G0102, G0103 (Prostate cancer, PSA)	Z12.12, Z12.5	
83036 (HgbA1c)	E66.01, E66.09, E66.1, E66.2, E66.3, E66.8, E66.9	Every 275 days for age 40 and olde
82947, 82948 (Diabetes screening)	Z13.1	
82950, 82951, 82952 (Gestational diabetes screening)	Maternity diagnosis	
81000, 81001, 81002, 81003, 81005 (Urinalysis) (No longer a preventive benefit, effective 1/1/17)	Z00.00, Z00.01	

84443 (Thyroid)(No longer a preventive benefit, effective 1/1/17)     200.01, 200.01, 200.01, 200.01, 200.01, 200.01, 211.3, 211.4, 21	80061, 82465, 84478 (Cholesterol screening)	Z13.220	
211.3 or Maternity diagnosis     211.3 or Maternity diagnosis       87624, 87625, 0500T, G0476 (HPV screening)     200.00, 200.01     Females over sge 30, only covered once every 36 months       86631, 86632, 87100, 87270, 87320, 87490, 87491, 87492 (Chlamydia screening)     211.4, 211.8, or Maternity diagnosis     211.4, 211.8, or Maternity diagnosis       86763, 87389, G0432, G0433, G0435 (HIV screening)     200.00, 200.01	84443 (Thyroid) (No longer a preventive benefit, effective 1/1/17)	Z00.121,	
acce every 36 months       86631, 86632, 8710, 87270, 87320, 87490, 87491, 87492     Z11.59, Z11.3, Z11.4, Z11.8 or Maternity diagnosis       86703, 87389, G0433, G0435 (HIV screening)     200.00, Z00.01       86592, 86593 (Syphilis screening)     Z00.00, Z00.01, Z01.01, Z11.3 or Maternity diagnosis       81162, 81163, 81164, 81165, 81166, 81212, 81215, 81216, 81217     Z00.00, Z00.01     Once, if risk factors and criteria are met       86580 (TB testing)     Z00.00, Z00.01     Once, if risk factors and criteria are met       86580 (TB testing)     Z00.00, Z00.01     First prenatal visit       87340 (Hepatitis D infection screening)     Z00.00, Z00.01     First prenatal visit       88655 (Lead screening)     Z00.00, Z00.01     Sesson, 86901 (Rh(D) Incompatibility screening)     Z00.00, Z00.01       86562 (Rubella screening)     Z00.00, Z00.01     First prenatal visit for Rh (D) blood typing and antibody testing. A repeat Rh (D) - negative.       86762 (Rubella screening)     Z00.00, Z00.01     In asymptomatic adtrop and antibody testing. A repeat Rh (D) - negative.       800307 (Iron deficiency anemia screening)     Z00.00, Z00.01     In asymptomatic adtrop and antibody testing. A repeat Rh (D) - negative.       807682 (Unine study to detect asymp	87081, 87205, 87800, 87801 (Gonorrhea screening)	Z11.3 or Maternity	
(Chlamydia screening)     211.4, 211.8 or Maternity diagnosis       86703, 87389, G0432, G0433, G0436 (HIV screening)     200.00, 200.01       86592, 86593 (Syphilis screening)     200.00, 200.01, Z11.3 or Maternity diagnosis     Conce, if risk factors and criteria are met       86580 (TB testing)     200.00, 200.01     Once, if risk factors and criteria are met       86580 (TB testing)     200.00, 200.01     First prenatal visit       87340 (Hepatitis B infection screening)     200.00, 200.01     First prenatal visit       86580 (TB testing)     200.00, 200.01     First prenatal visit       86580 (TB testing)     200.00, 200.01     First prenatal visit       866803, 86804 (Hepatitis C infection screening)     200.00, 200.01     First prenatal visit for Rh (D) blood typing and antibody testing. A repeat Rh (D) ambody test for all umesons filzed Rh(D) - negative.       86762 (Rubella screening)     200.00, 200.01     First prenatal visit or all umesons filzed Rh (D) - negative.       87086 (Urine study to detect asymptomatic bactiuria)     Maternity diagnosis     In asymptomatic pregnant women G0307 (Iron deficiency anemia screening)     201.411, 201.419, 212.4 (88141, 88142, 88143, 88147, 88148, 88150, 88152, 88153, 88174, 88174, 2014, 2014, 20144, 20143, 201441, 20144	87624, 87625, 0500T, G0476 (HPV screening)	Z00.00, Z00.01	
86592, 86593 (Syphilis screening)     Z00.00, 200.01, Z11.3 or Maternity diagnosis       81162, 81163, 81164, 81166, 81212, 81215, 81216, 81217     Z00.00, Z00.01     Once, if risk factors and criteria are met       86580 (TB testing)     Z00.00, Z00.01     Once, if risk factors and criteria are met       86580 (TB testing)     Z00.00, Z00.01     First prenatal visit       87340 (Hepatitis B infection screening)     Z00.00, Z00.01     First prenatal visit       86803, 86804 (Hepatitis C infection screening)     Z00.00, Z00.01     First prenatal visit for Rh (D) blood typing and antibody test for all unsensitized Rh(D) - negative.       86900, 86901 (Rh(D) Incompatibility screening)     Z00.00, Z00.01     First prenatal visit or at 12 to 16 unsensitized Rh(D) - negative.       86762 (Rubella screening)     Z00.00, Z00.01 or Maternity diagnosis     First prenatal visit or at 12 to 16 weeks gestation       83036, 83540, 85013, 85014, 85018, 85028, 85027, 60306, G0307 (Iron deficiency anemia screening)     Z00.00, Z00.01 or Maternity diagnosis     In a symptomatic pregnant women or Maternity diagnosis       8141, 88142, 88143, 88147, 88148, 88150, 88152, 88153, 88164, 88154, 88147, 88148, 88150, 88152, 88153, 88164, 88154, 88147, 88148, 88150, 88152, 88153, 88164, 88154, 88147, 88148, 88150, 88155, 88166, 88164, 88154, 88147, 88148, 88150, 88152, 88153, 88164, 88154, 88147, 88148, 88150, 88155, 88166, 88164, 88154, 88147, 88148, 88150, 88155, 88166, 88164, 88154, 88147, 88148, 88156, 88165, 88164, 88154, 88147,		Z11.4, Z11.8 or Maternity	
211.3 or Maternity diagnosis     211.3 or Maternity diagnosis       81162, 81163, 81164, 81165, 81166, 81212, 81215, 81217     Z00.00, Z00.01     Once, if risk factors and criteria are met       86580 (TB testing)     Z00.00, Z00.01     First prenatal visit       87340 (Hepatitis B infection screening)     Z00.00, Z00.01     First prenatal visit       88603, 86804 (Hepatitis C infection screening)     Z00.00, Z00.01     Rist prenatal visit for Rh (D) blood typing and antibody testing. A repeat Rh (D) antibody testing. A repeat Rh (D) antibody test for all unsesnitized Rh(D) – negative women at 24–28 weeks' gestation, unless the biological father is known to be Rh (D) – negative.       86762 (Rubella screening)     Z00.00, Z00.01 or Maternity diagnosis     First prenatal visit or at 12 to 16 weeks gestation       83036, 83540, 85013, 85014, 85018, 85025, 85027, G0306, G0307 (Iron deficiency anemia screening)     Z00.00, Z00.01 or Maternity diagnosis     In asymptomatic pregnant women or Maternity diagnosis       8141, 88142, 88143, 88147, 88148, 88150, 88152, 88153, 8155, 88160, 88152, 88153, 88157, 88154, 88167, G0146, G0041, G0143, G0144, G0147, G0148, G0094, 20111, P3000, P3001, S0610, S0612, S0613 (Pap smear)     In asymptomatic pregnant women or Maternity diagnosis     (88141, 88142, 88143, 88147, 88148, 88150, 88152, 88153, 88153, 88150, 88152, 88153, 88153, 88150, 88152, 88153, 88153, 88150, 88152, 88153, 88153, 88150, 88152, 88153, 88154, 88150, 88152, 88153, 88155, 88150, 8	86703, 87389, G0432, G0433, G0435 (HIV screening)	Z00.00, Z00.01	
(BRCA1 and 2)     met       86580 (TB testing)     Z00.00, Z00.01     First prenatal visit       87340 (Hepatitis B infection screening)     Z00.00, Z00.01 or Maternity diagnosis     First prenatal visit       86803, 86804 (Hepatitis C infection screening)     Z00.00, Z00.01     First prenatal visit for Rh (D) blood typing and antibody testing. A repeat Rh (D) negative women at 24–28 weeks' gestation, unless the biological father is known to be Rh (D) – negative.       86762 (Rubella screening)     Z00.00, Z00.01 or Maternity diagnosis     First prenatal visit or at 12 to 16 weeks gestation       80306, 83540, 85013, 85014, 85018, 85025, 85027, G0306, G0307 (Iron deficiency anemia screening)     Z00.00, Z00.01 or Maternity diagnosis     In asymptomatic pregnant women or Maternity diagnosis       81414, 88142, 88143, 88147, 88146, 88150, 88152, 88153, 88155, 88160, 88161, 88162, 88163, 88155, 88160, 88161, 88162, 88163, 88156, 88161, 88162, 88163, 88165, 88167, 88174, 68116, 60123, G0124, G01244, G01244, G01244, G01244, G01244, G0123, G0124, G0124, G01244, G	86592, 86593 (Syphilis screening)	Z11.3 or Maternity	
87340 (Hepatitis B infection screening)     Z00.00, Z00.01 or Maternity diagnosis     First prenatal visit       86803, 86804 (Hepatitis C infection screening)     Z00.00, Z00.01     S000, 200.01       83655 (Lead screening)     Z00.00, Z00.01     First prenatal visit for Rh (D) blood typing and antibody testing. A repeat Rh (D) antiston at 12 to 16 weeks gestation <t< td=""><td></td><td>Z00.00, Z00.01</td><td></td></t<>		Z00.00, Z00.01	
or Maternity diagnosis     or Maternity diagnosis       86803, 86804 (Hepatitis C Infection screening)     200.00, 200.01       83655 (Lead screening)     200.00, 200.01       86900, 86901 (Rh(D) Incompatibility screening)     Maternity diagnosis     First prenatal visit for Rh (D) blood typing and antibody testing. A repeat Rh (D) ancesnitized Rh(D) - negative women at 24–28 weeks: gestation, unless the biological father is known to be Rh (D) – negative.       86762 (Rubella screening)     200.00, 200.01 or Maternity diagnosis     First prenatal visit or at12 to 16 weeks gestation       83036, 83540, 85013, 85014, 85018, 85025, 85027, G0306, G0307 (Iron deficiency anemia screening)     200.00, 200.01 or Maternity diagnosis     In asymptomatic pregnant women or Maternity diagnosis       88141, 88142, 88143, 88147, 88148, 88150, 88152, 88153, 88154, 85013, 85014, 85018, 85025, 85027, G0306, G0307 (Iron deficiency anemia screening)     201.411, 201.419, 212.4 (88141, 88142, 88143, 88147, 88148, 88150, 88152, 88153, 88154, 88152, 88156, 88166, 88167, 88154, 88152, 88152, 88153, 88166, 88167, 88174, 88175, G0101, G0123, G0124, G0143, G0144, G0141, G0143, G0144, G0145, G0141, G0143, G0144	86580 (TB testing)	Z00.00, Z00.01	
83655 (Lead screening)   200.00, 200.01     86900, 86901 (Rh(D) Incompatibility screening)   Maternity diagnosis   First prenatal visit for Rh (D) blood typing and antibody testing. A repeat Rh (D) antibody test for all unsensitized Rh(D) – negative women at 24–28 weeks' gestation, unless the biological father is known to be Rh (D) – negative.     86762 (Rubella screening)   200.00, 200.01 or Maternity diagnosis   First prenatal visit or at 12 to 16 weeks gestation     87086 (Urine study to detect asymptomatic bactiuria)   Maternity diagnosis   First prenatal visit or at 12 to 16 weeks gestation     83036, 83540, 85013, 85014, 85018, 85025, 85027, G0306, G0307 (Iron deficiency anemia screening)   Z00.00, Z00.01 or Maternity diagnosis   In asymptomatic pregnant women or Maternity diagnosis     88141, 88142, 88143, 88147, 88148, 88150, 88152, 88153, 88155, 88160, 88161, 88162, 881646, 88165, 88167, 88154, 88147, G0141, G0143, G0144, G0144, G0141, G0143, G0144, G0144, G01414, G0145, G01444, G0145, G0141, G01413, G0144, G0144, G01414, G	87340 (Hepatitis B infection screening)	or Maternity	First prenatal visit
86900, 86901 (Rh(D) Incompatibility screening)Maternity diagnosisFirst prenatal visit for Rh (D) blood typing and antibody testing. A repeat Rh (D) antibody testing. A testion of Maternity diagnosis87086 (Urine study to detect asymptomatic bactiuria)Maternity diagnosisFirst prenatal visit or at 12 to 16 weeks gestation83036, 83540, 85013, 85014, 85018, 85025, 85027, G0306, G0307 (Iron deficiency anemia screening)Z00.00, Z00.01 or Maternity diagnosisIn asymptomatic pregnant women states a testing antibody testing. A states, 88141, 88142, 88143, 88147, 88148, 88150, 88152, 88153, 88155, 88160, 88161, 88162, 88164, 88165, 88166, 88167, 88174, 88175, 60101, G0124, G0144,	86803, 86804 (Hepatitis C infection screening)	Z00.00, Z00.01	
diagnosistyping and antibody testing. A repeat Rh (D) antibody testing. A repeat Rh (D) antibody test for all unsensitized Rh(D) - negative women at 24–28 weeks gestation, unless the biological father is known to be Rh (D) - negative.86762 (Rubella screening)200.00, Z00.01 or Maternity diagnosisFirst prenatal visit or at 12 to 16 weeks gestation87086 (Urine study to detect asymptomatic bactiuria)Maternity diagnosisFirst prenatal visit or at 12 to 16 weeks gestation83036, 83540, 85013, 85014, 85018, 85025, 85027, G0306, G0307 (Iron deficiency anemia screening)Z00.00, Z00.01 or Maternity diagnosisIn asymptomatic pregnant womenProcedures88141, 88142, 88143, 88147, 88148, 88150, 88152, 88153, 88155, 88160, 88161, 88162, 88164, 88165, 88166, 88167, 88174, 88175, G0101, G0123, G0124, G0141, G0143, G0144, G0145, G0147, G0148, Q0091, Q0111, P3000, P3001, S0610, S0612, S0613 (Pap smear)Z01.411, Z01.411, Z01.411, Z01.411, S0143, S0144, G0145, G0141, G0143, G0144, G0145, S0613) Every 275 days	83655 (Lead screening)	Z00.00, Z00.01	
or Maternity diagnosis       87086 (Urine study to detect asymptomatic bactiuria)     Maternity diagnosis     First prenatal visit or at 12 to 16 weeks gestation       83036, 83540, 85013, 85014, 85018, 85025, 85027, G0306, G0307 (Iron deficiency anemia screening)     Z00.00, Z00.01 or Maternity diagnosis     In asymptomatic pregnant women       Procedures     Procedures     88141, 88142, 88143, 88147, 88148, 88150, 88152, 88153, 88154, 88155, 88160, 88161, 88162, 88164, 88165, 88166, 88167, 88174, 88175, G0101, G0123, G0124, G0141, G0143, G0144, G0145, G0147, G0148, Q0091, Q0111, P3000, P3001, S0610, S0612, S0613 (Pap smear)     Z01.411, G0141, G0143, G0144, G0145, G0141, G0141, S0610, S0612, S0613) Every 275 days	86900, 86901 (Rh(D) Incompatibility screening)		typing and antibody testing. A repeat Rh (D) antibody test for all unsensitized Rh(D) – negative women at 24–28 weeks' gestation, unless the biological father is
diagnosis     weeks gestation       83036, 83540, 85013, 85014, 85018, 85025, 85027, G0306, G0307 (Iron deficiency anemia screening)     Z00.00, Z00.01 or Maternity diagnosis     In asymptomatic pregnant women       B8141, 88142, 88143, 88147, 88148, 88150, 88152, 88153, 88155, 88160, 88161, 88162, 88164, 88165, 88166, 88167, 88174, 88175, G0101, G0123, G0124, G0141, G0143, G0144, G0145, G0147, G0148, Q0091, Q0111, P3000, P3001, S0610, S0612, S0613 (Pap smear)     Z01.411, Z01.419, Z12.4     (88141, 88142, 88143, 88147, 88145, 88166, 88167, 88174, 88175, G0123, G0124, G0144, G0143, G0144, G0141, G0143, G0144, G0145, G0141, G0143, G0144, G0145, G0141, G0143, G0144, G0145, G0141, G0141, S0610, S0612, S0613) Every 36 months       (G0101, Q0111, S0610, S0612, S0613) Every 275 days     Effective 4/1/22: Not covered for females under age 21	86762 (Rubella screening)	or Maternity	
G0307 (Iron deficiency anemia screening)     or Maternity diagnosis       Procedures       88141, 88142, 88143, 88147, 88148, 88150, 88152, 88153, 88155, 88160, 88161, 88162, 88164, 88165, 88166, 88167, 88174, 88175, G0101, G0123, G0124, G0141, G0143, G0144, G0145, G0147, G0148, Q0091, Q0111, P3000, P3001, S0610, S0612, S0613 (Pap smear)     Z01.411, Z01.419, Z12.4     (88141, 88142, 88143, 88147, 88148, 88167, 88162, 88164, 88165, 88166, 88167, 88174, 88175, G0123, G0124, G0141, G0143, G0144, G0141, G0143, G0144, G0145, G0147, G0148, Q0091, P3000, P3001, S0610, S0612, S0613 (Pap smear)     (G0101, Q0111, S0610, S0612, S0613) Every 36 months       (G0101, Q0111, S0610, S0612, S0613) Every 275 days     Effective 4/1/22: Not covered for females under age 21	87086 (Urine study to detect asymptomatic bactiuria)		
88141, 88142, 88143, 88147, 88148, 88150, 88152, 88153,   Z01.411,   (88141, 88142, 88143, 88147, 88148, 88147, 88148, 88155, 88166, 88167, 88174, 88175, G0101, G0123, G0124, G0141, G0143, G0144, G0145, G0147, G0148, Q0091, Q0111, P3000, P3001, S0610, S0612, S0613 (Pap smear)   Z01.411,   Z01.419, Z12.4   (88141, 88142, 88143, 88147, 88148, 88165, 88166, 88167, 88152, 88153, 88152, 88153, 88155, 88166, 88167, 88174, 88175, G0123, G0124, G0141, G0143, G0144, G0145, G0147, G0148, Q0091, P3000, P3001)     Every 36 months     (G0101, Q0111, S0610, S0610, S0610, S0612, S0613) Every 275 days		or Maternity	In asymptomatic pregnant women
88155, 88160, 88161, 88162, 88164, 88165, 88166, 88167,     88174, 88175, G0101, G0123, G0124, G0141, G0143, G0144,     G0145, G0147, G0148, Q0091, Q0111, P3000, P3001, S0610,     S0612, S0613 (Pap smear)     Z01.419, Z12.4     S0101, G0123, G0124, G0141, G0143, G0144,     G0145, G0147, G0148, Q0091, Q0111, P3000, P3001, S0610,     S0612, S0613 (Pap smear)     Z01.419, Z12.4     Z01.419, Z12.4     S0147, G0148, Q0091, Q0111, P3000, P3001, S0610,     S0612, S0613 (Pap smear)     Z01.419, Z12.4     Z01.419, Z12.4     S0147, G0148, Q0091, Q0111, P3000, P3001, S0610,     S0612, S0613 (Pap smear)     G0141, G0143, G0144, G0145,     G0141, G0143, G0144, G0145,     G0141, G0143, G0144, G0145,     G0141, Q0111, S0610, S0612,     S0613) Every 275 days     Effective 4/1/22: Not covered for     females under age 21	Procedu	ires	
77063, 77067 (Screening mammogram)     Z12.31     Every 275 days	88155, 88160, 88161, 88162, 88164, 88165, 88166, 88167, 88174, 88175, G0101, G0123, G0124, G0141, G0143, G0144, G0145, G0147, G0148, Q0091, Q0111, P3000, P3001, S0610,		88150, 88152, 88153, 88155, 88160, 88161, 88162, 88164, 88165, 88166, 88167, 88174, 88175, G0123, G0124, G0141, G0143, G0144, G0145, G0147, G0148, Q0091, P3000, P3001) Every 36 months (G0101, Q0111, S0610, S0612, S0613) Every 275 days Effective 4/1/22: Not covered for
	77063, 77067 (Screening mammogram)	Z12.31	Every 275 days

44388, 44389, 44392, 44394, 44401, 45305, 45308, 45309, 45315, 45320, 45330, 45331, 45333, 45338, 45346, 45378, 45380, 45381, 45388, 45384, 45385, 74270, 81528, 82270, 82271, 82272, 82274, G0104, G0105, G0106, G0120, G0121, G0122, G0328, S0601 (Colon cancer screening) (00812, 99153, G0500 (Anesthesia for colon cancer screening)	Z12.11, Z12.12	(00812, 44389, 44392, 44394, 44401, 45305, 45308, 45309, 45315, 45320, 45330, 45331, 45333, 45338, 45346, 45378, 45380, 45388, 45384, 45385, 74270, 99153, G0500, G0104, G0105, G0106, G0120, G0121, G0122, S0601) Every five years (ages 45-75) 81528 Once every 3 years (ages 45-75) (82270, 82271, 82272, 82274, G0328)
		Every 12 months
76706 (Abdominal aortic aneurysm)	Z13.6	Males only, once between ages 65 to 75
77080 (Bone density/DEXA)	Z13.820	Every 24 months in women ages 60 and older
E0603 (Breast pump)	Maternity diagnosis	Once per pregnancy
00851, 58600, 58605, 58611, 58615, 58670, 58671 (Sterilization)	Z30.2	Once per lifetime
11981, 11982, 11983, 57170, 58300, 58301, 74740, 96372, J7296, J7297, J7298, J7300, J7301, J7303, J7304, J7307, S4981, A4261, A4264, A4266 (Other contraceptive methods)	Z30.2, Z30.011, Z30.013, Z30.014, Z30.018, Z30.019, Z30.40, Z30.41, Z30.42, Z30.430, Z30.431 Z30.432, Z30.433, Z30.433, Z30.49, Z30.8, Z30.9	
(G0297 (Lung cancer screening), (termed 12/31/20) (71271, effective 1/1/21)		Ages 50 to 80 years
92227, (92228, effective 1/1/21), 92250 (Diabetic retinopathy screening)	Diabetic Diagnosis	Every 24 months
Immunizations		As recommended by the CDC/ACIP)
90471, 90472, 90473, 90474, G0008, G0009 (Administration codes)	Z23	
90630, 90653, 90654, 90656, 90658, 90660, 90661, 90662, 90672, 90673, 90682, 90685, 90686, 90688, 90689, 90756, Q2035, Q2036, Q2037, Q2038, Q2039 (Influenza)	Z23	
<b>90714, 90715</b> (Tetanus or tetanus, diphtheria and pertussis (Tdap))	Z23	
90670, 90732 (Pneumococcal)	Z23	
90632, 90636, 90746, 90747, 90748 (Hepatitis A)	Z23	
90733, 90734 (Meningitis)	Z23	
<b>90750</b> (Zoster) (Zostavax is no longer available in the U.S., effective 11/2020)	Z23	90750, ages 18 and older
90649, 90650, 90651 (Human papilloma virus, HPV)	Z23	This immunization is a series (2–3 doses) that should be covered as preventive for ages 9–45, male and female.

		Please note, this series (2–3 doses) is only covered once per lifetime.
90723, 90740, 90747, 90748 (Hepatitis B, e.g., HepB-hib)	Z23	
90710, 90716 Varicella (chicken pox) (MMRV)	Z23	
90707 (MMR)	Z23	
SELECT HEALTH ADVANTAGE (MEDICARE/CMS)		

# Select Health Advantage will cover the following:

Inclands     Inclands     Inclands     Inclands       Pediatric - Birth to Age 18     Examination/Counseling     200.00, 200.01, 200.02,	HCPCS/ CPT Code(s)	ICD-10	Fraguanay
Examination//Counseling     Image: Constraint on Access and the analysis of the analysis o	HCFCS/CF1C0de(s)	Diagnosis	Frequency
99381, 99382, 99383, 99384, 99391, 99392, 99393, 99394, G0513, G0514 (Physical exam)     Z00.00, Z00.01, Z00.12, Z00.12, Z00.12, Z00.12, Z00.12, Z00.12, Z00.12, Z00.12, Z00.12, Z00.12, Z00.12, Z00.12, Z00.12, Z00.12, Z00.01, Z00.01, Z00.01, Z00.01, Z00.01, Z00.01, Z00.01, Z00.01, Z00.01, Z00.12, Z01.21, Z	Pediatric - Birth	to Age 18	
G0513, G0514 (Physical exam)Z00.01, 200.129Z00.21, 200.129E, 3, 2, 15, and 18 moths; ages 2, 2 2, wery 12 months from ages 3 to 18Laboratory TestsZ00.00, 200.01, 200.121, 200.121, 200.121, 200.121, 200.121, 200.121, 200.121, 200.121, 200.121, 200.121, 200.121, 200.120, 200.120, 200.121, 200.121, 200.120, 200.120, 200.121, 200.120, 200.120, 200.121, 200.120, 200.121, 200.120, 200.120, 200.121, 200.121, 200.120, 200.120, 200.120, 200.121, 200.120, 200.120, 200.120, 200.120, 200.120, 200.120, 200.120, 200.200,<	Examination/Counseling		
G0432, G0433, G0435, G0475, 80081 (HIV screening)Z00.00, Z00.01, Z00.121, Z00.121, Z00.129Once every 12 months, except when secondary diagnosis is pregnancy, then three times every 12 months.ImmunizationsZ1Secondary diagnosis is pregnancy, then three times every 12 months.G0008, G0009, G0010 (Administration codes)Z23As recommended by the CDC/ACIP)G0008, G0009, G0010 (Administration codes)Z23Once per lifetime90630, 90653, 90654, 90655, 90656, 90667, 90661, 90662, 90673, 90674, 90674, 90685, 90685, 90686, 90687, 90688, 90689, 90694, 90756, G2036, G2037, Q2038, Q2039 (Influenza)Z23Once per lifetime90670, 90732 (Pneumococcal)Z23Once every 5 years with a max quantity limit of 2 per lifetime908385, 99386, 99387, 99395, 99396, 99397, G0402 (Physical Exam), G0438, G0439, G0514 (Annual wellness exam)Z00.00, Z00.01, Z01.411,	99381, 99382, 99383, 99384, 99391, 99392, 99393, 99394, G0513, G0514 (Physical exam)	Z00.01, Z00.121,	6, 9, 12, 15, and 18 moths; ages 2, 2 ½; every 12 months from ages 3 to
Z00.01, Z00.121, Z00.129secondary diagnosis is pregnancy, then three times every 12 months.ImmunizationsAs recommended by the CDC/ACIP)60008, 60009, 60010 (Administration codes)Z2390740, 90743, 90744, 90747 (Hepatitis B, e.g., HepB-hib)Z2390670, 90733, 90674, 90655, 90656, 90667, 90668, 90668, 90682, 90682, 90685, 90686, 90687, 90688, 90689, 90670, 90732 (Pneumococcal)Z2390670, 90732 (Pneumococcal)Z2390670, 90732 (Pneumococcal)Z2390878, 99386, 99387, 99395, 99397, 60402 (Physical Exam), 60438, 60439, 60513, 60514 (Annual wellness exam)Z00.00, Z00.01, Z01.411, Z01.411, Z01.411, Z01.41199406, 99407 (Tobacco use counseling)Z13.5Every 12 months60442, 60443, G2011 (Alcohol misuse screening and counseling)Z00.00, Z00.01, or Maternity diagnosisStimes every 12 months60445 (Sexually transmitted infections, domestic violence counseling)Z00.00, Z00.01Twice every 12 months97802, 97803, 97804, 60108, 60109, 60270, 60271 (Dietary counseling)Z71.397802, once per lifetime	Laboratory Tests		
G0008, G0009, G0010 (Administration codes)Z2390740, 90743, 90744, 90747 (Hepatitis B, e.g., HepB-hib)Z23Once per lifetime90630, 90653, 90654, 90655, 90655, 90657, 90660, 90662, 90672, 90673, 90674, 90682, 90685, 90686, 90687, 90688, 90689, 90694, 90756, Q2035, Q2036, Q2037, Q2038, Q2039 (Influenza)Z23Annually90670, 90732 (Pneumococcal)Z23Once every 5 years with a max quantity limit of 2 per lifetimeAdult - Age 18	G0432, G0433, G0435, G0475, 80081 (HIV screening)	Z00.01, Z00.121,	secondary diagnosis is pregnancy,
90740, 90743, 90747 (Hepatitis B, e.g., HepB-hib)Z23Once per lifetime90630, 90653, 90654, 90655, 90657, 90660, 90661, 90662, 90672, 90673, 90674, 90682, 90688, 90688, 90688, 90694, 90756, Q2035, Q2036, Q2037, Q2038, Q2039 (Influenza)Z23Annually90670, 90732 (Pneumococcal)Z23Once every 5 years with a max quantity limit of 2 per lifetimeAdult - Age 18 and olderAdult - Age 18 and older99385, 99386, 99397, 99396, 99397, G0402 (Physical 	Immunizations		
90630, 90653, 90654, 90655, 90656, 90657, 90660, 90661, 90662, 90672, 90673, 90674, 90682, 90685, 90686, 90687, 90688, 90688, 90694, 90756, Q2035, Q2036, Q2037, Q2038, Q2039 (Influenza)Z23Annually90670, 90732 (Pneumococcal)Z23Once every 5 years with a max quantity limit of 2 per lifetimeAdult - Age 18 and olderAdult - Age 18 and older99385, 99386, 99387, 99395, 99396, 99397, G0402 (Physical Exam), G0438, G0439, G0513, G0514 (Annual wellness exam)Z00.00, Z00.01, Z01.411, Z01.41999406, 99407 (Tobacco use counseling)Z00.00, Z00.01 Z01.411, Z01.419S times every 12 monthsG0117, G0118 (Glaucoma screening)Z13.5Every 12 monthsG0442, G0443, G2011 (Alcohol misuse screening and counseling)Z00.00, Z00.01 or Maternity diagnosisEvery 12 months unless screening positive than 4 times per year gositive than 4 times per yearG0445 (Sexually transmitted infections, domestic violence counseling)Z00.00, Z00.01 or Maternity diagnosisTwice every 12 months97802, 97803, 97804, G0108, G0109, G0270, G0271 (Dietary counseling)Z71.397802, once per lifetime G0108 and G0109, no limits	G0008, G0009, G0010 (Administration codes)	Z23	
90672, 90673, 90674, 90682, 90686, 90687, 90686, 90683, 90694, 90756, Q2035, Q2036, Q2037, Q2038, Q2039 (Influenza)Z23Once every 5 years with a max quantity limit of 2 per lifetime90670, 90732 (Pneumococcal)Z23Once every 5 years with a max quantity limit of 2 per lifetimeAdult - Age 18 and older99385, 99386, 99387, 99395, 99396, 99397, G0402 (Physical Exam), G0438, G0439, G0513, G0514 (Annual wellness exam)Z00.00, Z00.01, Z01.411, Z01.411, Z01.411999406, 99407 (Tobacco use counseling)Z00.00, Z00.018 times every 12 monthsG0117, G0118 (Glaucoma screening)Z13.5Every 12 monthsG0442, G0443, G2011 (Alcohol misuse screening and counseling)Z00.00, Z00.01 or Maternity diagnosisEvery 12 months unless screening positive than 4 times per yearG0445 (Sexually transmitted infections, domestic violence counseling)Z00.00, Z00.01 or Maternity diagnosisTwice every 12 months g0108 and G0109, G0270, G0271 (Dietary counseling)Z71.3 OR0.02 00.01 OR0.02 00.01 on limits	90740, 90743, 90744, 90747 (Hepatitis B, e.g., HepB-hib)	Z23	Once per lifetime
Adult - Age 18 and olderExamination/CounselingZ00.00, Z00.01, Z01.411, Z01.419Once per calendar year99385, 99386, 99387, 99395, 99396, 99397, G0402 (Physical Exam), G0438, G0439, G0513, G0514 (Annual wellness exam)Z00.00, Z00.01, Z01.411, Z01.419Once per calendar year99406, 99407 (Tobacco use counseling)Z00.00, Z00.01 Z13.58 times every 12 monthsG0117, G0118 (Glaucoma screening)Z13.5Every 12 monthsG0442, G0443, G2011 (Alcohol misuse screening and counseling)Z00.00, Z00.01 or Maternity diagnosisEvery 12 months unless screening positive than 4 times per yearG0445 (Sexually transmitted infections, domestic violence counseling)Z00.00, Z00.01 or Maternity diagnosisTwice every 12 months97802, 97803, 97804, G0108, G0109, G0270, G0271 (Dietary counseling)Z71.3 O7802, once per lifetime G0108 and G0109, no limits	90672, 90673, 90674, 90682, 90685, 90686, 90687, 90688, 90689,	Z23	Annually
Examination/CounselingZ00.00, Z00.01, Z01.411, Z01.411, Z01.419Once per calendar year99385, 99386, 99387, 99395, 99396, 99397, G0402 (Physical Exam), G0438, G0439, G0513, G0514 (Annual wellness exam)Z00.00, Z00.01, Z01.411, Z01.419Once per calendar year99406, 99407 (Tobacco use counseling)Z00.00, Z00.018 times every 12 monthsG0117, G0118 (Glaucoma screening)Z13.5Every 12 monthsG0442, G0443, G2011 (Alcohol misuse screening and counseling)Z00.00, Z00.01 or Maternity diagnosisEvery 12 months unless screening positive than 4 times per yearG0445 (Sexually transmitted infections, domestic violence counseling)Z00.00, Z00.01 or Maternity diagnosisTwice every 12 months97802, 97803, 97804, G0108, G0109, G0270, G0271 (Dietary counseling)Z71.397802, once per lifetime G0108 and G0109, no limits	90670, 90732 (Pneumococcal)	Z23	
99385, 99386, 99387, 99395, 99396, 99397, G0402 (Physical Exam), G0438, G0439, G0513, G0514 (Annual wellness exam)Z00.00, Z00.01, Z01.411, Z01.419Once per calendar year99406, 99407 (Tobacco use counseling)Z00.00, Z00.018 times every 12 monthsG0117, G0118 (Glaucoma screening)Z13.5Every 12 monthsG0442, G0443, G2011 (Alcohol misuse screening and counseling)Z00.00, Z00.01 or Maternity diagnosisEvery 12 months unless screening positive than 4 times per yearG0445 (Sexually transmitted infections, domestic violence counseling)Z00.00, Z00.01 or Maternity diagnosisTwice every 12 months97802, 97803, 97804, G0108, G0109, G0270, G0271 (Dietary counseling)Z71.397802, once per lifetime G0108 and G0109, no limits	Adult - Age 18 a	and older	
Exam), G0438, G0439, G0513, G0514 (Annual wellness exam)Z00.01, Z01.411, Z01.41999406, 99407 (Tobacco use counseling)Z00.00, Z00.018 times every 12 monthsG0117, G0118 (Glaucoma screening)Z13.5Every 12 monthsG0442, G0443, G2011 (Alcohol misuse screening and counseling)Z00.00, Z00.01 or Maternity diagnosisEvery 12 months unless screening positive than 4 times per yearG0445 (Sexually transmitted infections, domestic violence counseling)Z00.00, Z00.01 or Maternity diagnosisTwice every 12 months97802, 97803, 97804, G0108, G0109, G0270, G0271 (Dietary counseling)Z71.397802, once per lifetime G0108 and G0109, no limits	Examination/Counseling		
G0117, G0118 (Glaucoma screening)Z13.5Every 12 monthsG0442, G0443, G2011 (Alcohol misuse screening and counseling)Z00.00, Z00.01 or Maternity diagnosisEvery 12 months unless screening positive than 4 times per yearG0445 (Sexually transmitted infections, domestic violence counseling)Z00.00, Z00.01 or Maternity diagnosisTwice every 12 months97802, 97803, 97804, G0108, G0109, G0270, G0271 (Dietary counseling)Z71.397802, once per lifetime G0108 and G0109, no limits		Z00.01, Z01.411,	Once per calendar year
G0442, G0443, G2011 (Alcohol misuse screening and counseling)Z00.00, Z00.01 or Maternity diagnosisEvery 12 months unless screening positive than 4 times per yearG0445 (Sexually transmitted infections, domestic violence 	99406, 99407 (Tobacco use counseling)	Z00.00, Z00.01	8 times every 12 months
or Maternity diagnosispositive than 4 times per yearG0445 (Sexually transmitted infections, domestic violence counseling)Z00.00, Z00.01Twice every 12 months97802, 97803, 97804, G0108, G0109, G0270, G0271 (Dietary counseling)Z71.397802, once per lifetime G0108 and G0109, no limits	G0117, G0118 (Glaucoma screening)	Z13.5	Every12 months
counseling)     27802, 97803, 97804, G0108, G0109, G0270, G0271 (Dietary counseling)     Z71.3     97802, once per lifetime       G0108 and G0109, no limits     G0108 and G0109, no limits	<b>G0442, G0443, G2011</b> (Alcohol misuse screening and counseling)	or Maternity	
counseling) G0108 and G0109, no limits		Z00.00, Z00.01	Twice every 12 months
G0446 (Intensive behavioral therapy) for cardiovascular disease   Z71.3   Every 12 months		Z71.3	•
	G0446 (Intensive behavioral therapy) for cardiovascular disease	Z71.3	Every 12 months

	700.00	
G0447, G0473 (Intensive behavioral therapy) for obesity	Z68.30,	22 times every 12 months
	Z68.31, Z68.32,	
	Z68.32, Z68.33,	
	Z68.34,	
	Z68.35,	
	Z68.36.	
	Z68.37,	
	Z68.38,	
	Z68.39,	
	Z68.41,	
	Z68.42,	
	Z68.43,	
	Z68.44, Z68.45	
Laboratory Tests		
G0103 (Prostate cancer, PSA)	Z12.12, Z12.5	Every 12 months
83036 (A1c)	Z13.1	2 screenings within a 12-month
		period; effective 1/1/24.
82947 (Diabetes screening)	Z13.1	Every 12 months or 2 every 12 months if dx of pre-diabetes
82950, 82951 (Gestational diabetes screening)	Maternity diagnosis	Every 12 months
80061, 82465, 83718, 84478 (Cholesterol screening)	Z13.220, Z13.6	Once every 5 years
87800, 87590, 87591, 87850 (Gonorrhea screening)	Z00.00, Z00.01	Every 12 months. If billed with
	or Maternity diagnosis	pregnancy diagnosis, then allow 3 times every 12 months.
86631, 86632, 87110, 87270, 87320, 87490, 87491, 87810	Z11.59, Z11.4,	Every 12 months. If billed with
(Chlamydia screening)	Z11.8 or	pregnancy diagnosis, then allow 3
(onaniyala oolooning)	Maternity	times every 12 months.
	diagnosis	
	744 54	0
G0476 (Cervical cancer screening HPV)	Z11.51,	Once every 5 years
	Z01.411, Z01.419	
	201.415	
G0432, G0433, G0435, G0475, 80081 (HIV screening)	Z00.00, Z00.01	Every 12 months. If billed with
		pregnancy diagnosis, then allow 3
		times every 12 months.
86780, 86592, 86593 (Syphilis screening)	Z00.00, Z00.01	Every 12 months. If billed with
	or Maternity	pregnancy diagnosis, then allow 3
	diagnosis	times every 12 months.
	-	-
87340, 87341, G0499 (Hepatitis B infection screening)	Z00.00, Z00.01	Every 12 months. If billed with
	or Maternity	pregnancy diagnosis, then allow 3
	diagnosis	times every 12 months.
		G0499 Every 12 months for high risk
		individuals. If billed with pregnancy
		diagnosis, then allow at 1st prenatal
		visit and again at time of delivery
		- •
G0472 (Hepatitis C antibody screening)	Z00.00, Z00.01	Once per lifetime over 50 years of
		age
G0444 (Depression screening)	Z00.00, Z00.01	Every 12 months
Procedures		
G0101, G0123, G0124, G0141, G0143, G0144, G0145, G0147,	Z01.411,	Every 24 Months
G0148, Q0091, P3000, P3001 (Papsmear)	Z01.419, Z12.4	Effective 4/1/22: Not covered for
		females under age 21
77052, 77057, 77063, 77067 (Screening mammogram)	712 31	Once per calendar year starting at
77052, 77057, 77063, 77067 (Screening mammogram)	Z12.31	Once per calendar year, starting at age 35 and over

44388, 44389, 44392, 44394, 44401, 45305, 45308, 45309, 45315, 45320, 45330, 45331, 45333, 45338, 45346, 45378, 45380, 45381, 45384, 45385, 82270, G0104, G0105, G0121, G0328, 81528, (Colon cancer screening) 00812, 99153, G0500, (Anesthesia for colon cancer screening)	Z12.11, Z12.12	44388, 44389, 44392, 44394, 44401, 45305, 45308, 45309, 45315, 45320, 45330, 45331, 45333, 45338, 45346, 45378, 45380, 45384, 45385, G0121- Effective 1/1/19-Every 9 years, G0104 – Every 4 years (ages 45-75) 00812, 99153, G0500 G0105 – Every 24 months (ages 45- 75) G0328 and 82270 – Every 12 months, 81528 – Once every 3 years
76706 (Abdominal aortic aneurysm)	Z13.6	Once a lifetime
G0130, 76977, 77078, 77080, 77081, 77085 (Bone density/DEXA)	Z13.820	One test every 24 months
G0296, (G0297 termed 12/31/20) (71271, effective 1/1/21) (Lung cancer screening)	Z87.891	Every 12 Months
92227, (92228, effective 1/1/21), 92250 (Diabetic Retinopathy Screening)		Every 12 Months
Immunizations		As recommended by the CDC/ACIP)
G0008, G0009, G0010 (Administration codes)	Z23	
90630, 90653, 90654, 90655, 90656, 90660, 90661, 90662, 90672, 90673, 90674, 90682, 90689, 90756, Q2035, Q2036, Q2037, Q2038, Q2039 (Influenza)	Z23	Once every 12 months
90670, 90732 (Pneumococcal)	Z23	Once every 5 years with a max limit of 2 per lifetime
90739, 90740, 90746, 90747 (Hepatitis B)	Z23	Once per lifetime
SELECT HEALTH COMMUNITY CARE (MEDICAID)		

## Select Health Community Care will cover the following:

HCPCS/ CPT Code(s)	ICD-10 Diagnosis Code(s)	Frequency
Pediatric - Birth	to Age 18	
Examination/Counseling		
99381, 99382, 99383, 99384, 99391, 99392, 99393, 99394 (Physical exam)	Z00.00, Z00.01, Z00.121, Z00.129	No limit from birth to age 12; every 275 days from ages 12 to 18
Laboratory Tests		
86703, (HIV screening)	Z00.00, Z00.01, Z00.121, Z00.129	
Immunizations		As recommended by the CDC/ACIP)
90471, 90472, 90473, 90474, G0008, G0009 (Administration codes)	Z23	

<b>90696, 90698, 90700, 90702, 90715, 90723</b> Diphtheria, tetanus, Acellular pertussis (e.g., DT, DTP, DTaP)	Z23	
<b>90647, 90648, 90696, 90698, 90748</b> Haemophilus infuenzae type b (e.g., Hib, DtaP-Hib-IPV, DTP-Hib, Dtap-Hib)	Z23	
90633, 90634 (Hepatitis A)	Z23	
<b>90723, 90740, 90743, 90744, 90746, 90747, 90748</b> (Hepatitis B, e.g., HepB-hib)	Z23	
90630, 90654, 90655, 90656, 90657, 90658, 90660, 90662, 90672, 90673, 90685, 90686, 90687, 90688, 90689, Q2035, Q2036, Q2037, Q2038, Q2039 (Influenza)	Z23	
90707, 90710 (e.g., MMR, measles mumps, rubella)	Z23	
90698, 90713, 90723 (Polio, e.g., OPV, IPV, DtaP-Hep-IPV)	Z23	
90670, 90732 (Pneumococcal)	Z23	
90700, 90702, 90714, 90715 (Diptheria, and Pertussis (Tdap))	Z23	
90710, 90716 Varicella (chicken pox) (MMRV)	Z23	
90733, 90734 (Meningitis)	Z23	
90680, 90681 (Rotavirus)	Z23	
90649, 90650, 90651 (Human papilloma virus (HPV)	Z23	This immunization is a series (2–3 doses) that should be covered as preventive for ages 9–45, male and female. Please note, this series (2–3 doses) is only covered once per lifetime.
Adult - Age 18 a	and older	
Laboratory Tests		
84153, G0102, (Prostate cancer, PSA)	Z12.12, Z12.5	
87081, 87205, 87800, 87801 (Gonorrhea screening)	Z00.00, Z00.01or Maternity diagnosis	
86631, 86632, 87110, 87270, 87320, 87490, 87491, 87942 (Chlamydia screening)	Z11.59, Z11.4, Z11.8 or Maternity diagnosis	
86703 (HIV screening)	Z00.00, Z00.01	
86592, 86593 (Syphilis screening)	Z00.00, Z00.01or Maternity diagnosis	
Procedures		
88141, 88142, 88143, 88147, 88148, 88150, 88152, 88153, 88155, 88160, 88161, 88162, 88164, 88165, 88166, 88167, 88174, 88175, G0101, Q0091, Q0111, P3000, P3001) (Pap smear)	Z01.411, Z01.419, Z12.4	(G0101, Q0091, Q0111, P3000, P3001) Every 36 months (88141, 88142, 88143, 88147, 88148, 88150, 88152, 88153, 88155, 88160, 88161, 88162, 88164, 88165, 88166, 88167, 88174, 88175) Every 36 months Effective 4/1/22: Not covered for females under age 21

77067 (Screening mammogram)	Z12.31	Every 275 days
76706 (Abdominal aortic aneurysm)	Z13.6	Males only, once between ages 65 to 75
77080 (Bone density/DEXA)	Z13.820	Every 24 months in women ages 60 and older
E0603 (Breast pump)		Once per pregnancy
Immunizations		As recommended by the CDC/ACIP)
90471, 90472, 90473, 90474, G0008, G0009 (Administration codes)	Z23	
90630, 90654, 90656, 90658, 90660, 90662, 90672, 90673, 90685, 90686, 90688, 90689, Q2035, Q2036, Q2037, Q2038, Q2039 (Influenza)	Z23	
90714, 90715 (Tetanus or tetanus, diphtheria and pertussis (Tdap))	Z23	
90670, 90732 (Pneumococcal)	Z23	
90632, 90636, 90746, 90747, 90748 (Hepatitis A)	Z23	
90733, 90734 (Meningitis)	Z23	
<b>90750</b> (Zoster) (Zostavax is no longer available in the U.S., effective 11/1/20)	Z23	Ages 19 and older
<b>90649, 90650, 90651</b> (Human papilloma virus, HPV)	Z23	This immunization is a series (2–3 doses) that should be covered as preventive for ages 9–45, male and female. Please note, this series (2–3 doses) is only covered once per lifetime.

Sources

1. Centers for Disease Control and Prevention. (2013, September 18). ICD-10-CM Coordination and Maintenance Committee Meeting. Retrieved September 8, 2014, from http://www.cdc.gov/nchs/data/icd/icd\_topic\_packet\_sept\_181913.pdf

2. CMS. (2013, October 1). QUICK REFERENCE INFORMATION: Preventive Services. Retrieved September 10, 2014, from http://www.cms.gov/Medicare/Prevention/PrevntionGenInfo/Downloads/MPS\_QuickReferenceChart\_1.pdf

3. Coverage and Reimbursement. Medicaid.utah.gov/Retrieved November 24, 2014, from https://medicaid.utah.gov/coverage-and-reimbursement

4. Current Procedural Terminology (CPT®), (2014) – American Medical Association.

5. ICD-9-CM Coding Guidelines. (2013, January 1). Retrieved July 8, 2014, from https://www.encoderpro.com/epro/physicianDoc/pdf/i9v1/i9 guidelines.pdf

#### Disclaimer

This document is for informational purposes only and should not be relied on in the diagnosis and care of individual patients. Medical and Coding/Reimbursement policies do not constitute medical advice, plan preauthorization, certification, an explanation of benefits, or a contract. Members should consult with appropriate healthcare providers to obtain needed medical advice, care, and treatment. Benefits and eligibility are determined before medical guidelines and payment guidelines are applied. Benefits are determined by the member's individual benefit plan that is in effect at the time services are rendered.

The codes for treatments and procedures applicable to this policy are included for informational purposes. Inclusion or exclusion of a procedure, diagnosis or device code(s) does not constitute or imply member coverage or provider reimbursement policy. Please refer to the member's contract benefits in effect at the time of service to determine coverage or non-coverage of these services as it applies to an individual member.

Select Health<sup>®</sup> makes no representations and accepts no liability with respect to the content of any external information cited or relied upon in this policy. Select Health updates its Coverage Policies regularly, and reserves the right to amend these policies without notice to healthcare providers or Select Health members.

Members may contact Customer Service at the phone number listed on their member identification card to discuss their benefits more specifically. Providers with questions about this Coverage Policy may call Select Health Provider Relations at (801) 442-3692.

No part of this publication may be reproduced, stored in a retrieval system or transmitted, in any form or by any means, electronic, mechanical, photocopying, or otherwise, without permission from Select Health.

"Intermountain Healthcare" and its accompanying logo, the marks of "Select Health" and its accompanying marks are protected and registered trademarks of the provider of this Service and or Intermountain Health Care, Inc., IHC Health Services, Inc., and Select Health, Inc. Also, the content of this Service is proprietary and is protected by copyright. You may access the copyrighted content of this Service only for purposes set forth in these Conditions of Use.

© CPT Only – American Medical Association