

| | | Trad | itional Medicaid | Tradit | ional Integrated | Non-Tradition | onal Medicaid | Non-Traditio | nal Integrated |
|-------|---|----------------|------------------------------|----------------|------------------------------|-----------------------|------------------------------|-----------------------|------------------------------|
| Codes | Description | Not Covered | Preauthorization Required | Not Covered | Preauthorization Required | Not Covered | Preauthorization Required | Not Covered | Preauthorization Required |
| | Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, the | | | | | , or specialty medica | | irected to the Pharma | |
| 00104 | Anesth, electroshock | Х | _ | _ | | Х | _ | I - | _ |
| | Anesthesia for closed chest procedures; mediastinoscopy and diagnostic thoracoscopy utilizing | | _ | | | Λ | _ | | _ |
| 00020 | one lung ventilation | - | - | - | - | X | - | Х | - |
| 00561 | Anesthesia for procedures on heart, pericardial sac, and great vessels of chest; w pump | | | | | | | | |
| | oxygenator, under 1 year of age | - | - | - | - | Χ | - | Х | - |
| 00640 | Anesthesia for manipulation of the spine or for closed procedures on the cervical, thoracic or | | | ., | | | | ., | |
| | lumbar spine | Χ | - | Х | - | Х | - | Х | - |
| 00797 | Anes, intraperitoneal procedures in upper abd including laparoscopy; gastric restrictive | _ | Х | _ | Х | _ | Х | _ | Х |
| | procedure for obesity | _ | ^ | - | | <u>-</u> | ^ | | ^ |
| | Anesth, fat layer removal | Χ | - | X | - | Х | - | Х | - |
| 00834 | Anesthesia for hernia repairs in the lower abdomen not otherwise specified, under 1 year of age | - | - | - | - | Х | - | Х | - |
| 00836 | Anesthesia for hernia repairs in the lower abdomen not otherwise specified, infants less than 37 | | | | | Х | | Х | |
| | weeks gestational age a | - | - | - | <u> </u> | ^ | - | ^ | - |
| | Anesth, insert penis device | Χ | - | X | - | Х | - | Х | - |
| | Anesth, burn, each 9 percent | Χ | - | X | - | Х | - | Х | - |
| | Anesthesia for external cephalic version procedure | Х | - | Х | - | Х | - | Х | - |
| | Anesthesia for induced abortion procedures | Х | - | Х | - | Х | - | Х | - |
| | Support for organ donor | Х | - | Х | - | X | - | Х | - |
| | Removal, sweat gland lesion | X | - | X | - | X | - | X | - |
| | Removal, sweat gland lesion | X | - | X | - | X | - | X | - |
| | Removal, sweat gland lesion | X | - | X | - | X | - | X | - |
| 11463 | Removal, sweat gland lesion | X | - | X | - | X | - | X | - |
| | Removal, sweat gland lesion Correct skin color defects | X | - | X | - | X | - | X | - |
| | Correct skin color defects Correct skin color defects | X | - | X | <u>-</u> | X | - | X | - |
| | Tattooing, intradermal introduction of insoluble opaque pigments to correct color defects of | ^ | - | ^ | - | ^ | - | ^ | - |
| 11022 | skin, including micropigmen | Х | - | Х | - | Х | - | X | - |
| 11950 | Therapy for contour defects | Х | - | Х | _ | Х | _ | Х | - |
| | Therapy for contour defects | X | - | X | - | X | _ | X | - |
| | Therapy for contour defects | X | - | X | - | X | - | X | - |
| | Therapy for contour defects | Х | - | Х | - | Х | - | Х | - |
| 11960 | Insert tissue expander(s) | - | Х | - | Х | - | Х | - | Х |
| | Replace tissue expander | - | Х | - | Х | - | Х | - | Х |
| 11971 | Remove tissue expander(s) | • | Х | - | Х | - | Х | - | Х |
| 15150 | Tissue cultured skin autograft, trunk, arms, legs; first 25 sq cm or less | Х | - | Х | - | Х | - | Х | - |
| 15151 | Tissue cultured skin autograft, trunk, arms, legs; additional 1 sq cm to 75 sq cm (list separately in | Х | _ | Х | | Х | | Х | |
| | addition to code for primary procedure) | ^ | - | ^ | | ^ | - | ^ | _ |
| 15152 | Tissue cultured skin autograft, trunk, arms, legs; each additional 100 sq cm, or each additional | | | | | | | | |
| | 1% of body area of infants and children, or part thereof (list separately in a | Х | - | Х | - | Х | - | X | - |
| 15155 | Tissue cultured skin autograft, face, scalp, eyelids, mouth, neck, ears, orbits, genitalia, hands, feet, and/or multiple digits; first 25 sq cm or less | Х | - | Х | - | Х | - | Х | - |

^{*} These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



| | Ticalti | Trad | itional Medicaid | Tradit | ional Integrated | Non-Traditio | onal Medicaid | Non-Traditio | nal Integrated |
|-------------|--|-----------------------------|-------------------------------------|---------------------------------------|---------------------------------------|--------------|--|--------------|-----------------------------------|
| Codes | Description | Not | Preauthorization | Not | Preauthorization | Not Covered | Preauthorization | Not Covered | Preauthorization |
| Disclaimer | Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, the | Covered ese coding lists | Required do not reflect information | Covered regarding imm | Required unizations, injectable drugs | | Required tions and should be di | | Required by link option within |
| the website | | | | | | | Γ | | |
| 10100 | rissue suitareu siini uutograit, ruse, ssaip, eyenas, meuti, nesi, eurs, siits, geritaria, narias, | X | | Х | | Х | | Х | |
| | feet, and/or multiple digits; additional 1 sq cm to 75 sq cm (list separatel | ^ | - | ^ | - | ^ | - | ^ | - |
| 15157 | Tissue cultured skin autograft, face, scalp, eyelids, mouth, neck, ears, orbits, genitalia, hands, | | | | | | | | |
| | feet, and/or multiple digits; each additional 100 sq cm, or each additional | Х | - | Х | - | X | - | X | - |
| | | | | | | | | | |
| 15771 | Grfg autol fat lipo 50 cc/< | Х | • | Х | - | Χ | - | Х | - |
| | Grfg autol fat lipo ea addl | Х | - | Х | | Х | - | X | - |
| 15773 | Grfg autol fat lipo 25 cc/< | Х | - | Х | - | Х | - | Х | - |
| | Gfrg autol fat lipo ea addl | Х | - | Х | - | Х | - | Х | - |
| 15775 | Hair transplant punch grafts | Х | - | Х | - | Х | - | X | - |
| 15776 | Hair transplant punch grafts | Х | - | Х | - | Х | - | Х | - |
| 15780 | Abrasion treatment of skin | Х | - | Х | - | Х | - | Х | - |
| 15781 | Abrasion treatment of skin | Х | - | Х | - | Х | - | Х | - |
| 15782 | Abrasion treatment of skin | Х | - | Х | - | Х | - | Х | - |
| 15783 | Abrasion treatment of skin | Х | - | Х | - | Х | - | Х | - |
| 15786 | Abrasion, lesion, single | Х | - | Х | - | Х | - | Х | _ |
| 15787 | Abrasion, lesions, add-on | X | - | X | _ | X | _ | X | _ |
| 15788 | Chemical peel, face, epiderm | X | - | X | _ | X | - | X | - |
| 15789 | Chemical peel, face, dermal | X | - | X | _ | X | _ | X | _ |
| 15792 | Chemical peel, nonfacial | X | - | X | _ | X | _ | X | _ |
| 15793 | Chemical peel, nonfacial | X | _ | X | _ | X | _ | X | _ |
| 15820 | Revision of lower evelid | - | Х | _ | Х | | Х | - | Х |
| 15821 | Revision of lower eyelid | _ | X | _ | X | _ | X | _ | X |
| 15822 | Revision of upper eyelid | _ | X | _ | X | - | X | _ | X |
| 15823 | Revision of upper cyclid | - | X | _ | X | _ | X | _ | X |
| 15824 | Removal of forehead wrinkles | Х | - | Х | - | Х | - | Х | - |
| 15825 | Removal of neck wrinkles | X | _ | X | _ | X | _ | X | _ |
| 15826 | Removal of brow wrinkles | X | _ | X | - | X | _ | X | _ |
| 15828 | Removal of face wrinkles | X | _ | X | - | X | _ | X | _ |
| 15829 | Removal of skin wrinkles | X | _ | X | - | X | _ | X | _ |
| 15830 | Excision, excessive skin and subcutaneous tissue (includes lipectomy); abdomen, infraumbilical | | - | | | Λ | | Λ | |
| 10000 | panniculectomy | Х | - | Х | - | X | - | X | - |
| 15832 | Excise excessive skin tissue | Х | _ | Х | - | Х | _ | Х | _ |
| 15833 | Excise excessive skin tissue | X | - | X | <u> </u> | X | - | X | |
| 15834 | Excise excessive skin tissue | X | _ | X | - | X | _ | X | |
| 15835 | Excise excessive skin tissue | X | - | X | <u> </u> | X | - | X | - |
| 15836 | Excise excessive skin tissue | X | - | X | - | X | - | X | - |
| 15837 | Excise excessive skin tissue | X | - | X | - | X | - | X | - |
| 15838 | | X | - | X | - | X | - | X | - |
| 15839 | Excise excessive skin tissue | X | - | X | - | X | - | X | - |
| 15847 | Excise excessive skin tissue | ^ | - | ^ | - | ^ | - | ^ | - |
| 10047 | Excision, excessive skin and subcutaneous tissue (includes lipectomy), abdomen (eg, | Х | - | Х | - | Χ | - | X | - |
| 15876 | abdominoplasty) (includes umbilical | | | \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ | | V | | | |
| | | X | - | X | - | X | - | X | - |
| 15877 | Suction assisted lipectomy | X | - | X | - | X | - | X | - |

^{*} These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



| | Ticaldi | Trad | itional Medicaid | Tradi | tional Integrated | Non-Tradition | onal Medicaid | Non-Tradition | nal Integrated |
|-------------|--|-----------------------------|--|-----------------------|---------------------------------------|---------------|---------------------------------|---------------|-----------------------------------|
| Codes | Description | Not | Preauthorization | Not | Preauthorization | Not Covered | Preauthorization | Not Covered | Preauthorization |
| Disclaimer: | Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, the | Covered ese coding lists | Required do not reflect information | Covered regarding imm | Required unizations, injectable drugs | | Required ations and should be d | | Required by link option within |
| the website | | | | | T | • | T | | 1 |
| | Suction assisted lipectomy | X | - | X | - | X | - | X | - |
| 15879 | Suction assisted lipectomy | Х | - | Х | - | Х | - | Х | - |
| _ | Removal of pressure sore | - | X | - | X | - | X | - | X |
| | Destruction of skin lesions | - | X | - | X | - | X | - | X |
| | Destruction of skin lesions | - | X | - | X | - | X | - | X |
| | Destruction of skin lesions | - | X | - | X | - | Х | - | Х |
| 17360 | Skin peel therapy | X | - | X | - | Х | - | X | - |
| 17380 | Hair removal by electrolysis | Х | - | Х | - | Х | - | Х | - |
| 17999 | Skin tissue procedure | - | X | - | X | - | Х | - | Х |
| | Placement of radiotherapy afterloading expandable catheter (single or multichannel) into the breast for interstitial rad | Х | - | Х | - | Х | - | Х | - |
| 19297 | Placement of radiotherapy afterloading expandable catheter (single or multichannel) into the breast for interstitial rad | Х | - | Х | - | Х | - | Х | - |
| 19298 | Placement of radiotherapy afterloading brachytherapy catheters into breast at time of / subsequent to partial mastectomy | Х | - | Х | - | Х | - | Х | - |
| 19300 | Mastectomy for gynecomastia | Х | - | Х | - | Х | _ | Х | - |
| | Suspension of breast | X | - | X | - | X | _ | X | _ |
| | Reduction of large breast | - | X | - | X | - | X | - | X |
| 19325 | Enlarge breast with implant | | X | - | X | | X | | X |
| 19328 | Removal of breast implant | Х | - | Х | - | Х | - | Х | - |
| 19330 | Removal of implant material | X | _ | X | _ | X | _ | X | _ |
| 19340 | Immediate breast prosthesis | - | Х | - | X | - | Х | - | Х |
| 19342 | Delayed breast prosthesis | _ | X | - | X | _ | X | _ | X |
| | Nipple/areola reconstruction | _ | X | _ | X | _ | X | _ | X |
| 19355 | Correct inverted nipple(s) | Х | - | Х | - | Х | - | Х | - |
| | Breast reconstruction | - | Х | - | Х | - | Х | - | Х |
| 19361 | Breast reconstruction | - | X | - | X | - | X | _ | X |
| 19364 | Breast reconstruction | - | X | - | X | - | X | _ | X |
| 19367 | Breast reconstruction | - | X | - | X | - | X | _ | X |
| 19368 | Breast reconstruction | - | X | - | X | - | X | _ | X |
| 19369 | Breast reconstruction | - | X | - | X | - | X | _ | X |
| 19370 | Surgery of breast capsule | - | X | - | X | - | X | - | X |
| 19371 | Removal of breast capsule | - | X | - | X | - | X | _ | X |
| 19380 | Revise breast reconstruction | - | X | - | X | - | X | - | X |
| 19396 | Design custom breast implant | Х | - | Х | - | Х | - | Х | - |
| | Breast surgery procedure | - | Х | - | Х | - | Х | - | Х |
| 20560 | Ndl insj w/o njx 1 or 2 musc | Х | - | Х | - | Х | - | Х | - |
| | Ndl insj w/o njx 3+ musc | X | - | X | - | X | - | X | - |
| | Electrical bone stimulation | - | Х | - | Х | - | Х | - | Х |
| 20975 | Electrical bone stimulation | - | X | - | X | _ | X | _ | X |
| 20999 | Musculoskeletal surgery | - | X | - | X | _ | X | _ | X |
| 21010 | Incision of jaw joint | Х | - | Х | - | Х | - | Х | - |
| 21031 | Remove exostosis, mandible | - | Х | - | Х | - | Х | - | Х |
| | Remove exostosis, maxilla | - | X | - | X | - | X | _ | X |
| | Removal of jaw joint | Х | - | Х | - | Х | - | Х | - |
| | rianna ran ar Jani Jania | | | | l . | | 1 | | |

^{*} These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



| Column C | | Treatt | Trad | itional Medicaid | Tradi | tional Integrated | Non-Tradition | onal Medicaid | Non-Tradition | nal Integrated |
|--|-------------|--|------|------------------|---------------|-------------------|---------------|---------------|---------------|----------------|
| Name | Codes | Description | | | | | Not Covered | | Not Covered | |
| Table 1988 Remove jaw joint cartilage X - | Disclaimer | Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, the | | | regarding imm | | | | | |
| 2007 Pepare face/oral protechesis X | the website | | | T | | Т | | 1 | | |
| Incompany Company Co | 21060 | Remove jaw joint cartilage | Х | - | Х | - | Х | - | X | - |
| Perpart Receival prosthesis | 21073 | | Х | - | Х | - | Х | - | X | - |
| Perpare face/point possibles | | | | | | | | | | |
| 1977 Prepare face/oral prosthesis | | | | | | | | | | |
| 1989 Prepare face/oral prosthesis | | | | | | | | | | |
| Prepare face/oral prosthesis | 21079 | Prepare face/oral prosthesis | | | | | | | | |
| Proport Encoral prosthesis | | | | | | | | | | |
| Prepare face/foral prosthesis | | | | | | | | | | |
| Propage Tace/oral prosthesis | | | | | | | | | | |
| Prepare face/oral prosthesis | | | | - | | - | | - | | - |
| Prepare face/oral prosthesis | | · | | | | | | - | | - |
| Prepare face/oral prosthesis | | · | | | | | | | | |
| Prepare face/oral prosthesis | | | | | | | | | | - |
| Prepare face/oral prosthesis | | | | - | | - | | - | | - |
| 21120 Reconstruction of chin | | | | - | | - | | - | | - |
| Reconstruction of chin X | | | | - | | - | | - | | - |
| 21122 Reconstruction of chin | | | | - | | - | | - | | - |
| 21123 Reconstruction of chin | | | | - | | - | | - | | - |
| 21127 Augmentation, Jower jaw bone | | | | - | | - | | - | | - |
| 21127 Augmentation, lower jaw bone | | Reconstruction of chin | | - | | - | | - | | - |
| 21137 Reduction of forehead | | · · | | - | | - | | - | | - |
| 21138 Reduction of forehead | | | | - | Х | - | | - | | - |
| 21139 Reduction of forehead | | | Х | - | Х | - | | - | | - |
| 21141 Reconstruct midface, lefort | | Reduction of forehead | Х | - | X | - | X | - | X | - |
| 21142 Reconstruct midface, lefort | 21139 | Reduction of forehead | Х | - | X | - | X | - | X | |
| 21143 Reconstruct midface, lefort X | 21141 | Reconstruct midface, lefort | - | X | - | X | X | - | X | - |
| 21145 Reconstruct midface, lefort | | Reconstruct midface, lefort | - | X | - | X | | - | X | - |
| 21146 Reconstruct midface, lefort | | Reconstruct midface, lefort | Х | - | Х | - | X | - | X | <u> </u> |
| 21147 Reconstruct midface, lefort - X - | 21145 | Reconstruct midface, lefort | - | X | - | X | X | - | X | |
| 21150 Reconstruct midface, lefort | 21146 | Reconstruct midface, lefort | - | Х | - | X | X | - | Х | - |
| 21151 Reconstruct midface, lefort X - X | 21147 | Reconstruct midface, lefort | - | Х | - | X | X | - | Х | - |
| 21154 Reconstruct midface, lefort X - X - X - X - X - - X - - X - - X - - X - - X - | 21150 | Reconstruct midface, lefort | Х | - | Х | - | X | - | X | - |
| 21155 Reconstruct midface, lefort X | 21151 | Reconstruct midface, lefort | Х | - | X | - | X | - | X | - |
| 21159 Reconstruct midface, lefort X - X | | Reconstruct midface, lefort | | - | | - | | - | | |
| 21160 Reconstruct midface, lefort X - X | 21155 | Reconstruct midface, lefort | X | - | X | - | X | - | X | - |
| 21160 Reconstruct midface, lefort X - X | 21159 | Reconstruct midface, lefort | | - | X | - | | - | | |
| 21175 Reconstruct orbit/forehead - X - X X - | 21160 | Reconstruct midface, lefort | X | - | X | - | X | - | X | - |
| 21179 Reconstruct entire forehead X - X | 21172 | Reconstruct orbit/forehead | _ | | - | | | - | | |
| 21180 Reconstruct entire forehead X - | 21175 | Reconstruct orbit/forehead | - | X | - | X | Х | - | Х | - |
| 21181 Contour cranial bone lesion X - X <t< td=""><td>21179</td><td>Reconstruct entire forehead</td><td>X</td><td>-</td><td>X</td><td>-</td><td>X</td><td>-</td><td>X</td><td>-</td></t<> | 21179 | Reconstruct entire forehead | X | - | X | - | X | - | X | - |
| 21182 Reconstruct cranial bone X - < | 21180 | Reconstruct entire forehead | Х | - | Х | - | Х | - | Х | - |
| 21182 Reconstruct cranial bone X - < | 21181 | Contour cranial bone lesion | Х | - | Х | - | Х | - | Х | - |
| 21183 Reconstruct cranial bone X - X - X - X - | 21182 | Reconstruct cranial bone | Х | - | Х | - | Х | - | Х | - |
| 21184 Reconstruct cranial bone X - X - X - X - | 21183 | Reconstruct cranial bone | | - | | - | | - | | - |
| | 21184 | Reconstruct cranial bone | Х | - | Х | - | Х | - | Х | - |

^{*} These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



| | Tiediti | Trad | itional Medicaid | Tradi | tional Integrated | Non-Tradition | onal Medicaid | Non-Tradition | al Integrated |
|-------|--|-----------------------------|-------------------------------------|--------------------------|--|-----------------------|------------------------------------|------------------------|----------------------------------|
| Codes | Description | Not | Preauthorization | Not | Preauthorization | Not Covered | Preauthorization | Not Covered | Preauthorization |
| | Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, the | Covered ese coding lists | Required do not reflect information | Covered regarding imm | Required nunizations, injectable drugs | , or specialty medica | Required tions and should be di | irected to the Pharmac | Required y link option within |
| 21188 | Reconstruction of midface | X | _ | Х | _ | Х | _ | Х | |
| 21193 | Reconst lwr jaw w/o graft | X | | X | - | X | | X | |
| | Reconst lwr jaw w/graft | X | - | X | - | X | | X | |
| | Reconst lwr jaw w/o fixation | | X | | X | - | X | | X |
| 21196 | Reconst lwr jaw w/fixation | _ | X | - | X | - | X | _ | X |
| | Reconstr lwr jaw wy macton | X | - | X | - | X | - | X | - |
| 21199 | Reconstr lwr jaw w/advance | X | - | X | - | X | _ | X | - |
| | Reconstruct upper jaw bone | X | _ | X | _ | X | _ | X | |
| 21208 | Augmentation of facial bones | X | - | X | _ | X | _ | X | - |
| 21209 | Reduction of facial bones | X | _ | X | - | X | _ | X | - |
| | Face bone graft | - | Х | - | Х | X | _ | X | - |
| | Lower jaw bone graft | Х | - | Х | - | X | _ | X | - |
| | Rib cartilage graft | X | - | X | - | X | - | X | - |
| 21240 | Reconstruction of jaw joint | X | - | X | - | X | - | X | - |
| 21242 | Reconstruction of jaw joint | X | - | X | - | X | - | X | - |
| 21243 | Reconstruction of jaw joint | X | - | X | - | X | - | X | - |
| 21244 | Reconstruction of lower jaw | Х | - | Х | - | Х | - | Х | - |
| 21245 | Reconstruction of jaw | Х | - | Х | - | Х | - | Х | - |
| 21246 | Reconstruction of jaw | Х | - | Х | - | Х | - | Х | - |
| 21247 | Reconstruct lower jaw bone | Х | - | Х | - | Х | - | Х | - |
| 21248 | Reconstruction of jaw | Х | - | Х | - | Χ | - | Х | - |
| | Reconstruction of jaw | Х | - | Х | - | Χ | - | Х | - |
| 21255 | Reconstruct lower jaw bone | Х | - | Х | - | Χ | - | Х | - |
| 21256 | Reconstruction of orbit | Х | - | Х | - | Χ | - | Х | - |
| 21260 | Revise eye sockets | Х | - | Х | - | Х | - | Х | - |
| | Revise eye sockets | Х | - | Х | - | Х | - | X | • |
| | Revise eye sockets | Х | - | Х | - | Х | - | X | |
| 21267 | Revise eye sockets | Х | - | Х | - | Х | - | X | |
| 21268 | Revise eye sockets | Х | - | X | - | Χ | - | X | - |
| | Augmentation, cheek bone | Х | - | X | - | Χ | - | X | - |
| 21275 | Revision, orbitofacial bones | Х | - | X | - | Χ | - | X | - |
| | Revision of eyelid | Х | - | X | - | Χ | - | Х | - |
| | Revision of eyelid | Х | - | X | - | Χ | - | Х | - |
| | Revision of jaw muscle/bone | Х | - | Х | - | Х | - | Х | - |
| 21296 | Revision of jaw muscle/bone | Х | - | Х | - | Х | - | Х | - |
| | Cranio/maxillofacial surgery | Х | - | Х | - | Х | - | Х | - |
| 21480 | Reset dislocated jaw | Х | - | Х | - | Х | - | Х | • |
| 21485 | Reset dislocated jaw | Х | - | Х | - | Х | - | X | • |
| 21490 | Repair dislocated jaw | Х | - | Х | - | Х | - | Х | - |
| 21499 | Head surgery procedure | - | X | - | X | - | Х | - | Х |
| 21685 | Hyoid myotomy and suspension | Х | - | Х | - | Х | - | Х | - |
| 21740 | Reconstructive repair of pectus excavatum or carinatum; open | - | Х | - | X | - | Х | - | Х |
| 21742 | Reconstructive repair of pectus excavatum or carinatum; minimally invasive approach (nuss | _ | X | _ | X | - | X | - | Х |
| | procedure), without thoracosco | | | | | | l . |] | |

^{*} These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



| 9 | nealti | Trad | itional Medicaid | Tradit | tional Integrated | Non-Tradition | onal Medicaid | Non-Tradition | nal Integrated |
|-------------|--|----------------------------|--|-----------------------|--|---------------|------------------------------------|--|-----------------------------------|
| Codes | Description | Not | Preauthorization | Not | Preauthorization | Not Covered | Preauthorization | Not Covered | Preauthorization |
| Disclaimer | Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, the | Covered se coding lists | Required s do not reflect information | Covered regarding imm | Required unizations, injectable drugs | | Required ations and should be d | | Required by link option within |
| the website | | | 1 | 1 | | , | T . | | |
| 21743 | Reconstructive repair of pectus excavatum or carinatum; minimally invasive approach (nuss | - | X | - | X | - | X | - | X |
| 21000 | procedure), with thoracoscopy | | | | | | V | | |
| | Neck/chest surgery procedure | - | X | - | X | - | X | - | X |
| 22220 | Remove extra spine segment | - | X | - | X | - | X | - | X |
| | Revision of neck spine | - | X | - | X | - | X | - | X |
| | Revision of thorax spine | - | X | - | X | - | X | - | X |
| 22224 | Revision of lumbar spine | - | X | - | X | - | X | - | X |
| 22510 | Revise, extra spine segment | | | | | | 1 | | . X |
| | Perq cervicothoracic inject | X | - | X | - | X | - | X | - |
| | Perq lumbosacral injection | X | - | X | - | X | - | X | - |
| | Vertebroplasty addl inject | X | - | X | - | X | - | X | - |
| | Perq vertebral augmentation | X | - | X | - | X | - | X | - |
| | Perq vertebral augmentation | X | - | X | - | X | - | X | - |
| | Perq vertebral augmentation | Х | - | Х | - | Х | - | Х | - |
| 22526 | Percutaneous intradiscal electrothermal annuloplasty, unilateral or bilateral including | Х | - | Х | - | Х | _ | Х | - |
| 00505 | fluoroscopic guidance; single le | | | | | | | | |
| 22527 | Percutaneous intradiscal electrothermal annuloplasty, unilateral or bilateral including | Х | _ | Х | - | х | _ | Х | - |
| | fluoroscopic guidance; one or mo | | | | | | | | |
| 22533 | Arthrodesis, lateral extracavitary technique, including minimal diskectomy to prepare | _ | X | _ | X | _ | X | _ | X |
| | interspace; lumbar | | | | | | | | |
| 22548 | Neck spine fusion | - | Х | - | X | - | Х | - | X |
| 22551 | Neck spine fuse&remove | - | X | - | X | - | Х | - | Х |
| 22552 | Neck spine fuse&remove addl | - | X | - | X | - | Х | - | Х |
| 22554 | Neck spine fusion | - | X | - | X | - | Х | - | Х |
| 22556 | Thorax spine fusion | - | X | - | X | - | Х | - | X |
| 22558 | Lumbar spine fusion | - | X | - | X | - | Х | - | X |
| 22585 | Additional spinal fusion | - | X | - | X | - | Х | - | Х |
| 22586 | Prescrl fuse /w instr l5/1 | - | X | - | X | - | Х | - | Х |
| 22590 | Spine & skull spinal fusion | - | X | - | X | - | Х | - | X |
| 22595 | Neck spinal fusion | - | X | - | X | - | Х | - | X |
| 22600 | Neck spine fusion | - | X | - | X | - | Х | - | Х |
| 22612 | Arthrodesis, posterior or posterolateral technique, single level; lumbar (with lateral transverse | _ | X | _ | X | _ | X | _ | X |
| | technique, when performed) | | | | | | | | |
| 22614 | Spine fusion, extra segment | - | X | - | X | - | Х | - | Х |
| 22630 | Lumbar spine fusion | - | X | - | X | - | Х | - | Х |
| 22632 | Spine fusion, extra segment | - | X | - | X | - | Х | - | X |
| 22633 | Arthrodesis, combined posterior or posterolateral technique with posterior interbody technique | | | | | | | | |
| | including laminectomy and/or discectomy sufficient to prepare interspace(other t | - | X | - | Х | - | X | - | Х |
| 22634 | Arthrodesis, combined posterior or posterolateral technique with posterior interbody technique | | | | | | | | |
| | including laminectomy and/or discectomy sufficient to prepare interspace(other t | - | Х | - | Х | - | х | - | X |
| 22800 | Fusion of spine | _ | Х | <u> </u> | X | _ | Х | _ | Х |
| 22802 | Fusion of spine | _ | X | - | X | _ | X | _ | X |
| | Fusion of spine | - | X | - | X | _ | X | | X |
| | i usion or spine | _ | ^ | _ | ^ | _ | ^ | - | ^ |

^{*} These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



| ~ | nealti | Trad | litional Medicaid | Tradit | tional Integrated | Non-Traditio | onal Medicaid | Non-Tradition | nal Integrated |
|----------------------------|--|-----------------|------------------------------|----------------|------------------------------|------------------------|------------------------------|------------------------|------------------------------|
| Codes | Description | Not Covered | Preauthorization Required | Not Covered | Preauthorization Required | Not Covered | Preauthorization Required | Not Covered | Preauthorization Required |
| Disclaimer: the website | Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, the . | se coding lists | s do not reflect information | regarding imm | unizations, injectable drugs | s, or specialty medica | itions and should be d | irected to the Pharmad | cy link option within |
| | Fusion of spine | - | Х | - | Х | - | Х | - | Х |
| | Fusion of spine | - | Х | - | X | | Х | - | Х |
| 22812 | Fusion of spine | - | Х | - | X | | Х | - | Х |
| 22830 | Exploration of spinal fusion | - | X | - | X | - | Х | - | X |
| 22836 | Anterior thoracic vertebral body tethering, including thoracoscopy, when performed; up to 7 vertebral segments | - | х | - | X | - | - | - | - |
| 22837 | Anterior thoracic vertebral body tethering, including thoracoscopy, when performed; 8 or more vertebral segments | - | Х | - | Х | - | - | - | - |
| 22838 | Revision (eg, augmentation, division of tether), replacement, or removal of thoracic vertebral body tethering, including thoracoscopy, when performed | - | Х | - | Х | - | - | - | - |
| 22853 | Insertion of interbody biomechanical device(s) (eg, synthetic cage, mesh) with integral anterior instrumentation for device anchoring (eg, screws, flanges), when performed, to | - | х | - | Х | - | х | - | Х |
| 22854 | Insertion of interbody biomechanical device(s) (eg, synthetic cage, mesh) with integral anterior instrumentation for device anchoring (eg, screws, flanges), when performed, to | - | х | - | Х | - | х | - | Х |
| 22856 | Total disc arthroplasty (artificial disc), anterior approach, including discectomy with end plate preparation (includes | - | х | - | Х | - | Х | - | Х |
| 22857 | Total disc arthroplasty (artificial disc), anterior approach, including discectomy to prepare interspace (other than for | Х | - | х | - | Х | - | х | - |
| 22859 | Insertion of intervertebral biomechanical device(s) (eg, synthetic cage, mesh, methylmethacrylate) to intervertebral disc space or vertebral body defect without interbody arth | - | Х | - | Х | - | х | - | х |
| 22860 | Total disc arthroplasty (artificial disc), anterior approach, including discectomy to prepare interspace (other than for decompression); second interspace, lumbar (list separately in addition to code for primary procedure) | Х | - | х | - | х | - | х | - |
| 22861 | Revision including replacement of total disc arthroplasty (artificial disc), anterior approach, single interspace; cervi | х | - | Х | - | Х | - | х | - |
| 22862 | Revision including replacement of total disc arthroplasty (artificial disc), anterior approach, single interspace; lumba | Х | - | х | - | Х | - | х | - |
| 22864 | Removal of total disc arthroplasty (artificial disc), anterior approach, single interspace; cervical | Х | - | х | - | Х | - | х | - |
| 22865 | Removal of total disc arthroplasty (artificial disc), anterior approach, single interspace; lumbar | Х | - | х | - | Х | - | х | - |
| 22867 | Insertion of interlaminar/interspinous process stabilization/distraction device, without fusion, including image guidance when performed, with open decompression, lumbar; sing | Х | - | х | - | х | - | х | - |
| 22868 | Insertion of interlaminar/interspinous process stabilization/distraction device, without fusion, including image guidance when performed, with open decompression, lumbar; seco | Х | - | х | - | Х | - | х | - |
| 22869 | Insertion of interlaminar/interspinous process stabilization/distraction device, without open decompression or fusion, including image guidance when performed, lumbar; single | Х | - | х | - | х | - | х | - |

^{*} These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



| | | Trad | itional Medicaid | Tradi | tional Integrated | Non-Tradition | onal Medicaid | Non-Traditio | nal Integrated |
|--------------|--|-----------------------------|---------------------------------------|--------------------------|--|---------------|---------------------------------|--------------|-----------------------------------|
| Codes | Description | Not | Preauthorization | Not | Preauthorization | Not Covered | Preauthorization | Not Covered | Preauthorization |
| Disclaimer: | Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, the | Covered ese coding lists | Required s do not reflect information | Covered regarding imm | Required unizations, injectable drugs | | Required ations and should be d | | Required cy link option within |
| the website. | | | 1 | | - | | T | T | · · · |
| | Insertion of interlaminar/interspinous process stabilization/distraction device, without open | | | ., | | | | | |
| | decompression or fusion, including image guidance when performed, lumbar; second | X | - | Х | - | Х | - | X | - |
| 22000 | 6.1 | | | | V | | | | |
| - | Spine surgery procedure | - | X | - | X | - | X | - | X |
| 1 1 | Abdomen surgery procedure Reconstruct shoulder joint | - | X | - | X | - | X | - | X |
| - | | - | X | - | X | - | X | - | X |
| | Reconstruct shoulder joint | - | X | - | X | | | - | X |
| | Shoulder surgery procedure | - | | | | - V | Х | | ł |
| | Treat elbow dislocation | - | | - | | Х | - V | Х | - V |
| | Upper arm/elbow surgery | - | X | - | X | - | Х | - V | Х |
| | Forearm or wrist surgery | - | X | - | X | Х | - | Х | - |
| | Hand/finger surgery | - | X | - | X | - | X | - | X |
| | Total hip replacement | - | Х | - | Х | - | Х | - | Х |
| | Arthrodesis, sacroiliac joint, percutaneous, with image guidance, including placement of intra- | - | X | - | Х | _ | _ | _ | _ |
| | articular implant(s) (eg, bone allograft[s], synthetic device[s]), without place | | | | | | | | |
| - | Arthrodesis sacroiliac joint | - | Х | - | X | - | Х | - | Х |
| - | Pelvis/hip joint surgery | - | X | - | X | - | Х | - | Х |
| | Incision of thigh tendon | - | X | - | X | - | Х | - | Х |
| | Incision of thigh tendons | - | X | - | X | - | Х | - | Х |
| | Autologous chondrocyte implantation, knee | Х | - | X | - | X | - | Х | - |
| | Rep ligaments knee+pes anserin tran | Х | - | X | - | X | - | Х | - |
| 27416 | Osteochondral autograft(s), knee, open (eg, mosaicplasty) (include harvesting of autograft[s]) | Х | - | Х | - | X | - | Х | - |
| 27447 | Total knee replacement | - | Х | - | Х | - | Х | - | Х |
| | Leg surgery procedure | - | Х | - | X | - | Х | - | Х |
| 27700 | Revision of ankle joint | - | Х | - | X | - | Х | - | Х |
| 27702 | Reconstruct ankle joint | - | Х | - | Х | - | Х | - | Х |
| 27899 | Leg/ankle surgery procedure | - | Х | - | Х | - | Х | - | Х |
| 28446 | Open osteochondral autograft, talus (includes obtaining graft[s]) | Х | - | Х | - | Х | - | Х | - |
| | Fusion of foot bones | Х | - | Х | - | Х | - | Х | - |
| 28890 | Extracorporeal shock wave, high energy, performed by a physician, requiring anesthesia other | Х | | Х | | Х | | Х | |
| | than local, including ultra | ^ | - | ^ | - | ^ | - | × | - |
| 28899 | Foot/toes surgery procedure | - | Х | - | Х | - | Х | - | Х |
| 29799 | Casting/strapping procedure | - | Х | - | Х | - | Х | - | Х |
| - | Jaw arthroscopy/surgery | Х | - | Х | - | Х | - | Х | - |
| | Jaw arthroscopy/surgery | Х | - | Х | - | Х | - | Х | - |
| 29866 | Arthroscopy, knee, surgical; osteochondral autograft(s) (eg, mosaicplasty) (includes harvesting | | | ., | | V | | V | |
| | of the autograft) | X | - | Х | - | Х | - | X | - |
| 29867 | Arthroscopy, knee, surgical; osteochondral allograft (eg, mosaicplasty) | Х | - | Х | - | Х | - | Х | - |
| | Arthroscopy, knee, surgical; meniscal transplantation (includes arthrotomy for meniscal | V | | V | | V | | V | |
| | insertion), medial or lateral | X | - | Х | - | Х | - | Х | - |
| 29999 | Unlisted procedure, arthroscopy | - | Х | - | Х | - | Х | - | Х |
| | Revision of nose | Х | - | Х | - | Х | - | Х | - |
| - | Reconstruction of nose | Х | - | Х | - | Х | - | Х | - |
| | | Х | 1 | Х | | Х | 1 | Х | 1 |

^{*} These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



| | | Trad | itional Medicaid | Tradi | tional Integrated | Non-Tradition | onal Medicaid | Non-Traditio | nal Integrated |
|----------------------------|--|-----------------|------------------------------|----------------|------------------------------|------------------------|------------------------------|----------------------|------------------------------|
| Codes | Description | Not Covered | Preauthorization Required | Not Covered | Preauthorization Required | Not Covered | Preauthorization Required | Not Covered | Preauthorization Required |
| Disclaimer: the website | Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, the | se coding lists | do not reflect information | regarding imm | unizations, injectable drugs | s, or specialty medica | ations and should be di | rected to the Pharma | y link option within |
| 30420 | Reconstruction of nose | Х | - | Х | - | Х | - | Х | - |
| 30430 | Revision of nose | Х | - | Х | - | Х | - | Х | - |
| 30435 | Revision of nose | Х | - | Х | - | Х | - | Х | - |
| 30450 | Revision of nose | Х | - | Х | - | Х | - | Х | - |
| 30460 | Revision of nose | - | Х | - | X | - | Х | - | Х |
| 30462 | Revision of nose | - | Х | - | X | Х | - | Х | - |
| 30465 | Repair nasal stenosis | - | Х | - | X | Х | - | Х | - |
| 30520 | Repair of nasal septum | - | X | - | X | - | X | - | Х |
| 30999 | Nasal surgery procedure | - | X | - | X | - | X | - | Х |
| 31295 | Sinus endo w/balloon dil mxllry | - | Х | - | X | - | Х | - | Х |
| 31296 | Sinus endo w/balloon dil frntl | - | Х | - | X | - | Х | - | Х |
| 31297 | Sinus endo w/balloon dil sphnd | - | Х | - | X | - | Х | - | Х |
| 31299 | Sinus surgery procedure | - | Х | - | X | - | Х | - | Х |
| 31520 | Diagnostic laryngoscopy | - | - | - | - | X | - | X | - |
| 31551 | Laryngoplasty; for laryngeal stenosis, with graft, without indwelling stent placement, younger | | _ | | | Х | | Х | |
| | than 12 years of age | - | - | _ | - | ^ | - | ^ | 1 - |
| 31553 | Laryngoplasty; for laryngeal stenosis, with graft, with indwelling stent placement, younger than | | | | | Х | | Х | _ |
| | 12 years of age | - | - | _ | - | ^ | - | ^ | 1 - |
| 31591 | Laryngoplasty, medialization, unilateral | Х | - | Х | - | Х | - | Х | - |
| 31592 | Cricotracheal resection | Х | - | Х | - | Х | - | Х | - |
| 31599 | Larynx surgery procedure | - | Х | - | X | - | Х | - | Х |
| 31611 | Surgery/speech prosthesis | Х | - | Х | - | Х | - | Х | - |
| 31647 | Bronchial valve init insert | Х | - | Х | - | Х | - | Х | - |
| 31648 | Bronchial valve addl insert | Х | - | Х | - | Х | - | Х | - |
| 31649 | Bronchial valve remove init | Х | - | Х | - | Х | - | Х | - |
| 31651 | Bronchoscopy drain lung absc/cavity bronchial valve remov addl | Х | - | Х | - | Х | - | Х | - |
| 31660 | Bronch thermoplsty 1 lobe | X | - | X | - | X | - | X | - |
| 31661 | Bronch termoplsty 2/> lobes | Х | - | Х | - | Х | - | Х | - |
| 31899 | Airways surgical procedure | - | X | - | X | - | X | - | Х |
| 32491 | Removal of lung, other than pneumonectomy; with resection-plication of emphysematous | | | | | | | | |
| | lung(s) (bullous or non-bullous) for lung volume reduction, sternal split or transthoracic | Х | - | Х | - | X | - | X | - |
| 32701 | Thorax stereo rad target w/tx | Х | - | Х | - | Х | - | Х | - |
| 32850 | Donor pneumonectomy | Х | - | Х | - | Х | - | Х | - |
| 32853 | Lung transplant, double | - | Х | - | X | - | Х | - | Х |
| 32854 | Lung transplant with bypass | - | Х | - | X | Х | - | Х | - |
| 32855 | Backbench standard preparation of cadaver donor lung allograft; unilateral | Х | - | Х | - | Х | - | Х | - |
| 32856 | Backbench standard preparation of cadaver donor lung allograft; bilateral | Х | - | Х | - | Х | - | Х | - |
| 32994 | Ablation therapy for reduction or eradication of 1 or more pulm tumor(s) | Х | - | Х | - | Х | - | Х | - |
| 32998 | Ablation therapy for reduction or eradication of one or more pulmonary tumor(s) including | | | | | | | . v | |
| L | pleura or chest wall when invo | Х | | Х | - | Х | | Х | |
| 32999 | Chest surgery procedure | - | Х | - | Х | | Х | - | Х |
| 33140 | Heart revascularize (tmr) | Х | - | Х | - | Х | - | Х | - |
| 33141 | Heart tmr w/other procedure | Х | - | Х | - | Х | - | Х | - |

^{*} These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



| | | Trad | litional Medicaid | Tradi | tional Integrated | Non-Traditio | onal Medicaid | Non-Tradition | nal Integrated |
|----------------------------|---|----------------|------------------------------|----------------|------------------------------|-----------------------|------------------------------|------------------------|------------------------------|
| Codes | Description | Not Covered | | Not Covered | Preauthorization Required | Not Covered | Preauthorization Required | Not Covered | Preauthorization Required |
| Disclaimer: the website | Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, the | se coding list | s do not reflect information | regarding imm | unizations, injectable drugs | , or specialty medica | ations and should be d | irected to the Pharmac | cy link option within |
| 33203 | Insertion of epicardial electrode(s); endoscopic approach (eg, thoracoscopy, pericardioscopy) | х | - | Х | - | X | - | X | - |
| 33254 | Operative tissue ablation and reconstruction of atria, limited (eg, modified maze procedure) | х | - | Х | - | Х | - | х | - |
| 33255 | Operative tissue ablation and reconstruction of atria, extensive (eg, maze procedure); without cardiopulmonary bypass | Х | - | х | - | Х | - | х | - |
| 33256 | Operative tissue ablation and reconstruction of atria, extensive (eg, maze procedure); with cardiopulmonary bypass | Х | - | х | - | Х | - | х | - |
| 33265 | Endoscopy, surgical; operative tissue ablation and reconstruction of atria, limited (eg, modified maze procedure), witho | Х | - | х | - | Х | - | х | - |
| 33266 | Endoscopy, surgical; operative tissue ablation and reconstruction of atria, extensive (eg, maze procedure), without card | Х | - | Х | - | Х | - | х | - |
| | Exclusion of left atrial appendage, open, any method (eg, excision, isolation via stapling, oversewing, ligation, plication, clip) | Х | - | Х | - | Х | - | Х | - |
| 33268 | Exclusion of left atrial appendage, open, performed at the time of other sternotomy or thoracotomy procedure(s), any method (eg, excision, isolation via stapling, oversewing, ligation, plication, clip) (list separately in addition to code for primary procedure) | х | - | х | - | Х | - | Х | - |
| 33269 | Exclusion of left atrial appendage, thoracoscopic, any method (eg, excision, isolation via stapling, oversewing, ligation, plication, clip) | Х | - | Х | - | Х | - | Х | - |
| 33274 | Transcatheter insertion or replacement of permanent leadless pacemaker, right ventricular, including imaging guidance (eg, fluoroscopy, venous ultrasound, ventriculography, fe | х | - | х | - | Х | - | х | - |
| 33275 | Transcatheter removal of permanent leadless pacemaker, right ventricular | Х | _ | Х | _ | Х | _ | Х | _ |
| | Insertion of phrenic nerve stimulator system (pulse generator and stimulating lead[s]), including vessel catheterization, all imaging guidance, and pulse generator initial ana | - | Х | - | Х | - | - | - | - |
| 33277 | Insertion of phrenic nerve stimulator transvenous sensing lead (list separately in addition to code for primary procedure) | - | х | - | Х | - | - | - | - |
| 33287 | Removal and replacement of phrenic nerve stimulator, including vessel catheterization, all imaging guidance, and interrogation and programming, when performed; pulse generator | - | Х | - | Х | - | - | - | - |
| 33288 | Removal and replacement of phrenic nerve stimulator, including vessel catheterization, all imaging guidance, and interrogation and programming, when performed; transvenous sti | - | х | - | Х | - | - | - | - |
| 33289 | Transcatheter implantation of wireless pulmonary artery pressure sensor for long-term hemodynamic monitoring, including deployment and calibration of the sensor, right heart c | Х | - | х | - | Х | - | х | - |
| 33340 | Percutaneous transcatheter closure of the left atrial appendage with endocardial implant, including fluoroscopy, transseptal puncture, catheter placement(s), left atrial angio | - | х | - | Х | - | х | - | Х |
| 33361 | Replace aortic valve preg | - | Х | - | Х | - | Х | - | Х |
| 33362 | Replace aortic valve open | - | Х | - | Х | - | Х | - | Х |
| 33363 | Replace aortic valve open | - | Х | - | X | - | Х | - | Х |
| 33364 | Replace aortic valve open; open iliac artery approach | - | Х | - | X | - | Х | - | Х |

^{*} These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



| | | Trad | itional Medicaid | Tradit | ional Integrated | Non-Tradition | onal Medicaid | Non-Traditio | nal Integrated |
|-------------|--|----------------------------|--|-----------------------|---------------------------------------|---------------|-------------------------------------|--------------|-----------------------------------|
| Codes | Description | Not | Preauthorization | Not | Preauthorization | Not Covered | Preauthorization | Not Covered | Preauthorization |
| Disclaimer: | Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, the | Covered se coding lists | Required do not reflect information | Covered regarding imm | Required unizations, injectable drugs | | Required ations and should be di | | Required cy link option within |
| the website | | | | 1 | | | | I | • |
| | Replace aortic valve open;transaortic approach | - | X | - | X | - | X | - | X |
| | Treath replace aortic valve | - | X | - | X | - | X | - | X |
| | Replace aortic valce w/byp | - | X | - | X | - | X | - | X |
| | Replace aortic valve w/byp | - | X | - | X | - | X | - | X |
| | Replace aortic valve w/byp | - | X | - | X | - | Х | - | Х |
| 33370 | Transcatheter placement and subsequent removal of cerebral embolic protection device(s), | | | | | | | | 1 |
| | including arterial access, catheterization, imaging, and radiological supervision and | X | - | Х | - | X | - | X | - |
| | interpretation, percutaneous (list separately in addition to code for primary procedure) | | | | | | | | |
| 33418 | Repair tcat mitral valve | - | Х | - | Х | - | Х | - | Х |
| | Repair tcat mitral valve | - | Х | - | Х | - | Х | - | Х |
| 33440 | Replacement, aortic valve; by translocation of autologous pulmonary valve and transventricular | | | | | | | | |
| | aortic annulus enlargement of the left ventricular outflow tract with valved con | - | X | - | Χ | - | Х | - | Х |
| | | | | | | | | | 1 |
| 33502 | Coronary artery correction | - | - | - | - | Х | - | Х | - |
| | Coronary artery graft | - | - | - | - | Х | - | Х | - |
| | Repair artery w/tunnel | - | - | - | - | Х | - | Х | - |
| | Repair artery, translocation | - | - | - | - | Х | - | Х | - |
| | Closure of valve | - | - | - | - | Х | - | Х | - |
| | Closure of valve | - | - | - | - | Х | - | Х | - |
| | Anastomosis/artery-aorta | - | - | - | - | Х | - | Х | - |
| | Repair anomaly w/conduit | - | - | - | - | Х | - | Х | - |
| | Repair by enlargement | - | - | - | - | Х | - | Х | - |
| | Repair double ventricle | - | - | - | - | Х | - | Х | - |
| | Repair, modified fontan | - | - | - | - | Х | - | Х | - |
| | Repair single ventricle | - | - | - | - | Х | - | Х | - |
| | Repair single ventricle | - | - | - | - | Х | - | Х | - |
| | Apply r&l pulm art bands | Х | - | Х | - | Х | - | Х | - |
| | Transthor cath for stent | Х | - | Х | - | Х | - | Х | - |
| | Redo compl cardiac anomaly | Х | - | Х | - | Х | - | Х | - |
| | Revision of heart veins | - | - | - | - | Х | - | Х | - |
| | Repair heart septum defects | - | - | - | - | Х | - | Х | - |
| | Closure of multiple ventricular septal defects; | Х | - | Х | - | Х | - | Х | - |
| | Closure of multiple ventricular septal defects; with pulmonary valvotomy or infundibular | | | | | | | | |
| | resection (acyanotic) | Х | - | Х | - | Х | - | Х | 1 - |
| 33677 | Closure of multiple ventricular septal defects; with removal of pulmonary artery band, with or | | | | | | | | |
| | without gusset | Х | - | Х | - | Х | - | Х | - |
| 33690 | Reinforce pulmonary artery | - | - | - | - | Х | - | Х | - |
| 33735 | Revision of heart chamber | - | - | - | - | Х | - | Х | - |
| 33737 | Revision of heart chamber | - | - | - | - | Х | - | Х | - |
| | Major vessel shunt | - | - | - | - | Х | - | Х | - |
| | Major vessel shunt | - | - | - | - | Х | - | Х | - |
| | Major vessel shunt | - | - | - | - | Х | - | Х | - |
| | Major vessel shunt & graft | - | - | - | - | Х | - | Х | - |
| | Major vessel shunt | - | - | - | - | Х | - | Х | - |

^{*} These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



| Treature 1 | Trad | itional Medicaid | | tional Integrated | Non-Traditio | onal Medicaid | Non-Traditio | nal Integrated |
|--|-----------------------------|-------------------------------------|--------------------------|--|--------------|------------------------------------|--------------|-----------------------------------|
| Codes Description | Not | Preauthorization | Not | Preauthorization | Not Covered | Preauthorization | Not Covered | Preauthorization |
| Disclaimer. Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, the | Covered ese coding lists | Required do not reflect information | Covered regarding imm | Required unizations, injectable drugs | | Required tions and should be di | | Required cy link option within |
| the website. 33767 Major vessel shunt | 1 - | - | l - | - | Х | _ | Х | - |
| 33782 Aortic root translocation with ventricular septal defect and pulmonary stenosis repair (ie, | | | | | | | | |
| nikaidoh procedure); without | - | - | - | - | Х | - | Х | - |
| 33783 Aortic root translocation with ventricular septal defect and pulmonary stenosis repair (ie, | | | | | | | | |
| nikaidoh procedure); with re | - | - | - | - | X | - | Х | - |
| 33786 Repair arterial trunk | - | - | - | - | Х | - | Х | - |
| 33788 Revision of pulmonary artery | - | - | - | - | Х | - | Х | - |
| 33813 Repair septal defect | - | - | - | - | Х | - | Х | - |
| 33814 Repair septal defect | - | - | - | - | Х | - | Х | - |
| 33920 Repair pulmonary atresia | - | - | - | - | Х | - | Х | - |
| 33922 Transect pulmonary artery | - | - | - | - | Х | - | Х | - |
| 33927 Implantation of a total replacement heart system (artificial heart) w/recipient cardiectomy | ., | | ., | | | | ., | |
| | X | _ | Х | - | Х | | Х | |
| 33928 Removal and replacement of total replacement heart system (artificial heart) | Х | - | Х | - | Х | - | Х | - |
| 33929 Removal and replacement heart system (artifical heart) for transp | Х | - | Х | - | Х | - | Х | - |
| 33930 Removal of donor heart/lung | Х | - | Х | - | Х | - | Х | - |
| 33933 Backbench standard preparation of cadaver donor heart/lung allograft | Х | - | Х | - | Х | - | Х | - |
| 33935 Transplantation, heart/lung | Х | - | Х | - | Х | - | Х | - |
| 33940 Removal of donor heart | Х | - | Х | - | Х | - | X | - |
| 33944 Backbench standard preparation of cadaver donor heart allograft | Х | - | Х | - | X | - | X | - |
| 33945 Transplantation of heart | - | X | - | X | - | Х | - | X |
| 33951 Ecmo/ecls insj prph cannula | - | - | - | - | X | - | X | - |
| 33953 Ecmo/ecls insj prph cannula | - | - | - | - | X | - | X | - |
| 33955 Ecmo/ecls insj ctr cannula | - | - | - | - | X | - | X | - |
| 33957 Ecmo/ecls repos perph cnula | - | - | - | - | X | - | X | - |
| 33959 Ecmo/ecls repos perph cnula | - | - | - | - | Χ | - | Х | - |
| 33963 Ecmo/ecls repos perph cnula | - | - | - | - | Х | - | Х | - |
| 33965 Ecmo/ecls rmvl perph cannula | - | - | - | - | Х | - | Х | - |
| 33968 Remove aortic assist device | Х | - | Х | - | Х | - | Х | - |
| 33969 Ecmo/ecls rmvl perph cannula | - | - | - | - | Х | - | Х | - |
| 33970 Aortic circulation assist | Х | - | Х | - | Х | - | Х | - |
| 33971 Aortic circulation assist | X | - | X | - | Х | - | X | - |
| 33973 Insert balloon device | X | - | X | - | X | - | X | - |
| 33974 Remove intra-aortic balloon | X | - | X | - | X | - | X | - |
| 33975 Implant ventricular device | X | - | X | - | X | - | X | - |
| 33976 Implant ventricular device | X | - | X | - | X | - | X | - |
| 33977 Remove ventricular device | X | - | X | - | X | - | X | - |
| 33978 Remove ventricular device | X | - | Х | - | Х | - | Х | - V |
| 33979 Insertion of ventricular assist device, implantable intracorporeal, single ventricle | - | Х | - | X | - | Х | - | Х |
| 33980 Removal of ventricular assist device, implantable intrcorporeal, single ventricle | X | - | Х | - | Х | - | Х | - |
| Replacement of extracorporeal ventricular assist device, single or biventricular, pump(s), single | X | - | Х | - | X | - | X | _ |
| or each pump | | | | | | - | | |
| 33982 Replacement of ventricular assist device pump(s); implantable intracorporeal, single ventricle, | Х | - | Х | - | X | - | X | - |
| without cardiopulmonary | | | | | | | | |

^{*} These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



| | Ticalii | Trad | itional Medicaid | Tradi | tional Integrated | Non-Tradition | onal Medicaid | Non-Tradition | nal Integrated |
|-------------|--|----------------------------|-------------------------------------|-----------------------|--|------------------------|---------------------------------|------------------------|-----------------------------------|
| Codes | Description | Not | Preauthorization | Not | Preauthorization | Not Covered | Preauthorization | Not Covered | Preauthorization |
| | Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, the | Covered se coding lists | Required do not reflect information | Covered regarding imm | Required nunizations, injectable drugs | s, or specialty medica | Required ations and should be d | irected to the Pharmac | Required by link option within |
| the website | . Replacement of ventricular assist device pump(s); implantable intracorporeal, single ventricle, | 1 | | 1 | 1 | | | | <u> </u> |
| 33303 | with cardiopulmonary byp | Х | - | X | - | X | - | Х | - |
| 33985 | Ecmo/ecls rmvl ctr cannula | _ | _ | <u> </u> | _ | Х | _ | X | _ |
| 33989 | Removal of left heart vent | X | _ | X | _ | X | | X | _ |
| 33991 | Insert vad art & vein access | X | _ | X | _ | X | _ | X | _ |
| | Cardiac surgery procedure | - | X | - | X | - | X | - | X |
| | Plnning pt spec fenest graft | Х | - | Х | - | Х | - | Х | - |
| | Vessel injection procedure | - | Х | - | Х | - | Х | - | Х |
| | Drawing blood | _ | - | _ | - | Х | - | Х | - |
| | Drawing blood Drawing blood | _ | _ | _ | _ | X | _ | X | _ |
| | Drawing blood | _ | _ | _ | _ | X | _ | X | _ |
| | Collection of capillary blood specimen (eg, finger, heel, ear stick) | _ | _ | _ | _ | X | _ | X | _ |
| 36420 | Establish access to vein | _ | - | _ | - | X | _ | X | _ |
| | Exchange transfusion service | _ | _ | _ | _ | X | _ | X | _ |
| 36465 | Inj of non-comp foam sclerosant w/ultrasound comp maneuvers, single incompetent vein | | | | | | | | |
| | inj of non-comp rount scierosant wy aitrasouna comp maneavers, single meompetent veni | - | X | - | X | - | X | - | X |
| 36466 | Inj of non-comp foam sclerosant w/ultrasound comp maneuvers, mult incompetent veins | | | | | | | | |
| | , | - | X | - | X | - | X | - | Х |
| 36468 | Injection(s), spider veins | Х | - | Х | - | Х | - | Х | - |
| 36470 | Injection therapy of vein | Х | - | Х | - | Х | - | Х | - |
| 36471 | Injection therapy of veins | Х | - | Х | - | Х | - | Х | - |
| 36473 | Endovenous ablation therapy of incompetent vein, extremity, inclusive of all imaging guidance | | | | | | | | |
| | and monitoring, percutaneous, mechanochemical; first vein treated | Х | - | Х | - | Х | - | X | - |
| | 0, p , , | | | | | | | | |
| 36474 | Endovenous ablation therapy of incompetent vein, extremity, inclusive of all imaging guidance | | | | | | | | |
| | and monitoring, percutaneous, mechanochemical; subsequent vein(s) treated in a si | Х | - | Х | - | X | - | X | - |
| | | | | | | | | | |
| 36475 | Endovenous ablation therapy of incompetent vein, extremity, percutaneous, radiofrequency; | | | | V | | V | | V |
| | first vein treated | - | Х | - | X | - | Х | - | Х |
| 36476 | Endovenous ablation therapy incompetent vein, extremity, percut, radiofreq; 2nd & subsequent | | | | V | | V | | V |
| | veins,same extrem,sep sites | - | Х | - | X | - | X | - | Х |
| 36478 | Endovenous ablation therapy of incompetent vein, extremity, percutaneous, laser; first vein | | | | V | | V | | V |
| | treated | - | Х | - | X | - | Х | - | Х |
| 36479 | Endovenous ablation therapy incompetent vein, extremity, percutaneous, laser; 2nd & subseq | | Х | | Х | | Х | | Х |
| | veins, same extrem, sep sites | - | ^ | _ | ^ | - | ^ | - | ^ |
| 36482 | Endovenous ablation therapy of incompetent vein, extremity, percutaneous; first vein treated | Х | _ | Х | _ | Х | | V | |
| | | ^ | - | _ ^ | - | ^ | - | Х | - |
| 36483 | Endovenous ablation therapy of incompetent vein, extremity, percutaneous; sub vein treated | Х | _ | V | | V | | V | |
| | | Λ | | Х | - | Х | | Х | - |
| 36510 | Insertion of catheter, vein | - | - | - | - | Х | - | Х | - |
| 36522 | Photopheresis | X | - | Х | - | Х | - | Х | - |
| 36555 | Insertion of non-tunneled centrally inserted central venous catheter; under 5 years of age | | _ | | | Х | _ | Х | _ |
| | | _ | - | | - | ^ | _ | ^ | |
| 36557 | Insertion of non-tunneled centrally inserted central venous catheter, wo subcutaneous port or | | | | | Х | | Х | _ |
| | pump; under 5 years of age | _ | _ | | _ | ^ | | ^ | - |

^{*} These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



| Description of turnelled centrally inserted central venous access device, with subcutaneous port or pump, under 5 years of age Part of turnelled centrally inserted central venous access device, with subcutaneous port or pump, under 5 years of age Part of turnelled centrally inserted central venous access device, with subcutaneous port or pump, under 5 years of age Part of perspherally inserted central venous access device, with subcutaneous port or pump, under 5 years of age Part of perspherally inserted central venous access device, with subcutaneous port or pump, under 5 years of age Part of perspherally inserted central venous access device, with subcutaneous port or pump, under 5 years of age Part of perspherally inserted central venous access device, with subcutaneous port or pump, under 5 years of age Part of perspherally inserted central venous access device, with subcutaneous port or pump, under 5 years of age Part of perspherally inserted central venous access device, with subcutaneous port or pump, under 5 years of age Part of perspherally inserted central venous access device, with subcutaneous port or pump, under 5 years of age Part of perspherally inserted central venous access device, with subcutaneous port or pump, under 5 years of age Part of perspherally inserted central venous access device, with subcutaneous port or pump, under 5 years of age Part of perspherally inserted central venous access device, with subcutaneous port or years of age Part of perspherally inserted central venous access device, with subcutaneous port or years of age Part of perspherally inserted central venous access device, with subcutaneous port or years of years of age Part of years of y | | of Company Charles | Trac | litional Medicaid | Tradi | tional Integrated | Non-Tradition | onal Medicaid | Non-Tradition | nal Integrated |
|--|----------------------------|--|----------------|------------------------------|----------------|------------------------------|------------------------|------------------------|------------------------|------------------------------|
| Mary | | · | Covered | Required | Not Covered | Preauthorization Required | | Required | Not Covered | Preauthorization Required |
| Seeson Insertion of tunneled centrally inserted central venous access device, with subcutaneous port | Disclaimer: the website | Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, the | se coding list | s do not reflect information | regarding imm | unizations, injectable drugs | s, or specialty medica | ations and should be d | irected to the Pharmac | cy link option within |
| SeeSes S | | | - | - | - | - | Х | - | Х | - |
| Dimpt; under 5 years of age | 36568 | , , | | | | | | | | |
| variety vari | 00000 | | - | - | - | - | Х | - | Х | - |
| Mechanical removal of pericath obstructive material (eg. fibrin sheath) from central venous X | 36570 | | - | - | - | - | Х | - | Х | - |
| 17211 Thrombolytic art therapy | 36595 | Mechanical removal of pericath obstructive material (eg, fibrin sheath) from central venous | Х | - | Х | - | Х | - | Х | - |
| 172121 Thromblytic ventous therapy | 27244 | | | | | | | | | V |
| 32713 Transplanter placement of intravascular stent(s), cervical carotid artery, percutaneous; with distal embolic protection x | | , ,, | | | | | | | | |
| 37214 Cest placement of intravascular stent(s), cervical carotid artery, percutaneous; with distal embolic protection | | | | | | | | | | |
| 37215 Transcatheter placement of intravascular stent(s), cervical carotid artery, percutaneous; with distal embolic protection | | | | | | | | | | |
| distal embolic protection Company Compan | | · · · · · · · · · · · · · · · · · · · | - | X | - | X | - | Х | - | Х |
| distal embolic protection | 3/215 | | - | Х | - | Х | - | Х | - | Х |
| 37216 Stent placemt retro carotid | 37216 | | Х | - | Х | - | Х | - | Х | - |
| 37218 Stent placemt ante carotid | 37217 | | _ | Х | - | Х | - | X | _ | Х |
| Vascular endoscopy, surgical, with ligation of perforator veins, subfascial (seps) - | | • | _ | | _ | | - | | _ | |
| Unlisted vascular endoscopy procedure | | | _ | | - | | - | | _ | |
| 37708 Revise leg vein | | | _ | | _ | | - | | _ | |
| Stage Stag | | | _ | | _ | | _ | | _ | |
| 37722 Ligation, division, and stripping, long (greater) saphenous veins from saphenofemoral junction to knee or below - X < | | · | _ | | _ | | _ | | _ | |
| 37735 Removal of leg veins/lesion - | | Ligation, division, and stripping, long (greater) saphenous veins from saphenofemoral junction | - | | - | | - | | - | |
| 37760 Ligation of perforator veins, subfascial, radical (linton type), including skin graft, when performed, open,1 leg 37761 Ligation of perforator vein(s), subfascial, open, including ultrasound guidance, when performed, 1 leg 37765 Stab phlebectomy of varicose veins, one extremity; 10-20 stab incisions X - X - X - X - X - X - X - X - 37766 Stab phlebectomy of varicose veins, one extremity; more than 20 incisions X - X - X - X - X - X - X - X - X - X | 37735 | | _ | V | _ | V | | Y | _ | V |
| Ligation of perforator vein(s), subfascial, open, including ultrasound guidance, when performed, 1 leg X | | Ligation of perforator veins, subfascial, radical (linton type), including skin graft, when | _ | | _ | | _ | | _ | |
| 37765Stab phlebectomy of varicose veins, one extremity; 10-20 stab incisionsX-X-X-X-37766Stab phlebectomy of varicose veins, one extremity; more than 20 incisionsX-X-X-X-37780Revision of leg vein-X-X-X-X37780Revise secondary varicosity-X-X-X-X37788Revise secondary varicosity-X-X-X-X37789Pascular surgery procedure-X-X-X-X38129Laparoscope proc, spleen-X-X-X-X38205Blood-derived hematopoietic progenitor cell harvesting for transplantation, per collection; allogenic-X-X-X-X38206Blood-derived hematopoietic progenitor cell harvesting for transplantation, per collection; autologous-X-X-X-X38207Transplant preparation of hematopoietic progenitor cells; cryopreservation and storage-X-X-X-X38208Transplant preparation of hematopoietic progenitor cells; thawing of previously frozen harvest, without washing, per donor-X-X-X-X-X | 37761 | Ligation of perforator vein(s), subfascial, open, including ultrasound guidance, when performed, | - | X | - | X | - | Х | _ | X |
| 37766 Stab phlebectomy of varicose veins, one extremity; more than 20 incisions X - X - X - X - X - X - X 37780 Revision of leg vein - X - X - X - X - X - X - X 37780 Revise secondary varicosity - X - X - X - X - X - X - X - X - X - | 07705 | | | | | | ., | | | |
| 37780 Revision of leg vein - | | | | | | | | + | | |
| 37785Revise secondary varicosity-X-X-X-X37788Revascularization, penisX-X-X-X-X37799Vascular surgery procedure-X-X-X-X38129Laparoscope proc, spleen-X-X-X-X38205Blood-derived hematopoietic progenitor cell harvesting for transplantation, per collection; allogenic-X-X-X-X38206Blood-derived hematopoietic progenitor cell harvesting for transplantation, per collection; autologous-X-X-X-X38207Transplant preparation of hematopoietic progenitor cells; cryopreservation and storage-X-X-X-X38208Transplant preparation of hematopoietic progenitor cells; thawing of previously frozen harvest, without washing, per donor-X-X-X-X-X | | | | | | | | | | |
| 37788 Revascularization, penis | | | | | | | | | | |
| 37799 Vascular surgery procedure 38129 Laparoscope proc, spleen 38205 Blood-derived hematopoietic progenitor cell harvesting for transplantation, per collection; allogenic 38206 Blood-derived hematopoietic progenitor cell harvesting for transplantation, per collection; autologous 38207 Transplant preparation of hematopoietic progenitor cells; cryopreservation and storage 38208 Transplant preparation of hematopoietic progenitor cells; thawing of previously frozen harvest, without washing, per donor | | | | | | | | | | |
| 38129 Laparoscope proc, spleen 38205 Blood-derived hematopoietic progenitor cell harvesting for transplantation, per collection; allogenic 38206 Blood-derived hematopoietic progenitor cell harvesting for transplantation, per collection; autologous 38207 Transplant preparation of hematopoietic progenitor cells; cryopreservation and storage 38208 Transplant preparation of hematopoietic progenitor cells; thawing of previously frozen harvest, without washing, per donor | | / I | | | | | | | ł | |
| Blood-derived hematopoietic progenitor cell harvesting for transplantation, per collection; allogenic 38206 Blood-derived hematopoietic progenitor cell harvesting for transplantation, per collection; autologous - X - X - X - X - X - X - X - X - X - | | | | | | | | | | |
| allogenic X - X - X - X - X - X - X - X - X - X | | | - | Х | - | X | - | X | - | Х |
| autologous 38207 Transplant preparation of hematopoietic progenitor cells; cryopreservation and storage - X - X - X - X 38208 Transplant preparation of hematopoietic progenitor cells; thawing of previously frozen harvest, without washing, per donor | | allogenic | | Х | - | Х | - | Х | - | Х |
| 38207 Transplant preparation of hematopoietic progenitor cells; cryopreservation and storage - X - X - X - X 38208 Transplant preparation of hematopoietic progenitor cells; thawing of previously frozen harvest, without washing, per donor | 38206 | | - | X | - | Х | - | X | - | Х |
| without washing, per donor | 38207 | 0 | - | Х | - | Х | - | х | - | Х |
| | 38208 | | - | Х | - | Х | - | х | - | х |
| | 38240 | 0.1 | _ | Х | | X | _ | X | _ | X |

^{*} These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



| | Tiediti | Trad | itional Medicaid | Tradi | tional Integrated | Non-Tradition | onal Medicaid | Non-Tradition | nal Integrated |
|-------------|--|-----------------------------|--|-----------------------|--|---------------|------------------------------------|---------------|-----------------------------------|
| Codes | Description | Not | Preauthorization | Not | Preauthorization | Not Covered | Preauthorization | Not Covered | Preauthorization |
| Disclaimer: | Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, the | Covered ese coding lists | Required do not reflect information | Covered regarding imm | Required nunizations, injectable drugs | | Required ations and should be d | | Required by link option within |
| the website | | 1 | | ı | , | ı | , | | |
| | Bone marrow/stem transplant | - | Х | - | X | - | Х | - | Х |
| 38243 | Transplj hematopoietic boost | Х | - | Х | - | Х | - | Х | - |
| | Laparoscope proc, lymphatic | - | X | - | X | - | X | - | X |
| | Blood/lymph system procedure | - | X | - | X | - | X | - | X |
| | Chest procedure | - | X - | - | X | - V | X - | - V | X |
| | Repair of diaphragm hernia | - | | - | - | Х | | X | |
| | Diaphragm surgery procedure | | X | - | X | - | X | | X |
| | Repair cleft lip/nasal | - | X | | X | - | X | - | X |
| | Lip surgery procedure | - | X | - | X | - | X | - | X |
| | Treatment of mouth lesion | - | X | - | Х | - | Х | - | Х |
| | Reconstruction of mouth | X | - | X | - | X | - | X | - |
| | Reconstruction of mouth | X | - | X | - | X | - | X | - |
| | Reconstruction of mouth | X | - | X | - | X | - | X | - |
| | Reconstruction of mouth | X | - | X | - | X | - | X | - |
| | Reconstruction of mouth | Х | - | Х | - | Х | - | Х | - |
| | Mouth surgery procedure | - | Х | - | X | - | Х | - | Х |
| | Tongue base suspension, permanent suture technique | Х | - | Х | - | Х | - | Х | - |
| 41530 | Submucosal ablation of the tongue base, radiofrequency, one or more sites, per session | Х | - | Х | - | Х | - | Х | - |
| 41599 | Tongue and mouth surgery | - | Х | - | Х | - | Х | - | Х |
| 41899 | Dental surgery procedure | - | Х | - | Х | - | Х | - | Х |
| 42145 | Repair palate, pharynx/uvula | Х | - | Х | - | Х | - | X | - |
| | Palate/uvula surgery | - | Х | - | Х | - | Х | - | Х |
| 42699 | Salivary surgery procedure | - | Х | - | Х | - | Х | - | Х |
| 42820 | Remove tonsils and adenoids | - | Х | - | Х | Х | - | X | - |
| 42821 | Remove tonsils and adenoids | - | Х | - | X | - | Х | - | Х |
| 42825 | Removal of tonsils | - | Х | - | Х | Х | - | Х | - |
| 42826 | Removal of tonsils | - | Х | - | Х | - | Х | - | Х |
| 42830 | Removal of adenoids | - | Х | - | Х | Х | - | X | - |
| 42831 | Removal of adenoids | - | Х | - | Х | - | Х | - | Х |
| 42835 | Removal of adenoids | - | Х | - | Х | Х | - | Х | - |
| 42836 | Removal of adenoids | - | Х | - | X | - | Х | - | Х |
| | Drug-induced sleep endoscopy, with dynamic evaluation of velum, pharynx, tongue base, and | ., | | V | | V | | ., | |
| | larynx for evaluation of sleep-disordered breathing, flexible, diagnostic | X | - | X | - | Х | - | Х | - |
| 42999 | Throat surgery procedure | - | Х | - | Х | - | Х | - | Х |
| | Upper gi endoscopy/tumor | - | Х | - | Х | - | Х | - | Х |
| | Laparoscopy, surgical, esophageal sphincter augmentation procedure, placement of sphincter | | | | | | | | |
| | augmentation device (ie, magnetic band), including cruroplasty when performed | Х | - | Х | - | X | - | X | - |
| | Removal of esophageal sphincter augmentation device | Х | - | Х | - | Х | - | Х | - |
| | Laparoscope proc, esoph | - | X | - | X | - | X | - | Х |
| 43290 | Esophagogastroduodenoscopy, flexible, transoral; with deployment of intragastric bariatric balloon | Х | - | Х | - | X | - | Х | - |
| l l | Esophagogastroduodenoscopy, flexible, transoral; with removal of intragastric bariatric balloon(s) | х | - | Х | - | Х | - | х | - |

^{*} These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



| | | Trad | itional Medicaid | Tradi | tional Integrated | Non-Traditi | onal Medicaid | Non-Traditio | onal Integrated |
|---------------------------|--|-----------------|------------------------------|----------------|------------------------------|-----------------------|------------------------------|----------------------|------------------------------|
| Codes | Description | Not Covered | Preauthorization Required | Not Covered | Preauthorization Required | Not Covered | Preauthorization Required | Not Covered | Preauthorization Required |
| Disclaimer the website | Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, the | se coding lists | do not reflect information | regarding imm | unizations, injectable drugs | s, or specialty medic | ations and should be di | rected to the Pharma | acy link option within |
| | Esophagoplasty for congenital defect (plastic repair or reconstruction), thoracic approach; | | | | | V | | V | |
| | without repair of congenital | - | - | - | - | Х | - | Х | - |
| 43314 | Esophagoplasty for congenital defect (plastic repair or reconstruction), thoracic approach; with | | | | | V | | V | |
| | repair of congenital tr | • | - | - | - | X | - | Х | - |
| 43499 | Esophagus surgery procedure | - | X | - | X | - | Х | - | Х |
| 43631 | Removal of stomach, partial | - | X | - | X | - | X | 1 | X |
| 43644 | Laparoscopy, surg, gastric restrictive procedure; w gastric bypass and roux-en-y | _ | X | _ | X | _ | X | _ | X |
| | gastroenterostomy (roux limb <= 150 cm) | | Λ | | ^ | _ | ^ | | ^ |
| 43645 | Laparoscopy, surgical, gastric restrictive procedure; with gastric bypass and small intestine | Х | _ | х | - | Х | _ | Х | _ |
| | reconstruction | | | | | | | | |
| 43647 | Laparoscopy, surgical; implantation or replacement of gastric neurostimulator electrodes, antrum | Х | - | Х | - | Х | - | Х | - |
| 43648 | Laparoscopy, surgical; revision or removal of gastric neurostimulator electrodes, antrum | Х | _ | Х | _ | Х | _ | Х | _ |
| | | ^ | _ | ^ | | ^ | | Λ | _ |
| 43659 | Laparoscope proc, stom | - | X | - | X | - | Х | - | Х |
| 43752 | reading or against injuries. | Х | - | Х | - | Х | - | Х | - |
| 43770 | Laparoscopy, surgical, gastric restrictive procedure; placement of adjustable gastric band (gastric band and subcutaneou | - | Х | - | Х | Х | - | Х | - |
| 43771 | Laparoscopy, surgical, gastric restrictive procedure; revision of adjustable gastric band | | | | | | | | |
| | component only | Х | - | Х | - | Х | - | Х | - |
| 43772 | · · | | | ., | | ., | | | |
| | component only | X | - | Х | - | Х | - | Х | - |
| 43773 | Laparoscopy, surgical, gastric restrictive procedure; removal and replacement of adjustable | Х | | V | | V | | V | |
| | gastric band component only | ^ | - | X | - | Х | - | Х | - |
| 43774 | Laparoscopy, surgical, gastric restrictive procedure; removal of adjustable gastric band and | Х | | Х | _ | Х | | Х | |
| | subcutaneous port component | ^ | - | ^ | - | ^ | - | ^ | - |
| 43775 | Laparoscopy, surgical, gastric restrictive procedure; longitudinal gastrectomy (ie, sleeve | _ | Х | _ | Х | _ | X | _ | Х |
| | gastrectomy) | | Λ | | ^ | _ | ^ | | ^ |
| 43831 | Place gastrostomy tube | - | - | - | - | Х | - | X | - |
| 43842 | | X | - | X | - | Х | - | X | - |
| | Gastroplasty for obesity | X | - | X | - | Х | - | X | - |
| | Gastric revision for obesity | Х | - | Х | - | Х | - | Х | - |
| 43846 | | - | X | - | X | Х | - | Х | - |
| 43847 | Gastric bypass for obesity | X | - | X | - | Х | - | Х | - |
| 43848 | 61 | Х | - | Х | - | Х | - | Х | - |
| 43881 | Implantation or replacement of gastric neurostimulator electrodes, antrum, open | Х | - | Х | - | Х | - | Х | - |
| 43882 | | Х | - | Х | - | Х | - | Х | - |
| 43886 | Gastric restrictive procedure, open; revision of subcutaneous port component only | Х | - | Х | - | Х | - | Х | - |
| 43887 | Gastric restrictive procedure, open; removal of subcutaneous port component only | Х | - | Х | - | X | - | Х | - |
| 43888 | Gastric restrictive procedure, open; removal and replacement of subcutaneous port component only | Х | - | Х | - | Х | - | Х | - |
| 43999 | Stomach surgery procedure | - | Х | - | X | - | Х | - | Х |
| 44126 | 0 7 1 | | | | | V | | V | |
| | tapering | - | - | _ | - | Х | _ | Х | - |

^{*} These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



| 0 | | Trad | litional Medicaid | Tradit | tional Integrated | Non-Tradition | onal Medicaid | Non-Traditio | nal Integrated |
|----------------------------|--|-----------------|------------------------------|----------------|------------------------------|------------------------|------------------------------|----------------------|------------------------------|
| Codes | Description | Not Covered | Preauthorization Required | Not Covered | Preauthorization Required | Not Covered | Preauthorization Required | Not Covered | Preauthorization Required |
| Disclaimer: the website | Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, the . | se coding lists | s do not reflect information | regarding imm | unizations, injectable drugs | s, or specialty medica | ations and should be di | rected to the Pharma | cy link option within |
| | Enterectomy, resection of small intestine for atresia, single resection and anastomosis; with | | | | | | | | |
| | tapering | - | - | - | - | Х | - | X | - |
| 44132 | Enterectomy, cadaver donor | Х | - | Х | - | Х | - | Х | - |
| | Enterectomy, live donor | Х | - | Х | - | Х | - | Х | - |
| 44137 | Removal of transplanted intestinal allograft, complete | - | Х | - | Х | Х | - | Х | - |
| 44238 | Unlisted laparoscopy procedure, intestine (except rectum) | - | Х | - | Х | - | Х | - | Х |
| | Prepare fecal microbiota | Х | - | Х | - | Х | - | Х | - |
| 44715 | Backbench standard preparation of cadaver or living donor intestine allograft | Х | - | Х | - | Х | - | Х | - |
| 44720 | Backbench reconstruction of cadaver or living donor intestine allograft; venous anastomosis, each | Х | - | Х | - | Х | - | х | - |
| 44721 | Backbench reconstruction of cadaver or living donor intestine allograft; arterial anastomosis, each | Х | - | х | - | Х | - | Х | - |
| 44799 | Intestine surgery procedure | - | Х | - | Х | - | Х | - | Х |
| | Bowel surgery procedure | - | Х | - | Х | - | Х | - | Х |
| | Laparoscope proc, app | - | Х | - | Х | - | Х | - | Х |
| | Pelvic exenteration | - | Х | - | Х | - | Х | - | Х |
| | Unlisted procedure colon | - | Х | - | Х | - | Х | - | Х |
| 45499 | Unlisted laparoscopy procedure, rectum | - | Х | - | Х | - | Х | - | Х |
| 45999 | Rectum surgery procedure | - | Х | - | X | - | Х | - | Х |
| | Placement of seton | Х | - | Х | - | Х | - | Х | - |
| 46070 | Incision of anal septum | - | - | - | - | Х | - | Х | - |
| 46505 | Chemodenervation of internal anal sphincter | Х | - | Х | - | Х | - | Х | - |
| 46601 | Diagnostic anoscopy | - | Х | - | Х | - | Х | - | Х |
| | Diagnostic anoscopy & biopsy | - | Х | - | Х | - | Х | - | Х |
| | Repair of anal stricture | - | - | - | - | Х | - | Х | - |
| 46706 | Repair of anal fistula with fibrin glue | Х | - | Х | - | Х | - | Х | - |
| | Repair of anorectal fistula with plug (eg, porcine small intestine submucosa [sis]) | Х | - | Х | - | Х | - | Х | - |
| | Repair of anal sphincter | - | - | - | - | Х | - | Х | - |
| 46947 | Hemorrhoidopexy (eg, for prolapsing internal hemorrhoids) by stapling | Х | - | Х | - | Х | - | Х | - |
| 46999 | Anus surgery procedure | - | Х | - | Х | - | Х | - | Х |
| | Removal of donor liver | Х | - | Х | - | Х | - | Х | - |
| | Transplantation of liver | - | Х | - | X | - | Х | - | Х |
| 47140 | Donor hepatectomy, with preparation and maintenance of allograft, living donor; left lateral segment only | Х | - | Х | - | х | - | х | - |
| 47141 | Donor hepatectomy, with preparation and maintenance of allograft, living donor; total left lobectomy | Х | - | х | - | Х | - | Х | - |
| 47142 | Donor hepatectomy, with preparation and maintenance of allograft, living donor; total right lobectomy | Х | - | х | - | Х | - | Х | - |
| 47143 | , | Х | - | Х | - | Х | - | Х | - |
| 47144 | Backbench standard preparation of cadaver donor whole liver graft; w trisegment split of graft into two partial grafts | Х | - | Х | - | Х | - | Х | - |
| 47145 | Backbench standard preparation of cadaver donor whole liver graft; with lobe split of graft into two partial grafts | Х | - | Х | - | Х | - | Х | - |

^{*} These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



| the website. | Description | Not | | | | | | | nal Integrated |
|--------------|--|-----------------|------------------------------|----------------|------------------------------|------------------------|------------------------------|-----------------------|------------------------------|
| the website. | | Covered | Preauthorization Required | Not Covered | Preauthorization Required | Not Covered | Preauthorization Required | Not Covered | Preauthorization Required |
| 47146 pa | ease note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, the | se coding lists | s do not reflect information | regarding imm | unizations, injectable drugs | s, or specialty medica | ations and should be d | irected to the Pharma | cy link option within |
| | ackbench reconstruction of cadaver or living donor liver graft prior to allotransplantation; enous anastomosis, each | Х | - | Х | - | Х | - | Х | - |
| | ackbench reconstruction of cadaver or living donor liver graft prior to allotransplantation; | | | | | | | | |
| 1 | rterial anastomosis, each | Х | - | Х | - | Х | - | Х | - |
| 47370 La | aparoscopy, surgical, ablation of one or more liver tumor(s); radiofrequency | X | - | Χ | - | X | - | X | - |
| | aparoscopy, surgical, ablation of one or more liver tumor(s); cryosurgical | X | - | Х | • | X | - | Х | - |
| 47379 La | aparoscope procedure, liver | - | X | - | X | - | Х | - | Х |
| 47383 Pe | erq abltj lvr cryoablation | - | X | - | X | - | X | - | X |
| 47399 Liv | ver surgery procedure | - | X | - | X | - | Х | - | X |
| | aparoscope proc, biliary | - | Х | - | X | - | Х | - | Х |
| 47999 Bi | ile tract surgery procedure | - | Х | - | X | - | Х | - | Х |
| 48155 Re | emoval of pancreas | Х | - | Х | - | Х | - | Х | - |
| 48160 Pa | ancreas removal/transplant | Х | - | Х | - | Х | - | Х | - |
| | ancreaticojejunostomy, side-to-side anastomosis (puestow-type operation) | Х | - | Х | - | Х | - | Х | - |
| 48550 Do | onor pancreatectomy | Х | - | Х | - | Х | - | Х | - |
| | ackbench standard preparation of cadaver donor pancreas allograft | Х | - | Х | - | Х | - | Х | - |
| | ackbench reconstruction of cadaver donor pancreas allograft prior to transplantation, venous | | | | | | | | |
| | nastomosis, each | Х | - | Х | - | Х | - | Х | - |
| | ranspl allograft pancreas | - | Х | - | Х | Х | - | Х | - |
| | emoval, allograft pancreas | _ | X | - | X | X | _ | X | _ |
| | ancreas surgery procedure | _ | X | _ | X | - | Х | - | Х |
| <u></u> | aparo proc, abdm/per/oment | _ | X | _ | X | _ | X | _ | X |
| | epair, initial inguinal hernia, preterm infant (less than 37 weeks gestation at birth), performed | | | | , | | , | | |
| | om birth up to 50 w | - | - | - | - | Х | - | X | - |
| | epair, initial inguinal hernia, preterm infant (less than 37 weeks gestation at birth), performed | | | | | | | | |
| | om birth up to 50 w | - | - | - | - | X | - | X | - |
| | epair, initial inguinal hernia, full term infant under age 6 months, or preterm infant over 50 | | | | | | | | |
| | eeks postconception age | - | - | - | - | X | - | Х | - |
| | eeks postconception age epair, initial inguinal hernia, full term infant under age 6 months, or preterm infant over 50 | | | | | | | | |
| | eeks postconception age | - | - | - | - | X | - | X | - |
| - | eeks postconception age | _ | _ | _ | _ | Х | _ | Х | _ |
| | epair inguliar nernia, init | - | - | - | - | X | - | X | - |
| | aparo proc, hernia repair | - | X | _ | X | ^ | X | | X |
| | | - | X | - | X | - | X | - | X |
| | bdomen surgery procedure | | | | X - | | 1 | | |
| | emoval of donor kidney | X | - | X | | X | - | X | - |
| | emoval of donor kidney | X | - | X | - | X | - | X | - |
| - | ackbench standard preparation of cadaver donor renal allograft | Х | - | Х | - | Х | - | Х | - |
| 50325 Ba | ackbench standard preparation of living donor renal allograft (open or laparoscopic) | Х | - | Х | - | Х | - | Х | - |
| | ackbench reconstruction of cadaver or living donor renal allograft prior to transplantation; | Х | - | Х | - | Х | - | Х | - |
| | enous anastomosis, each | | | | | | | | |
| ar | ackbench reconstruction of cadaver or living donor renal allograft prior to transplantation; rterial anastomosis, each | Х | - | Х | - | Х | - | Х | - |
| | ackbench reconstruction of cadaver or living donor renal allograft prior to transplantation; reteral anastomosis, each | Х | - | Х | - | Х | - | Х | - |

^{*} These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



| Contact Cont | | ricaldi | Trad | itional Medicaid | Tradi | tional Integrated | Non-Traditio | nal Medicaid | Non-Tradition | nal Integrated |
|--|-------------|--|----------------------------|--|--------------------------|---------------------------------------|--------------|--------------|---------------|----------------|
| Section Common | Codes | Description | | | | | Not Covered | | Not Covered | |
| Incention | Disclaimer: | Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, the | Covered se coding lists | Required do not reflect information | Covered regarding imm | Required unizations, injectable drugs | | | | |
| S0898 Fansplantation of kidney | the website | | | | 1 | , | | | | |
| 1,000,000,000,000,000,000,000,000,000,0 | _ | | - | | | | | | - | |
| Section Sect | | | | | - | | - | | | |
| Semigrate part Semigrate | | | | | | | - | | | |
| September Sept | | · | | | | | - | | | |
| guidance and monitoring, when performed | | | - | Х | - | X | | Х | - | X |
| Buildance and monitoring, when performed | 50542 | | X | _ | X | _ | X | _ | X | _ |
| S0549 Liparoscope proc, renal | | 5 | | | | | | | | |
| Septical Penal endoscopy through established nephrostomy or pyelostomy, with or without irrigation, instillation, or ureteropyelo | | | | | | | | | 1 | |
| Instillation, or ureteropyelo | | | - | Х | - | X | - | Х | - | X |
| S0949 Laparescope proc, urster | 50562 | | Х | - | Х | - | Х | - | Х | - |
| Semoval of pelvice structures | 50949 | | _ | Х | _ | X | - | Х | _ | X |
| State Stat | | | | | | | | | | |
| Section Unlisted laparoscopy procedure, bladder - | | 1 | _ | | _ | | - | | _ | |
| S2441 Cystourethrow w/mplant | | | | | 1 | | | | _ | |
| S2442 Cystourethro w/add implant - | | | | | 1 | | | | | |
| Seed Laser enucleation of the prostate with morcellation, including control of postoperative bleeding, complete (vasectomy, m complet | | | | | - | | | | | |
| Complete (vasectomy, m | | , , | - | ^ | - | ^ | | ^ | _ | |
| 1.53025 Incision of urethra | 02043 | | X | - | Х | - | X | - | X | - |
| S3444 Insertion of tandem cuff (dual cuff) S444 Insertion of tandem cuff (dual cuff) Periurethral transperineal adjustable balloon continence device; bilateral insertion, including cystourethroscopy and imaging guidance X | 53025 | | _ | _ | _ | _ | Y | _ | Y | _ |
| Perturethral transperineal adjustable balloon continence device; bilateral insertion, including cystourethroscopy and imaging guidance X | | | | | | | | | | |
| Cystourethroscopy and imaging guidance X | | | | _ | | - | Λ | _ | Α | |
| Sad52 | 00101 | | Х | - | Х | - | X | - | X | - |
| cystourethroscopy and imaging guidance | 53452 | | | | | | | | | |
| Periurethral transperineal adjustable balloon continence device; removal, each balloon X | 00402 | | X | - | Х | - | X | - | X | - |
| Periurethral transperineal adjustable balloon continence device; percutaneous adjustment of balloon(s) fluid volume | 53453 | | ., | | | | | | | |
| balloon(s) fluid volume | | | Х | - | Х | - | Х | - | X | - |
| balloon(s) fluid volume | 53454 | Periurethral transperineal adjustable balloon continence device; percutaneous adjustment of | | | ., | | ., | | ., | |
| 53860 Transurethral rf treatment X - X <th< td=""><td></td><td></td><td>Х</td><td>-</td><td>Х</td><td>-</td><td>Х</td><td>-</td><td>X</td><td>- '</td></th<> | | | Х | - | Х | - | Х | - | X | - ' |
| 54115 Treatment of penis lesion X - | 53860 | . , | Х | - | Х | - | Х | - | Х | - |
| 54120 Partial removal of penis - X < | 53899 | Urology surgery procedure | - | Х | - | Х | - | Х | - | Х |
| 54120 Partial removal of penis - X < | 54115 | Treatment of penis lesion | Х | - | Х | - | Х | - | Х | - |
| 54130 Remove penis & nodes - X <td></td> <td></td> <td>-</td> <td>Х</td> <td>-</td> <td>Х</td> <td>-</td> <td>Х</td> <td>-</td> <td>Х</td> | | | - | Х | - | Х | - | Х | - | Х |
| 54130 Remove penis & nodes - X <td></td> <td></td> <td>-</td> <td></td> <td>-</td> <td></td> <td>-</td> <td></td> <td>-</td> <td>Х</td> | | | - | | - | | - | | - | Х |
| 54135 Remove penis & nodes - X - X - X - X 54150 Circumcision - X - X - X - X 54160 Circumcision X - </td <td></td> <td></td> <td>-</td> <td>Х</td> <td>-</td> <td>Х</td> <td>-</td> <td>Х</td> <td>-</td> <td>Х</td> | | | - | Х | - | Х | - | Х | - | Х |
| 54150 Circumcision X - | 54135 | | - | | - | | - | | - | Х |
| 54160 Circumcision X - | | - | - | | - | | - | | - | |
| 54161 Circumcision - X - | 54160 | | Х | | Х | - | Х | | Х | - |
| 54162 Lysis or excision of penile post-circumcision adhesions - X | | | | Х | | Х | | Х | | Х |
| 54163 Repair incomplete circumcision - X - | 54162 | | - | | - | Х | - | | - | Х |
| 54164 Frenulotomy of penis - - - - X - X - 54230 Prepare penis study X - X - X - X - 54240 Penis study X - X - X - X - | 54163 | | - | Х | - | Х | - | | - | Х |
| 54230 Prepare penis study X - X - X - X - 54240 Penis study X - X - X - X - X - - X - - X - - X - - X - - X - - X - - X - - X - - X - - X - - X - - X - - X - - X - - X - - X - - X - - X - X - X - X - X - X - X - X - X - X - X - X - X - X - X - | 54164 | | - | | - | | Х | | Х | |
| 54240 Penis study X - X - X - X - | | | Х | - | Х | - | | - | | - |
| | | | | - | | - | | - | | - |
| | | | | - | | - | | - | | - |

^{*} These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



| | ricaldi | Trad | itional Medicaid | Tradi | tional Integrated | Non-Tradition | onal Medicaid | Non-Tradition | nal Integrated |
|-------------|--|----------------------------|--|-----------------------|---------------------------------------|---------------|-----------------------------------|---------------|-----------------------------------|
| Codes | Description | Not | Preauthorization | Not | Preauthorization | Not Covered | Preauthorization | Not Covered | Preauthorization |
| Disclaimer: | Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these | Covered se coding lists | Required do not reflect information | Covered regarding imm | Required unizations, injectable drugs | | Required tions and should be d | | Required ty link option within |
| the website | | | Т | | | | | | , , |
| | Insert semi-rigid prosthesis | Х | - | Х | - | Х | - | Х | - |
| _ | Insert self-contd prosthesis | Х | - | Х | - | Х | - | Х | - |
| | Insert multi-comp prosthesis | Х | - | X | - | X | - | Х | - |
| 54406 | Removal of all components of a multi-component, inflatable penile prosthesis without | Х | _ | Х | _ | Χ | _ | X | _ |
| | replacement of prosthesis | | | | | | | | |
| | Repair of component(s) of a multi-component, inflatable penile prosthesis | Х | - | Х | - | Х | - | Х | - |
| 54410 | Removal and replacement of all component(s) of a multi-component, inflatable penile | Х | - | Х | - | X | _ | х | _ |
| | prosthesis, same operative session | | | | | | | | |
| 54411 | Removal and replacement multi-component inflatable penile prosthesis, infected field, same op | Х | - | Х | - | X | _ | х | _ |
| | sess, w irrig & debridemnt | | | | | | | | |
| 54415 | Removal of non-inflatable or inflatable (self-contained) penile prosthesis, wo replacement of | Х | _ | Х | _ | Χ | _ | X | _ |
| | prosthesis | ,, | | ,, | | | | ^ | |
| 54416 | Removal and replacement of non-inflatable or inflatable (self-contained) penile prosthesis, | Х | _ | Х | _ | Χ | _ | х | _ |
| | same operative session | | | ^ | | | | ^ | |
| 54417 | Removal and replacement of inflat/non-inflatable penile prosthesis, infected field, same op sess, | Х | _ | Х | _ | Χ | _ | X | _ |
| | w irrig & debridement | | | | | | | | |
| | Revision of testis | X | - | X | - | X | - | Х | - |
| 54699 | Laparoscope proc, testis | - | Х | - | X | - | Х | - | X |
| 54900 | Fusion of spermatic ducts | Х | - | Х | - | X | - | Х | - |
| 54901 | Fusion of spermatic ducts | Х | - | Х | - | X | - | Х | - |
| 55200 | Incision of sperm duct | Χ | - | Х | - | Х | - | Х | - |
| | Prepare, sperm duct x-ray | X | - | Х | - | Х | - | Х | - |
| 55400 | Repair of sperm duct | X | - | X | - | Χ | - | Х | - |
| 55559 | Laparo proc, spermatic cord | - | Х | - | X | - | X | - | X |
| 55870 | Electroejaculation | Χ | - | Х | - | Х | - | Х | - |
| 55874 | Transperienal placement of biodegradalbe material, periprostatic, single/mult inject | Х | - | Х | - | X | - | Х | - |
| 55899 | Genital surgery procedure | - | Х | - | X | - | Х | - | Х |
| 55920 | Placement of needles or catheters into pelvic organs and/or genitalia (except prostate) for | Х | | V | | Х | | V | |
| | subsequent interstitial radi | X | - | X | - | X | - | Х | - |
| 55970 | Sex transformation, m to f | Х | - | Х | - | Х | - | Х | - |
| 55980 | Sex transformation, f to m | Х | - | Х | - | Х | - | Х | - |
| 56800 | Repair of vagina | Х | - | Х | - | Х | - | Х | - |
| 56805 | Repair clitoris | - | Х | - | X | Х | - | Х | - |
| 57291 | Construction of vagina | Χ | - | Х | - | Χ | - | Х | - |
| 57292 | Construct vagina with graft | Χ | - | Х | - | Х | - | Х | - |
| 57295 | Revision (including removal) of prosthetic vaginal graft, vaginal approach | - | Х | - | Х | - | Х | - | Х |
| 57296 | Revision (including removal) of prosthetic vaginal graft; open abdominal approach | - | Х | - | Х | - | Х | - | Х |
| 57335 | Repair vagina | Χ | - | Х | - | Х | - | Х | - |
| 57426 | Revision (including removal) of prosthetic vaginal graft, laparoscopic approach | Х | - | Х | - | Х | - | Х | - |
| 57531 | Removal of cervix, radical | - | Х | - | Х | - | Х | - | Х |
| 58150 | Total hysterectomy | - | Х | - | Х | - | Х | - | Х |
| 58152 | Total hysterectomy | - | Х | - | Х | - | Х | - | Х |
| 58180 | Partial hysterectomy | - | Х | - | Х | - | Х | - | Х |
| | Extensive hysterectomy | - | Х | - | X | - | Х | - | Х |
| | | | | | | | | | |

^{*} These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



| 9 | ricaldi | Trad | itional Medicaid | Tradi | tional Integrated | Non-Tradition | onal Medicaid | Non-Tradition | al Integrated |
|-------------|--|----------------------------|--|--------------------------|---------------------------------------|---------------|-------------------------------------|---------------|----------------------------------|
| Codes | Description | Not | Preauthorization | Not | Preauthorization | Not Covered | Preauthorization | Not Covered | Preauthorization |
| Disclaimer: | Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, the | Covered se coding lists | Required do not reflect information | Covered regarding imm | Required unizations, injectable drugs | | Required ations and should be di | | Required y link option within |
| the website | | , | , | 1 | , | | | 1 | |
| | Extensive hysterectomy | - | X | - | X | - | X | - | X |
| | Removal of pelvis contents | - | X | - | X | - | X | - | X |
| 58260 | Vaginal hysterectomy, for uterus 250 grams or less; | - | Х | - | X | - | Х | - | X |
| 58262 | Vaginal hysterectomy, for uterus 250 grams or less; with removal of tube(s), and/or ovary(s) | - | Х | - | Х | - | Х | - | X |
| 58263 | Vaginal hysterectomy, for uterus 250 grams or less; with removal of tube(s), and/or ovary(s), with repair of enterocele | - | Х | - | Х | - | Х | - | Х |
| 58267 | Vaginal hysterectomy, for uterus 250 grams or less; with colpo-urethrocystopexy (marshall- | _ | Х | _ | Х | - | Х | - | Х |
| | marchetti-krantz type, pereyra | | | | | | | | |
| 58270 | Vaginal hysterectomy, for uterus 250 grams or less; with repair of enterocele | - | Х | - | X | - | Х | - | Χ |
| | Hysterectomy/revise vagina | - | Х | - | X | - | Х | - | Χ |
| 58280 | Hysterectomy/revise vagina | - | Х | - | X | - | X | - | X |
| 58285 | Extensive hysterectomy | - | Х | - | X | - | Х | - | Х |
| 58290 | Vaginal hysterectomy, for uterus greater than 250 grams; | - | Х | - | X | - | X | - | X |
| 58291 | Vaginal hysterectomy, for uterus greater than 250 grams; with removal of tube(s) and/or ovary(s) | - | X | - | Х | - | Х | - | X |
| 58292 | Vaginal hysterectomy, for uterus greater than 250 grams; with removal of tube(s) and/or | | Х | | Х | | Х | | Х |
| | ovary(s), with repair of enteroc | - | ^ | - | Χ | - | ^ | - | Χ |
| 58294 | Vaginal hysterectomy, for uterus greater than 250 grams; with repair of enterocele | - | Х | - | Х | - | Х | - | Х |
| 58321 | Artificial insemination | Х | - | Х | - | Х | - | Х | - |
| 58322 | Artificial insemination | Х | - | Х | - | Х | - | Х | - |
| 58323 | Sperm washing | Х | - | Х | - | Х | - | Х | - |
| 58340 | Catheter for hysterography | Х | - | Х | - | Х | - | Х | - |
| 58345 | Reopen fallopian tube | Х | - | Х | - | Х | - | Х | - |
| 58350 | Reopen fallopian tube | Х | - | Х | - | Х | - | Х | - |
| 58541 | Laparoscopy, surgical, supracervical hysterectomy, for uterus 250 g or less; | - | Х | - | Х | - | Х | - | Х |
| 58542 | Laparoscopy, surgical, supracervical hysterectomy, for uterus 250 g or less; with removal of tube(s) and/or ovary(s) | - | Х | - | Х | - | Х | - | Х |
| 58543 | Laparoscopy, surgical, supracervical hysterectomy, for uterus greater than 250 g; | _ | Х | _ | Х | - | Х | - | Х |
| | Laparoscopy, surgical, supracervical hysterectomy, for uterus greater than 250 g; with removal | - | X | - | X | - | X | - | X |
| ESEES | of tube(s) and/or ovary(s | | V | | V | | V | | |
| 58550 | Laparoscopy surgical, with vaginal hysterectomy, for uterus 250 grams or less; | - | Х | - | X | - | Х | - | X |
| 56552 | Laparoscopy surgical, with vaginal hysterectomy, for uterus 250 grams or less; with removal of tube(s) and/or ovary(s) | - | Х | - | Х | - | Х | - | Х |
| 58553 | Laparoscopy, surgical, with vaginal hysterectomy, for uterus greater than 250 grams; | - | X | - | X | - | Х | - | X |
| 58554 | Laparoscopy, surgical, with vaginal hysterectomy, for uterus greater than 250 grams; with removal of tube(s) and/or ovar | - | Х | - | Х | - | Х | - | Х |
| 58560 | Hysteroscopy, resect septum | Х | - | Х | - | Х | - | Х | - |
| 58570 | Laparoscopy, surgical, with total hysterectomy, for uterus 250 g or less; | - | Х | - | Х | - | Х | - | Х |
| 58571 | Laparoscopy, surgical, with total hysterectomy, for uterus 250 g or less; with removal of tube(s) and/or ovary(s) | - | Х | - | Х | - | Х | - | Х |
| 58572 | Laparoscopy, surgical, with total hysterectomy, for uterus greater than 250 g; | _ | Х | _ | X | _ | Х | _ | Х |
| | Laparoscopy, surgical, with total hysterectomy, for uterus greater than 250 g; with removal of | - | X | - | X | - | X | - | X |
| E0E7F | tube(s) and/or ovary(s) | | | | | | | | V |
| 202/2 | Laparoscopy, surgical, total hysterectomy for resect of malignancy, uni/bilateral | | X | - | X | - | Х | | Х |

^{*} These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



| | Ticalti | Trad | itional Medicaid | Tradi | tional Integrated | Non-Tradition | onal Medicaid | Non-Traditio | nal Integrated |
|-------------|--|----------------------------|---------------------------------------|--------------------------|-------------------|------------------------|---------------------------------|-----------------------|-----------------------------------|
| Codes | Description | Not | Preauthorization | Not | Preauthorization | Not Covered | Preauthorization | Not Covered | Preauthorization |
| Disclaimer | Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these | Covered se coding lists | Required s do not reflect information | Covered regarding imm | | s, or specialty medica | Required ations and should be d | irected to the Pharma | Required by link option within |
| the website | | | Х | T - | Х | - | 1 | | 1 |
| | | | X | - | X | - | X | - | X |
| 58672 | Hysteroscope procedure | X | - | | ^ | X | ^ | | |
| | Laparoscopy, fimbrioplasty | Λ | - | Х | - | ^ | - | Х | - |
| 30074 | Laparoscopy, surgical, ablation of uterine fibroid(s) including intraoperative ultrasound guidance and monitoring, radiofrequency | Χ | - | Х | - | X | - | X | - |
| 58679 | Laparo proc, oviduct-ovary | _ | Х | _ | X | - | Х | _ | Х |
| 58750 | Repair oviduct | X | - | X | | X | ^ | X | ^ |
| 58752 | Revise ovarian tube(s) | X | - | X | - | X | _ | X | - |
| 58760 | Remove tubal obstruction | X | - | X | - | X | | X | - |
| | | | - | | - | | - | | |
| 58970 | Retrieval of oocyte | X | | X | | X | - | X | - |
| | Transfer of embryo | X | - | X | - | X | - | X | - |
| 58976 | Transfer of embryo | Х | - | Х | - | Х | - | Х | - |
| 58999 | Genital surgery procedure | - | Х | - | X | - | Х | - | Х |
| 59200 | Insert cervical dilator | X | - | X | - | X | - | X | - |
| 59412 | Antepartum manipulation | Х | - | Х | - | Х | - | Х | - |
| 59414 | Deliver placenta | Х | - | Х | - | Х | - | Х | - |
| 59812 | Treatment of miscarriage | - | Х | - | X | - | Х | - | X |
| 59820 | Care of miscarriage | - | Х | - | X | - | Х | - | Х |
| 59821 | Treatment of miscarriage | - | Х | - | X | - | Х | - | Х |
| 59840 | Procedure associated with miscarriage or terminated pregnancy | - | Х | - | X | - | Х | - | Х |
| 59841 | Procedure associated with miscarriage or terminated pregnancy | - | X | - | X | - | Х | - | Х |
| 59850 | Procedure associated with miscarriage or terminated pregnancy | - | X | - | X | - | X | - | X |
| 59851 | Procedure associated with miscarriage or terminated pregnancy | - | X | - | X | - | X | - | X |
| 59852 | Procedure associated with miscarriage or terminated pregnancy | - | X | - | X | - | X | - | X |
| 59855 | Procedure associated with miscarriage or terminated pregnancy | - | Х | - | X | - | Х | - | Х |
| 59856 | Procedure associated with miscarriage or terminated pregnancy | - | Х | - | Х | - | Х | - | Х |
| 59857 | Procedure associated with miscarriage or terminated pregnancy | - | Х | - | X | - | Х | - | Х |
| 59866 | Abortion (mpr) | Х | - | Х | - | Х | - | Х | - |
| 59897 | Unlisted fetal invasive procedure, including ultrasound guidance, when performed | Х | - | Х | - | Х | - | Х | - |
| 59898 | Laparo proc, ob care/deliver | - | Х | - | Х | - | Х | - | Х |
| 59899 | Maternity care procedure | - | Х | - | Х | - | Х | - | Х |
| 60659 | Laparo proc, endocrine | - | Х | - | Х | - | Х | - | Х |
| 60699 | Endocrine surgery procedure | - | Х | - | Х | - | Х | _ | Х |
| 61000 | Remove cranial cavity fluid | - | - | - | _ | Х | - | Х | - |
| 61001 | Remove cranial cavity fluid | - | - | - | - | X | _ | X | - |
| 61711 | Fusion of skull arteries | Х | - | Х | - | X | _ | X | - |
| 61720 | Incise skull/brain surgery | - | Х | - | X | - | Х | - | Х |
| 61735 | Incise skull/brain surgery | | X | _ | X | - | X | _ | X |
| 61736 | Laser interstitial thermal therapy (litt) of lesion, intracranial, including burr hole(s), with | | | | ^ | | | | ^ |
| 01700 | magnetic resonance imaging guidance, when performed; single trajectory for 1 simple lesion | X | - | Х | - | Х | - | Х | - |
| 61737 | Laser interstitial thermal therapy (litt) of lesion, intracranial, including burr hole(s), with magnetic resonance imaging guidance, when performed; multiple trajectories for multiple or complex lesion(s) | Х | - | х | - | х | - | х | - |
| 61760 | Implant brain electrodes | | Х | _ | X | _ | Х | _ | Х |
| 31700 | implant brain electrodes | <u>-</u> | ^ | | _ ^ | - | ^ | I | ^ |

^{*} These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



| | | | itional Medicaid | | tional Integrated | Non-Traditio | onal Medicaid | Non-Tradition | al Integrated |
|-------------|--|----------------|------------------------------|----------------|------------------------------|-----------------------|------------------------------|------------------------|------------------------------|
| Codes | Description | Not Covered | Preauthorization Required | Not Covered | Preauthorization Required | Not Covered | Preauthorization Required | Not Covered | Preauthorization Required |
| | Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, the | | | | | , or specialty medica | | irected to the Pharmac | |
| the website | Incise skull for treatment | | Х | _ | Х | | Х | _ | X |
| | Treat trigeminal nerve | _ | X | _ | X | - | X | - | X |
| 61791 | Treat trigeminal tract | - | X | - | X | _ | X | _ | X |
| 61796 | Stereotactic radiosurgery (particle beam, gamma ray, or linear accelerator); 1 simple cranial | | | | | | | | |
| | lesion | Х | - | Х | - | Χ | - | X | - |
| 61797 | Stereotactic radiosurgery (particle beam, gamma ray, or linear accelerator); each additional | | | ., | | | | ., | |
| | cranial lesion, simple (lis | Χ | - | Х | - | Χ | - | Х | - |
| 61798 | Stereotactic radiosurgery (particle beam, gamma ray, or linear accelerator); 1 complex cranial | X | _ | Х | | Х | | Х | |
| | lesion | ^ | - | ^ | - | ^ | - | ^ | - |
| 61799 | Stereotactic radiosurgery (particle beam, gamma ray, or linear accelerator); each additional | Х | _ | Х | | Х | | Х | _ |
| | cranial lesion, complex (li | ^ | - | ^ | _ | | | ^ | <u>-</u> |
| 61800 | Application of stereotactic headframe for stereotactic radiosurgery (list separately in addition to | X | _ | X | _ | Х | _ | Х | _ |
| | code for primary pro | | _ | ^ | _ | Λ | | ^ | |
| 61867 | Burr hole craniotomy with implantation of subcortical electrode array, w intraop microelectrode | Х | _ | X | - | Χ | _ | X | _ |
| | recording; first array | | | | | | | ^ | |
| 61868 | Burr hole craniotomy w implantation of subcortical electrode array, w intraop microelectrode | Х | _ | X | - | Χ | _ | X | - |
| | recording; ea addl array | | | ,, | | | | | |
| 61889 | Insertion of skull-mounted cranial neurostimulator pulse generator or receiver, including | | | | | | | | |
| | craniectomy or craniotomy, when performed, with direct or inductive coupling, with co | - | X | - | Х | - | - | - | - |
| 04004 | | | | | | | | | |
| 61891 | Revision or replacement of skull-mounted cranial neurostimulator pulse generator or receiver | - | Х | - | Х | - | - | - | - |
| 00440 | with connection to depth and/or cortical strip electrode array(s) | | | | | | | | |
| 62148 | Incision and retrieval of subcutaneous cranial bone graft for cranioplasty (list separately in | Х | - | Х | - | X | - | Х | - |
| 22122 | addition to code for prim | | | | | | | | |
| 62162 | Neuroendoscopy, intracranial; with fenestration or excision of colloid cyst, including placement | Х | - | Х | - | Х | - | X | - |
| 00404 | of external ventricular | | | | | | | | |
| 62164 | Neuroendoscopy, intracranial; with excision of brain tumor, including placement of external | X | - | Х | - | X | - | X | - |
| 00405 | ventricular catheter for dra | | | | | | | | |
| 62165 | Neuroendoscopy, intracranial; with excision of pituitary tumor, transnasal or trans-sphenoidal | Х | - | Х | - | X | - | Х | - |
| 00007 | approach | | | | | | | | |
| 62287 | Decompression procedure, percutaneous, of nucleus pulposus of intervertebral disc, any | | | | V | | | | |
| | method utilizing needle based technique to remove disc material under fluoroscopic imagi | - | X | - | Х | - | Х | - | Х |
| 62202 | Edwards Consulted Tests . | | | | V | | V | | |
| | Injection into disk lesion | - | Х | - | Х | - | Х | - | X |
| 62380 | Endoscopic decompression of spinal cord, nerve root(s), including laminotomy, partial | | | , | | V | | , , | |
| | facetectomy, foraminotomy, discectomy and/or excision of herniated intervertebral disc, 1 | Χ | - | X | - | X | _ | Х | - |
| 63015 | Removal of spinal lamina | | X | _ | Х | | Х | _ | X |
| | Laminotomy (hemilaminectomy), with decompression of nerve root(s), including partial | | ^ | - | ^ | - | ^ | - | ^ |
| 00020 | facetectomy, foraminotomy and/or excision of herniated intervertebral disc; 1 interspace, | _ | x | | Х | _ | X | _ | Х |
| | nacetectomy, foraminotomy ana/or excision of hermated intervertebral disc, 1 interspace, | = | ^ | _ | ^ | - | ^ | | ^ |
| 63030 | Laminotomy (hemilaminectomy), with decompression of nerve root(s), including partial | | | | | | | | |
| | facetectomy, foraminotomy and/or excision of herniated intervertebral disc; 1 interspace, | _ | х | _ | Х | _ | Х | _ | Х |
| | indeceestory, for animotority and/or excision of hermatea intervertebrai disc, 1 interspace, | | _ ^ | | ^ | | | | ^ |

^{*} These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



| | Ticaldi | Trad | itional Medicaid | Tradi | tional Integrated | Non-Tradition | onal Medicaid | Non-Tradition | nal Integrated |
|-------------|--|----------------------------|--|--------------------------|--|---------------|------------------------------------|---------------|-----------------------------------|
| Codes | Description | Not | Preauthorization | Not | Preauthorization | Not Covered | Preauthorization | Not Covered | Preauthorization |
| Disclaimer: | Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, the | Covered se coding lists | Required do not reflect information | Covered regarding imm | Required nunizations, injectable drugs | | Required ations and should be d | | Required by link option within |
| the website | | • | T | | 1 | | T | T | |
| 63035 | Laminotomy (hemilaminectomy), with decompression of nerve root(s), including partial | | | | | | | | |
| | facetectomy, foraminotomy and/or excision of herniated intervertebral disc; each additiona | - | X | - | X | - | X | - | Х |
| 20010 | | | | | | | | | |
| | Laminotomy, single cervical | - | X | - | X | - | X | - | X |
| | Laminotomy, single lumbar | - | X | - | X | - | X | - | X |
| | Laminotomy, addl cervical | - | X | - | X | - | X | - | X |
| | Laminotomy, addl lumbar | - | X | - | X | - | Х | - | Х |
| 63050 | Laminoplasty, cervical, with decompression of the spinal cord, two or more vertebral segments; | - | X | - | X | - | Х | - | Х |
| 63051 | Laminoplasty, cerv, w decompression of spinal cord, 2 or > verteb segments; w reconstruction | | | | | | | | |
| 00001 | of posterior bony elements | - | X | - | X | - | Х | - | X |
| 63052 | Laminectomy, facetectomy, or foraminotomy (unilateral or bilateral with decompression of | | | | | | | | |
| 00002 | spinal cord, cauda equina and/or nerve root[s] [eg, spinal or lateral recess stenosis]), during | | | | | | | | |
| | posterior interbody arthrodesis, lumbar; single vertebral segment (list separately in addition to | - | X | - | X | - | Х | - | X |
| | code for primary procedure) | | | | | | | | |
| 63053 | Laminectomy, facetectomy, or foraminotomy (unilateral or bilateral with decompression of | | | | | | | | |
| | spinal cord, cauda equina and/or nerve root[s] [eg, spinal or lateral recess stenosis]), during | | | | | | | | |
| | posterior interbody arthrodesis, lumbar; each additional segment (list separately in addition to | - | Х | - | X | - | Х | - | X |
| | code for primary procedure) | | | | | | | | |
| 63055 | Decompress spinal cord | _ | Х | _ | Х | - | Х | _ | Х |
| | Decompress spinal cord | _ | X | _ | X | _ | X | _ | X |
| | Decompress spine cord add-on | _ | X | _ | X | _ | X | _ | X |
| | Decompress spinal cord | _ | X | _ | X | - | X | _ | X |
| | Decompress spine cord add-on | _ | X | _ | X | - | X | _ | X |
| | Neck spine disk surgery | _ | X | _ | X | - | X | _ | X |
| | Neck spine disk surgery | - | X | - | X | - | X | _ | X |
| | Spine disk surgery, thorax | - | Х | - | Х | - | Х | - | Х |
| _ | Spine disk surgery, thorax | - | Х | - | Х | - | Х | - | Х |
| | Removal of vertebral body | - | Х | - | Х | - | Х | - | Х |
| | Remove vertebral body add-on | - | Х | - | Х | - | Х | - | Х |
| | Remove vertebral body add-on | - | Х | - | Х | - | Х | - | Х |
| 63170 | Incise spinal cord tract(s) | - | Х | - | X | - | Х | - | Х |
| | Drainage of spinal cyst | - | Х | - | X | - | Х | - | Х |
| _ | Revise spinal cord vessels | - | Х | - | Х | | Х | - | Х |
| | Revise spinal cord vessels | - | Х | - | Х | | Х | - | Х |
| 63252 | Revise spinal cord vessels | - | Х | - | Х | | Х | - | Х |
| | Excise intraspinal lesion | - | Х | - | Х | | Х | - | Х |
| 63266 | Excise intraspinal lesion | - | Х | - | Х | | Х | - | Х |
| 63268 | Excise intraspinal lesion | - | Х | - | Х | - | Х | - | Х |
| 63270 | Excise intraspinal lesion | - | Х | - | Х | - | Х | - | Х |
| 63273 | Excise intraspinal lesion | - | Х | - | Х | - | Х | - | Х |
| 63295 | Osteoplastic reconstruction of dorsal spinal elements, following primary intraspinal procedure | | Х | | Х | | Х | | Х |
| L | (list sep) | | ^ | | ^ | | ^ | | λ |
| | Removal of vertebral body | - | Х | - | Х | - | Х | - | Х |
| 63302 | Removal of vertebral body | - | Х | - | Х | - | Х | - | Х |

^{*} These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



| | | Trad | litional Medicaid | Tradi | tional Integrated | Non-Tradition | onal Medicaid | Non-Tradition | nal Integrated |
|----------------------------|---|------------------|------------------------------|----------------|------------------------------|------------------------|------------------------------|------------------------|------------------------------|
| Codes | Description | Not Covered | Preauthorization Required | Not Covered | Preauthorization Required | Not Covered | Preauthorization Required | Not Covered | Preauthorization Required |
| Disclaimer: the website | Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, th . | ese coding lists | s do not reflect information | regarding imm | unizations, injectable drugs | s, or specialty medica | ations and should be d | irected to the Pharmac | cy link option within |
| 63303 | Removal of vertebral body | - | Х | - | Х | - | Х | - | Х |
| | Removal of vertebral body | - | Х | - | Х | - | Х | - | Х |
| | Removal of vertebral body | - | Х | - | Х | - | Х | - | Х |
| 63307 | Removal of vertebral body | - | Х | - | Х | - | Х | - | Х |
| 63308 | Remove vertebral body add-on | - | Х | - | X | | Х | - | Х |
| | Remove spinal cord lesion | - | X | - | X | - | X | - | X |
| 63610 | Stimulation of spinal cord | - | X | - | X | - | Х | - | X |
| 63620 | Stereotactic radiosurgery (particle beam, gamma ray, or linear accelerator); $f 1$ spinal lesion | х | - | Х | - | X | - | х | - |
| 63621 | Stereotactic radiosurgery (particle beam, gamma ray, or linear accelerator); each additional spinal lesion (list separat | Х | - | Х | - | Х | - | х | - |
| 63650 | Implant neuroelectrodes | - | Х | - | Х | - | Х | - | Х |
| 63664 | Revision including replacement, when performed, of spinal neurostimulator electrode | 1 | | | | ., | | ., | |
| | plate/paddle(s) placed via laminotom | - | - | - | - | Х | - | Х | - |
| 63685 | Implant neuroreceiver | - | Х | - | Х | - | Х | - | Х |
| 64451 | Njx aa&/strd nrv nrvtg si jt | Х | - | Х | - | Х | - | Х | - |
| 64461 | Paravertebral block (pvb)(paraspinous block), thoracic; single injection site (includes imaging | | Х | | Х | | Х | | Х |
| | guidance, when performed) | _ | ^ | - | ^ | • | ^ | - | ^ |
| 64462 | Paravertebral block (pvb)(paraspinous block), thoracic; second and any additional injection site(s) (includes imaging guidance, when performed) (list separately in addition to | - | Х | - | Х | - | Х | - | X |
| 64463 | Paravertebral block (pvb)(paraspinous block), thoracic; continuous infusion by catheter | _ | X | _ | X | | X | _ | X |
| | (includes imaging guidance, when performed) | | ^ | | | | ^ | | ^ |
| 64490 | Injection(s), diagnostic or therapeutic agent, paravertebral facet (zygapophyseal) joint (or nerves innervating that joi | - | Х | - | Х | - | Х | - | X |
| 64491 | Injection(s), diagnostic or therapeutic agent, paravertebral facet (zygapophyseal) joint (or nerves innervating that joi | - | Х | - | Х | - | Х | - | Х |
| 64492 | Injection(s), diagnostic or therapeutic agent, paravertebral facet (zygapophyseal) joint (or nerves innervating that joi | - | х | - | Х | - | х | - | Х |
| 64493 | Injection(s), diagnostic or therapeutic agent, paravertebral facet (zygapophyseal) joint (or nerves innervating that joi | - | Х | - | Х | - | х | - | Х |
| 64494 | Injection(s), diagnostic or therapeutic agent, paravertebral facet (zygapophyseal) joint (or nerves innervating that joi | - | Х | - | Х | - | Х | - | Х |
| 64495 | Injection(s), diagnostic or therapeutic agent, paravertebral facet (zygapophyseal) joint (or nerves innervating that joi | - | Х | - | Х | - | Х | - | Х |
| 64505 | Injection for nerve block | | X | _ | X | _ | Х | _ | Х |
| | Percutaneous implantation of neurostimulator electrode array; cranial nerve | + - | X | - | X | - | X | - | X |
| | Percutaneous implantation of neurostimulator electrode array; peripheral nerve (excludes | + | | | | | | | |
| | sacral nerve) | - | Х | - | Х | - | Х | - | Х |
| 64561 | Percutaneous implantation of neurostimulator electrode array; sacral nerve (transforaminal placement) | - | Х | - | Х | - | Х | - | Х |
| 64566 | Posterior tibial neurostim, perc needl, single | - | Х | - | Х | - | Х | - | Х |
| | Inc for vagus n elect impl | - | X | - | X | - | X | - | X |
| | Revise/repl vagus n eltrd | - | X | - | X | - | X | - | X |
| | Remove vagus n eltrd | - | X | - | X | - | X | - | X |

^{*} These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



| ₩ | nealti | Trad | itional Medicaid | Tradi | tional Integrated | Non-Traditio | onal Medicaid | Non-Tradition | nal Integrated |
|-------------|--|-----------------------------|---------------------------------------|-----------------------|---------------------------------------|--------------|----------------------------------|---------------|-----------------------------------|
| Codes | Description | Not | Preauthorization | Not | Preauthorization | Not Covered | Preauthorization | Not Covered | Preauthorization |
| | Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, the | Covered ese coding lists | Required s do not reflect information | Covered regarding imm | Required unizations, injectable drugs | | Required ations and should be of | | Required by link option within |
| the website | Incision for implantation of neurostimulator electrode array; peripheral nerve (excludes sacral | | 1 | 1 | | | | 1 | |
| 04070 | nerve) | - | X | - | X | - | Х | - | Χ |
| 64580 | Incision for implantation of neurostimulator electrode array; neuromuscular | - | Х | - | Х | - | Х | _ | X |
| 64581 | Incision for implantation of neurostimulator electrode array; sacral nerve (transforaminal | | | | | | | | ., |
| | placement) | - | Х | - | X | - | X | - | Х |
| 64582 | Open implantation of hypoglossal nerve neurostimulator array, pulse generator, and distal | | Х | _ | Х | | Х | | Х |
| | respiratory sensor electrode or electrode array | | ^ | - | ^ | - | ^ | - | ^ |
| 64583 | Revision or replacement of hypoglossal nerve neurostimulator array and distal respiratory | | | | | | | | |
| | sensor electrode or electrode array, including connection to existing pulse generator | - | X | - | Х | - | Х | - | Х |
| 64584 | Removal of hypoglossal nerve neurostimulator array, pulse generator, and distal respiratory | | | | | | V | | V |
| | sensor electrode or electrode array | - | X | - | X | - | Х | - | Х |
| 64585 | Revision or removal of peripheral neurostimulator electrode array | - | X | - | X | - | Х | - | X |
| 64590 | Implant neuroreceiver | - | X | - | X | - | Х | - | X |
| 64595 | Revise/remove neuroreceiver | - | X | - | X | - | Х | - | Х |
| 64596 | Insertion or replacement of percutaneous electrode array, peripheral nerve, with integrated | | | | | | | | |
| | neurostimulator, including imaging guidance, when performed; initial electrode arra | - | X | - | Х | - | - | - | - |
| 64624 | Dstrj nulyt agt gncir nrv | - | Х | - | Х | - | Х | - | Х |
| 64625 | Rf abltj nrv nrvtg si jt | Х | - | Х | - | Х | - | Х | - |
| 64628 | Thermal destruction of intraosseous basivertebral nerve, including all imaging guidance; first 2 | | Х | | Х | | Х | | Х |
| | vertebral bodies, lumbar or sacral | - | ^ | - | ^ | • | ^ | - | ^ |
| 64629 | Thermal destruction of intraosseous basivertebral nerve, including all imaging guidance; each | | | | | | | | |
| | additional vertebral body, lumbar or sacral (list separately in addition to code for primary | - | X | - | X | - | Х | - | Х |
| | procedure) | | | | | | | | |
| | Injection treatment of nerve | - | X | - | X | - | X | - | Х |
| 64632 | Destruction by neurolytic agent; plantar common digital nerve | Х | - | Х | - | Х | - | Х | - |
| 64633 | Destruction by neurolytic agent, paravertebral facet joint nerve(s), with imaging guidance (fluoroscopy or ct); cervical or thoracic, single facet joint | - | Х | - | Х | - | Х | - | Х |
| 64634 | Destruction by neurolytic agent, paravertebral facet joint nerve(s), with imaging guidance | | | | | | | | |
| | (fluoroscopy or ct); cervical or thoracic, each additional facet joint (list separat | - | Х | - | X | - | Х | - | X |
| 64635 | Destruction by neurolytic agent, paravertebral facet joint nerve(s), with imaging guidance | _ | X | _ | X | _ | X | _ | X |
| | (fluoroscopy or ct); lumbar or sacral, single facet joint | | Λ | | ^ | | ^ | | |
| 64636 | Destruction by neurolytic agent, paravertebral facet joint nerve(s), with imaging guidance | | | | | | | | |
| | (fluoroscopy or ct); lumbar or sacral, each additional facet joint (list separately | - | X | - | Х | - | Х | - | Х |
| | Injection treatment of nerve | _ | Х | - | Х | - | Х | - | Х |
| 64650 | Chemodenervation of eccrine glands; both axillae | X | - | X | - | X | - | Х | - |
| 64653 | Chemodenervation of eccrine glands; other area(s) (eg, scalp, face, neck), per day | X | - | X | - | X | - | X | - |
| 64821 | Sympathectomy; radial artery | X | - | X | - | X | - | X | - |
| 64822 | Sympathectomy; ulnar artery | X | - | X | - | X | - | X | - |
| 64823 | Sympathectomy; superficial palmar arch | Х | - | Х | - | Х | - | Х | - |
| 64999 | Nervous system surgery | - X | Х | | X | - | Х | - | Х |
| 00/60 | Revision of cornea | Х | - | X | - | X | - | Х | - |

^{*} These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



| 0 | Ticalti | Trad | itional Medicaid | Tradit | tional Integrated | Non-Tradition | onal Medicaid | Non-Traditio | nal Integrated |
|-------------|--|----------------------------|--|-----------------------|---------------------------------------|---------------|-------------------------------------|--------------|------------------|
| Codes | Description | Not | Preauthorization | Not | Preauthorization | Not Covered | Preauthorization | Not Covered | Preauthorization |
| Disclaimer: | Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, the | Covered se coding lists | Required do not reflect information | Covered regarding imm | Required unizations, injectable drugs | | Required ations and should be di | | Required |
| the website | | | I | | | | | | 1 |
| | Revision of cornea | X | - | X | - | Х | - | X | - |
| | Corneal tissue transplant | Х | - | Х | - | Х | - | Х | - |
| | Radial keratotomy | Х | - | Х | - | Х | - | Х | - |
| 66985 | Insert lens prosthesis | - | X | - | X | - | Х | - | Х |
| 66989 | Extracapsular cataract removal with insertion of intraocular lens prosthesis (1-stage procedure), | | | | | | | | |
| | manual or mechanical technique (eg, irrigation and aspiration or phacoemulsification), complex, | | | | | | | | |
| | requiring devices or techniques not generally used in routine cataract surgery (eg, iris expansion | | | | | | | | |
| | device, suture support for intraocular lens, or primary posterior capsulorrhexis) or performed | _ | X | _ | X | _ | X | _ | x |
| | on patients in the amblyogenic developmental stage; with insertion of intraocular (eg, | | ^ | | | | | | |
| | trabecular meshwork, supraciliary, suprachoroidal) anterior segment aqueous drainage device, | | | | | | | | |
| | without extraocular reservoir, internal approach, one or more | | | | | | | | |
| | | | | | | | | | |
| 66991 | Extracapsular cataract removal with insertion of intraocular lens prosthesis (1 stage procedure), | | | | | | | | |
| | manual or mechanical technique (eg, irrigation and aspiration or phacoemulsification); with | | | | | | | | |
| | insertion of intraocular (eg, trabecular meshwork, supraciliary, suprachoroidal) anterior | - | X | - | X | - | X | - | X |
| | segment aqueous drainage device, without extraocular reservoir, internal approach, one or | | | | | | | | |
| | more | | | | | | | | |
| 66999 | Eye surgery procedure | - | X | - | X | - | X | - | X |
| 67027 | Implant eye drug system | - | X | - | X | - | X | - | X |
| 67299 | Eye surgery procedure | - | X | - | X | - | X | - | X |
| 67399 | Eye muscle surgery procedure | - | X | - | X | - | X | - | X |
| 67599 | Orbit surgery procedure | - | X | - | X | - | Х | - | X |
| 67900 | Repair brow defect | Χ | - | Х | ı | Х | - | Х | - |
| | Repair eyelid defect | - | X | - | X | - | X | - | X |
| 67902 | Repair eyelid defect | - | X | - | X | - | X | - | X |
| 67903 | Repair eyelid defect | - | X | - | X | - | Х | - | X |
| 67904 | Repair eyelid defect | - | X | - | X | - | X | - | X |
| 67906 | Repair eyelid defect | - | X | - | X | - | X | - | X |
| 67908 | Repair eyelid defect | - | Х | - | X | - | Х | - | Х |
| 67909 | Revise eyelid defect | - | Х | - | X | - | X | - | Х |
| 67911 | Revise eyelid defect | - | Х | - | X | - | Х | - | Х |
| 67912 | Correction of lagophthalmos, with implantation of upper eyelid lid load (eg, gold weight) | Х | | _ | | Х | | Х | |
| | | ^ | - | Х | - | ^ | - | ^ | - |
| | Repair eyelid wound | - | Х | - | Х | - | Х | - | Х |
| 67973 | Reconstruction of eyelid | - | Х | - | Х | - | Х | - | Х |
| | Reconstruction of eyelid | - | Х | - | Х | - | Х | - | Х |
| 67975 | Reconstruction of eyelid | - | Х | - | X | - | Х | - | Х |
| | Revision of eyelid | - | Х | - | Х | - | Х | - | Х |
| 68371 | Harvesting conjunctival allograft, living donor | Х | - | Х | - | Х | - | Х | - |
| | Eyelid lining surgery | - | Х | - | Х | - | Х | - | Х |
| | | - | Х | - | Х | - | Х | - | Х |
| | Pierce earlobes | Х | - | Х | - | Х | - | Х | - |
| 69209 | Removal impacted cerumen using irrigation/lavage, unilateral | Х | - | Х | - | Х | - | Х | - |
| 69300 | Revise external ear | Х | - | Х | - | Х | - | Х | - |
| 69399 | Outer ear surgery procedure | - | Х | - | Х | - | Х | - | Х |

^{*} These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



| | | Trad | itional Medicaid | Tradi | tional Integrated | Non-Tradition | nal Medicaid | Non-Tradition | al Integrated |
|-------------|--|----------------------------|------------------------------|-----------------------|------------------------------|-----------------------|------------------------------|------------------------|------------------------------|
| Codes | Description | Not | Preauthorization Required | Not | Preauthorization Required | Not Covered | Preauthorization Required | Not Covered | Preauthorization Required |
| | Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, the | Covered se coding lists | | Covered regarding imm | | , or specialty medica | | irected to the Pharmac | |
| the website | Implant/replace hearing aid | Х | _ | Х | _ | Х | 1 - | Х | |
| | Remove/repair hearing aid | X | _ | X | _ | X | _ | X | |
| 69714 | Implant temple bone w/stimul | - | Х | - | Х | X | _ | X | _ |
| | Implantation, osseointegrated implant, skull; with magnetic transcutaneous attachment to | | | | | | | | |
| | external speech processor | - | X | - | X | Х | - | X | - |
| 69717 | Temple bone implant revision | - | Х | - | Х | Х | - | Х | - |
| 69719 | Revision or replacement (including removal of existing device), osseointegrated implant, skull; | | | | | | | | |
| | with magnetic transcutaneous attachment to external speech processor | - | Х | - | X | X | - | X | - |
| | | | | | | | | | |
| 69726 | Removal, osseointegrated implant, skull; with percutaneous attachment to external speech | _ | х | _ | Х | Х | _ | Х | _ |
| | processor | | ^ | | ^ | ^ | _ | ^ | |
| 69727 | Removal, osseointegrated implant, skull; with magnetic transcutaneous attachment to external | _ | X | _ | X | Х | _ | × | _ |
| | speech processor | | ^ | | ^ | | | ^ | |
| 69728 | Removal, entire osseointegrated implant, skull; with magnetic transcutaneous attachment to | | | | | | | | |
| | external speech processor, outside the mastoid and involving a bony defect greater than or | - | X | - | X | X | - | X | - |
| | equal to 100 sq mm surface area of bone deep to the outer cranial cortex | | | | | | | | |
| 60720 | Implementation, accoming control implementation to the property of the propert | | | | | | | | |
| 09729 | Implantation, osseointegrated implant, skull; with magnetic transcutaneous attachment to | | | | | | | | |
| | external speech processor, outside of the mastoid and resulting in removal of greater than or equal to 100 sq mm surface area of bone deep to the outer cranial cortex | - | X | - | X | X | - | X | - |
| | lequal to 100 sq mm surface area of bone deep to the outer cramal cortex | | | | | | | | |
| 69730 | Replacement (including removal of existing device), osseointegrated implant, skull; with | | | | | | | | |
| | magnetic transcutaneous attachment to external speech processor, outside the mastoid and | | | | | | | | |
| | involving a bony defect greater than or equal to 100 sq mm surface area of bone deep to the | - | X | - | X | Χ | - | X | - |
| | outer cranial cortex | | | | | | | | |
| 69799 | Middle ear surgery procedure | - | Х | - | X | | Х | - | Х |
| 69930 | Implant cochlear device | - | Х | - | Х | Х | - | Х | - |
| 69949 | Inner ear surgery procedure | ı | X | - | X | | Х | - | Х |
| 69979 | Temporal bone surgery | ı | X | - | X | | Х | - | Х |
| | Magnetic image, jaw joint | Χ | - | Х | - | X | - | X | - |
| 70554 | Magnetic resonance imaging, brain, functional mri; including test selection and administration | Х | _ | X | _ | Х | _ | Х | _ |
| | of repetitive body part m | Λ | | ^ | | | | ^ | |
| 70555 | Magnetic resonance imaging, brain, functional mri; requiring physician or psychologist | Х | - | Х | _ | Х | _ | X | _ |
| | administration of entire neurofun | | | | | | | | |
| | X-ray exam of arm, infant | - | - | - | - | X | - | X | • |
| | X-ray exam of leg, infant | - | - | - | - | Х | - | Х | - |
| 74261 | Computed tomographic (ct) colonography, diagnostic, including image postprocessing; without | - | X | - | X | - | X | - | Χ |
| 74000 | contrast material | | | 1 | | | | | |
| /4262 | Computed tomographic (ct) colonography, diagnostic, including image postprocessing; with | - | X | - | X | - | X | - | Χ |
| 74262 | contrast material(s) including | | | | | | | | |
| 14203 | Computed tomographic (ct) colonography, screening, including image postprocessing | Х | - | Х | - | Χ | - | X | - |
| 7/712 | Magnetic recognition (or protein) impains fotal including placestal and restorate including | | | | | | | | |
| 14/12 | Magnetic resonance (eg, proton) imaging, fetal, including placental and maternal pelvic imaging | - | - | - | - | Χ | - | X | - |
| | when performed; single or first gestation | | | | | | 1 | | |

^{*} These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



| 9 | Ticaldi | Tradi | tional Medicaid | Tradit | tional Integrated | Non-Traditio | onal Medicaid | Non-Traditio | nal Integrated |
|-------------|--|----------------------------|-------------------------------------|--------------------------|--|--------------|------------------------------------|--------------|-----------------------------------|
| Codes | Description | Not | Preauthorization | Not | Preauthorization | Not Covered | Preauthorization | Not Covered | Preauthorization |
| Disclaimer: | Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, the | Covered se coding lists | Required do not reflect information | Covered regarding imm | Required unizations, injectable drugs | | Required ations and should be d | | Required by link option within |
| the website | | | | | | | | 1 | |
| 74713 | Magnetic resonance (eg, proton) imaging, fetal, including placental and maternal pelvic imaging | | | | | V | | V | |
| | when performed; each additional gestation (list separately in addition to code | - | - | - | - | X | - | Х | - |
| 75580 | Noninvasive estimate of coronary fractional flow reserve (ffr) derived from augmentative | | | | | | | | |
| | software analysis of the data set from a coronary computed tomography angiography, wit | _ | Х | _ | X | _ | | _ | _ |
| | software analysis of the data set from a coronary compared tomography anglography, wit | | ^ | _ | X | _ | | | |
| 75809 | Nonvascular shunt, x-ray | Х | - | Х | - | Х | - | Х | - |
| | X-ray, nose to rectum for fb, child | - | - | - | - | Х | - | Х | - |
| | Mr spectroscopy | Х | - | Х | - | Х | - | Х | - |
| | Magnetic resonance (eg, vibration) elastography | - | Х | - | Х | - | Х | - | Х |
| | Unlisted fluoroscopic procedure (eg, diagnostic, interventional) | - | Х | - | Х | _ | Х | - | Х |
| | Unlisted computed tomography procedure (eg, diagnostic, interventional) | - | Х | - | Х | _ | Х | - | Х |
| | Unlisted magnetic resonance procedure (eg, diagnostic, interventional) | - | X | - | X | - | X | - | X |
| | Unlisted diagnostic radiographic procedure | - | Х | - | Х | - | Х | - | Х |
| | Ophthalmic ultrasound, echography, diagnostic; corneal pachymetry, unilateral or bilateral | | | | | | | | |
| | | Х | - | Х | - | Χ | - | Х | - |
| 76885 | Echo exam, infant hips | - | - | - | - | Х | - | Х | - |
| 76886 | Echo exam, infant hips | - | - | - | - | Х | - | Х | - |
| 76999 | Unlisted ultrasound procedure (eg, diagnostic, interventional) | - | Х | - | Х | - | Х | - | Х |
| | Breast tomosynthesis uni | Х | - | Х | - | Х | - | Х | - |
| 77062 | Breast tomosynthesis bi | Х | - | Х | - | Х | - | Х | - |
| | Breast tomosynthesis bi | Х | - | Х | - | Х | - | Х | - |
| | Radiologic examination, osseous survey, infant | - | - | - | - | Х | - | Х | - |
| | Radiation therapy planning | - | Х | - | Х | - | Х | - | Х |
| 77371 | Radiation treatment delivery, stereotactic radiosurgery (srs), complete course of treatment of | | | | | | | | |
| | cerebral lesion(s) consis | - | X | - | X | - | X | - | Х |
| 77372 | Radiation treatment delivery, stereotactic radiosurgery (srs), complete course of treatment of | | ., | | ., | | ., | | ., |
| | cerebral lesion(s) consis | - | X | - | Х | - | X | - | Х |
| 77373 | Stereotactic body radiation therapy, treatment delivery, per fraction to 1 or more lesions, | | | | | | | | |
| | including image guidance, en | - | X | - | X | - | X | - | Х |
| 77399 | External radiation dosimetry | - | Х | - | Х | - | Х | - | Х |
| 77424 | Intraoperative radiation treatment delivery, x-ray, single treatment session | Х | - | Х | - | Х | - | Х | - |
| | lo rad tx delivery by elctrons | Х | - | Х | - | Х | - | Х | - |
| | Stereotactic radiation trmt | - | X | - | Х | - | Х | - | Х |
| | Stereotactic body radiation therapy, treatment management, per treatment course, to one or | | | | V | | v | | v |
| | more lesions, including image | - | X | - | Х | - | X | - | Х |
| 77499 | Radiation therapy management | - | X | - | Х | - | Х | - | Х |
| | Proton trmt, simple w/o comp | - | X | - | Х | - | Х | - | Х |
| | Proton trmt, simple w/comp | - | X | - | Х | - | Х | - | Х |
| 77523 | Proton trmt, intermediate | - | Х | - | Х | - | Х | - | Х |
| | Proton treatment, complex | - | X | - | Х | - | Х | - | Х |
| | Radium/radioisotope therapy | - | X | - | Х | - | Х | - | Х |
| | Endocrine nuclear procedure | - | X | - | Х | - | Х | - | Х |
| | Blood/lymph nuclear exam | - | X | - | Х | - | Х | - | Х |
| 78299 | Gi nuclear procedure | - | X | - | X | - | Х | - | Х |

^{*} These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



| Description Description | W. | nealti | Trad | itional Medicaid | Tradi | tional Integrated | Non-Traditio | onal Medicaid | Non-Tradition | nal Integrated |
|---|-------------|--|----------------|------------------|-------|-------------------|-----------------------|---------------|---------------|------------------|
| | Codes | Description | | | | Preauthorization | | | | Preauthorization |
| | Disclaimer: | Please note that coverage may vary by plan type and may not follow the listed services. These codes are undated quarterly. Additionally, the | | | | | | | | Required |
| 1849 Cardiovascular nuclear exam | the website | | T County lists | | | , | , or specially medica | , | T | 1 |
| Sespiratory nuclear oram | | | - | | | | | | - | Х |
| 18608 Brain imaging (per) | | | - | | | | | | - | Х |
| 18698 Percup system nuclear exam | | 1 / | - | | | | - | | - | Х |
| Nervous system nuclear exam | | 0 0 11 / | - | | - | | | | - | Х |
| 18790 Radiopharmaceutical localization of tumor or distribution of radiopharm agent(s); whole body, | | | | | - | | | | - | Х |
| Radiopharmaceutical localization of tumor or distribution of radiopharm agent(s); whole body, | | | - | | - | | - | | - | Х |
| Two or more days imaging | | | - | X | - | X | | Х | - | Х |
| Two or more days imaging | 78804 | | X | _ | X | - | Х | _ | X | _ |
| Tumor imaging, positron emission tomography (pet) w concurrently acquired ct; whole body | | , 00 | | | | | | | | <u> </u> |
| Nuclear diagnostic exam | 78811 | Tumor imaging, positron emission tomography (pet); limited area (eg, chest, head/neck) | - | Х | - | Х | - | Х | - | Х |
| Radiopharmaceutical therapy, radiolabeled monoclonal antibody by intravenous infusion X | 78816 | Tumor imaging, positron emission tomography (pet) w concurrently acquired ct; whole body | - | Х | - | Х | - | Х | - | х |
| Radiopharmaceutical therapy, by intra-arterial particulate administration | 78999 | Nuclear diagnostic exam | - | Х | - | Х | - | Х | - | Х |
| P9999 Nuclear medicine therapy | 79403 | Radiopharmaceutical therapy, radiolabeled monoclonal antibody by intravenous infusion | Х | - | Х | - | Х | - | х | - |
| P9999 Nuclear medicine therapy | 79445 | Radiopharmaceutical therapy, by intra-arterial particulate administration | Х | _ | Х | - | X | _ | Х | - |
| 80299 Quantitative assay, drug | | | - | Х | - | Х | | Х | | Х |
| 80320 Alcohols | | • | - | | - | | _ | | - | X |
| 80321 Alchol biomarkers; 1 or 2 | | " " | Х | | Х | | Х | | Х | _ |
| 80322 Alcohol biomarkers; 3 or more | | | Х | _ | | - | | - | | _ |
| 80323 Alkaloids, not otherwise specified | | | | _ | | - | | - | | - |
| 80324 Amphetamines; 1 or 2 | | · | Х | - | Х | - | Х | - | Х | - |
| 80325 Amphetamines; 3 or 4 | | | Х | - | Х | - | Х | - | Х | - |
| 80326 Amphetamines; 5 or more | | • | Х | - | Х | - | Х | - | Х | - |
| 80327 Anabolic steroids; 1 or 2 | | | Х | - | Х | - | Х | - | Х | - |
| 80329 Analgesics, non-opioid; 1 or 2 X - X - X - X 80330 Analgesics, non-opioid; 3-5 X - X - X - X 80331 Analgesics, non-opioid; 6 or more X - X - X - X 80332 Antidepressants, serotonergic class; 1 or 2 X - X - X - X 80333 Antidepressants, serotonergic class; 3-5 X - X - X - X 80334 Antidepressants, ricyclic and other cyclicals; 1 or 2 X - X - X - X 80336 Antidepressants, tricyclic and other cyclicals; 3-5 X - X - X - X 80337 Antidepressants, tricyclic and other cyclicals; 6 or more X - X - X - X 80338 Antidepressants, tricyclic and other cyclicals; 6 or more X - X - X - X - X 80338 Antidepressants, not otherwise specified X - X - X - </td <td></td> <td></td> <td>Х</td> <td>-</td> <td>Х</td> <td>-</td> <td>Х</td> <td>-</td> <td>Х</td> <td>-</td> | | | Х | - | Х | - | Х | - | Х | - |
| 80329 Analgesics, non-opioid; 1 or 2 | 80328 | Anabolic steroids; 3 or more | Х | - | Х | - | Х | - | Х | - |
| 80330 Analgesics, non-opioid; 3-5 X - X - X 80331 Analgesics, non-opioid; 6 or more X - X - X - X 80332 Antidepressants, serotonergic class; 1 or 2 X - X - X - X - X 80333 Antidepressants, serotonergic class; 3-5 X - X | | | Х | - | Х | - | Х | - | Х | - |
| 80331 Analgesics, non-opioid; 6 or more X - <td></td> <td></td> <td>Х</td> <td>-</td> <td>Х</td> <td>-</td> <td>Х</td> <td>-</td> <td>Х</td> <td>-</td> | | | Х | - | Х | - | Х | - | Х | - |
| 80333 Antidepressants, serotonergic class; 3-5 X - X - X 80334 Antidepressants, serotonergic class; 6 or more X - X - X - X 80335 Antidepressants, tricyclic and other cyclicals; 1 or 2 X - X - X - X - X 80336 Antidepressants, tricyclic and other cyclicals; 3-5 X - X - X - X - X 80337 Antidepressants, tricyclic and other cyclicals; 6 or more X - X - X - X - X 80338 Antidepressants, not otherwise specified X - X - X - X - X 80339 Antiepileptics, not otherwise specified; 1-3 X - X - X - X - X 80340 Antiepileptics, not otherwise specified; 4-6 X - X - X - X - X 80341 Antiepileptics, not otherwise specified; 7 or mo | | | Х | - | Х | - | Х | - | Х | - |
| 80334 Antidepressants, serotonergic class; 6 or more X - X - X 80335 Antidepressants, tricyclic and other cyclicals; 1 or 2 X - X <t< td=""><td>80332</td><td>Antidepressants, serotonergic class; 1 or 2</td><td>Х</td><td>-</td><td>Х</td><td>-</td><td>Х</td><td>-</td><td>Х</td><td>-</td></t<> | 80332 | Antidepressants, serotonergic class; 1 or 2 | Х | - | Х | - | Х | - | Х | - |
| 80335 Antidepressants, tricyclic and other cyclicals; 1 or 2 X - X - X 80336 Antidepressants, tricyclic and other cyclicals; 3-5 X - X - X - X 80337 Antidepressants, tricyclic and other cyclicals; 6 or more X - X - X - X 80338 Antidepressants, not otherwise specified X - X - X - X 80339 Antiepileptics, not otherwise specified; 1-3 X - X - X - X 80340 Antiepileptics, not otherwise specified; 4-6 X - X - X - X 80341 Antiepileptics, not otherwise specified; 7 or more X - X - X - X | 80333 | Antidepressants, serotonergic class; 3-5 | Х | - | Х | - | Х | - | Х | - |
| 80335 Antidepressants, tricyclic and other cyclicals; 1 or 2 X - X - X 80336 Antidepressants, tricyclic and other cyclicals; 3-5 X - X - X - X 80337 Antidepressants, tricyclic and other cyclicals; 6 or more X - X - X - X - X 80338 Antidepressants, not otherwise specified X - X - X - X - X 80339 Antiepileptics, not otherwise specified; 1-3 X - X - X - X - X 80340 Antiepileptics, not otherwise specified; 4-6 X - X - X - X - X 80341 Antiepileptics, not otherwise specified; 7 or more X - X - X - X - X | | | Х | - | Х | - | Х | - | Х | - |
| 80336 Antidepressants, tricyclic and other cyclicals; 3-5 X - X - X 80337 Antidepressants, tricyclic and other cyclicals; 6 or more X - X - X - X 80338 Antidepressants, not otherwise specified X - X - X - X - X 80339 Antiepileptics, not otherwise specified; 1-3 X - X - X - X - X 80340 Antiepileptics, not otherwise specified; 4-6 X - X - X - X - X 80341 Antiepileptics, not otherwise specified; 7 or more X - X - X - X - X | | | Х | - | Х | - | Х | - | Х | - |
| 80337 Antidepressants, tricyclic and other cyclicals; 6 or more X - X - X - X 80338 Antidepressants, not otherwise specified X - X - X - X - X 80339 Antiepileptics, not otherwise specified; 1-3 X - X - X - X - X 80340 Antiepileptics, not otherwise specified; 4-6 X - X - X - X 80341 Antiepileptics, not otherwise specified; 7 or more X - X - X - X | | | Х | - | Х | - | Х | - | Х | - |
| 80338 Antidepressants, not otherwise specified X - X - X 80339 Antiepileptics, not otherwise specified; 1-3 X - X - X - X 80340 Antiepileptics, not otherwise specified; 4-6 X - X - X - X 80341 Antiepileptics, not otherwise specified; 7 or more X - X - X - X | | | Х | - | Х | - | Х | - | Х | - |
| 80339 Antiepileptics, not otherwise specified; 1-3 X - X - X 80340 Antiepileptics, not otherwise specified; 4-6 X - X - X - X 80341 Antiepileptics, not otherwise specified; 7 or more X - X - X - X | | | Х | - | Х | - | Х | - | Х | - |
| 80340 Antiepileptics, not otherwise specified; 4-6 X - X - X 80341 Antiepileptics, not otherwise specified; 7 or more X - X - X | | | Х | - | Х | - | Х | - | Х | - |
| 80341 Antiepileptics, not otherwise specified; 7 or more X - X - X | | | Х | - | Х | - | Х | - | Х | - |
| | | | Х | - | Х | - | Х | - | Х | - |
| OUSH4 ANTIPSYCHOTICS, NOT OTHERWISE SPECIFIED; 1-3 X - X - X - X | | Antipsychotics, not otherwise specified; 1-3 | Х | - | Х | - | Х | - | Х | - |
| 80343 Antipsychotics, not otherwise specified; 4-6 X - X - X | 80343 | Antipsychotics, not otherwise specified; 4-6 | Х | - | Х | - | Х | - | Х | - |
| 80344 Antipsychotics, not otherwise specified; 7 or more X - X - X | | | Х | - | Х | - | Х | - | Х | - |
| 80345 Barbiturates | 80345 | Barbiturates | Х | - | Х | - | Х | - | Х | - |

^{*} These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



| Treatti | Trad | litional Medicaid | Tradi | tional Integrated | Non-Traditio | onal Medicaid | Non-Traditio | nal Integrated |
|---|-------------------------------------|---------------------------------------|--------------------------|--|------------------------|-------------------------------------|----------------------|-----------------------------------|
| Codes Description | Not | Preauthorization | Not | Preauthorization | Not Covered | Preauthorization | Not Covered | Preauthorization |
| Disclaimer. Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Addition | Covered nally, these coding list | Required s do not reflect information | Covered regarding imm | Required nunizations, injectable drugs | s, or specialty medica | Required ations and should be di | rected to the Pharma | Required cy link option within |
| the website. 80346 Benzodiazepines; 1-12 | Х | _ | Х | _ | Х | | Х | _ |
| 80347 Benzodiazepines; 13 or more | X | _ | X | _ | X | _ | X | _ |
| 80348 Buprenorphine | X | _ | X | _ | X | _ | X | _ |
| 80349 Cannabinoids, natural | X | _ | X | _ | X | - | X | _ |
| 80350 Cannabinoids, synthetic; 1-3 | X | _ | X | - | X | _ | X | _ |
| 80351 Cannabinoids, synthetic; 4-6 | X | _ | X | - | X | _ | X | - |
| 80352 Cannabinoids, synthetic; 7 or more | X | _ | X | _ | X | _ | X | _ |
| 80353 Cocaine | Х | - | Х | _ | Х | _ | Х | - |
| 80354 Fentanyl | Х | - | Х | _ | Х | _ | Х | _ |
| 80355 Gabapentin, non-blood | Х | - | Х | - | Х | - | Х | - |
| 80356 Heroin metabolite | Х | - | Х | - | Х | - | Х | - |
| 80357 Ketamine and norketamine | Х | - | Х | - | Х | - | Х | - |
| 80358 Methadone | Х | - | Х | - | Х | - | Х | - |
| 80359 Methylenedioxyamphetamines (mda, mdea, mdma) | X | - | Х | - | Х | - | Х | - |
| 80360 Methylphenidate | X | - | Х | - | Х | - | Х | - |
| 80361 Opiates, 1 or more | X | - | Х | - | Х | - | Х | - |
| 80362 Opioids and opiate analogs; 1 or 2 | X | - | Х | - | Х | - | Х | - |
| 80363 Opioids and opiate analogs; 3 or 4 | X | - | Х | - | Х | - | Х | - |
| 80364 Opioids and opiate analogs; 5 or more | Х | - | Х | - | Х | - | Х | - |
| 80365 Oxycodone | Х | - | Х | - | Х | - | Х | - |
| 80366 Pregabalin | Х | - | Х | - | X | - | X | - |
| 80367 Propoxyphene | X | - | Х | - | X | - | X | - |
| 80368 Sedative hypnotics (non-benzodiazepines) | X | - | Х | - | X | - | X | - |
| 80369 Skeletal muscle relaxants; 1 or 2 | X | - | Х | - | X | - | X | - |
| 80370 Skeletal muscle relaxants; 3 or more | X | - | Х | - | X | - | X | - |
| 80371 Stimulants, synthetic | X | - | Х | - | Х | - | Х | - |
| 80372 Tapentadol | X | - | Х | - | Х | - | X | - |
| 80373 Tramadol | Х | - | Х | - | Х | - | Х | - |
| 80374 Stereoisomer anal single drug class | Х | - | Х | - | Х | - | Х | - |
| 80375 Drug(s) definitive, qual or quant nos 1-3 | Х | - | Х | - | Х | - | Х | - |
| 80376 Drug(s) definitive, qual or quant unlisted 4-6 | Х | - | Х | - | Х | - | Х | - |
| 80377 Drug(s) definitive, qual or quant nos 7 or more | X | - | Х | - | Х | - | Х | - |
| 81099 Urinalysis test procedure | - | X | - | X | - | Х | - | Х |
| 81105 Hpa-1, itgb3, antigen cd61, gene analysis, common variant | - | X | - | X | - | X | - | X |
| 81106 Hpa-2, gp1ba, gplba, gene analysis, common variant | - | X | - | X | - | X | - | X |
| 81107 Hpa-3, itga2b, gplba, gene analysis, common variant | - | X | - | X | - | X | - | X |
| 81108 Hpa-4, itgb3, cd61, gene analysis, common variant | - | X | - | X | - | X | - | X |
| 81109 Hpa-5, itga2, gene analysis, common variant | - | X | - | X | - | X | - | X |
| 81110 Hpa-6, itgb3, cd61, gene analysis, common variant | - | X | - | X | - | X | - | X |
| 81111 Hpa-9, itga2b, gene analysis, common variant | - | X | - | X | - | X | - | X |
| 81112 Hpa-15, cd109, gene analysis, common variant | - | | - | | - | X | - | X |
| 81120 Idh1 (isocitrate dehydrogenase 1, soluble) (eg, glioma), common variants 81121 Idh1 (isocitrate dehydrogenase 1, mitochondrial) (eg, glioma), common variants | - | X | - | X | - | X | - | X |
| (-8, 8, -1) | - X | Х | - ~ | - | - | Х | - | Х |
| 81161 Dmd deletion and duplication analysis, if performed | X | - | Х | - | Х | - | Х | - |

^{*} These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



| | | Trad | itional Medicaid | Tradi | tional Integrated | Non-Traditio | onal Medicaid | Non-Tradition | nal Integrated |
|-------------|--|----------------------------|---------------------------------------|-----------------------|---------------------------------------|------------------------|---------------------------------|------------------------|-----------------------------------|
| Codes | Description | Not | Preauthorization | Not | Preauthorization | Not Covered | Preauthorization | Not Covered | Preauthorization |
| | Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, the | Covered se coding lists | Required s do not reflect information | Covered regarding imm | Required unizations, injectable drugs | s, or specialty medica | Required ations and should be d | irected to the Pharmac | Required by link option within |
| the website | Brca1, brca2 (breast cancer 1 and 2) (eg, hereditary breast and ovarian cancer) gene analysis; | I | 1 | | | | 1 | | |
| 01102 | full sequence analysis and full duplication/deletion analysis | - | X | - | X | - | X | - | X |
| 81163 | Brca1 (brca1, dna repair associated), brca2 (brca2, dna repair associated) (eg, hereditary breast | | | | | | | | |
| | and ovarian cancer) gene analysis; full sequence analysis | - | X | - | X | - | X | - | Х |
| 81164 | Brca1 (brca1, dna repair associated), brca2 (brca2, dna repair associated) (eg, hereditary breast | | | | | | | | |
| | and ovarian cancer) gene analysis; full duplication/deletion analysis (ie, de | - | X | - | X | - | X | - | X |
| | | | | | | | | | |
| 81165 | Brca1 (brca1, dna repair associated) (eg, hereditary breast and ovarian cancer) gene analysis; | _ | Х | _ | Х | _ | Х | _ | Х |
| | full sequence analysis | | Α | | Λ | _ | ^ | _ | ^ |
| 81166 | Brca1 (brca1, dna repair associated) (eg, hereditary breast and ovarian cancer) gene analysis; | | | | | | | | |
| | full duplication/deletion analysis (ie, detection of large gene rearrangements) | - | X | - | X | - | X | - | X |
| | | | | | | | | | |
| | Brca2 (brca2, dna repair associated) (eg, hereditary breast and ovarian cancer) gene analysis; | | | | ., | | | | ., |
| | full duplication/deletion analysis (ie, detection of large gene rearrangements) | - | Х | - | Х | - | X | - | Х |
| 81168 | Ccnd1/igh (t(11;14)) (eg, mantle cell lymphoma) translocation analysis, major breakpoint, | | | | | | | | |
| 01100 | qualitative and quantitative, if performed | Х | - | Х | - | X | - | X | - |
| 81170 | Abl1 (abl proto-oncogene 1 non-receptor tyrosine kinase) (eg, acquired imatinib tyrosine kinase | | | | | | | | |
| 01170 | inhibitor resistance), gene analysis, variants in the kinase domain | Х | - | X | - | Х | - | Х | - |
| 81171 | Aff2 (af4/fmr2 family, member 2 [fmr2]) (eg, fragile x mental retardation 2 [fraxe]) gene | | | | | | | | |
| | analysis; evaluation to detect abnormal (eg, expanded) alleles | Х | - | Х | - | Х | - | X | - |
| 81172 | Aff2 (af4/fmr2 family, member 2 [fmr2]) (eg, fragile x mental retardation 2 [fraxe]) gene | | | | | | | | |
| | analysis; characterization of alleles (eg, expanded size and methylation status) | Х | - | Х | - | Х | - | X | - |
| 81173 | Ar (androgen receptor) (eg, spinal and bulbar muscular atrophy, kennedy disease, x | ., | | | | ., | | ., | |
| | chromosome inactivation) gene analysis; full gene sequence | Х | - | X | - | Х | - | Х | - |
| 81174 | Ar (androgen receptor) (eg, spinal and bulbar muscular atrophy, kennedy disease, x | Х | - | V | | Х | | Х | |
| | chromosome inactivation) gene analysis; known familial variant | ^ | - | X | ī | ^ | - | ^ | • |
| | Asxl1, (myelod syndr, myeloproli neoplasm, cml) gene analyst; full gene seq | Х | - | Х | - | X | - | X | - |
| | Asxl1, (myelod syndr, myeloproli neoplasm, cml) gene analyst; targeted seq analy | Х | - | Х | - | X | - | X | - |
| 81177 | Atn1 (atrophin 1) (eg, dentatorubral-pallidoluysian atrophy) gene analysis, evaluation to detect | X | _ | X | _ | Х | _ | X | _ |
| | abnormal (eg, expanded) alleles | , | | | | | | | |
| 81178 | Atxn1 (ataxin 1) (eg, spinocerebellar ataxia) gene analysis, evaluation to detect abnormal (eg, | Х | - | Х | - | x | - | х | - |
| 04470 | expanded) alleles | | | | | | | | |
| 81179 | Atxn2 (ataxin 2) (eg, spinocerebellar ataxia) gene analysis, evaluation to detect abnormal (eg, | Х | - | Х | - | X | - | Х | - |
| 91100 | expanded) alleles | | | | | | - | - | |
| 01100 | Atxn3 (ataxin 3) (eg, spinocerebellar ataxia, machado-joseph disease) gene analysis, evaluation | Х | - | X | - | Х | - | Х | - |
| 81181 | to detect abnormal (eg, expanded) alleles Atxn7 (ataxin 7) (eg, spinocerebellar ataxia) gene analysis, evaluation to detect abnormal (eg, | | | + | | | | | |
| 31101 | expanded) alleles | Х | - | Х | - | Х | - | X | - |
| 81182 | Atxn8os (atxn8 opposite strand [non-protein coding]) (eg, spinocerebellar ataxia) gene analysis, | | | | | | | | |
| | evaluation to detect abnormal (eg, expanded) alleles | Х | - | Х | - | Х | - | Х | - |
| 81183 | Atxn10 (ataxin 10) (eg, spinocerebellar ataxia) gene analysis, evaluation to detect abnormal (eg, | | | | | | 1 | | |
| | expanded) alleles | Х | - | X | - | Х | - | X | - |
| 81184 | Cacna1a (calcium voltage-gated channel subunit alpha1 a) (eg, spinocerebellar ataxia) gene | ., | | ., | | ., | | ,, | |
| 1 | analysis; evaluation to detect abnormal (eg, expanded) alleles | Х | - | Х | - | Х | - | Х | - |

^{*} These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



| | | Trad | itional Medicaid | Tradit | tional Integrated | Non-Traditio | onal Medicaid | Non-Tradition | nal Integrated |
|----------------------------|---|----------------|------------------------------|----------------|------------------------------|-----------------------|------------------------------|------------------------|------------------------------|
| Codes | Description | Not Covered | Preauthorization Required | Not Covered | Preauthorization Required | Not Covered | Preauthorization Required | Not Covered | Preauthorization Required |
| Disclaimer: the website | Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, the | | | | | , or specialty medica | | irected to the Pharmac | cy link option within |
| | Cacna1a (calcium voltage-gated channel subunit alpha1 a) (eg, spinocerebellar ataxia) gene | Х | _ | Х | _ | Х | _ | Х | _ |
| | analysis; full gene sequence | ^ | | ^ | | | | ^ | |
| 81186 | Cacna1a (calcium voltage-gated channel subunit alpha1 a) (eg, spinocerebellar ataxia) gene analysis; known familial variant | Х | - | Х | - | X | - | х | - |
| 81187 | Cnbp (cchc-type zinc finger nucleic acid binding protein) (eg, myotonic dystrophy type 2) gene analysis, evaluation to detect abnormal (eg, expanded) alleles | Х | - | Х | - | Х | - | х | - |
| 81188 | Cstb (cystatin b) (eg, unverricht-lundborg disease) gene analysis; evaluation to detect abnormal (eg, expanded) alleles | Х | - | Х | - | Х | - | х | - |
| 81189 | Cstb (cystatin b) (eg, unverricht-lundborg disease) gene analysis; full gene sequence | Х | - | Х | - | Х | - | х | - |
| 81190 | Cstb (cystatin b) (eg, unverricht-lundborg disease) gene analysis; known familial variant(s) | х | - | х | - | Х | - | х | - |
| 81191 | Ntrk1 (neurotrophic receptor tyrosine kinase 1) (eg, solid tumors) translocation analysis | х | - | х | - | Х | - | х | - |
| 81192 | Ntrk2 (neurotrophic receptor tyrosine kinase 2) (eg, solid tumors) translocation analysis | Х | - | Х | - | Х | - | X | - |
| 81193 | Ntrk3 (neurotrophic receptor tyrosine kinase 3) (eg, solid tumors) translocation analysis | Х | - | Х | - | Х | - | х | - |
| 81194 | Ntrk (neurotrophic-tropomyosin receptor tyrosine kinase 1, 2, and 3) (eg, solid tumors) translocation analysis | Х | - | Х | - | Х | - | х | - |
| 81200 | Aspa (aspartoacylase) (eg, canavan disease) gene analysis, common variants (eg, e285a, y231x) | Х | - | Х | - | Х | - | х | - |
| 81201 | Apc gene analysis; full sequence | - | Х | - | Х | - | Х | - | Х |
| 81202 | Apc gene analysis; known fam variants | - | Х | - | Х | - | Х | - | Х |
| 81203 | Apc gene analysis; duplication/deletion variants | - | X | - | X | | Х | - | Х |
| 81204 | Ar (androgen receptor) (eg, spinal and bulbar muscular atrophy, kennedy disease, x chromosome inactivation) gene analysis; characterization of alleles (eg, expanded size or me | х | - | х | - | Х | - | Х | - |
| 81205 | Bckdhb (branched-chain keto acid dehydrogenase e1, beta polypeptide) (eg, maple syrup urine disease) gene analysis, common variants (eg, r183p, g278s, e422x) | Х | - | Х | - | Х | - | х | - |
| 81209 | Blm (bloom syndrome, recq helicase-like) (eg, bloom syndrome) gene analysis, 2281del6ins7 variant | Х | - | Х | - | Х | - | х | - |
| 81210 | Braf (v-raf murine sarcoma viral oncogene homolog b1) (eg, colon cancer), gene analysis, v600e variant | - | Х | - | Х | - | Х | - | Х |
| 81212 | Brca1, brca2 (breast cancer 1 and 2) (eg, hereditary breast and ovarian cancer) gene analysis; 185delag, 5385insc, 6174delt variants | - | Х | - | Х | - | Х | - | Х |
| 81215 | Brca1 (breast cancer 1) (eg, hereditary breast and ovarian cancer) gene analysis; known familial variant | - | Х | - | Х | - | Х | - | Х |
| 81216 | Brca2 (breast cancer 2) (eg, hereditary breast and ovarian cancer) gene analysis; full sequence analysis | - | Х | - | Х | - | Х | - | Х |
| 81217 | Brca2 (breast cancer 2) (eg, hereditary breast and ovarian cancer) gene analysis; known familial variant | - | Х | - | Х | - | Х | - | Х |
| 81218 | Cebpa (ccaat/enhancer binding protein [c/ebp], alpha) (eg, acute myeloid leukemia), gene analysis, full gene sequence | Х | - | х | - | Х | - | х | - |

^{*} These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



| G | nealti | Trad | itional Medicaid | Tradit | tional Integrated | Non-Tradition | onal Medicaid | Non-Tradition | nal Integrated |
|-------|---|----------------------------|---------------------------------------|-----------------------|---------------------------------------|------------------------|---------------------------------|---------------|-----------------------------------|
| Codes | Description | Not | Preauthorization | Not | Preauthorization | Not Covered | Preauthorization | Not Covered | Preauthorization |
| | Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, the | Covered se coding lists | Required s do not reflect information | Covered regarding imm | Required unizations, injectable drugs | s, or specialty medica | Required ations and should be d | 1 | Required by link option within |
| 81219 | Calr (calreticulin) (eg, myeloproliferative disorders), gene analysis, common variants in exon 9 | Х | - | Х | - | Х | - | Х | - |
| 81220 | Cftr (cystic fibrosis transmembrane conductance regulator) (eg, cystic fibrosis) gene analysis; common variants (eg, acmg/acog guidelines) | - | х | - | Х | Х | - | Х | - |
| | Cftr (cystic fibrosis transmembrane conductance regulator) (eg, cystic fibrosis) gene analysis; known familial variants | Х | - | Х | - | Х | - | Х | - |
| | Cftr (cystic fibrosis transmembrane conductance regulator) (eg, cystic fibrosis) gene analysis; duplication/deletion variants | Х | - | х | - | Х | - | х | - |
| | Cftr (cystic fibrosis transmembrane conductance regulator) (eg, cystic fibrosis) gene analysis; full gene sequence | Х | - | Х | - | Х | - | х | - |
| | Cftr (cystic fibrosis transmembrane conductance regulator) (eg, cystic fibrosis) gene analysis; intron 8 poly-t analysis (eg, male infertility) | Х | - | Х | - | Х | - | х | - |
| | Cyp2c19 (cytochrome p450, family 2, subfamily c, polypeptide 19) (eg, drug metabolism), gene analysis, common variants (eg, *2, *3, *4, *8, *17) | Х | - | х | - | Х | - | х | - |
| 81226 | Cyp2d6 (cytochrome p450, family 2, subfamily d, polypeptide 6) (eg, drug metabolism), gene analysis, common variants (eg, *2, *3, *4, *5, *6, *9, *10, *17, *19, *29, *35, *41, | X | - | х | - | Х | - | Х | - |
| | Cyp2c9 (cytochrome p450, family 2, subfamily c, polypeptide 9) (eg, drug metabolism), gene analysis, common variants (eg, *2, *3, *5, *6) | Х | - | Х | - | Х | - | Х | - |
| 81228 | Cytogenomic constitutional (genome-wide) microarray analysis; interrogation of genomic regions for copy number variants (eg, bacterial artificial chromosome [bac] or oligo-bas | - | Х | - | Х | х | - | х | - |
| 81229 | Cytogenomic constitutional (genome-wide) microarray analysis; interrogation of genomic regions for copy number and single nucleotide polymorphism (snp) variants for chromosoma | - | х | - | Х | х | - | х | - |
| 81230 | Cyp3a4, gene analysis, common variant(s) | Х | - | Х | - | Х | - | Х | - |
| 81231 | Cyp3a5, gene analaysis, common variants | Х | - | Х | - | Х | - | Х | - |
| 81232 | Dpyd, gene analysis, common variant(s) | Х | - | Х | - | Х | - | Х | - |
| 81233 | Btk (bruton's tyrosine kinase) (eg, chronic lymphocytic leukemia) gene analysis, common variants (eg, c481s, c481f) | Х | - | Х | - | Х | - | х | - |
| | Dmpk (dm1 protein kinase) (eg, myotonic dystrophy type 1) gene analysis; evaluation to detect abnormal (expanded) alleles | Х | - | х | - | Х | - | х | - |
| 81235 | Egfr gene analysis; common variants | - | X | - | X | - | Х | - | X |
| 81236 | Ezh2 (enhancer of zeste 2 polycomb repressive complex 2 subunit) (eg, myelodysplastic syndrome, myeloproliferative neoplasms) gene analysis, full gene sequence | х | - | х | - | х | - | Х | - |
| 81237 | Ezh2 (enhancer of zeste 2 polycomb repressive complex 2 subunit) (eg, diffuse large b-cell lymphoma) gene analysis, common variant(s) (eg, codon 646) | Х | - | х | - | Х | - | Х | - |
| 81238 | F9 (coagulation factor ix) (eg, hemophilia b), full gene seq | - | Х | - | Х | - | Х | - | Х |
| 81239 | Dmpk (dm1 protein kinase) (eg, myotonic dystrophy type 1) gene analysis; characterization of alleles (eg, expanded size) | Х | - | х | - | Х | - | Х | - |
| 81240 | F2 (prothrombin, coagulation factor ii) (eg, hereditary hypercoagulability) gene analysis, 20210g>a variant | Х | - | Х | - | Х | - | Х | - |
| 81241 | F5 (coagulation factor v) (eg, hereditary hypercoagulability) gene analysis, leiden variant | Х | - | х | - | Х | - | Х | - |

^{*} These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



| G | | Trac | ditional Medicaid | Tradi | tional Integrated | Non-Tradition | onal Medicaid | Non-Tradition | nal Integrated |
|----------------------------|---|----------------|------------------------------|----------------|------------------------------|------------------------|------------------------------|------------------------|------------------------------|
| Codes | Description | Not Covered | | Not Covered | Preauthorization Required | Not Covered | Preauthorization Required | Not Covered | Preauthorization Required |
| Disclaimer: the website | Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, the . | se coding list | s do not reflect information | regarding imm | unizations, injectable drugs | s, or specialty medica | ations and should be d | irected to the Pharmad | y link option within |
| | Fancc (fanconi anemia, complementation group c) (eg, fanconi anemia, type c) gene analysis, common variant (eg, ivs4+4a>t) | - | Х | - | Х | - | Х | - | Х |
| 81243 | Fmr1 (fragile x mental retardation 1) (eg, fragile x mental retardation) gene analysis; evaluation | Х | - | Х | - | Х | - | Х | - |
| 81244 | to detect abnormal (eg, expanded) alleles Fmr1 (fragile x mental retardation 1) (eg, fragile x mental retardation) gene analysis; | Х | - | Х | - | X | - | X | _ |
| 81245 | characterization of alleles (eg, expanded size and methylation status) Flt3 (fms-related tyrosine kinase 3) (eg, acute myeloid leukemia), gene analysis, internal tandem | Х | _ | Х | _ | Х | _ | X | _ |
| | duplication (itd) variants (ie, exons 14, 15) | | | | | | | | |
| | Flt3 gene tkd variants | Х | - | Х | - | Х | - | Х | - |
| | G6pd, gene analysis; common variant(s) | - | X | - | X | - | Х | - | Х |
| | G6pd, gene analysis; known familial variant(s) | - | X | - | X | - | Х | - | Х |
| 81249 | G6pd, gene analysis; full gene seq | - | X | - | X | - | X | - | Х |
| 81250 | G6pc (glucose-6-phosphatase, catalytic subunit) (eg, glycogen storage disease, type 1a, von gierke disease) gene analysis, common variants (eg, r83c, q347x) | Х | - | Х | - | Х | - | х | - |
| 81251 | Gba (glucosidase, beta, acid) (eg, gaucher disease) gene analysis, common variants (eg, n370s, 84gg, l444p, ivs2+1g>a) | Х | - | Х | - | Х | - | х | - |
| 81252 | Gjb2 gene full sequence | Х | - | Х | - | Х | - | Х | - |
| | Gjb2 gene known fam variants | Х | - | Х | - | Х | _ | Х | - |
| 81254 | Gjb6 gene com variants | Х | - | Х | - | Х | - | Х | - |
| 81255 | Hexa (hexosaminidase a [alpha polypeptide]) (eg, tay-sachs disease) gene analysis, common variants (eg, 1278instatc, 1421+1g>c, g269s) | Х | - | Х | - | Х | - | х | - |
| 81256 | Hfe (hemochromatosis) (eg, hereditary hemochromatosis) gene analysis, common variants (eg, c282y, h63d) | Х | - | Х | - | Х | - | х | - |
| 81257 | Hba1/hba2 (alpha globin 1 and alpha globin 2) (eg, alpha thalassemia, hb bart hydrops fetalis syndrome, hbh disease), gene analysis, for common deletions or variant (eg, south | Х | - | Х | - | х | - | х | - |
| 81258 | Hba1/hba2, gene analysis, known familial variant | Х | - | Х | - | Х | - | Х | - |
| | Hba1/hba2, gene analysis, full gene seq | Х | - | Х | - | Х | - | Х | - |
| 81260 | Ikbkap (inhibitor of kappa light polypeptide gene enhancer in b-cells, kinase complex-associated protein) (eg, familial dysautonomia) gene analysis, common variants (eg,2507+6 | Х | - | х | - | х | - | х | - |
| 81261 | Igh@ (immunoglobulin heavy chain locus) (eg, leukemias and lymphomas, b-cell), gene rearrangement analysis to detect abnormal clonal population(s); amplified methodology (eg, | Х | - | Х | - | х | - | х | - |
| 81262 | Igh@ (immunoglobulin heavy chain locus) (eg, leukemias and lymphomas, b-cell), gene rearrangement analysis to detect abnormal clonal population(s); direct probe methodology (e | Х | - | х | - | х | - | х | - |
| 81263 | Igh@ (immunoglobulin heavy chain locus) (eg, leukemia and lymphoma, b-cell), variable region somatic mutation analysis | Х | - | Х | - | Х | - | Х | - |
| 81264 | lgk@ (immunoglobulin kappa light chain locus) (eg, leukemia and lymphoma, b-cell), gene rearrangement analysis, evaluation to detect abnormal clonal population(s) | Х | - | х | - | х | - | х | - |
| 81265 | Comparative analysis using short tandem repeat (str) markers; patient and comparative specimen (eg, pre-transplant recipient and donor germline testing, post-transplant non-he | х | - | х | - | Х | - | Х | - |
| | | l | 1 | 1 | | | 1 | 1 | 1 |

^{*} These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



| G | | Trac | litional Medicaid | Tradi | tional Integrated | Non-Tradition | onal Medicaid | Non-Traditio | nal Integrated |
|---------------------------|--|----------------|------------------------------|----------------|------------------------------|------------------------|------------------------------|------------------------|------------------------------|
| Codes | Description | Not Covered | Preauthorization Required | Not Covered | Preauthorization Required | Not Covered | Preauthorization Required | Not Covered | Preauthorization Required |
| Disclaimer the website | Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, the | se coding list | s do not reflect information | regarding imm | unizations, injectable drugs | s, or specialty medica | itions and should be d | lirected to the Pharma | cy link option within |
| | Comparative analysis using short tandem repeat (str) markers; each additional specimen (eg, | | | | | | | | |
| | additional cord blood donor, additional fetal samples from different cultures, or a | Х | - | Х | - | X | - | X | - |
| | | | | | | | | | |
| 81267 | Chimerism (engraftment) analysis, post transplantation specimen (eg, hematopoietic stem cell), | | | | | | | | |
| | includes comparison to previously performed baseline analyses; without cell sele | Х | - | Х | - | X | - | X | - |
| | | | | | | | | | |
| 81268 | Chimerism (engraftment) analysis, post transplantation specimen (eg, hematopoietic stem cell), | | | | | | | | |
| | includes comparison to previously performed baseline analyses; with cell selecti | Х | - | Х | - | Х | - | X | - |
| | | | | | | | | | |
| 81269 | Hba1/hba2, gene analysis, duplication/deletion variants | Х | - | Х | - | X | - | X | - |
| 81270 | Jak2 (janus kinase 2) (eg, myeloproliferative disorder) gene analysis, p.val617phe (v617f) variant | | Х | | X | _ | Х | | Х |
| | | _ | ^ | _ | ^ | - | ^ | _ | ^ |
| 81271 | Htt (huntingtin) (eg, huntington disease) gene analysis; evaluation to detect abnormal (eg, | × | _ | × | _ | Х | | Х | _ |
| | expanded) alleles | ^ | _ | ^ | - | ^ | _ | ^ | - |
| 81272 | Kit (v-kit hardy-zuckerman 4 feline sarcoma viral oncogene homolog) (eg, gastrointestinal | | | | | | | | |
| | stromal tumor [gist], acute myeloid leukemia, melanoma), gene analysis, targeted sequ | - | X | - | X | - | Х | - | X |
| | | | | | | | | | |
| 81273 | Kit (v-kit hardy-zuckerman 4 feline sarcoma viral oncogene homolog) (eg, mastocytosis), gene | _ | Х | _ | X | _ | Х | _ | Х |
| | analysis, d816 variant(s) | | ^ | | ^ | | Α | | ^ |
| 81274 | Htt (huntingtin) (eg, huntington disease) gene analysis; characterization of alleles (eg, expanded | Х | _ | Х | _ | Х | _ | X | _ |
| | size) | | | | | | | | |
| 81275 | , (-8, -1, 8, -1, 8, -1) | _ | X | _ | X | - | X | _ | × |
| | codons 12 and 13 | | | | | | | | |
| 81276 | Kras (kirsten rat sarcoma viral oncogene homolog) (eg, carcinoma) gene analysis; additional | _ | X | - | X | - | X | - | X |
| 04077 | variant(s) (eg, codon 61, codon 146) | | | ., | | | | | |
| 81277 | Cytogenomic neo microra alys | Х | - | Х | - | Х | - | X | - |
| 81278 | Igh@/bcl2 (t(14;18)) (eg, follicular lymphoma) translocation analysis, major breakpoint region | | | ., | | V | | V | |
| | (mbr) and minor cluster region (mcr) breakpoints, qualitative or quantitative | Х | - | X | - | Х | - | X | - |
| 91270 | 1-1-2 (i | | | | | | | | |
| 012/9 | Jak2 (janus kinase 2) (eg, myeloproliferative disorder) targeted sequence analysis (eg, exons 12 | Х | - | Х | - | Х | - | X | - |
| 01202 | and 13) | Х | _ | Х | _ | Х | _ | V | _ |
| | Ifnl3, gene analysis, rs12979860 variant Fxn (frataxin) (eg, friedreich ataxia) gene analysis; evaluation to detect abnormal (expanded) | ^ | - | ^ | - | ^ | - | Х | - |
| 01204 | | Х | - | X | - | X | - | X | - |
| 81285 | alleles | | | | | | | | |
| 01203 | Fxn (frataxin) (eg, friedreich ataxia) gene analysis; characterization of alleles (eg, expanded size) | Х | - | X | - | X | - | X | - |
| 81286 | Fxn (frataxin) (eg, friedreich ataxia) gene analysis; full gene sequence | Х | _ | Х | _ | Х | _ | X | |
| 81287 | | X | - | X | - | X | - | X | - |
| 81288 | Mgmt gene methylation anal Mlh1 gene methylation anal | X | - | X | - | X | - | X | - |
| | Fxn (frataxin) (eg, friedreich ataxia) gene analysis; known familial variant(s) | X | - | X | - | X | - | X | - |
| 81290 | Mcoln1 (mucolipin 1) (eg, mucolipidosis, type iv) gene analysis, common variants (eg, ivs3-2a>g, | ^ | - | | - | ^ | 1 | ^ | |
| 0.200 | del6.4kb) | Х | - | Х | - | Х | - | Х | - |
| 81291 | Mthfr (5,10-methylenetetrahydrofolate reductase) (eg, hereditary hypercoagulability) gene | | | | | | | | |
| 0.201 | analysis, common variants (eg, 677t, 1298c) | Х | - | Х | - | Х | - | Х | - |
| | anarysis, common variants (Eg, 077t, 1230t) | | | 1 | | | | | |

^{*} These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



| | | Trad | itional Medicaid | Tradit | tional Integrated | Non-Tradition | onal Medicaid | Non-Tradition | nal Integrated |
|-------------|---|---------------------------------------|--|--------------------------|--|---------------|---------------------------------|---------------|-----------------------------------|
| Codes | Description | Not | Preauthorization | Not | Preauthorization | Not Covered | Preauthorization | Not Covered | Preauthorization |
| Disclaimer | Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated guarterly. Additionally, the | Covered se coding lists | Required do not reflect information | Covered regarding imm | Required unizations, injectable drugs | | Required ations and should be d | | Required by link option within |
| the website | | | ı | | | | | | |
| 81292 | Mlh1 (mutl homolog 1, colon cancer, nonpolyposis type 2) (eg, hereditary non-polyposis | - | X | - | X | - | X | - | X |
| 81293 | colorectal cancer, lynch syndrome) gene analysis; full sequence analysis | | | | | | | | |
| 01293 | Mlh1 (mutl homolog 1, colon cancer, nonpolyposis type 2) (eg, hereditary non-polyposis | - | X | - | X | - | Х | - | Х |
| 91204 | colorectal cancer, lynch syndrome) gene analysis; known familial variants Mlh1 (mutl homolog 1, colon cancer, nonpolyposis type 2) (eg, hereditary non-polyposis | | | | | | | | |
| 01234 | colorectal cancer, lynch syndrome) gene analysis; duplication/deletion variants | Х | | x | | Х | | Х | |
| | colorectal cancer, lynch syndrome) gene analysis; duplication/deletion variants | ^ | - | ^ | - | ^ | _ | ^ | - |
| 81295 | Msh2 (muts homolog 2, colon cancer, nonpolyposis type 1) (eg, hereditary non-polyposis | | | | | | ., | | |
| | colorectal cancer, lynch syndrome) gene analysis; full sequence analysis | - | Х | - | Х | - | X | - | Х |
| 81296 | Msh2 (muts homolog 2, colon cancer, nonpolyposis type 1) (eg, hereditary non-polyposis | | | ., | | | | V | |
| | colorectal cancer, lynch syndrome) gene analysis; known familial variants | Χ | - | Х | - | Х | - | Х | - |
| 81297 | Msh2 (muts homolog 2, colon cancer, nonpolyposis type 1) (eg, hereditary non-polyposis | | | | | | | | |
| | colorectal cancer, lynch syndrome) gene analysis; duplication/deletion variants | X | - | Х | - | Х | - | Х | - |
| | | | | | | | | | |
| 81298 | Msh6 (muts homolog 6 [e. coli]) (eg, hereditary non-polyposis colorectal cancer, lynch | - | Х | - | X | - | X | - | X |
| 04000 | syndrome) gene analysis; full sequence analysis | | | | | | | | |
| 81299 | Msh6 (muts homolog 6 [e. coli]) (eg, hereditary non-polyposis colorectal cancer, lynch | - | Х | - | X | - | X | - | X |
| 04200 | syndrome) gene analysis; known familial variants | | | | | | | | |
| 81300 | Msh6 (muts homolog 6 [e. coli]) (eg, hereditary non-polyposis colorectal cancer, lynch | Χ | - | Х | - | Х | - | Х | - |
| 01201 | syndrome) gene analysis; duplication/deletion variants | | | | | | | | |
| 81301 | Microsatellite instability analysis (eg, hereditary non-polyposis colorectal cancer, lynch | | V | | V | | | | V |
| | syndrome) of markers for mismatch repair deficiency (eg, bat25, bat26), includes com | - | X | - | Х | - | Х | - | Х |
| 81302 | Mecp2 (methyl cpg binding protein 2) (eg, rett syndrome) gene analysis; full sequence analysis | · · · · · · · · · · · · · · · · · · · | | | | | | V | |
| | | Х | - | Х | | Х | - | Х | • |
| 81303 | Mecp2 (methyl cpg binding protein 2) (eg, rett syndrome) gene analysis; known familial variant | X | - | х | - | Х | _ | Х | _ |
| 04004 | | | | | | | | | |
| 81304 | Mecp2 (methyl cpg binding protein 2) (eg, rett syndrome) gene analysis; duplication/deletion variants | X | - | Х | - | Х | - | X | - |
| 81305 | Myd88 (myeloid differentiation primary response 88) (eg, waldenstrom's macroglobulinemia, | | | | | | | | |
| 01000 | lymphoplasmacytic leukemia) gene analysis, p.leu265pro (I265p) variant | X | _ | х | _ | Х | _ | Х | _ |
| | Tymphopiasmacytic reakermay gene analysis, pheazospio (1205p) variant | χ | | ^ | | ~ | | , | |
| 81306 | Nudt15 (nudix hydrolase 15) (eg, drug metabolism) gene analysis, common variant(s) (eg, *2, *3, | | | | | | | | |
| | *4, *5, *6) | X | - | X | - | Х | - | Х | - |
| 81307 | Palb2 gene full gene seq | Х | - | Х | - | Х | - | Х | - |
| | Palb2 gene known famil vrnt | Х | - | Х | - | Х | - | Х | - |
| | Pik3ca gene trgt seq alys | Х | - | Х | - | Х | - | Х | - |
| 81310 | Npm1 (nucleophosmin) (eg, acute myeloid leukemia) gene analysis, exon 12 variants | Х | _ | Х | _ | Х | | Х | |
| | | ^ | - | ^ | - | ^ | - | ^ | • |
| 81311 | Nras (neuroblastoma ras viral [v-ras] oncogene homolog) (eg, colorectal carcinoma), gene | _ | x | _ | X | _ | Х | _ | Х |
| | analysis, variants in exon 2 (eg, codons 12 & 13) and exon 3 (eg, codon61) | | ^ | | ^ | | ^ | | ^ |
| 81312 | Pabpn1 (poly[a] binding protein nuclear 1) (eg, oculopharyngeal muscular dystrophy) gene | X | _ | х | _ | Х | _ | Х | _ |
| | analysis, evaluation to detect abnormal (eg, expanded) alleles | | | | | | | | |
| 81313 | Pca3 klk3 | Χ | - | X | - | X | - | X | - |

^{*} These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



| | | Trad | itional Medicaid | Tradi | tional Integrated | Non-Tradition | onal Medicaid | Non-Tradition | nal Integrated |
|-------------|--|----------------------------|--|--|---------------------------------------|---------------|---------------------------------|---------------|-----------------------------------|
| Codes | Description | Not | Preauthorization | Not | Preauthorization | Not Covered | Preauthorization | Not Covered | Preauthorization |
| Disclaimer | Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, the | Covered se coding lists | Required s do not reflect information | Covered regarding imm | Required unizations, injectable drugs | | Required ations and should be d | | Required by link option within |
| the website | | - I | 1 | | · - | | T | T | - · · |
| 81314 | Pdgfra (platelet-derived growth factor receptor, alpha polypeptide) (eg, gastointestinal stromal | ., | | | | ., | | | |
| | tumor [gist]), gene analysis, targeted sequence analysis (eg, exons 12, 18) | Х | - | Х | - | Х | - | Х | - |
| 91315 | Pml/raralpha, (t(15;17)), (promyelocytic leukemia/retinoic acid receptor alpha) (eg, | | | | | | | | |
| 01313 | | Х | | x | | Х | | Х | |
| | promyelocytic leukemia) translocation analysis; common breakpoints (eg, intron 3 and inton | ^ | - | _ ^ | - | ^ | - | ^ | - |
| 81316 | Pml/raralpha, (t(15;17)), (promyelocytic leukemia/retinoic acid receptor alpha) (eg, | | | | | | | | |
| | promyelocytic leukemia) translocation analysis; single breakpoint (eg, intron 3, intron 6 | Х | _ | х | _ | Х | _ | X | _ |
| | promycrocytic realization and promycrocytic (eg, miron o, miron o | , | | , | | , | | | |
| 81317 | Pms2 (postmeiotic segregation increased 2 [s. cerevisiae]) (eg, hereditary non-polyposis | ., | | ., | | | | ., | |
| | colorectal cancer, lynch syndrome) gene analysis; full sequence analysis | Х | - | Х | - | Х | - | Х | - |
| 81318 | pms2 (postmeiotic segregation increased 2 [s. cerevisiae]) (eg, hereditary non-polyposis | v | | ., | | V | | v | |
| | colorectal cancer, lynch syndrome) gene analysis; known familial variants | Х | - | Х | - | Х | - | Х | - |
| 81319 | Pms2 (postmeiotic segregation increased 2 [s. cerevisiae]) (eg, hereditary non-polyposis | | | | | | | | |
| | colorectal cancer, lynch syndrome) gene analysis; duplication/deletion variants | Х | - | X | - | Х | - | Х | - |
| | | | | | | | | | |
| 81320 | Plcg2 (phospholipase c gamma 2) (eg, chronic lymphocytic leukemia) gene analysis, common | Х | _ | Х | | Х | _ | Х | _ |
| | variants (eg, r665w, s707f, l845f) | ^ | - | ^ | - | ^ | - | ^ | - |
| 81321 | Pten gene analysis;full seq analysis | Х | - | Х | - | X | - | X | - |
| | Pten gene analysis; fam variant | Х | - | X | - | Х | - | Х | - |
| | Pten gene analysis; duplication/deletion variant | Х | - | X | - | Х | - | Х | - |
| | Pmp22 gene analysis; dup/deletion analysis | Х | - | Х | - | Х | - | Х | - |
| | Pmp22 gene analysis; full seq analysis | Х | - | Х | - | Х | - | Х | - |
| | Pmp22 (peripheral myelin protein 22) gene analysis; known fam variant | Х | - | Х | - | Х | - | Х | - |
| | Sept9 (septin9) (eg, colorectal cancer) methylation analysis | Х | - | Х | - | Х | - | Х | - |
| | Slc01b1, gene analysis, common variant(s) | Х | - | Х | - | Х | - | Х | - |
| 81329 | Smn1 (survival of motor neuron 1, telomeric) (eg, spinal muscular atrophy) gene analysis; | | | | | | | | |
| | dosage/deletion analysis (eg, carrier testing), includes smn2 (survival of motor neur | Х | - | X | - | Х | - | X | - |
| 91330 | Smpd1(sphingomyelin phosphodiesterase 1, acid lysosomal) (eg, niemann-pick disease, type a) | | | | | | | | |
| 01000 | gene analysis, common variants (eg, r496l, l302p, fsp330) | Х | - | X | - | Х | - | X | - |
| 81331 | Snrpn/ube3a (small nuclear ribonucleoprotein polypeptide n and ubiquitin protein ligase e3a) | | | | | | | | |
| 01001 | (eg, prader-willi syndrome and/or angelman syndrome), methylation analysis | X | _ | X | _ | Х | _ | Х | _ |
| | (leg, prader-will syndrome and/or angenham syndrome), methyration analysis | _ ^ | | _ ^ | | Α | | | |
| 81332 | Serpina1 (serpin peptidase inhibitor, clade a, alpha-1 antiproteinase, antitrypsin, member 1) (eg, | | | | | | | | |
| | alpha-1-antitrypsin deficiency), gene analysis, common variants (eg, *s and | х | _ | X | _ | Х | _ | Х | _ |
| | angua i anata yezini denteterey), gene dharysis, common variants (eg, -s and | <u> </u> | | ^ | | ^ | | | |
| 81333 | Tgfbi (transforming growth factor beta-induced) (eg, corneal dystrophy) gene analysis, common | | | | | | | | |
| | variants (eg, r124h, r124c, r124l, r555w, r555q) | Х | - | Х | - | Х | - | Х | - |
| 81334 | Runx1, gene analysis, targeted seq analysis | Х | - | Х | - | Х | - | Х | - |
| | Tpmt, gene analysis, common variants | Х | - | Х | - | Х | - | Х | - |
| | Smn1 (survival of motor neuron 1, telomeric) (eg, spinal muscular atrophy) gene analysis; full | ., | | ,, | | ., | | ., | |
| | gene sequence | Х | - | X | - | Х | - | Х | - |
| 81337 | Smn1 (survival of motor neuron 1, telomeric) (eg, spinal muscular atrophy) gene analysis; | V | | ., | | V | | v | |
| | known familial sequence variant(s) | Х | - | X | - | Х | - | Х | - |

^{*} These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



| | | Trad | litional Medicaid | Tradi | tional Integrated | Non-Tradition | onal Medicaid | Non-Tradition | nal Integrated |
|----------------------------|--|----------------|------------------------------|----------------|-------------------------------|------------------------|------------------------------|------------------------|------------------------------|
| Codes | Description | Not Covered | Preauthorization Required | Not Covered | Preauthorization Required | Not Covered | Preauthorization Required | Not Covered | Preauthorization Required |
| Disclaimer: the website | Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, the | se coding list | s do not reflect information | regarding imm | nunizations, injectable drugs | s, or specialty medica | itions and should be d | irected to the Pharmac | cy link option within |
| 81338 | Mpl (mpl proto-oncogene, thrombopoietin receptor) (eg, myeloproliferative disorder) gene | | | | | | | | |
| | analysis; common variants (eg, w515a, w515k, w515l, w515r) | Х | - | Х | - | Х | - | Х | - |
| 81339 | Mpl (mpl proto-oncogene, thrombopoietin receptor) (eg, myeloproliferative disorder) gene | Х | _ | Х | | Х | | Х | |
| | analysis; sequence analysis, exon 10 | ^ | - | ^ | - | ^ | - | ^ | - |
| 81340 | Trb@ (t cell antigen receptor, beta) (eg, leukemia and lymphoma), gene rearrangement analysis | | | | | | | | |
| | to detect abnormal clonal population(s); using amplification methodology (eg, pol | Х | - | Х | - | Х | - | X | - |
| 81341 | Trb@ (t cell antigen receptor, beta) (eg, leukemia and lymphoma), gene rearrangement analysis | | | | | | | | |
| | to detect abnormal clonal population(s); using direct probe methology (eg, southe | Х | - | Х | - | Х | - | Х | - |
| 81342 | Trg@ (t cell antigen receptor, gamma) (eg, leukemia and lymphoma), gene rearrangement | | | ., | | ., | | ., | |
| | analysis, evaluation to detect abnormal clonal population(s) | Х | - | Х | - | Х | - | Х | - |
| 81343 | Ppp2r2b (protein phosphatase 2 regulatory subunit bbeta) (eg, spinocerebellar ataxia) gene | | | ., | | | | ., | |
| | analysis, evaluation to detect abnormal (eg, expanded) alleles | Х | - | Х | - | Х | - | Х | - |
| 81344 | Tbp (tata box binding protein) (eg, spinocerebellar ataxia) gene analysis, evaluation to detect | Х | | Х | | Х | | Х | |
| | abnormal (eg, expanded) alleles | ^ | - | ^ | - | ^ | - | ^ | - |
| 81345 | Tert (telomerase reverse transcriptase) (eg, thyroid carcinoma, glioblastoma multiforme) gene | Х | | Х | | Х | | Х | |
| | analysis, targeted sequence analysis (eg, promoter region) | ^ | - | ^ | - | ^ | - | ^ | - |
| | Tyms, gene analysis, common variant(s) | Х | - | Х | - | X | - | Х | - |
| 81347 | Sf3b1 (splicing factor [3b] subunit b1) (eg, myelodysplastic syndrome/acute myeloid leukemia) | Х | _ | Х | _ | Х | _ | Х | _ |
| | gene analysis, common variants (eg, a672t, e622d, l833f, r625c, r625l) | ^ | _ | ^ | _ | Λ | | ^ | _ |
| 81348 | Srsf2 (serine and arginine-rich splicing factor 2) (eg, myelodysplastic syndrome, acute myeloid | Х | _ | х | _ | Х | _ | x | _ |
| | leukemia) gene analysis, common variants (eg, p95h, p95l) | ^ | | ^ | | | | ^ | |
| 81349 | Cytogenomic (genome-wide) analysis for constitutional chromosomal abnormalities; | | | | | | | | |
| | interrogation of genomic regions for copy number and loss-of-heterozygosity variants, low-pass | - | Х | - | X | Х | - | Х | - |
| | sequencing analysis | | | | | | | | |
| 81350 | Ugt1a1 (udp glucuronosyltransferase 1 family, polypeptide a1) (eg, irinotecan metabolism), | Х | _ | Х | - | Х | _ | X | - |
| 01051 | gene analysis, common variants (eg, *28, *36, *37) | | | | | | | | |
| 81351 | Tp53 (tumor protein 53) (eg, li-fraumeni syndrome) gene analysis; full gene sequence | Х | - | Х | - | Х | - | Х | - |
| 81352 | Tp53 (tumor protein 53) (eg, li-fraumeni syndrome) gene analysis; targeted sequence analysis | V | | ., | | | | ν, | |
| | (eg, 4 oncology) | Х | - | Х | - | Х | - | Х | - |
| 81353 | Tp53 (tumor protein 53) (eg, li-fraumeni syndrome) gene analysis; known familial variant | Х | - | Х | - | Х | - | х | - |
| 81355 | Vkorc1 (vitamin k epoxide reductase complex, subunit 1) (eg, warfarin metabolism), gene | | | | | | | | |
| | analysis, common variants (eg, -1639/3673) | Х | - | Х | - | Х | - | Х | - |
| 81357 | U2af1 (u2 small nuclear rna auxiliary factor 1) (eg, myelodysplastic syndrome, acute myeloid | | | ,, | | ,, | | ,, | |
| | leukemia) gene analysis, common variants (eg, s34f, s34y, q157r, q157p) | X | - | Х | - | Х | - | Х | - |
| 81360 | Zrsr2 (zinc finger ccch-type, rna binding motif and serine/arginine-rich 2) (eg, myelodysplastic | | | | | | | | |
| | syndrome, acute myeloid leukemia) gene analysis, common variant(s) (eg, e65fs, e122fs, r448fs) | Х | - | Х | - | Х | - | Х | - |
| | Hbb (hemoglobin, subunit beta), common variant(s) | Х | - | Х | - | Х | - | Х | - |
| | Hbb (hemoglobin, subunit beta), known familial variant(s) | Х | - | Х | - | Х | - | Х | - |
| | Hbb (hemoglobin, subunit beta), duplication/deletion variant(s) | X | - | Х | - | Х | - | Х | - |
| 81364 | Hbb (hemoglobin, subunit beta), full gene seq | X | - | X | - | X | - | X | - |

^{*} These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



| Carles | Provincia | | litional Medicaid | | tional Integrated | Non-Traditio | onal Medicaid | Non-Traditio | |
|-------------|---|----------------|------------------------------|----------------|------------------------------|-----------------------|------------------------------|-----------------------|------------------------------|
| Codes | Description | Not Covered | Preauthorization Required | Not Covered | Preauthorization Required | Not Covered | Preauthorization Required | Not Covered | Preauthorization Required |
| the website | | se coding list | s do not reflect information | regarding imm | unizations, injectable drugs | , or specialty medica | itions and should be d | irected to the Pharma | cy link option within |
| 81370 | Hla class i and ii typing, low resolution (eg, antigen equivalents); hla-a, -b, -c, -drb1/3/4/5, and -dqb1 | Х | - | Х | - | Х | - | Х | - |
| 81371 | Hla class i and ii typing, low resolution (eg, antigen equivalents); hla-a, -b, and -drb1/3/4/5 (eg, verification typing) | Х | - | Х | - | Х | - | Х | - |
| 81372 | Hla class i typing, low resolution (eg, antigen equivalents); complete (ie, hla-a, -b, and -c) | Х | - | Х | - | Х | - | х | - |
| 81373 | Hla class i typing, low resolution (eg, antigen equivalents); one locus (eg, hla-a, -b, or -c), each | - | Х | - | Х | - | Х | - | х |
| 81374 | Hla class i typing, low resolution (eg, antigen equivalents); one antigen equivalent (eg, b*27), each | - | х | - | х | - | х | - | х |
| 81375 | Hla class ii typing, low resolution (eg, antigen equivalents); hla-drb1/3/4/5 and -dqb1 | - | х | - | х | - | х | - | Х |
| 81376 | Hla class ii typing, low resolution (eg, antigen equivalents); one locus (eg, hla-drb1/3/4/5, -dqb1, dqa1, -dpb1, or -dpa1), each | - | Х | - | х | - | Х | - | Х |
| 81377 | Hla class ii typing, low resolution (eg, antigen equivalents); one antigen equivalent, each | - | х | - | х | - | х | - | х |
| 81378 | Hla class i and ii typing, high resolution (ie, alleles or allele groups), hla-a, -b, -c, and -drb1 | - | х | - | Х | - | х | - | Х |
| 81379 | Hla class i typing, high resolution (ie, alleles or allele groups); complete (ie, hla-a, -b, and -c) | - | х | - | Х | - | х | - | Х |
| 81380 | Hla class i typing, high resolution (ie, alleles or allele groups); one locus (eg, hla-a, -b, or -c), each | - | х | - | х | - | х | - | Х |
| 81381 | Hla class i typing, high resolution (ie, alleles or allele groups); one allele or allele group (eg, b*57:01p), each | - | х | - | х | - | х | - | Х |
| 81382 | Hla class ii typing, high resolution (ie, alleles or allele groups); one locus (eg, hla-drb1, -drb3, -drb4, -drb5, -dqb1, -dqa1, -dpb1, or -dpa1), each | - | х | - | х | - | х | - | Х |
| 81383 | Hla class ii typing, high resolution (ie, alleles or allele groups); one allele or allele group (eg, hla-dgb1*06:02p), each | - | х | - | Х | - | х | - | Х |
| 81400 | Molecular pathology procedure, level 1 (eg, identification of single germline variant [eg, snp] by techniques such as restriction enzyme digestion or melt curve analysis)acadm | Х | - | х | - | Х | - | х | - |
| 81401 | Molecular pathology procedure, level 2 (eg, 2-10 snps, 1 methylated variant, or 1 somatic variant [typically using nonsequencing target variant analysis], or detection of a dy | Х | - | х | - | Х | - | х | - |
| 81402 | Molecular pathology procedure, level 3 (eg, >10 snps, 2-10 methylated variants, or 2-10 somatic variants [typically using non-sequencing target variant analysis], immunoglobul | Х | - | х | - | Х | - | Х | - |
| 81403 | Molecular pathology procedure, level 4 (eg, analysis of single exon by dna sequence analysis, analysis of >10 amplicons using multiplex pcr in 2 or more independent reactions, | Х | - | х | - | Х | - | Х | - |
| 81404 | Molecular pathology procedure, level 5 (eg, analysis of 2-5 exons by dna sequence analysis, mutation scanning or duplication/deletion variants of 6-10 exons, or characterizati | Х | - | х | - | Х | - | х | - |

^{*} These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



| 9 | | Trad | itional Medicaid | Traditional Integrated | | Non-Traditio | onal Medicaid | Non-Tradition | nal Integrated |
|---------------------------|--|----------------|------------------------------|------------------------|------------------------------|-----------------------|------------------------------|-----------------------|------------------------------|
| Codes | Description | Not Covered | Preauthorization Required | Not Covered | Preauthorization Required | Not Covered | Preauthorization Required | Not Covered | Preauthorization Required |
| Disclaimer the website | Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, the | | s do not reflect information | | | , or specialty medica | | irected to the Pharma | |
| | Molecular pathology procedure, level 6 (eg, analysis of 6-10 exons by dna sequence analysis, | | | | | | | | |
| | mutation scanning or duplication/deletion variants of 11-25 exons) cyp21a2 (cytoch | Х | - | Х | - | X | - | Х | - |
| | | | | | | | | | |
| 81406 | Molecular pathology procedure, level 7 (eg, analysis of 11-25 exons by dna sequence analysis, | | | | | | | | |
| | mutation scanning or duplication/deletion variants of 26-50 exons, cytogenomic ar | X | - | X | - | X | - | Х | - |
| 81407 | Molecular pathology procedure, level 8 (eg, analysis of 26-50 exons by dna sequence analysis, | | | | | | | | |
| | mutation scanning or duplication/deletion variants of >50 exons, sequence analysi | Х | - | Х | - | Χ | - | Х | - |
| | | | | | | | | | |
| 81408 | Molecular pathology procedure, level 9 (eg, analysis of >50 exons in a single gene by dna | | | | | | | | |
| | sequence analysis) fbn1 (fibrillin 1) (eg, marfan syndrome), full gene sequence nf1 (| Х | - | X | - | Χ | - | Х | - |
| 81410 | Gsps for aortic dysfnc or dilat | Х | - | X | - | X | _ | X | _ |
| 81411 | Gsps for aortic dysfnc or dilat dupe delete anal | X | - | X | - | X | - | X | - |
| 81412 | Ashkenazi jewish associated disorders (eg, bloom syndrome, canavan disease, cystic fibrosis, | | | | | | | | |
| | familial dysautonomia faconi anemia group c. gaucher disease, tay-sachs disease), | - | X | - | X | - | X | - | Х |
| | | | | | | | | | |
| 81413 | Cardiac ion channelopathies (eg, brgada syndrome, long qt syndrome, short qt syndrome, | ., | | ., | | ., | | | |
| | catecholaminergic polymorphic ventricular tachycardia); genomic sequence analysis panel, | Х | - | Х | - | X | - | X | - |
| 81414 | Cardiac ion channelopathies (eg. brugada syndrome, long qt syndrome, short qt syndrome, | | | | | | | | |
| | catecholaminergic polymorphic ventricular tachycardia); duplication deletion gene analy | Х | - | Х | - | Χ | - | X | - |
| | | | | | | | | | |
| | Exome sequence anal | - | X | - | X | Χ | - | Х | - |
| | Exome sequence anal ea add | - | Х | - | X | Х | - | Х | - |
| | · · · · · · · · · · · · · · · · · · · | Х | - | Х | - | Χ | - | Х | - |
| 81418 | Drug metabolism (eg, pharmacogenomics) genomic sequence analysis panel, must include | V | | V | | Х | | V | |
| | testing of at least 6 genes, including cyp2c19, cyp2d6, and cyp2d6 duplication/deletion analysis | X | - | Х | - | X | - | X | - |
| 81419 | Epilepsy genomic sequence analysis panel, must include analyses for aldh7a1, cacna1a, cdkl5, | | | | | | | | |
| | chd2, gabrg2, grin2a, kcnq2, mecp2, pcdh19, polg, prrt2, scn1a, scn1b, scn2a, scn8a, slc2a1, | Х | - | Х | - | Χ | - | X | - |
| | slc9a6, stxbp1, syngap1, tcf4, tpp1, tsc1, tsc2, and zeb2 | | | | | | | | |
| 81420 | Gsps for fetal chrom aneuploidy | Х | - | X | - | Х | - | Х | - |
| 81422 | Grys; vjtp,pdp,s; ,icrodeletion(s) genomic sequence analysis (eg. digeorge syndrome, cri-du- | Х | - | Х | - | Χ | - | x | - |
| 04.407 | chant syndrome), circulating cell-free fetal dna in maternal blood | | | | | | | | |
| 81427 81430 | Gsps for unex costitut heritable ds re-eval | X | - | X | - | X | - | X | - |
| 81431 | Gsps for hearing loss Gsps for hearing loss dupe delete anal | X | - | X | - | X | - | X | - |
| | Hereditary breast cancer-related disorders (eg, hereditary breast, ovarian endometrial cancer); | ^ | - | ^ | - | ^ | - | ^ | - |
| 352 | must include genomic sequencing of at least 14 genes: atm brca1 brca2 brip1 cdh | Х | _ | Х | - | Χ | _ | Х | - |
| | 0 | | | | | | | | |
| 81433 | Hereditary breast cancer-related disorders (eg, hereditary breast, ovarian endometrial cancer); | | | | | | | | |
| 1 | duplication/deletion analysis panel, must include analyses for brca1 brca2 mlh1 | X | - | Х | - | Χ | - | Х | - |
| | | | | | | | | | <u> </u> |

^{*} These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



| | | Trac | ditional Medicaid | Tradi | tional Integrated | Non-Traditi | onal Medicaid | Non-Tradition | nal Integrated |
|-------------|--|---------------------------|--|--------------------------|---------------------------------------|----------------------|-------------------------------------|----------------------|-----------------------------------|
| Codes | Description | Not | Preauthorization | Not | Preauthorization | Not Covered | Preauthorization | Not Covered | Preauthorization |
| Disclaimer: | Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, the | Covered se coding list | Required s do not reflect information | Covered regarding imm | Required unizations, injectable drugs | , or specialty medic | Required ations and should be di | rected to the Pharma | Required by link option within |
| the website | | I | | | | | | 1 | I |
| 01434 | Hereditary retinal disorders (eg, retinitis pigmentosa, leber congenital amaurosis, cone-rod | Х | | × | | Х | | X | |
| | dystophy); must inc genomic sequencing 15 genes: abca4 cnga1 crb1 eys pde6a pde6b | ^ | - | ^ | - | ^ | - | ^ | - |
| 81435 | Gsps for colon ca | Х | - | Х | - | Х | - | X | - |
| | Gsps for colon ca dupe delete anal | Х | - | Х | - | Х | - | Х | - |
| 81437 | Hereditary neuroendocrine tumor disorders (eg, medullary throid or parathyroid cancer, | | | | | | | | |
| | malignant pheochromocytoma or paragangliom); must incl genomic sequencing 6 genes: max s | - | Х | - | Х | - | X | - | Х |
| 81438 | Hereditary neuroendocrine tumor disorders; duplication/deletion analysis panel, must include | Х | | V | | V | | V | |
| | analyses for sdhb sdhc sdhd vhl | ^ | - | X | - | Х | - | Х | - |
| 81439 | Inherited cardiomyopathy (eg. hypertrophic cardiomyopathy, dilated cardiomyopathy, | | | | | | | | |
| | arrhythmogenic right ventricular cardiomyopathy) genomic sequence analysis panel, must inclu | Х | - | Х | - | X | - | Х | - |
| 81440 | Gsps nuclear encod mitochondrial genes | Х | - | Х | - | Х | - | Х | - |
| | Inherited bone marrow failure syndromes (ibmfs) (eg, fanconi anemia, dyskeratosis congenita, | | | | | | | | |
| | diamond-blackfan anemia, shwachman-diamond syndrome, gata2 deficiency syndrome, | | | | | | | | |
| | congenital amegakaryocytic thrombocytopenia) sequence analysis panel, must include | | | | | | | | |
| | sequencing of at least 30 genes, including brca2, brip1, dkc1, fanca, fancb, fancc, fancd2, fance, | Х | - | Х | - | X | - | X | - |
| | fancf, fancg, fanci, fancl, gata1, gata2, mpl, nhp2, nop10, palb2, rad51c, rpl11, rpl35a, rpl5, | | | | | | | | |
| | rps10, rps19, rps24, rps26, rps7, sbds, tert, and tinf2 | | | | | | | | |
| 81442 | Noonan spectrum disorders (eg, noonan syndrome, cardio-facio-cutaneous syndrome, costello | | | | | | | | |
| | syndrome leopard syndrome, noonan-like syndrome); must incl genomic sequencing 12 ge | Х | - | Х | - | Х | - | Х | - |
| | | | | | | | | | |
| 81443 | Genetic testing for severe inherited conditions (eg, cystic fibrosis, ashkenazi jewish-associated | | | | | | | | |
| | disorders [eg, bloom syndrome, canavan disease, fanconi anemia type c, mucoli | Х | - | Х | - | Х | - | Х | - |
| 81445 | Constant all designs and a second | X | _ | X | | Х | | X | |
| | Gsps for solid organ neoplasm Hereditary peripheral neuropathies, gene seq analysis panel | ^ | X | ^ | X | ^ | X | ^ | X |
| 81449 | Tgsap so neo 5-50 rna alys | X | | X | | X | ^ | X | |
| | Gsps hematolymphoid neo 5-50 genes | - | Х | - | X | - | Х | - | Х |
| | Gsps hematolymphoid neo =/>51 genes | _ | X | _ | X | - | X | - | X |
| | Solid organ neoplasm, genomic sequence analysis panel, interrogation for sequence variants; | | | | | | | | , |
| | dna analysis, microsatellite instability | - | X | - | X | - | - | - | - |
| 81458 | Solid organ neoplasm, genomic sequence analysis panel, interrogation for sequence variants; | | V | | V | | | | |
| | dna analysis, copy number variants and microsatellite instability | - | X | - | X | - | - | - | - |
| 81459 | Solid organ neoplasm, genomic sequence analysis panel, interrogation for sequence variants; | | | | | | | | |
| | dna analysis or combined dna and rna analysis, copy number variants, microsatellite | - | X | - | X | - | - | - | - |
| 81460 | Gsps for whole mitochondrial genome | Х | - | Х | - | Х | - | X | - |
| | Solid organ neoplasm, genomic sequence analysis panel, cell-free nucleic acid (eg, plasma), | | | | | | | | |
| | interrogation for sequence variants; dna analysis or combined dna and rna analysis, | - | Х | - | Х | - | - | - | - |
| | | | | | | | | | |

^{*} These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



| | | | itional Medicaid | | tional Integrated | Non-Tradition | onal Medicaid | Non-Tradition | nal Integrated |
|----------------------------|--|-----------------|------------------------------|----------------|------------------------------|-----------------------|------------------------------|------------------------|------------------------------|
| Codes | Description | Not Covered | Preauthorization Required | Not Covered | Preauthorization Required | Not Covered | Preauthorization Required | Not Covered | Preauthorization Required |
| Disclaimer: the website | Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, the | se coding lists | | regarding imm | | , or specialty medica | | irected to the Pharmac | |
| | Solid organ neoplasm, genomic sequence analysis panel, cell-free nucleic acid (eg, plasma), | | | | | | | | |
| | interrogation for sequence variants; dna analysis, copy number variants, and micros | - | X | _ | Х | - | - | - | - |
| | | | | | | | | | |
| 81464 | Solid organ neoplasm, genomic sequence analysis panel, cell-free nucleic acid (eg, plasma), | | | | | | | | |
| | interrogation for sequence variants; dna analysis or combined dna and rna analysis, | - | Х | - | Х | - | - | - | - |
| | | | | | | | | | |
| 81465 | Gsps for whole mitochondrial genome Ig delete anal | Х | - | Х | - | Х | - | Х | - |
| | Gsps for xlid at least 60 genes | Х | - | Х | - | Х | - | Х | - |
| 81471 | Gsps for xlid at least 60 genes | Х | - | Х | - | Х | - | Х | - |
| | Unlisted molecular pathology | - | Х | - | Х | - | Х | - | Х |
| 81490 | Autoimmune (rheumatoid arthritis), analysis of 12 biomarkers using immunoassays, utilizing | Х | | V | | V | | V | |
| | serum, prognostic algorithm reported as a disease activity score | Α | - | Х | - | Χ | - | Х | - |
| 81493 | Coronary artery disease, mrna, gene expression profiling by real-time rt-pcr of 23 genes, utilizing | Х | _ | Х | | Х | | Х | |
| | whole peripheral blood, algorithm reported as a risk score | | | ^ | <u>-</u> | Λ | | ^ | |
| 81500 | Maaa 2 serum proteins | Х | - | Х | - | Х | - | Х | - |
| 81503 | Maaa 2 serum proteins | Х | - | Х | - | Х | - | Х | - |
| 81504 | Oncology tissue of origin | Х | - | Х | - | Х | - | Х | - |
| 81506 | Maaa 7 serum/plasma analytes | Х | - | Х | - | Х | - | Х | - |
| 81507 | Fetal aneuploidy trisom risk | Х | - | Х | - | Х | - | Х | - |
| 81508 | Maaa 2 maternal serum proteins | - | Х | - | X | - | Х | - | Х |
| | Maaa 3 maternal serum proteins | Х | - | X | - | Χ | - | X | |
| 81510 | Maaa 3 maternal serum analytess | ı | X | - | X | - | X | - | Χ |
| 81511 | Maaa 4 maternal serum analytess | Х | - | X | - | Χ | - | X | |
| 81512 | Maaa 5 maternal serum analytess | X | - | X | - | Χ | - | X | |
| 81513 | Infectious disease, bacterial vaginosis, quantitative real-time amplification of rna markers for | | | | | | | | |
| | atopobium vaginae, gardnerella vaginalis, and lactobacillus species, utilizing vaginal-fluid | Χ | | х | | Х | | X | |
| | specimens, algorithm reported as a positive or negative result for bacterial vaginosis | ^ | - | ^ | - | ^ | - | ^ | - |
| | | | | | | | | | |
| 81514 | Infectious disease, bacterial vaginosis and vaginitis, quantitative real-time amplification of dna | | | | | | | | |
| | markers for gardnerella vaginalis, atopobium vaginae, megasphaera type 1, bacterial vaginosis | | | | | | | | |
| | associated bacteria-2 (bvab-2), and lactobacillus species (I. crispatus and I. jensenii), utilizing | | | | | | | | |
| | vaginal-fluid specimens, algorithm reported as a positive or negative for high likelihood of | Х | _ | Х | _ | Χ | _ | x | _ |
| | bacterial vaginosis, includes separate detection of trichomonas vaginalis and/or candida species | ^ | | ^ | _ | Λ | | | _ |
| | (c. albicans, c. tropicalis, c. parapsilosis, c. dubliniensis), candida glabrata, candida krusei, when | | | | | | | | |
| | reported | | | | | | | | |
| | | | | | | | | | |
| 81518 | Oncology (breast), mrna, gene expression profiling by real-time rt-pcr of 11 genes (7 content | | | | | | | | |
| | and 4 housekeeping), utilizing formalin-fixed paraffin-embedded tissue, algorithm | - | X | - | Х | - | X | - | X |
| 04540 | Construction 124 | | ., | | | | .,, | | ., |
| | Gsps onco (brst) 21 genes | - | X | - | X | - | X | - | X |
| | Oncology (breast), mrna gene exp profil by hybrid cap of 58 genes | - | Х | - | Х | - | Х | - | Х |
| 81521 | Oncology (breast), mrna microarray gene exp profil of 70 cont genes & 465 housekeep genes | Χ | - | Х | - | Χ | - | Х | - |
| 81522 | Onc breast mrna 12 genes | - | Х | - | Х | - | Х | - | Х |

^{*} These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



| | | Trad | itional Medicaid | Tradi | tional Integrated | Non-Traditio | onal Medicaid | Non-Tradition | nal Integrated |
|-------------|---|----------------|------------------------------|----------------|------------------------------|-----------------------|------------------------------|------------------------|------------------------------|
| Codes | Description | Not Covered | Preauthorization Required | Not Covered | Preauthorization Required | Not Covered | Preauthorization Required | Not Covered | Preauthorization Required |
| Disclaimer: | Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, the | | | | | , or specialty medica | | irected to the Pharmac | |
| | Oncology (breast), mrna, next-generation sequencing gene expression profiling of 70 content | | | | | | | | |
| | genes and 31 housekeeping genes, utilizing formalin-fixed paraffin-embedded tissue, algorithm | - | X | - | Х | - | X | - | X |
| | reported as index related to risk to distant metastasis | | | | | | | | |
| 81525 | Oncology (colon), mrna, gene expression profiling by real-time rt-pcr of 12 genes (7 content and | | | | | | | | |
| | 5 housekeeping), utilizing formalin-fixed paraffin embedded tissue, algorithm | X | - | Х | - | Χ | - | Х | - |
| 81528 | Oncology (colorectal) screening, quantitative real-time target and signal amplification of 10 dna | | | | | | | | |
| 01020 | markers (kras mutations, promoter methylation of ndrg4 and bmp3) and fecal he | Х | _ | Х | _ | Х | _ | Х | _ |
| | markers (kias mutations, promoter methylation of hurg4 and binps) and recarne | ^ | | ^ | _ | ^ | | ^ | _ |
| 81529 | Oncology (cutaneous melanoma), mrna, gene expression profiling by real-time rt-pcr of 31 | | | | | | | | |
| | genes (28 content and 3 housekeeping), utilizing formalin-fixed paraffin-embedded tissue, | V | | V | | V | | | |
| | algorithm reported as recurrence risk, including likelihood of sentinel lymph node metastasis | Χ | - | Х | - | X | - | Х | - |
| 0.1 | | | | | | | | | |
| 81535 | Oncology (gynecologic), live tumor cell culture and chemotherapeutic response by dapi stain | V | | V | | Y | | | |
| | and morphology, predictive algorithm reported as a drug response score; first singl | Χ | - | Х | - | X | - | X | - |
| 81536 | Oncology (gynecologic), live tumor cell culture and chemotherapeutic response by dapi stain | | | | | | | | |
| | and morphology, predictive algorithm reported as a drug response score; each additi | X | - | Х | - | X | - | X | - |
| | | | | | | | | | |
| 81538 | Oncology (lung), mass spectrometric 8-protein signature, including amyloid a, utilizing serum, | | | | | | | | |
| | prognostic and predictive algorithm reported as good versus poor overall surviva | - | X | - | X | - | X | - | Χ |
| 04500 | | | | | | | | | |
| 81539 | Oncology (high-grade prostate cancer), biochemical assay of four proteins (total psa, free psa, | | V | | V | | V | | V |
| | intact psa and human kallikrein-2 [hk2]) utilizing plasma or serum, prognostic | - | X | - | Х | - | Х | - | Х |
| 81540 | Oncology (tumor of unknown origin), mrna, gene expression profiling by real-time rt-pcr of 92 | | | | | | | | |
| | genes (87 content and 5 housekeeping) to classify tumor into main cancer type and | Х | - | Х | - | X | - | X | - |
| | | | | | | | | | |
| 81541 | Oncology (prostate), mrna gene exp profil by real-time rt-pcr of 46 genes | X | - | Х | - | Х | - | Х | • |
| 81542 | Onc prostate mrna 22 cnt gen | - | Х | - | X | - | Х | - | Х |
| 81546 | Oncology (thyroid), mrna, gene expression analysis of 10,196 genes, utilizing fine needle | Х | - | Х | - | Χ | - | X | - |
| 81551 | aspirate, algorithm reported as a categorical result (eg, benign or suspicious) Oncology (prostate), promoter methylation profil by real-time pcr of 3 genes | X | - | Х | - | Х | _ | X | - |
| | Onc breast mrna 12 genes | | X | - | X | | X | | X |
| | Pulmonary disease (idiopathic pulmonary fibrosis [ipf]), mrna, gene expression analysis of 190 | | ^ | | ^ | | | | |
| | genes, utilizing transbronchial biopsies, diagnostic algorithm reported as categorical result (eg, | | | 1 | | | | | |
| | positive or negative for high probability of usual interstitial pneumonia [uip]) | Χ | - | Х | - | Х | - | Х | - |
| | | | | | | | | | |
| 81560 | Transplantation medicine (allograft rejection, pediatric liver and small bowel), measurement of | | | | | | | | |
| | donor and third-party-induced cd154+t-cytotoxic memory cells, utilizing whole peripheral blood, | Х | - | Х | - | Χ | - | X | - |
| | algorithm reported as a rejection risk score | | | | | | | | |
| 81595 | Cardiology (heart transplant), mrna, gene expression profiling by real-time quantitative pcr of 20 | | | | | | | [] | |
| | genes (11 content and 9 housekeeping), utilizing subfraction of peripheral b | Х | - | Х | - | Χ | - | X | - |
| | | | | | | | | | |

^{*} These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



| G | Ticalti | Trad | itional Medicaid | Tradi | tional Integrated | Non-Tradition | onal Medicaid | Non-Tradition | nal Integrated |
|-------------|--|-----------------------------|---------------------------------------|--------------------------|--|------------------------|------------------------------------|------------------------|-----------------------------------|
| Codes | Description | Not | Preauthorization | Not | Preauthorization | Not Covered | Preauthorization | Not Covered | Preauthorization |
| Disclaimer | Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, the | Covered ese coding lists | Required s do not reflect information | Covered regarding imm | Required nunizations, injectable drugs | s, or specialty medica | Required ations and should be d | irected to the Pharmac | Required by link option within |
| the website | | 1 | 1 | | 1 | | | | |
| 01090 | Infectious disease, chronic hepatitis c virus (hcv) infection, six biochemical assays (alt, a2- | X | | x | | Х | | X | |
| | macroglobulin, apolipoprotein a-1, total bilirubin, ggt, and haptoglobin) utiliz | ^ | - | ^ | - | ^ | - | ^ | - |
| 81599 | Unlisted maaa | - | Х | - | X | - | Х | - | X |
| 82272 | Blood, occult, by peroxidase activity (eg, guaiac), qualitative, feces, single specimen (eg, from | ., | | ., | | | | | |
| | digital rectal exam) | Х | - | X | - | Х | - | Х | - |
| 82642 | Dihydrotestosterone (dht) | Х | - | Х | - | Х | - | Х | - |
| | Elastase, pancreatic (el-1), fecal; quantitative | Х | - | Х | - | Х | - | Х | - |
| | Assay of doxepin | Х | - | Х | - | Х | - | Х | - |
| 82777 | Assay of galectin-3 | - | Х | - | X | - | Х | - | Х |
| 82962 | Glucose blood test | Х | - | X | - | Х | - | Х | - |
| 83006 | Assay growth hormone (st2) | Х | - | X | - | Х | - | Х | - |
| | Hemoglobin; glycosylated (a1c) by device cleared by fda for home use | Х | - | Х | - | X | - | Х | - |
| 83630 | Lactoferrin, fecal, qualitative | Х | - | X | - | X | - | X | - |
| 83700 | Lipoprotein, blood; electrophoretic separation and quantitation | Х | - | X | - | X | - | X | - |
| 83701 | Lipoprotein, blood; high resolution fractionation and quantitation of lipoproteins including | Х | _ | Х | | Х | | Х | |
| | lipoprotein subclasses when | ^ | - | ^ | - | ^ | - | ^ | - |
| 83704 | Lipoprotein, blood; quantitation of lipoprotein particle numbers and lipoprotein particle | х | _ | х | | Х | | Х | |
| | subclasses (eg, by nuclear mag | ^ | - | ^ | - | ^ | - | ^ | - |
| 83950 | Oncoprotein; her-2/neu | Х | - | Х | - | Х | - | Х | - |
| 83951 | Oncoprotein; des-gamma-carboxy-prothrombin (dcp) | Х | - | X | - | X | - | X | - |
| 83987 | Ph; exhaled breath condensate | Х | - | X | - | X | - | X | - |
| 83992 | Assay for phencyclidine | Х | - | X | - | X | - | X | - |
| 84112 | Placenta alpha micro ig c/v | Х | - | Х | - | Х | - | Х | - |
| 84166 | Protein; electrophoretic fractionation and quantitation, other fluids with concentration (eg, | Х | | Х | | Х | | Х | |
| | urine, csf) | ^ | - | ^ | - | ^ | - | ^ | - |
| 84410 | Testosterone; bioavailable, direct measurement (eg, differential precipitation) | Х | - | X | - | X | - | X | - |
| 84431 | Thromboxane metabolite(s), including thromboxane if performed, urine | Х | - | Х | - | X | - | X | - |
| 84433 | Thiopurine s-methyltransferase (tpmt) | Х | - | Х | - | X | - | X | - |
| 84999 | Clinical chemistry test | - | X | - | X | - | X | - | X |
| 85397 | Coagulation and fibrinolysis, functional activity, not otherwise specified (eg, adamts-13), each | Х | - | X | - | Х | - | Х | - |
| 85999 | analyte | | V | | V | | V | | X |
| | Hematology procedure | - X | Х | - V | X | - V | Х | - | |
| | Allergen specific igg | | - | X | - | X X | - | X | - |
| | Allergen specific ige | Х | - | Х | - | Х | - | X | - |
| 86008 | Allergen specific ige; quantitative or semiquantitative, recombinant or purified component, each | Х | - | Х | - | Х | - | Х | - |
| 86141 | C-reactive protein; high sensitivity (hscrp) | Х | - | Х | - | X | - | X | - |
| 86152 | Cell enumeration | Х | - | Х | - | Х | - | Х | - |
| | Cell enumeration phys interp | Х | - | Х | - | Х | - | Х | - |
| 86301 | Immunoassay, tumor, ca 19-9 | Х | - | Х | - | Х | - | Х | - |
| | Human epididymis protein 4 (he4) | Х | - | Х | - | Χ | - | X | - |
| 86316 | Immunoassay, tumor other | Х | - | Х | - | Χ | - | X | - |
| 86335 | Immunofixation electrophoresis; other fluids with concentration (eg, urine, csf) | Х | - | Х | - | Χ | - | X | - |
| 86336 | Inhibin a | Х | - | Х | - | X | - | X | - |

^{*} These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



| 9 | nealti | Trad | itional Medicaid | Tradit | tional Integrated | Non-Traditio | onal Medicaid | Non-Traditio | nal Integrated |
|-------------|--|----------------------------|---------------------------------------|-----------------------|--|--------------|----------------------------------|--------------|-----------------------------------|
| Codes | Description | Not | Preauthorization | Not | Preauthorization | Not Covered | Preauthorization | Not Covered | Preauthorization |
| Disclaimer: | Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, the | Covered se coding lists | Required s do not reflect information | Covered regarding imm | Required unizations, injectable drugs | | Required ations and should be of | | Required by link option within |
| the website | Cellular function assay involving stimulation (eg, mitogen or antigen) and detection of | 1 | 1 | | | I | T | | |
| 00332 | biomarker (eg, atp) | Х | - | Х | - | X | - | Х | - |
| 86386 | NcIr mtrx prtn 22 (nmp22), gual | Х | - | Х | _ | Х | _ | Х | |
| | Antibody to hla class i/ii antigen | - | Х | - | X | - | Х | - | Х |
| | Antibody id by hla phnotyp class i | _ | X | _ | X | - | X | _ | X |
| | Antibody id by hla phnotyp class ii | - | X | - | X | - | X | - | X |
| | Semi-guant panel hla class i | - | Х | - | Х | - | Х | - | Х |
| 86835 | Semi-guant panel hla class ii | - | Х | - | Х | - | Х | - | Х |
| 86849 | Immunology procedure | - | Х | - | Х | - | Х | - | Х |
| | Blood typing, paternity test | Х | - | Х | - | Х | - | Х | - |
| | Blood typing, antigen system | Х | - | Х | - | Х | - | Х | - |
| 86999 | Transfusion procedure | - | Х | - | X | - | Х | - | Х |
| | Culture, typing; identification by nucleic acid sequencing method, each isolate (eg, sequencing | ., | | V | | V | | ٧, | |
| | of the 16s rrna gene) | Х | - | Х | - | Х | - | Х | - |
| 87255 | Virus isolation; including identification by non-immunologic method, other than by cytopathic | Х | _ | V | | Х | | Х | |
| | effect (eg, virus specific | ^ | - | Х | • | ^ | - | ^ | , |
| 87267 | Infectious agent antigen detection by immunofluorescent technique; enterovirus, direct | Х | | х | | Х | | Х | |
| | fluorescent antibody (dfa) | ^ | - | ^ | | ^ | - | ^ | , |
| 87271 | Infectious agent antigen detection by immunofluorescent technique; cytomegalovirus, direct | Х | _ | Х | | Х | _ | Х | |
| | fluorescent antibody (dfa) | ^ | - | ^ | | ^ | | ^ | |
| 87305 | Infectious agent antigen detection by enzyme immunoassay technique, qualitative or | х | _ | х | _ | Х | _ | Х | _ |
| | semiquantitative, multiple-step metho | ^ | | ^ | | ^ | | ^ | |
| 87634 | Infectious agent detection by nucleic acid; resp syncytial virus, amplified probe techn | _ | _ | _ | _ | Х | _ | X | _ |
| | | | | | | | | | |
| 87803 | Infectious agent antigen detection by immunoassay with direct optical observation; clostridium | х | _ | X | - | x | _ | X | - |
| 07000 | difficile toxin a | | | | | | | | |
| 87808 | Infectious agent antigen detection by immunoassay with direct optical observation; | Х | - | Х | - | х | _ | X | - |
| 07000 | trichomonas vaginalis | | | | | | | | |
| 87809 | Infectious agent antigen detection by immunoassay with direct optical observation; adenovirus | Х | - | Х | - | X | - | Х | - |
| 07005 | Infrastrum and the control of the college of the co | | | | | | | | |
| 67905 | Infectious agent enzymatic activity other than virus (eg, sialidase activity in vaginal fluid) | - | - | - | - | Х | - | X | - |
| 87906 | Canatina das hiu savara t | Х | | Х | | Х | | X | |
| | Genotype dna hiv reverse t Microbiology procedure | | X | | X | | X | | X |
| | Autopsy (necropsy), gross | X | - | X | - | X | - | X | |
| | Autopsy (necropsy), gross Autopsy (necropsy), gross | X | - | X | - | X | - | X | - |
| | Autopsy (necropsy), gross Autopsy (necropsy), gross | X | - | X | - | X | - | X | - |
| | Autopsy (necropsy), gross Autopsy (necropsy), gross | X | - | X | - | X | - | X | - |
| 88014 | Autopsy (necropsy), gross Autopsy (necropsy), gross | X | - | X | - | X | - | X | - |
| | Autopsy (necropsy), gross | X | - | X | - | X | _ | X | _ |
| | Autopsy (necropsy), gross Autopsy (necropsy), complete | X | - | X | - | X | _ | X | _ |
| | Autopsy (necropsy), complete | X | - | X | - | X | _ | X | - |
| | Autopsy (necropsy), complete | X | - | X | - | X | _ | X | - |
| | Autopsy (necropsy), complete | X | - | X | - | X | _ | X | - |
| | Autopsy (necropsy), complete | X | | X | | X | + | X | |

^{*} These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



| | Ticalti | Tradi | tional Medicaid | Tradi | tional Integrated | Non-Traditio | nal Medicaid | Non-Tradition | nal Integrated |
|----------------|--|----------------------------|-------------------------------------|--------------------------|--|--------------|-----------------------------------|---------------|-----------------------------------|
| Codes | Description | Not | Preauthorization | Not | Preauthorization | Not Covered | Preauthorization | Not Covered | Preauthorization |
| Disclaimer: | Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, the | Covered se coding lists | Required do not reflect information | Covered regarding imm | Required nunizations, injectable drugs | | Required tions and should be d | | Required by link option within |
| the website | | | | | T | | 1 | | |
| | Limited autopsy | X | - | X | - | X | - | X | • |
| 88037 | Limited autopsy | X | - | X | - | X | - | X | - |
| 88040 | Forensic autopsy (necropsy) | X | - | X | - | X | - | X | - |
| 88045 88099 | Coroner's autopsy (necropsy) | Χ | - | X - | - | X - | - | X | - V |
| 88199 | Necropsy (autopsy) procedure | - | X | - | X | - | X | - | X |
| 88230 | Cytopathology procedure | - X | X - | | X - | - X | | | . X |
| 88233 | Tissue culture, lymphocyte | X | - | X | - | X | - | X | |
| 88235 | Tissue culture, skin/biopsy | | - | | - | | - | X | - |
| 88237 | Tissue culture, placenta | X - | | X | | X - | | - X | |
| 88239 | Tissue culture, bone marrow | | X | | X | | Х | | Х |
| | Tissue culture, tumor | X | - | X | - | X | - | X | - |
| 88240 | Cell cryopreserve/storage | X | - | X | - | X | - | X | - |
| 88241 | Frozen cell preparation | X | - | X | - | X | - | X | - |
| 88245 | Chromosome analysis, 20-25 | X | - | X | - | X | - | X | - |
| 88248 | Chromosome analysis, 50-100 | X | - | X | - | X | - | X | - |
| 88249 | Chromosome analysis, 100 | X | - | X | - | X | - | X | - |
| 88261 | Chromosome analysis, 5 | X | - | X | - | X | - | X | - |
| 88262 | Chromosome analysis, 15-20 | X | - | X | - | X | - | X | - |
| 88263 | Chromosome analysis, 45 | Χ | - | Х | - | Х | - | Х | - |
| 88264 | Chromosome analysis, 20-25 | - | X | - | X | - | Х | - | Х |
| 88267 | Chromosome analys, placenta | X | - | Х | - | X | - | X | - |
| 88269 | Chromosome analys, amniotic | Χ | - | Х | - | Х | - | Х | - |
| 88271 | Cytogenetics, dna probe | - | X | - | X | - | X | - | X |
| 88272 | Cytogenetics, 3-5 | - | X | - | X | - | Х | - | Х |
| 88273 | Cytogenetics, 10-30 | X | - | X | - | X | - | X | - |
| 88274 | Cytogenetics, 25-99 | Χ | - | Х | - | Х | - | Х | - |
| 88275 | Cytogenetics, 100-300 | - | X | - | X | - | X | - | X |
| 88280 | Chromosome karyotype study | - | X | - | X | - | Х | - | Х |
| 88283 | Chromosome banding study | Χ | - | Х | - | Х | - | Х | - |
| 88285 | Chromosome count, additional | - | X | - | X | - | Х | - | Х |
| 88289 | Chromosome study, additional | Χ | - | Х | - | Х | - | X | - |
| 88291 | Cyto/molecular report | - | X | - | X | - | Х | - | X |
| 88299 | Cytogenetic study | - | X | - | X | - | Х | - | Х |
| 88367 | Morphometric analysis, in situ hybridization, (quantitative / semi-quant) ea probe; by computer- | - | X | - | X | - | X | - | X |
| 00000 | assisted technology | | | | | | | | |
| 88368 | Morphometric analysis, in situ hybridization, (quantitative or semi-quantitative) each probe; | _ | X | - | Х | _ | х | _ | X |
| | manual | | | | | | | | |
| 88399 | Surgical pathology procedure | - | X | - | Х | - | Х | - | X |
| 88738 | Hemoglobin (hgb), quantitative, transcutaneous | Χ | - | Х | - | Х | - | Х | - |
| 88740 | Hemoglobin, quantitative, transcutaneous, per day; carboxyhemoglobin | Χ | - | Х | - | Х | - | Х | - |
| 88741 | Hemoglobin, quantitative, transcutaneous, per day; methemoglobin | Х | - | Х | - | Х | - | Х | - |
| 88749 | In vivo lab service | - | X | - | X | - | Х | - | X |
| 89055 | Leukocyte count, fecal | Х | - | Х | - | Х | - | Х | - |
| 89240 | Unlisted miscellaneous pathology test | - | X | - | X | - | Х | - | X |
| 89250 | Fertilization of oocyte | Χ | - | X | - | X | - | X | - |

^{*} These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



| S | nealti | Trad | itional Medicaid | Tradi | tional Integrated | Non-Tradition | onal Medicaid | Non-Tradition | nal Integrated |
|----------------|--|------------------------------|--|--------------------------|--|---------------|------------------------------------|---------------|-----------------------------------|
| Codes | Description | Not | Preauthorization | Not | Preauthorization | Not Covered | Preauthorization | | Preauthorization |
| Disclaimer: | Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, the | Covered lese coding lists | Required s do not reflect information | Covered regarding imm | Required unizations, injectable drugs | | Required ations and should be d | | Required by link option within |
| the website | | | 1 | 1 | T | ı | T | 1 | , ,,,,, |
| | Culture oocyte w/embryos | X | - | X | - | X | - | X | - |
| | Embryo hatching | X | - | X | - | X | - | X | - |
| 89254 | Oocyte identification | X | - | X | - | X | - | X | - |
| 89255 89257 | Prepare embryo for transfer | X | - | X | - | X | - | X | - |
| 89258 | Sperm identification | X | - | X | - | X | - | X | - |
| 89259 | Cryopreservation, embryo | X | - | X | - | X | - | X | - |
| 89260 | Cryopreservation, sperm Sperm isolation, simple | X | - | X | - | X | - | X | - |
| 89261 | Sperm isolation, simple Sperm isolation, complex | X | - | X | - | X | - | X | - |
| | , , | X | - | X | - | X | - | X | - |
| 89268 | Identify sperm tissue | | - | | - | | - | | - |
| | Insemination of oocytes | X | - | X | - | X | - | X | - |
| 89272 | Extended culture of oocyte(s)/embryo(s), 4-7 days | X | - | X | - | X | - | X | - |
| 89280 | Assisted oocyte fertilization, microtechnique; less than or equal to 10 oocytes | X | - | X | - | X | - | X | - |
| | Assisted oocyte fertilization, microtechnique; greater than 10 oocytes | _ ^ | - | | - | ^ | - | ^ | - |
| 09290 | Biopsy, oocyte polar body or embryo blastomere, microtechnique; less than or equal to 5 | Х | - | Х | - | Х | - | X | - |
| 89291 | embryos | | | | | | | | |
| 09291 | Biopsy, oocyte polar body or embryo blastomere, microtechnique; greater than 5 embryos | X | - | X | - | Х | - | Х | - |
| 89300 | Semen analysis | Х | - | Х | - | Х | - | Х | - |
| 89310 | Semen analysis | Х | - | Х | - | Х | - | Х | - |
| 89320 | Semen analysis | Х | - | Х | - | Х | - | Х | - |
| 89321 | Semen analysis | Х | - | Х | - | Х | - | Х | - |
| 89322 | Semen analysis; volume, count, motility, and differential using strict morphologic criteria (eg, | | | | | | | | |
| | kruger) | X | - | X | - | Х | - | X | - |
| 89325 | Sperm antibody test | Х | - | Х | - | Х | - | Х | - |
| 89329 | Sperm evaluation test | Х | - | Х | - | Х | - | Х | - |
| 89330 | Evaluation, cervical mucus | Х | - | Х | - | Х | - | Х | - |
| 89331 | Sperm evaluation, for retrograde ejaculation, urine (sperm concentration, motility, and | Х | - | Х | - | Х | - | Х | - |
| | morphology, as indicated) | | | | | | | | |
| | Cryopreservation, reproductive tissue, testicular | Х | - | Х | - | Х | - | Х | - |
| | Cryopreservation, mature oocyte(s) | X | - | Х | - | X | - | X | - |
| 89342 | Storage, (per year); embryo(s) | Х | - | Х | - | Х | - | Х | - |
| 89343 | Storage, (per year); sperm/semen | Х | - | Х | - | Х | - | Х | - |
| | Storage, (per year); reproductive tissue, testicular/ovarian | X | - | X | - | X | - | X | - |
| 89346 | Storage, (per year); oocyte | Х | - | Х | - | Х | - | Х | - |
| | Thawing of cryopreserved; embryo(s) | Х | - | Х | - | Х | - | Х | - |
| | Thawing of cryopreserved; sperm/semen, each aliquot | Х | - | Х | - | Х | - | Х | - |
| | Thawing of cryopreserved; reproductive tissue, testicular/ovarian | Х | - | Х | - | Х | - | Х | - |
| 89356 | Thawing of cryopreserved; oocytes, each aliquot | Х | - | Х | - | Х | - | Х | - |
| 89398 | Unlisted reproductive medicine laboratory procedure | Х | - | Х | - | Х | - | Х | - |
| 90399 | Immune globulin | - | Х | - | X | - | Х | - | Х |
| | Vaccine toxoid | - | X | - | X | - | Х | - | Х |
| | Psytx pt & fam - 30 mins | - | Х | - | X | - | Х | - | Х |
| | Psytx pt & fam w/ e/m 30 mins | - | X | - | X | - | Х | - | Х |
| 90834 | Psytx pt & fam 45 mins | - | X | - | X | - | Х | - | X |

^{*} These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



| | Ticalui | Trad | itional Medicaid | Tradi | tional Integrated | Non-Tradition | onal Medicaid | Non-Tradition | nal Integrated |
|-------------|--|----------------------------|--|-----------------------|---------------------------------------|---------------|------------------------------------|---------------|-----------------------------------|
| Codes | Description | Not | Preauthorization | Not | Preauthorization | Not Covered | Preauthorization | Not Covered | Preauthorization |
| Disclaimer: | Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, the | Covered se coding lists | Required do not reflect information | Covered regarding imm | Required unizations, injectable drugs | | Required ations and should be d | | Required by link option within |
| the website | | | , | | , | 1 | | T | 1 |
| | Psytx pt & fam /w e&m 45 min | - | X | - | X | - | X | - | X |
| | Psytx pt & fam 60 mins | - | X | - | X | - | X | - | X |
| | Psytx pt & fam /w e&m 60 min | - | X | - | X | - | X | - | X |
| | Psytx crisis initial 60 mins | - | X | - | X | - | X | - | X |
| | Psychotherapy for crisis; ea addl 30 min | - | X | - | X | - | Х | - | Х |
| | Psychoanalysis | Х | - | Х | - | Х | - | Х | - |
| | Family psytx w/o patient | - | X | - | X | - | X | - | X |
| | Family psytx w/patient | - | X | - | X | - | X | - | X |
| | Multiple family group psytx | - | X | - | X | - | X | - | X |
| | Group psychotherapy | - | Х | - | X | - | Х | - | Х |
| | Pharmacologic mgmt w/psytx | Х | - | Х | - | Х | - | Х | - |
| 90867 | Therapeutic repetitive transcranial magnetic stimulation (tms) treatment; initial, including | | | | | | | | |
| | cortical mapping, motor threshold determination, delivery and management | Х | - | Х | - | Х | - | X | - |
| | | | | | | | | | |
| | Tcranial magn stim tx deli | Х | - | Х | - | Х | - | Х | - |
| 90869 | Therapeutic repetitive transcranial magnetic stimulation (tms) treatment; subsequent motor | Х | _ | х | - | Х | _ | X | _ |
| | threshold re-determination with delivery and management | | | | | | | | |
| | Psychophysiological therapy | Х | - | X | - | Х | - | Х | - |
| | Psychophysiological therapy | Х | - | Х | - | Х | - | Х | - |
| | Hypnotherapy | X | - | Х | - | Х | - | Х | - |
| 90882 | Environmental manipulation | Х | - | Х | - | Х | - | Х | - |
| | Biofeedback train, any meth | Х | - | Х | - | Х | - | Х | - |
| 90912 | Biofeedback training, perineal muscles, anorectal or urethral sphincter, including emg and/or | | | | | | | | |
| | manometry, when performed; initial 15 minutes of one-on-one physician or other qualified | Χ | - | X | - | Х | - | X | - |
| | health care professional contact with the patient | | | | | | | | |
| 90913 | Biofeedback training, perineal muscles, anorectal or urethral sphincter, including emg and/or | | | | | | | | |
| | manometry, when performed; each additional 15 minutes of one-on-one physician or other | Х | _ | X | - | X | _ | X | _ |
| | qualified health care professional contact with the patient (list separately in addition to code for | | | | | | | | |
| | primary procedure) | | | | | | | | |
| 90963 | End-stage renal disease (esrd) related services for home dialysis per full month, for patients | Х | _ | Х | _ | Х | _ | X | _ |
| | younger than 2 years of a | | | | | | | | |
| 90964 | End-stage renal disease (esrd) related services for home dialysis per full month, for patients 2-11 | Х | _ | Х | _ | Х | _ | X | _ |
| | years of age to incl | | | , , | | | | | |
| 90965 | End-stage renal disease (esrd) related services for home dialysis per full month, for patients 12- | Х | _ | Х | _ | Х | _ | x | _ |
| | 19 years of age to inc | | | | | , | | ļ | |
| 90966 | End-stage renal disease (esrd) related services for home dialysis per full month, for patients 20 | Х | _ | Х | _ | Х | _ | x | _ |
| | years of age and older | | | | | | | | |
| | Dialysis training, complete | X | - | Х | - | Х | - | Х | - |
| | Dialysis training, incompl | Х | - | Х | - | Х | - | Х | - |
| | Colon motility 6 hr study | Х | - | Х | - | Х | - | Х | - |
| 91120 | Rectal sensation, tone, and compliance test (ie, response to graded balloon distention) | Х | - | Х | - | Х | - | х | - |
| 91299 | Gastroenterology procedure | - | Х | - | Х | | Х | - | Х |
| | Refraction | Х | - | Х | - | Х | - | Х | - |
| | Eye exam & treatment | - | - | - | - | Х | - | Х | - |

^{*} These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



| | nealui | Trad | itional Medicaid | Tradit | tional Integrated | Non-Tradition | onal Medicaid | Non-Tradition | nal Integrated |
|-------------|--|-----------------------------|---------------------------------------|--------------------------|--|---------------|------------------------------------|---------------|-----------------------------------|
| Codes | Description | Not | Preauthorization | Not | Preauthorization | Not Covered | Preauthorization | Not Covered | Preauthorization |
| Disclaimer: | Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, the | Covered ese coding lists | Required s do not reflect information | Covered regarding imm | Required unizations, injectable drugs | | Required ations and should be d | | Required by link option within |
| the website | | - 1 | 1 | 1 ,, | | | T | | |
| | Orthoptic/pleoptic training | Х | - | Х | - | Х | - | Х | - |
| 92066 | Orthoptic training; under supervision of a physician or other qualified health care professional | Х | - | Х | - | Х | - | Х | - |
| 92071 | Fitting of contact lens for treatment of ocular surface disease | - | - | - | - | Х | - | Х | - |
| 92072 | Fitting of contact lens for management of keratoconus, initial fitting | - | - | - | • | Х | - | Х | |
| | Serial tonometry exam(s) | - | - | - | • | Х | - | Х | - |
| 92145 | Corneal hysteresis deter | Х | - | Х | - | X | - | X | - |
| 92287 | Internal eye photography | - | - | - | - | X | - | X | - |
| | Contact lens fitting | - | - | - | - | Х | - | X | - |
| | Contact lens fitting | - | - | - | - | X | - | X | - |
| | Contact lens fitting | - | - | - | - | X | - | X | - |
| | Contact lens fitting | - | - | - | - | Х | - | Х | - |
| | Prescription of contact lens | - | - | - | - | Х | - | X | • |
| | Prescription of contact lens | - | - | - | - | X | - | X | - |
| | Prescription of contact lens | - | - | - | - | X | - | X | - |
| | Prescription of contact lens | - | - | - | - | X | - | X | - |
| | Modification of contact lens | - | - | - | - | X | - | X | - |
| | Replacement of contact lens | - | - | - | - | Х | - | Х | - |
| | Fitting of spectacles | - | - | - | - | Х | - | Х | - |
| | Fitting of spectacles | - | - | - | - | X | - | X | - |
| | Fitting of spectacles | - | - | - | - | X | - | X | - |
| | Special spectacles fitting | - | X | - | Х | Х | - | Х | - |
| | Special spectacles fitting | - | X | - | X | X | - | Х | - |
| | Special spectacles fitting | - | - | - | - | X | - | Х | - |
| | Special spectacles fitting | - | - | - | - | Х | - | Х | - |
| | Eye prosthesis service | - | Х | - | Х | - | X | - | X |
| | Repair & adjust spectacles | Х | - | Х | - | Х | - | Х | - |
| | Repair & adjust spectacles | - | Х | - | X | - | Х | - | Х |
| | Eye service or procedure | - | Х | - | X | - | Х | - | Х |
| | Speech/hearing therapy | - | X | - | Х | Х | - | Х | - |
| | Speech/hearing therapy | - | Х | - | X | - | Х | - | Х |
| | Evaluation of speech fluency | - | - | - | - | Х | - | Х | - |
| | Evaluate speech production | - | - | - | - | Х | - | Х | - |
| | Speech sound lang comprehen | - | - | - | - | Х | - | Х | - |
| 92524 | Behavral qualit analys voice | Х | - | Х | - | Х | - | Х | - |
| | Oral function therapy | - | X | - | X | - | Х | - | Х |
| | Hearing aid exam, one ear | - | - | - | - | Х | - | Х | - |
| | Hearing aid exam, both ears | - | - | - | - | Х | - | X | - |
| | Hearing aid check, one ear | - | - | - | - | X | - | X | - |
| | Hearing aid check, both ears | - | - | - | - | X | - | X | - |
| | Electro hearng aid test, one | - | - | - | - | Х | - | X | - |
| | Electro hearing aid tst, both | - | - | - | - | Х | - | Х | - |
| 92597 | Evaluation for use and/or fitting of voice prosthetic device to supplement oral speech | Х | - | Х | - | Х | - | Х | - |

^{*} These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



| G | Ticalui | Trad | itional Medicaid | Tradi | tional Integrated | Non-Tradition | onal Medicaid | Non-Tradition | nal Integrated |
|-------------|--|----------------------------|---------------------------------------|--------------------------|--|---------------|---------------------------------|---------------|-----------------------------------|
| Codes | Description | Not | Preauthorization | Not | Preauthorization | Not Covered | Preauthorization | Not Covered | Preauthorization |
| Disclaimer: | Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, the | Covered se coding lists | Required s do not reflect information | Covered regarding imm | Required nunizations, injectable drugs | | Required ations and should be d | | Required by link option within |
| the website | | | I | 1 | I | | | | |
| 92601 | Diagnostic analysis of cochlear implant, patient under 7 years of age; with programming | - | - | - | - | Х | - | Х | - |
| 92602 | Diagnostic analysis of cochlear implant, patient under 7 years of age; subsequent | | | | | | | | |
| | reprogramming | - | - | - | - | Х | - | Х | - |
| 92603 | Diagnostic analysis of cochlear implant, age 7 years or older; with programming | - | - | - | - | Х | - | Х | - |
| 92604 | Diagnostic analysis of cochlear implant, age 7 years or older; subsequent reprogramming | | | | | Х | | Х | |
| | | | - | _ | - | ^ | - | ^ | - |
| 92605 | Evaluation for prescription of non-speech-generating augmentative and alternative | Х | _ | X | _ | Х | _ | Х | _ |
| | communication device, face-to-face with the patient; first hour | | | ^ | | | | , | |
| 92606 | Therapeutic service(s) for the use of non-speech-generating device, including programming and | Х | _ | Х | _ | Х | _ | X | _ |
| | modification | , , | | | | | | | |
| 92607 | Evaluation for prescription for speech-generating augmentative and alternative communication | _ | x | _ | X | Х | _ | X | - |
| 22222 | device, face-to-face with t | | | | | | | | |
| 92608 | Evaluation for prescription for speech-generating augmentative and alternative communication | - | X | - | X | Х | - | X | - |
| 22222 | device, face-to-face with t | | | | | | | | |
| 92609 | Therapeutic services for the use of speech-generating device, including programming and | - | X | - | X | Х | - | Х | - |
| 00040 | modification | | | | | ., | | | |
| | Evaluation of oral and pharyngeal swallowing function | - | - | - | - | Х | - | Х | - |
| 92618 | Evaluation for prescription of non-speech-generating augmentative and alternative | V | | V | | V | | V | |
| | communication device, face-to-face with the patient; each additional 30 minutes (list separat | Х | - | Х | - | Х | - | X | - |
| 92625 | Assessment of tinnitus (includes pitch, loudness matching, and masking) | - | - | - | - | Х | - | Х | - |
| 92626 | Evaluation of auditory rehabilitation status; first hour | - | Х | - | Х | Х | - | Х | - |
| 92627 | Evaluation of auditory rehabilitation status; each additional 15 minutes (list separately in | | Х | | Х | Х | | Х | |
| | addition to code for primar | - | ^ | _ | ^ | ^ | - | ^ | - |
| 92630 | Auditory rehabilitation; pre-lingual hearing loss | - | - | - | - | Х | - | Х | - |
| 92633 | Auditory rehabilitation; post-lingual hearing loss | - | - | | - | X | - | X | - |
| | Diagnostic analysis with programming of auditory brainstem implant, per hour | - | - | - | - | X | - | X | - |
| | Unlisted otorhinolaryngological service or procedure | - | X | - | X | - | X | - | X |
| 92970 | Cardioassist, internal | Х | - | Х | - | X | - | X | - |
| 92971 | Cardioassist, external | Х | - | Х | - | X | - | X | - |
| 92972 | Percutaneous transluminal coronary lithotripsy (list separately in addition to code for primary | Х | _ | х | _ | _ | _ | _ | _ |
| | procedure) | | | | | | | | |
| 92973 | Percutaneous transluminal coronary thrombectomy (list separately in addition to code for | - | x | - | X | - | X | - | X |
| 00074 | primary procedure) | | | | | | | | |
| 92974 | Transcatheter placement of radiation delivery device for subsequent coronary intravascular | Х | - | Х | - | Х | - | Х | - |
| 00050 | brachytherapy (list sep) | | | | | | | | |
| 93050 | Arterial pressure waveform analysis for assessment of central arterial pressures, includes | | V | | | | v | | V |
| | obtaining waveform(s), digitization and application of nonlinear mathematical transf | - | X | - | X | - | X | - | Х |
| | Ecg/signal-averaged | Х | - | Х | - | Х | - | Х | - |
| 93352 | Use of echocardiographic contrast agent during stress echocardiography (list separately in | Х | _ | Х | | Х | | Х | |
| | addition to code for primary | ^ | | | | ^ | | ^ | |
| 93580 | Percutaneous transcatheter closure of congenital interatrial communication (ie, fontan | | Х | | Х | | Х | | Х |
| | fenestration, atrial septal defec | - | ^ | _ | ^ | _ | ^ | _ | ^ |

^{*} These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



| | nealui | Trad | itional Medicaid | Tradi | tional Integrated | Non-Tradition | onal Medicaid | Non-Traditio | nal Integrated |
|-------------|---|----------------------------|--|-----------------------|---------------------------------------|---------------|---------------------------------------|--------------|-----------------------------------|
| Codes | Description | Not | Preauthorization | Not | Preauthorization | Not Covered | Preauthorization | Not Covered | Preauthorization |
| Disclaimer: | Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, the | Covered se coding lists | Required do not reflect information | Covered regarding imm | Required unizations, injectable drugs | | Required ations and should be d | | Required cv link option within |
| the website | | | 1 | J | , , 3rage | , | 1 | | |
| 93590 | Percutaneous transcatheter closure of paravalvular leak; initial occlusion device, mitral valve | Х | - | Х | - | х | - | Х | - |
| 93591 | Percutaneous transcatheter closure of paravalvular leak; initial occlusion device, aortic valve | Х | - | Х | - | х | - | Х | - |
| 93592 | Percutaneous transcatheter closure of paravalvular leak; each additional occlusion device (list separately in addition to code for primary procedure) | Х | - | Х | - | Х | - | Х | - |
| 93668 | Peripheral vascular rehab | Χ | - | X | - | X | - | Х | - |
| 93702 | Bis xtracell fluid analysis | - | X | - | X | - | Х | - | Х |
| 93750 | Interrogation of ventricular assist device (vad), in person, with physician analysis of device parameters (eg, driveline | Х | - | Х | - | х | - | Х | - |
| 93784 | Ambulatory bp monitoring | Х | - | Х | - | Х | _ | Х | - |
| | Ambulatory bp recording | X | - | X | - | X | _ | X | - |
| | Ambulatory bp analysis | X | - | X | - | X | - | X | - |
| | Review/report bp recording | X | - | X | - | X | _ | X | - |
| | Patient/caregiver training for initation of home international normalized ratio monitor | X | - | X | - | X | - | X | - |
| 93793 | Anticoagulant manage for patient taking warfarin, when preformed | Х | _ | Х | _ | Х | _ | Х | _ |
| | Cardiac rehab | X | _ | X | | X | _ | X | _ |
| | Cardiac rehab/monitor | X | _ | X | - | X | _ | X | _ |
| | Cardiovascular procedure | - | Х | - | Х | - | Х | - | Х |
| | Transcranial doppler study of the intracranial arteries; emboli detection without intravenous | | | | X | | , , , , , , , , , , , , , , , , , , , | | |
| 20002 | microbubble injection | Х | - | X | - | X | - | X | - |
| 93893 | Transcranial doppler study of the intracranial arteries; emboli detection with intravenous | | | | | | | | |
| 00000 | microbubble injection | Х | - | X | - | X | - | X | - |
| 93895 | Carotid intima atheroma eval | _ | Х | | Х | _ | Х | _ | Х |
| | Unlisted noninvasive vascular diagnostic study | - | X | _ | X | _ | X | _ | X |
| | Ventilation assist and management, initiation of pressure or volume preset ventilators for | | Λ | | Λ | _ | , A | _ | Α |
| | assisted or controlled breath | Х | - | Х | - | Х | - | Х | - |
| 94005 | Home ventilator management care plan oversight of a patient (patient not present) in home, domiciliary or rest home (eg, | Х | - | Х | - | х | - | Х | - |
| 94011 | Measurement of spirometric forced expiratory flows in an infant or child through 2 years of age | - | - | - | - | х | - | Х | - |
| 94012 | Measurement of spirometric forced expiratory flows, before and after bronchodilator, in an infant or child through 2 yea | - | - | - | - | х | - | Х | - |
| 94013 | Measurement of lung volumes (ie, functional residual capacity [frc], forced vital capacity [fvc], | - | - | - | - | Х | - | Х | - |
| 04046 | and expiratory reserve | | | V/ | | | | V | |
| | Review patient spirometry | X | - | X | - | X | - | X | - |
| | High altitude simulation test (hast), with physician interpretation and report; | Х | - | Х | - | Х | - | Х | - |
| | High altitude simulation test (hast), with physician interpretation and report; with supplemental oxygen titration | Х | - | Х | - | Х | - | Х | - |
| 94645 | Continuous inhalation treatment with aerosol medication for acute airway obstruction; each additional hour (list separat | - | - | - | - | х | - | Х | - |
| 94669 | Mechanical chest wall oscill | Х | - | Х | - | Х | - | Х | - |
| 94760 | Measure blood oxygen level | Х | - | Х | - | Х | - | Х | - |
| | Measure blood oxygen level | - | _ | - | - | X | _ | X | _ |

^{*} These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



| | | | itional Medicaid | | tional Integrated | Non-Tradition | onal Medicaid | Non-Tradition | nal Integrated |
|-------------|--|----------------------------|---------------------------------------|--------------------------|---------------------------------------|------------------------|---------------------------------|-----------------------|----------------------------------|
| Codes | Description | Not | Preauthorization | Not | Preauthorization | Not Covered | Preauthorization | Not Covered | Preauthorization |
| | Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, the | Covered se coding lists | Required s do not reflect information | Covered regarding imm | Required unizations, injectable drugs | s, or specialty medica | Required ations and should be d | rected to the Pharmac | Required y link option within |
| the website | Breath recording, infant | _ | _ | _ | _ | Х | _ | Х | _ |
| | Pediatric home apnea monitoring event recording including respiratory rate, pattern and heart | - | - | - | - | | - | ^ | |
| 34774 | rate per 30-day period of | Х | - | Х | - | X | - | X | - |
| 94775 | Pediatric home apnea monitoring event recording including respiratory rate, pattern and heart | | | | | | | | |
| 00 | rate per 30-day period of | Х | - | Х | - | Х | - | X | - |
| 94776 | Pediatric home apnea monitoring event recording including respiratory rate, pattern and heart | | | | | | | | |
| | rate per 30-day period of | Х | - | X | - | Х | - | X | - |
| 94777 | Pediatric home apnea monitoring event recording including respiratory rate, pattern and heart | ., | | ., | | | | ., | |
| | rate per 30-day period of | Х | - | X | - | Х | - | Х | - |
| 94780 | Car seat/bed testing for airway integrity, neonate, with continual nursing observation and | | | | | | | | |
| | continuous recording of pulse oximetry, heart rate and respiratory rate, with interp | Х | - | Х | - | X | - | X | - |
| | | | | | | | | | |
| 94781 | Car seat/bed testing for airway integrity, neonate, with continual nursing observation and | | | | | | | | |
| | continuous recording of pulse oximetry, heart rate and respiratory rate, with interp | Х | - | X | - | Х | - | X | - |
| | | | | | | | | | |
| | Pulmonary service/procedure | - | X | - | X | - | X | - | X |
| 95120 | Immunotherapy, one injection | Х | - | X | - | X | - | X | - |
| 95125 | Immunotherapy, many antigens | Х | - | X | - | X | - | X | - |
| | Immunotherapy, insect venom | - | - | - | - | X | - | X | - |
| 95131 | Immunotherapy, insect venoms | - | - | - | - | X | - | X | - |
| 95132 | Immunotherapy, insect venoms | - | - | - | - | X | - | X | - |
| 95133 | Immunotherapy, insect venoms | - | - | - | - | X | - | X | - |
| | Immunotherapy, insect venoms | - | - | - | - | X | - | X | - |
| 95199 | Allergy immunology services | - | X | - | X | - | Х | - | X |
| 95782 | Polysom <6 yrs 4/> paramtrs | - | - | - | - | X | - | X | - |
| | Polysom <6 yrs cpap/bilvl | - | - | - | - | X | - | X | - |
| 95803 | Actigraphy testing, recording, analysis, interpretation, and report (minimum of 72 hours to 14 | X | _ | X | _ | Х | _ | Х | _ |
| | consecutive days of recor | | | | | | | | |
| 95822 | Electroencephalogram (eeg); recording in coma or sleep only | X | - | X | - | Х | - | X | - |
| 95873 | Electrical stimulation for guidance in conjunction with chemodenervation (list separately in | X | _ | х | _ | Х | _ | × | _ |
| | addition to code for primar | ^ | | ^ | | | | ^ | |
| 95939 | Central motor evoked potential study (transcranial motor stimulation); in upper and lower limbs | Х | _ | Х | _ | Х | _ | x | _ |
| | | , , | | , , | | | | , | |
| 95965 | Magnetoencephalography (meg), recording and analysis; for spontaneous brain magnetic | Х | _ | Х | - | Х | _ | X | - |
| | activity | | | | | | | | |
| 95966 | Magnetoencephalography (meg), recording and analysis; for evoked magnetic fields, single | Х | _ | Х | - | Х | _ | X | _ |
| | modality | | | ļ | | , | | | |
| 95967 | Magnetoencephalography (meg), recording and analysis; for evoked magnetic fields, each | х | _ | X | _ | Х | _ | x | - |
| 05000 | additional modality | | | | | | | | |
| 95999 | Neurological procedure | - | Х | - | X | - | Х | - | Х |
| 96000 | Comprehensive computer-based motion analysis by video-taping and 3-d kinematics | Х | - | Х | _ | Х | - | X | - |
| 00001 | | | | | | | | | |
| 96001 | Comprehensive computer-based motion analysis by video-taping and 3-d kinematics; with | Х | - | Х | - | Х | - | X | - |
| | plantar pressure measurements | | | | | | | | |

^{*} These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



| | | | itional Medicaid | | tional Integrated | Non-Tradition | onal Medicaid | Non-Traditio | nal Integrated |
|-------------|---|----------------|------------------------------|----------------|------------------------------|-----------------------|------------------------------|-------------------------|------------------------------|
| Codes | Description | Not Covered | Preauthorization Required | Not Covered | Preauthorization Required | Not Covered | Preauthorization Required | Not Covered | Preauthorization Required |
| Disclaimer: | Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, the | | | | | , or specialty medica | | lirected to the Pharmac | |
| | Dynamic surface electromyography, during walking or other functional activities, 1-12 muscles | Х | - | х | - | Х | - | Х | - |
| 96003 | Dynamic fine wire electromyography, during walking or other functional activities, 1 muscle | Х | - | х | - | Х | - | х | - |
| 96004 | Physician review & interp of motion analysis, plantar pressures, surface electromyography, and fine wire emg, w report | Х | - | х | - | Х | - | х | - |
| | Medical genetics and genetic counseling services, each 30 minutes face-to-face with patient/family | Х | - | х | - | Х | - | х | - |
| | Neurobehavioral status exam (clinical assessment of thinking, reasoning and judgment, eg, acquired knowledge, attention, | - | Х | - | Х | - | Х | - | Х |
| | Administration of patient-focused health risk assessment instrument (eg, health hazard appraisal) with scoring and documentation, per standardized instrument | х | - | Х | - | Х | - | х | - |
| 96202 | Multiple-family group behavior management/modification training for parent(s)/guardian(s)/caregiver(s) of patients with a mental or physical health diagnosis, administered by physician or other qualified health care professional (without the patient present), face-to-face with multiple sets of parent(s)/guardian(s)/caregiver(s); initial 60 minutes | х | - | х | - | Х | - | x | - |
| 96203 | Multiple-family group behavior management/modification training for parent(s)/guardian(s)/caregiver(s) of patients with a mental or physical health diagnosis, administered by physician or other qualified health care professional (without the patient present), face-to-face with multiple sets of parent(s)/guardian(s)/caregiver(s); each additional 15 minutes (list separately in addition to code for primary service) | х | - | х | - | х | - | х | - |
| 96379 | Unlisted therapeutic, prophylactic, or diagnostic intravenous or intra-arterial injection or infusion | - | Х | - | Х | - | х | - | х |
| 96549 | Chemotherapy, unspecified | - | Х | - | Х | - | Х | - | Х |
| | Photodynamic therapy by external application of light to activate photosensitive drug(s), each phototherapy session | Х | - | х | - | Х | - | Х | - |
| | Photodynamic therapy by endoscopic application of light to ablate abnormal tissue via activation of photosensitive drug(| Х | - | Х | - | Х | - | Х | - |
| | Photodynamic therapy by endoscopic application of light to ablate abnormal tissue via activation of photosensitive drug(| Х | - | Х | - | Х | - | х | - |
| 96573 | Photodynamic therapy by extern appli light to destroy premalignamt lesions of the skin | Х | - | Х | - | Х | - | Х | - |
| | Debridement of premalignant hyperkeratotic lesion(s) followed w/photodynamic therapy | Х | - | Х | - | Х | - | х | - |
| | Ultraviolet light therapy | Х | - | Х | - | Χ | - | X | - |
| | Photochemotherapy, uv-a or b | X | - | Х | - | Χ | - | Х | - |
| 96920 | Laser treatment for inflammatory skin disease (psoriasis); total area less than 250 sq cm | Х | - | Х | - | Х | - | Х | - |
| 96921 | Laser treatment for inflammatory skin disease (psoriasis); 250 sq cm to 500 sq cm | Х | - | Х | - | Х | - | Х | - |
| | Laser treatment for inflammatory skin disease (psoriasis); over 500 sq cm | Х | - | Х | - | Х | - | Х | - |
| 96931 | Reflectance confocal microscopy (rcm) for cellular and sub-cellular imaging of skin; image acquisition and interpretation and report, first lesion | Х | - | Х | - | Х | - | Х | - |

^{*} These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



| | | Trad | itional Medicaid | Tradit | ional Integrated | Non-Tradition | onal Medicaid | Non-Tradition | nal Integrated |
|----------------------------|--|----------------|------------------------------|----------------|------------------------------|------------------------|------------------------------|-------------------------|------------------------------|
| Codes | Description | Not Covered | Preauthorization Required | Not Covered | Preauthorization Required | Not Covered | Preauthorization Required | Not Covered | Preauthorization Required |
| Disclaimer: the website | Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, the | | | | | s, or specialty medica | | lirected to the Pharmac | |
| | Reflectance confocal microscopy (rcm) for cellular and sub-cellular imaging of skin; image | ., | | | | | | | |
| | acquisition only, first lesion | Х | - | Х | - | Х | - | Х | - |
| 96933 | Reflectance confocal microscopy (rcm) for cellular and sub-cellular imaging of skin; | Х | | Х | | Х | | Х | |
| | interpretation and report only, first lesion | ^ | - | ^ | - | ^ | - | ^ | - |
| 96934 | Reflectance confocal microscopy (rcm) for cellular and sub-cellular imaging of skin; image | | | | | | | | |
| | acquisition and interpretation and report, each additional lesion (list separately i | Х | - | Х | - | Х | - | Х | - |
| 96935 | Reflectance confocal microscopy (rcm) for cellular and sub-cellular imaging of skin; image | | | | | | | | |
| | acquisition only, each additional lesion (list separately in addition to code for p | Х | - | Х | - | Х | - | Х | - |
| | | | | | | | | | |
| 96936 | Reflectance confocal microscopy (rcm) for cellular and sub-cellular imaging of skin; | | | | | | | | |
| | interpretation and report only, each additional lesion (list separately in addition to cod | Х | - | Х | - | Х | - | Х | - |
| 96999 | Dermatological procedure | - | X | - | Х | - | Х | - | X |
| 97010 | Hot or cold packs therapy | - | X* | - | X* | - | X* | - | X* |
| 97012 | Mechanical traction therapy | - | X* | - | X* | - | X* | - | X* |
| 97014 | Electric stimulation therapy | - | X* | - | X* | - | X* | - | X* |
| 97016 | Vasopneumatic device therapy | - | X* | - | X* | - | X* | - | X* |
| 97018 | Paraffin bath therapy | - | X* | - | X* | - | X* | - | X* |
| 97022 | Whirlpool therapy | - | X* | - | X* | - | X* | - | X* |
| 97024 | Diathermy treatment | - | X* | - | X* | - | X* | - | X* |
| | Infrared therapy | - | X* | - | X* | - | X* | - | X* |
| | Ultraviolet therapy | - | X* | - | X* | - | X* | - | X* |
| | Electrical stimulation | - | X* | - | X* | - | X* | - | X* |
| 97033 | Electric current therapy | - | X* | - | X* | - | X* | - | X* |
| | Contrast bath therapy | - | X* | - | X* | - | X* | - | X* |
| | Ultrasound therapy | - | X* | - | X* | - | X* | - | X* |
| 97036 | Hydrotherapy | - | X* | - | X* | - | X* | - | X* |
| 97037 | Application of a modality to 1 or more areas; low-level laser therapy (ie, nonthermal and non-ablative) for post-operative pain reduction | Х | - | Х | - | - | - | - | - |
| 97039 | Physical therapy treatment | - | X* | _ | X* | - | X* | - | X* |
| | Therapeutic exercises | - | X* | - | X* | - | X* | - | X* |
| | Neuromuscular reeducation | - | X* | - | X* | - | X* | - | X* |
| | Aquatic therapy/exercises | - | X* | - | X* | - | X* | - | X* |
| | Gait training therapy | - | X* | - | X* | - | X* | - | X* |
| | Massage therapy | - | X* | - | X* | - | X* | - | X* |
| | Therapeutic interventions that focus on cognitive function (eg, attention, memory, reasoning, | | | | | | | | |
| | executive function, problem solving, and/or pragmatic functioning) and compensatory | | | | | | | | |
| | strategies to manage the performance of an activity (eg, managing time or schedules, initiating, | Х | - | Х | - | X | - | Х | - |
| | organizing, and sequencing tasks), direct (one-on-one) patient contact; initial 15 minutes | | | | | | | | |
| | | | | | | | | | |

^{*} These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



| | VCC-come McX | Trad | litional Medicaid | Tradit | tional Integrated | Non-Tradition | onal Medicaid | Non-Tradition | al Integrated |
|--------|--|---------------------------|---------------------------------------|--------------------------|---------------------------------------|---------------|---------------------------------|------------------------|----------------------------------|
| Codes | Description | Not | Preauthorization | Not | Preauthorization | Not Covered | Preauthorization | Not Covered | Preauthorization |
| | Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, the | Covered se coding list | Required s do not reflect information | Covered regarding imm | Required unizations, injectable drugs | | Required ations and should be d | irected to the Pharmac | Required y link option within |
| 97130 | Therapeutic interventions that focus on cognitive function (eg, attention, memory, reasoning, | | 1 | | | | | 1 | |
| 07.100 | executive function, problem solving, and/or pragmatic functioning) and compensatory | | | | | | | | |
| | strategies to manage the performance of an activity (eg, managing time or schedules, initiating, | | | | | | | | |
| | organizing, and sequencing tasks), direct (one-on-one) patient contact; each additional 15 | Х | - | Х | - | Х | - | X | - |
| | minutes (list separately in addition to code for primary procedure) | | | | | | | | |
| | | | | | | | | | |
| | Physical medicine procedure | - | X* | - | X* | • | X* | - | Χ* |
| | Manual therapy | - | X* | - | X* | - | X* | - | X* |
| | Group therapeutic procedures | - | X* | - | X* | - | X* | - | X* |
| 97151 | Behavior identification assessment, administered by a physician or other qualified health care | | | | | | | | |
| | professional, each 15 minutes of the physician's or other qualified health care | - | - | - | - | Х | - | Х | - |
| | | | | | | | | | |
| 97152 | Behavior identification-supporting assessment, administered by one technician under the | | | | | | | | |
| | direction of a physician or other qualified health care professional, face-to-face with | X | - | Х | - | Х | - | X | - |
| 07153 | Adaptive behavior treatment by protocol, administered by technician under the direction of a | | | | | | | | |
| 37 133 | physician or other qualified health care professional, face-to-face with one patie | _ | _ | | _ | Х | | X | |
| | physician of other qualified fleatiff care professional, face-to-face with one patie | - | _ | _ | - | ^ | | ^ | - |
| 97154 | Group adaptive behavior treatment by protocol, administered by technician under the direction | | | | | | | | |
| | of a physician or other qualified health care professional, face-to-face with two | - | - | _ | - | Х | _ | X | - |
| | | | | | | | | | |
| 97155 | Adaptive behavior treatment with protocol modification, administered by physician or other | | | | | | | | |
| | qualified health care professional, which may include simultaneous direction of tech | - | - | - | - | X | - | X | - |
| | | | | | | | | | |
| 97156 | Family adaptive behavior treatment guidance, administered by physician or other qualified | | | | | | | | |
| | health care professional (with or without the patient present), face-to-face with gua | - | - | - | - | Х | - | X | - |
| 97157 | National Control of the Control of t | | | | | | | | |
| 31 131 | Multiple-family group adaptive behavior treatment guidance, administered by physician or other qualified health care professional (without the patient present), face-to-face w | _ | _ | | _ | Х | | X | |
| | other qualified fleathreare professional (without the patient present), race-to-race w | - | _ | _ | - | ^ | | ^ | - |
| 97158 | Group adaptive behavior treatment with protocol modification, administered by physician or | | | | | | | | |
| | other qualified health care professional, face-to-face with multiple patients, each | - | - | _ | - | X | - | x | - |
| | | | | | | | | | |
| 97169 | Athletic training evaluation, low complexity, requiring these components: a history and physical | Х | | | | V | | V | |
| | activity profile with no comorbidities that affect phsical activity; an ex | ^ | - | Х | - | Х | _ | Х | - |
| 97170 | Athletic training evaluation, moderate complexity, requiring these components: a history and | | | | | | | | |
| | physical activity profile with no comorbidities that affect phsical activity; a | Х | - | Х | - | Χ | - | X | - |
| 07474 | | | | | | | | | |
| 9/1/1 | Athletic training evaluation, high complexity, requiring these components: a history and physical | Х | - | Х | - | Х | - | X | - |
| 97172 | activity profile with no comorbidities that affect phsical activity; an e Reevaluation of athletic training established plan of care, requiring these components: an | | | | | | | | |
| 31112 | assessment of patient's current functional status when there is a documented chang | Х | _ | х | _ | Х | _ | X | _ |
| | assessment of patient's current functional status when there is a documented chang | ^ | | ^ | | ^ | | _ ^ | • |
| 97530 | Therapeutic activities | - | X* | - | Х | - | Х | - | Х |
| | Sensory integration | - | X* | _ | X | - | X | - | X |

^{*} These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



| 9 | nealui | Trad | itional Medicaid | Tradit | tional Integrated | Non-Tradition | onal Medicaid | Non-Tradition | al Integrated |
|-------------|--|----------------------------|--|--------------------------|--|---------------|---------------------------------|---------------|----------------------------------|
| Codes | Description | Not | Preauthorization | Not | Preauthorization | Not Covered | Preauthorization | | Preauthorization |
| Disclaimer: | Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, the | Covered se coding lists | Required do not reflect information | Covered regarding imm | Required unizations, injectable drugs | | Required ations and should be d | | Required y link option within |
| the website | | | T | | | | | T | |
| 97535 | Self care mngment training | - | X* | - | X* | - | X* | - | X* |
| | Community/work reintegration | Х | - | Х | - | Х | - | Х | - |
| 97542 | Wheelchair mngment training | - | X* | - | X* | - | X* | - | X* |
| | Work hardening | X | - | X | - | X | - | X | - |
| | Work hardening add-on | Х | - | Х | - | Х | - | Х | - |
| 97550 | Caregiver training in strategies and techniques to facilitate the patient's functional performance | | | ., | | | | | |
| | in the home or community (eg, activities of daily living [adls], instrumenta | Х | - | Х | - | - | - | - | - |
| 97551 | Group caregiver training in strategies and techniques to facilitate the patient's functional | | | | | | | | |
| | performance in the home or community (eg, activities of daily living [adls], instr | Х | - | Х | - | - | - | - | - |
| | | | | | | | | | |
| 97610 | Low frequency non-thermal us | Х | - | Х | - | Х | - | Х | - |
| 97750 | Physical performance test | Х | - | Х | - | Х | - | Х | - |
| 97755 | Assistive technology assessment, direct one-on-one contact by provider, with written report, | Х | | Х | | Х | | Х | |
| | each 15 minutes | ^ | - | ^ | , | ^ | - | ^ | - |
| 97760 | Orthotic(s) management and training (including assessment and fitting when not otherwise | | X* | | X* | _ | X* | | X* |
| | reported), upper extremity(s), | _ | ^ | _ | ^ | - | ^ | _ | ^ |
| 97761 | Orthotic(s) management and training (including assessment and fitting when not otherwise | _ | X* | _ | X* | _ | X* | _ | X* |
| | reported), upper extremity(s), | _ | | _ | | | | _ | |
| | Orthotic(s)/prosthetic(s) manage and/or training, each 15 min | - | X* | - | X* | - | X* | - | X* |
| | Physical medicine procedure | - | Х | - | X | - | X | - | Χ |
| | Medical nutrition, group | Χ | - | X | - | Х | - | Х | - |
| 97810 | Acupuncture, one or more needles, without electrical stimulation; init 15 min personal contact | Х | _ | х | _ | Х | _ | X | _ |
| | with the patient | | | | | ^ | | ^ | |
| 97811 | Acupuncture, one or more needles, without electrical stimulation; ea addl 15 min, w re-insertion | Х | _ | х | _ | Х | _ | х | _ |
| | of needle(s) | , | | , | | , | | ^ | |
| 97813 | Acupuncture, one or more needles, w electrical stimulation; initial 15 min of personal contact w | Х | _ | х | _ | Х | _ | X | _ |
| | the patient | ,, | | ,, | | | | ^ | |
| 97814 | Acupuncture, one or more needles, w electrical stimulation; ea addl 15 min, w re-insertion of | Х | _ | х | _ | Х | _ | X | - |
| | needle(s) | | | | | | | | |
| | Chiropractic manipulation | Х | - | Х | - | Х | - | Х | - |
| | Chiropractic manipulation | X | - | Х | - | Х | - | X | - |
| 98942 | Chiropractic manipulation | X | - | X | - | X | - | X | - |
| 98943 | Chiropractic manipulation | Х | - | Х | - | Х | - | Х | - |
| 98960 | Education and training for patient self-management by a qualified, nonphysician health care | Х | - | Х | - | Х | - | X | - |
| 00001 | professional using a standar | | | | | | 1 | | |
| 98961 | Education and training for patient self-management by a qualified, nonphysician health care | Х | - | Х | - | Х | - | X | - |
| 00000 | professional using a standar | | | | | | 1 | | |
| 98962 | Education and training for patient self-management by a qualified, nonphysician health care | Х | - | Х | - | Х | - | X | - |
| 00000 | professional using a standar | | | | | | | | |
| 90900 | Telephone assessment and management service provided by a qualified nonphysician health | Х | - | Х | - | Х | - | Х | - |
| 98967 | care professional to an establis | | | | | | | | |
| 90907 | Telephone assessment and management service provided by a qualified nonphysician health | Х | - | Х | - | Х | - | Х | - |
| | care professional to an establis | | | | | | 1 | | |

^{*} These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



| G | Ticalui | Trad | itional Medicaid | Tradit | tional Integrated | Non-Traditio | onal Medicaid | Non-Tradition | nal Integrated |
|-------------|--|----------------------------|---------------------------------------|--------------------------|---------------------------------------|--------------|-----------------------------------|---------------|-----------------------------------|
| Codes | Description | Not | Preauthorization | Not | Preauthorization | Not Covered | Preauthorization | Not Covered | Preauthorization |
| Disclaimer: | Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, the | Covered se coding lists | Required s do not reflect information | Covered regarding imm | Required unizations, injectable drugs | | Required tions and should be d | | Required by link option within |
| the website | | | 1 | | | | | | |
| 90900 | Telephone assessment and management service provided by a qualified nonphysician health | Х | - | Х | - | X | - | X | - |
| 98970 | care professional to an establis | | | | | | | | |
| 30310 | Qualified nonphysician health care professional online digital evaluation and management | Х | | x | | ~ | | V | |
| | service, for an established patient, for up to 7 days, cumulative time during the 7 days; 5-10 minutes | ^ | - | ^ | - | X | - | Х | - |
| 98971 | Qualified nonphysician health care professional online digital evaluation and management | | | | | | | | |
| 30371 | service, for an established patient, for up to 7 days, cumulative time during the 7 days; 11-20 | Х | _ | X | _ | Χ | _ | Х | _ |
| | minutes | ^ | | ^ | _ | Α | _ | Α | |
| 98972 | Qualified nonphysician health care professional online digital evaluation and management | | | | | | | | |
| 00072 | service, for an established patient, for up to 7 days, cumulative time during the 7 days; 21 or | Х | _ | х | _ | Х | _ | Х | _ |
| | more minutes | ^ | | ^ | _ | ^ | _ | | |
| 98975 | Remote therapeutic monitoring (eg, respiratory system status, musculoskeletal system status, | | | | | | | | |
| | therapy adherence, therapy response); initial set-up and patient education on use of equipment | Х | _ | X | _ | Χ | _ | X | _ |
| | therapy danterence, therapy response,, initial set up and patient education on use of equipment | , | | , | | Α, | | | |
| 98976 | Remote therapeutic monitoring (eg, respiratory system status, musculoskeletal system status, | | | | | | | | |
| | therapy adherence, therapy response); device(s) supply with scheduled (eg, daily) recording(s) | | | | | | | | |
| | and/or programmed alert(s) transmission to monitor respiratory system, each 30 days | Х | - | X | - | Χ | - | X | - |
| | | | | | | | | | |
| 98977 | Remote therapeutic monitoring (eg, respiratory system status, musculoskeletal system status, | | | | | | | | |
| | therapy adherence, therapy response); device(s) supply with scheduled (eg, daily) recording(s) | ., | | ., | | ., | | | |
| | and/or programmed alert(s) transmission to monitor musculoskeletal system, each 30 days | Х | - | Х | - | Χ | - | Х | - |
| | , | | | | | | | | |
| 98978 | Remote therapeutic monitoring (eg, therapy adherence, therapy response); device(s) supply | | | | | | | | |
| | with scheduled (eg, daily) recording(s) and/or programmed alert(s) transmission to monitor | Х | - | X | - | X | - | X | - |
| | cognitive behavioral therapy, each 30 days | | | | | | | | |
| 99000 | Specimen handling | Х | - | Х | - | Χ | - | Х | - |
| 99001 | Specimen handling | Χ | - | X | - | X | - | X | - |
| 99002 | Device handling | Χ | - | X | - | Х | - | Х | - |
| 99024 | Postop follow-up visit | Χ | - | X | - | Х | - | Х | - |
| 99026 | Hospital mandated on call service; in-hospital, each hour | X | - | X | - | Х | - | Х | - |
| 99027 | Hospital mandated on call service; out-of-hospital, each hour | Χ | - | X | - | Х | - | Х | - |
| 99053 | Service(s) provided between 10:00 pm and 8:00 am at 24-hour facility, in addition to basic | Х | _ | Х | _ | Χ | _ | x | _ |
| | service | | | | | | | | |
| 99056 | Non-office medical services | Х | - | Х | - | Х | - | Х | - |
| 99060 | Service(s) provided on an emergency basis, out of the office, which disrupts other scheduled | Х | _ | Х | _ | Χ | _ | x | _ |
| 000=5 | office services, in additio | | | | | | | | |
| 99070 | Special supplies | X | - | X | - | X | - | X | - |
| | Patient education materials | X | - | X | - | X | - | X | - |
| 99075 | Medical testimony | X | - | X | - | X | - | X | - |
| 99082 | Unusual physician travel | Х | - | Х | - | X | - | Х | - |
| 99091 | Collection and interpretation of physiologic data digitally stored &/or transmitted to the | Х | - | Х | - | Χ | - | X | - |
| 00100 | physician, minimum 30 minutes | | | ļ | | | 1 | | |
| 99100 | Anesthesia for patient of extreme age, under 1 year and over 70 (list separately in addition to | Х | - | Х | - | Χ | - | Х | - |
| 00116 | code for primary anesthe | Х | | | _ | X | _ | | _ |
| 99116 | Anesthesia with hypothermia | ٨ | - | X | - | Λ | - | Х | - |

^{*} These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



| | Ticaldi | Tradi | itional Medicaid | Tradit | tional Integrated | Non-Tradition | onal Medicaid | Non-Tradition | nal Integrated |
|-------------------|---|----------------------------|-------------------------------------|-----------------------|--|------------------------|---------------------------------|------------------------|-----------------------------------|
| Codes | Description | Not | Preauthorization | Not | Preauthorization | Not Covered | Preauthorization | Not Covered | Preauthorization |
| | Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, the | Covered se coding lists | Required do not reflect information | Covered regarding imm | Required unizations, injectable drugs | s, or specialty medica | Required ations and should be d | irected to the Pharmac | Required by link option within |
| the website 99135 | Special anesthesia procedure | Х | - | Х | - | Х | - | Х | - |
| 99140 | Emergency anesthesia | Х | _ | Х | - | Х | - | Х | - |
| 99151 | Moderate sedation services provided by the same physician or other qualified health care professional performing the diagnostic or therapeutic service that the sedation suppor | - | - | - | - | х | - | х | - |
| | Moderate sedation services provided by the same physician or other qualified health care professional other than the physician or other qualified health care professional perf | - | - | - | - | Х | - | х | - |
| 99170 | Anogenital exam, child | - | - | - | - | Х | - | X | - |
| | Ocular function screen | Х | - | Х | - | Х | - | Х | - |
| 99173 | Visual acuity screen | Х | - | Х | - | Х | - | Х | - |
| 99174 | Ocular photoscreening with interpretation and report, bilateral | Х | - | Х | - | Х | - | Х | - |
| 99177 | Instrument-based ocular screening (eg, photoscreening, automated-refraction), bilateral; with on-site analysis | Х | - | х | - | Х | - | х | - |
| 99183 | Hyperbaric oxygen therapy | - | Х | - | Х | - | Х | - | X |
| 99184 | Hypothermia ill neonate | - | - | - | - | Х | - | Х | - |
| 99188 | App topical fluoride varnish | - | | - | - | Х | - | Х | - |
| 99199 | Special service/proc/report | - | Х | - | Х | - | Х | - | Х |
| | Direct advanced life support | Х | - | Х | - | Х | - | Х | - |
| | Evaluation and management of a patient involving an annual nursing facility assessment, which requires these three key c | Х | - | Х | - | Х | - | Х | - |
| 99339 | Individual physician supervision of a patient (patient not present) in home, domiciliary or rest home (eg, assisted livi | Х | - | Х | - | Х | - | Х | - |
| 99340 | Individual physician supervision of a patient (patient not present) in home, domiciliary or rest home (eg, assisted livi | Х | - | Х | - | Х | - | Х | - |
| 99359 | Prolonged evaluation and management service before and/or after direct patient care; each additional 30 minutes (list separately in addition to code for prolonged service) | х | - | х | - | Х | - | х | - |
| 99360 | Physician standby services | X | • | X | | Х | - | Х | - |
| 99374 | Home health care supervision | Х | • | X | • | Х | - | X | - |
| 99375 | Home health care supervision | Х | • | X | • | Х | - | X | - |
| 99377 | Hospice care supervision | Х | - | Х | | Х | - | X | - |
| 99378 | Hospice care supervision | Х | • | X | • | X | - | X | - |
| 99379 | Nursing fac care supervision | Х | - | Х | - | Х | - | Х | |
| 99380 | Nursing fac care supervision | Х | - | Х | - | Х | - | Х | - |
| 99381 | Initial comprehensive preventive medicine evaluation and management of an individual including an age and gender appropr | - | - | - | - | Х | - | Х | - |
| 99382 | | - | - | - | - | х | - | х | - |
| 99383 | Initial comprehensive preventive medicine evaluation and management of an individual including an age and gender appropr | - | - | - | - | Х | - | х | - |
| 99384 | Initial comprehensive preventive medicine evaluation and management of an individual including an age and gender appropr | - | - | - | - | Х | - | Х | - |
| 99391 | Periodic comprehensive preventive medicine reevaluation and management of an individual including an age and gender appr | - | - | - | - | Х | - | х | - |

^{*} These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



| | | Trad | itional Medicaid | Tradi | tional Integrated | Non-Tradition | onal Medicaid | Non-Tradition | nal Integrated |
|---------------|--|----------------------------|-------------------------------------|--------------------------|--|---------------|------------------------------------|---------------|-----------------------------------|
| Codes | Description | Not | Preauthorization | Not | Preauthorization | Not Covered | Preauthorization | Not Covered | Preauthorization |
| Disclaimer: I | Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, the | Covered se coding lists | Required do not reflect information | Covered regarding imm | Required nunizations, injectable drugs | | Required ations and should be d | | Required by link option within |
| the website. | | | I | I | 1 | | T | F | 1 |
| | Periodic comprehensive preventive medicine reevaluation and management of an individual | - | - | - | - | X | - | X | - |
| | including an age and gender appr | | | | | | | | |
| | Periodic comprehensive preventive medicine reevaluation and management of an individual | - | - | - | - | Х | - | X | - |
| | including an age and gender appr Periodic comprehensive preventive medicine reevaluation and management of an individual | | | | | | | | |
| | including an age and gender appr | - | - | - | - | X | - | Х | - |
| | Preventive counseling, indiv | Х | _ | Х | _ | Х | _ | X | _ |
| | Preventive counseling, indiv | X | _ | X | _ | X | _ | X | _ |
| | Preventive counseling, indiv | X | | X | - | X | _ | X | - |
| | Preventive counseling, indiv | X | | X | - | X | | X | |
| | Preventive counseling, group | X | | X | - | X | | X | |
| | Prolonged clinical staff service (the service beyond the typical service time) during an evaluation | _ ^ | - | ^ | - | ^ | - | ^ | - |
| | and management service in the office or outpatient setting, direct patient | Х | | Х | | Х | | Х | |
| | and management service in the office of outpatient setting, direct patient | ^ | - | ^ | - | ^ | - | ^ | - |
| 99416 | Prolonged clinical staff service (the service beyond the typical service time) during an evaluation | | | | | | | | |
| | and management service in the office or outpatient setting, direct patient | Х | _ | Х | _ | Х | _ | Х | _ |
| | and management service in the office of outpatient setting, unect patient | ^ | | ^ | | Α | | Α | |
| 99421 | Online digital evaluation and management service, for an established patient, for up to 7 days, | | | | | | | | |
| | cumulative time during the 7 days; 5-10 minutes | Х | - | Х | - | X | - | X | - |
| | Online digital evaluation and management service, for an established patient, for up to 7 days, | | | | | | | | |
| | cumulative time during the 7 days; 11-20 minutes | X | - | Х | - | Х | - | X | - |
| | Online digital evaluation and management service, for an established patient, for up to 7 days, | | | | | | | | |
| | cumulative time during the 7 days; 21 or more minutes | X | - | Х | - | Х | - | Х | - |
| | Unlisted preventive service | Х | _ | Х | _ | Х | _ | Х | _ |
| | Life/disability evaluation | X | _ | X | _ | X | _ | X | _ |
| | Remote monitoring of physiologic parameter(s) (eg, weight, blood pressure, pulse oximetry, | | | | | | | Α | |
| | respiratory flow rate), initial; set-up and patient education on use of equipment | Х | _ | Х | _ | Х | _ | x | _ |
| | respiratory now rate, minus, see up and patient education on use of equipment | ,, | | | | ^ | | | |
| 99454 | Remote monitoring of physiologic parameter(s) (eg, weight, blood pressure, pulse oximetry, | | | | | | | | |
| | respiratory flow rate), initial; device(s) supply with daily recording(s) or program | Х | _ | X | _ | X | _ | X | _ |
| | respiratory non-rately, mittal, decree(s) supply mittal daily resolventing(s) or program. | ,, | | | | | | | |
| 99455 | Disability examination | Х | - | Х | - | Х | - | Х | - |
| | Disability examination | Х | - | Х | - | Х | - | Х | - |
| | Remote physiologic monitoring treatment management services, 20 minutes or more of clinical | | | | | | | | |
| | staff/physician/other qualified health care professional time in a calendar month r | Х | - | Х | - | Х | - | X | _ |
| | (i) (i) (ii) (ii) (ii) (ii) (ii) (ii) (| | | | | | | | |
| 99458 | Remote physiologic monitoring treatment management services, clinical staff/physician/other | | | | | | | | |
| | qualified health care professional time in a calendar month requiring interactive communication | | | | | | | | |
| | with the patient/caregiver during the month; each additional 20 minutes (list separately in | Х | - | Х | _ | Х | - | Х | - |
| | addition to code for primary procedure) | | | | | | | | |
| | | | | | | | | | |
| 99460 | Initial hospital or birthing center care, per day, for evaluation and management of normal | | | | | V | | V | |
| | newborn infant | - | - | - | - | Х | - | Х | - |
| 00404 | Initial care, per day, for evaluation and management of normal newborn infant seen in other | | | | | | | | |
| 99461 | initial care, per day, for evaluation and management of normal newborn infant seen in other | | | | | X | | X | |

^{*} These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



| | Ticalut | Trad | itional Medicaid | Tradi | tional Integrated | Non-Traditio | nal Medicaid | Non-Tradition | nal Integrated |
|-------------|--|----------------------------|--|-----------------------|---------------------------------------|--------------|-----------------------------------|---------------|-----------------------------------|
| Codes | Description | Not | Preauthorization | Not | Preauthorization | Not Covered | Preauthorization | Not Covered | Preauthorization |
| Disclaimer: | Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, the | Covered se coding lists | Required do not reflect information | Covered regarding imm | Required unizations, injectable drugs | | Required tions and should be d | | Required ty link option within |
| the website | | | 1 | 1 | | ,, | 1 | 1 | , |
| 99464 | Attendance at delivery (when requested by the delivering physician) and initial stabilization of | _ | _ | _ | _ | Х | _ | X | _ |
| | newborn | | | | | | | | |
| 99465 | Delivery/birthing room resuscitation, provision of positive pressure ventilation and/or chest | _ | _ | _ | _ | Χ | _ | x | _ |
| | compressions in the presen | | | | | | | ^ | |
| 99468 | Initial inpatient neonatal critical care, per day, for the evaluation and management of a critically | _ | _ | _ | _ | Х | _ | X | _ |
| | ill neonate, 28 day | | | | | | | ^ | |
| 99469 | Subsequent inpatient neonatal critical care, per day, for the evaluation and management of a | _ | _ | _ | _ | Х | _ | X | _ |
| | critically ill neonate, 28 | | | | | | | ^ | |
| 99472 | Subsequent inpatient pediatric critical care, per day, for the evaluation and management of a | _ | _ | _ | _ | Χ | _ | x | _ |
| | critically ill infant or y | | | | | | | ^ | |
| 99473 | Self-measured blood pressure using a device validated for clinical accuracy; patient | x | _ | X | _ | Х | _ | X | _ |
| | education/training and device calibration | ^ | | ^ | - | Χ | | ^ | _ |
| 99474 | Self-measured blood pressure using a device validated for clinical accuracy; separate self- | | | | | | | | |
| | measurements of two readings one minute apart, twice daily over a 30-day period (minimum of | | | | | | | | |
| | 12 readings), collection of data reported by the patient and/or caregiver to the physician or | X | _ | X | _ | Х | | Х | _ |
| | other qualified health care professional, with report of average systolic and diastolic pressures | ^ | - | ^ | - | ^ | _ | ^ | - |
| | and subsequent communication of a treatment plan to the patient | | | | | | | | |
| | | | | | | | | | |
| 99475 | Initial inpatient pediatric critical care, per day, for the evaluation and management of a critically | | | | | Х | | Х | |
| | ill infant or youn | - | - | - | - | ^ | - | ^ | - |
| 99476 | Subsequent inpatient pediatric critical care, per day, for the evaluation and management of a | | | | | Х | | | |
| | critically ill infant or y | - | - | - | - | ^ | - | Х | - |
| 99477 | Initial hospital care, per day, for the evaluation and management of the neonate, 28 days of age | | | | | Х | | Х | |
| | or less, who requires i | - | - | - | - | ^ | - | ^ | - |
| 99478 | Subsequent intensive care, per day, for the evaluation and management of the recovering very | | | | | Х | | Х | |
| | low birth weight infant (pr | - | - | - | - | ^ | - | ^ | - |
| 99479 | Subsequent intensive care, per day, for the evaluation and management of the recovering low | | | | | V | | V | |
| | birth weight infant (present | - | - | - | - | Х | - | Х | - |
| 99480 | Subsequent intensive care, per day, for the evaluation and management of the recovering | | | | | V | | V | |
| | infant (present body weight of 2 | - | - | - | - | Х | - | X | - |
| 99485 | Suprv interfacilty transport | Х | - | Х | - | Х | - | Х | - |
| 99486 | Suprv interfac trnsport addl | Х | - | Х | - | Х | - | Х | - |
| 99499 | Unlisted e&m service | - | Х | - | Х | - | Х | - | Х |
| 99500 | Home visit for prenatal assessment inc fetal heart rate, non-stress test, uterine monitoring, and | V | | V | | | | v | |
| | diabetes monitoring | Х | - | Х | - | Х | - | X | - |
| 99501 | Home visit for postnatal assessment and follow-up care | Х | - | Х | - | Х | - | Х | - |
| 99502 | Home visit for newborn care and assessment | Х | - | Х | - | Х | - | Х | - |
| | Home visit for respiratory therapy care (eg, bronchodilator, oxygen therapy, respiratory | V | | · · | | | | | |
| | assessment, apnea evaluation) | Х | - | Х | - | Х | - | X | - |
| 99504 | Home visit for mechanical ventilation care | Х | - | Х | - | Х | - | Х | - |
| 99505 | Home visit for stoma care and maintenance including colostomy and cystostomy | Х | - | Х | - | Х | - | Х | - |
| 99506 | Home visit for intramuscular injections | Х | - | Х | - | Х | - | Х | - |
| 99507 | Home visit for care and maintenance of catheter(s) (eg, urinary, drainage, and enteral) | ,,, | | ,,, | | | | ,, | |
| | | Х | - | Х | - | Х | - | Х | - |
| 99509 | Home visit for assistance with activities of daily living and personal care | Х | - | Х | - | Х | - | Х | - |

^{*} These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



| V | nealti | Trad | itional Medicaid | Traditional Integrated | | Non-Traditional Medicaid | | Non-Tradition | nal Integrated |
|-------------|---|---------|---------------------------|------------------------|-------------------------------|---------------------------------------|------------------------|-------------------------|--------------------|
| Codes | Description | Not | Preauthorization | Not | Preauthorization | Not Covered | Preauthorization | | Preauthorization |
| Disclaimer | Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated guarterly. Additionally, the | Covered | Required | Covered regarding imm | Required | | Required | | Required |
| the website | <u> </u> | | do not reneet information | regarding illin | ariizations, injectable araga | , or specially medica | ations and should be d | incolou to the Frialmac | y iink opaon waiin |
| | Home visit for individual, family, or marriage counseling | X | - | Х | - | X | - | X | - |
| 99511 | Home visit for fecal impaction management and enema administration | Х | - | Х | - | X | - | X | - |
| 99512 | Home visit for hemodialysis, per diem | Х | - | X | | Х | - | X | - |
| 99600 | Unlisted home visit service or procedure | - | Х | - | Χ | - | Х | - | X |
| 99601 | Home infusion/specialty drug administration, per visit (up to 2 hours) | Х | - | Х | | Х | - | Х | - |
| 99602 | Home infusion/specialty drug administration, per visit (up to 2 hours); each additional hour | Х | - | Х | - | Х | - | Х | - |
| 99605 | Medication therapy management service(s) provided by a pharmacist, individual, face-to-face with patient, with assessmen | Х | - | Х | - | Х | - | х | - |
| 99606 | Medication therapy management service(s) provided by a pharmacist, individual, face-to-face with patient, with assessmen | Х | - | Х | - | Х | - | х | - |
| 99607 | Medication therapy management service(s) provided by a pharmacist, individual, face-to-face with patient, with assessmen | Х | - | х | - | Х | - | Х | - |
| 0001F | Heart failure assessed (includes assessment of all the following components) (cad) | Х | _ | Х | - | Х | _ | Х | _ |
| | Rbc dna hea 35 ag 11 bld grp whl bld cmn allel | X | _ | X | - | X | _ | X | _ |
| | Liver disease, 10 biochem assays | Х | - | X | - | X | - | X | - |
| | Onc circt quan 3 ur metabolites alg adnmts plp | X | _ | X | - | X | _ | X | _ |
| 0003M | | Х | - | X | - | X | - | X | _ |
| 0003U | Onc ovarian assay 5 proteins serum alg scor | X | - | X | _ | X | - | X | - |
| 0004M | , , | X | - | Х | _ | X | - | X | - |
| 0005F | Osteoarthritis assessed (oa) | X | - | X | - | X | - | Х | - |
| 0005U | Onco prst8 3 gene ur alg | X | - | X | - | X | - | X | - |
| 0006M | Onc hep gene risk classifier | Х | - | X | - | X | - | X | - |
| 0007M | 10 | X | _ | X | - | X | _ | X | - |
| 0007U | Drug test(s), presumptive, with definitive confirmation of positive results, any number of drug classes, urine, includes specimen verification including dna authentication in | х | - | х | - | Х | - | х | - |
| 0008U | Helicobacter pylori detection and antibiotic resistance, dna, 16s and 23s rrna, gyra, pbp1, rdxa and rpob, next generation sequencing, formalin-fixed paraffin-embedded or fres | Х | - | х | - | Х | - | х | - |
| 0009U | Oncology (breast cancer), erbb2 (her2) copy number by fish, tumor cells from formalin-fixed paraffin-embedded tissue isolated using image-based dielectrophoresis (dep) sorting | Х | - | х | - | х | - | х | - |
| 0010U | Infectious disease (bacterial), strain typing by whole genome sequencing, phylogenetic-based report of strain relatedness, per submitted isolate | Х | - | х | - | Х | - | х | - |
| 0011M | Onc prst8 ca mrna 12 genes bld plsm &/ur alg | Х | - | Х | - | Х | - | Х | - |
| | Prescription drug monitoring, evaluation of drugs present by lc-ms/ms, using oral fluid, reported | | | | | | | | |
| | as a comparison to an estimated steady-state range, per date of service inclu | Х | - | Х | - | Χ | - | Х | - |
| 0012F | Community acquired bacterial pneumonia assessed (cap) | Х | - | Х | - | Х | - | Х | - |
| 0012M | Onc mrna 5 genes ur alg risk urothelial cancer | Х | - | Х | - | Х | - | Х | - |
| 0012U | Germline disorders, gene rearrangement detection by whole genome next-generation sequencing, dna, whole blood, report of specific gene rearrangement(s) | х | - | Х | - | Х | - | х | - |
| 0013M | Onc mrna 5 genes ur alg risk recr urothelial ca | Х | - | Х | - | Х | - | Х | - |
| | 1 5 0 | | 1 | 1 | | · · · · · · · · · · · · · · · · · · · | 1 | | |

^{*} These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



| G | Control of the Contro | Trad | litional Medicaid | Tradi | tional Integrated | Non-Tradition | onal Medicaid | Non-Traditio | nal Integrated |
|---------------------------|--|----------------|------------------------------|----------------|------------------------------|------------------------|------------------------------|----------------------|------------------------------|
| Codes | Description | Not Covered | Preauthorization Required | Not Covered | Preauthorization Required | Not Covered | Preauthorization Required | Not Covered | Preauthorization Required |
| Disclaimer the website | : Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, the | se coding list | s do not reflect information | regarding imm | unizations, injectable drugs | s, or specialty medica | ations and should be d | rected to the Pharma | cy link option within |
| 0013U | Oncology (solid organ neoplasia), gene rearrangement detection by whole genome next- | | | | | | | | |
| | generation sequencing, dna, fresh or frozen tissue or cells, report of specific gene rearra | Х | - | Х | - | X | - | X | - |
| | | | | | | | | | |
| 0014F | Comprehensive preoperative assessment performed for cataract surgery with intraocular lens | Х | _ | Х | | V | | V | |
| | (iol) placement (includes ass | | - | _ ^ | - | Х | - | Х | - |
| 0014M | Liver ds alys 3 bmrk srm alg | Х | - | Х | - | Х | - | X | - |
| 0014U | Hematology (hematolymphoid neoplasia), gene rearrangement detection by whole genome | | | | | | | | |
| | next-generation sequencing, dna, whole blood or bone marrow, report of specific gene rearra | Х | - | Х | - | X | - | X | - |
| 0015F | Melanoma follow up completed (includes assessment of all of the following components) (ml)5: | Х | _ | Х | _ | Х | _ | Х | _ |
| | history obtained regarding | | | ^ | | Α | _ | Λ | _ |
| | Adrnl cortcl tum bchm asy 25 | X | - | Х | - | X | - | X | - |
| | Onc bladder mrna 219 gen alg | X | - | X | - | Х | - | Х | - |
| 0016U | Oncology (hematolymphoid neoplasia), rna, bcr/abl1 major and minor breakpoint fusion | | | | | | | | |
| | transcripts, quantitative pcr amplification, blood or bone marrow, report of fusion not | Х | - | Х | - | Х | - | Х | - |
| 0017M | Oncology (diffuse large b-cell lymphoma [dlbcl]), mrna, gene expression profiling by fluorescent | | | | | | | | |
| | probe hybridization of 20 genes, formalin-fixed paraffinembedded tissue, algorithm reported as | X | - | Х | - | Х | - | Х | - |
| | cell of origin | | | | | | | | |
| 0017U | Oncology (hematolymphoid neoplasia), jak2 mutation, dna, pcr amplification of exons 12-14 and | | | | | | | | |
| | sequence analysis, blood or bone marrow, report of jak2 mutation not detected or | X | - | Х | - | Х | - | Х | - |
| | | | | | | | | | |
| 0018M | Trnsplj rnl meas cd154+cll | Х | - | Х | - | Х | - | Х | - |
| 0018U | Oncology (thyroid), microrna profiling by rt-pcr of 10 microrna sequences, utilizing fine needle | | | | | | | | |
| | aspirate, algorithm reported as a positive or negative result for moderate to | Х | - | Х | - | Х | - | Х | - |
| 0019M | Cv ds plasma alys prtn bmrk | Х | - | Х | - | Х | - | Х | - |
| 0019U | Oncology, rna, gene expression by whole transcriptome sequencing, formalin-fixed paraffin | | | | | | | | |
| | embedded tissue or fresh frozen tissue, predictive algorithm reported as potential | Х | - | Х | - | Х | _ | х | - |
| | σ, σ | | | | | | | | |
| 0021U | Oncology (prostate), detection of 8 autoantibodies (arf 6, nkx3-1, 5¿-utr-bmi1, cep 164, 3¿-utr- | | | | | | | | |
| | ropporin, desmocollin, aurkaip-1, csnk2a2), multiplexed immunoassay and flow | Х | - | Х | - | Х | - | Х | - |
| | | | | | | | | | |
| 0022U | Targeted genomic sequence analysis panel, non-small cell lung neoplasia, dna and rna analysis, | | | | | | | | |
| | 23 genes, interrogation for sequence variants and rearrangements, reported as pr | Х | - | Х | - | Х | - | Х | - |
| | , | | | | | | | | |
| 0023U | Oncology (acute myelogenous leukemia), dna, genotyping of internal tandem duplication, | | | 1 | | | | | |
| | p.d835, p.i836, using mononuclear cells, reported as detection or non-detection of flt3 | Х | - | Х | - | Х | _ | X | - |
| | | | | | | | | | |
| 0024U | Glyca nuc mr spectroscopy quantitative | Х | - | Х | - | Х | - | Х | - |
| 0025U | Tenofovir liq chrom tandem mass spect ur quan | Х | - | Х | - | Х | - | Х | - |
| 0026U | Onc thyr dna&mrna 112 genes fna ndul alg alys | Х | - | Х | - | Х | - | Х | - |
| 0027U | Jak2 gene analysis trgt seq alys exons 12-15 | Х | - | Х | - | Х | - | Х | - |
| 0029U | Rx metab advrs rx rxn & rspse trgt seq alys | Х | - | Х | - | Х | - | Х | - |
| 0030U | Rx metab warfarin rx response trgt seq alys | Х | - | Х | - | Х | - | Х | - |
| . | | | | | | | | 1 | |

^{*} These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



| | | Trad | itional Medicaid | Tradi | tional Integrated | Non-Tradition | onal Medicaid | Non-Tradition | nal Integrated |
|--------|--|----------------------------|-------------------------------------|-----------------------|---------------------------------------|------------------------|---------------------------------|------------------------|-----------------------------------|
| Codes | Description | Not | Preauthorization | Not | Preauthorization | Not Covered | Preauthorization | Not Covered | Preauthorization |
| | Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, the | Covered se coding lists | Required do not reflect information | Covered regarding imm | Required unizations, injectable drugs | s, or specialty medica | Required ations and should be d | irected to the Pharmad | Required by link option within |
| nn3111 | Cyp1a2 gene analysis common variants | Х | | Х | | Х | | Х | |
| | | X | - | X | - | X | - | X | - |
| 0032U | Comt gene analysis c.472g>a variant Htr2a htr2c gene analysis common variants | X | - | X | - | X | - | X | _ |
| 0034U | Tpmt nudt15 gene analysis common variants | X | | X | - | X | - | X | - |
| | Neurology (prion disease), cerebrospinal fluid, detection of prion protein by quaking-induced | | - | ^ | - | | - | ^ | - |
| 00000 | conformational conversion, qualitative | Х | - | Х | - | X | - | X | - |
| 0036U | Exome (i.e., somatic mutations), paired formalin-fixed paraffin-embedded tumor tissue and | | | | | | | | |
| 00000 | normal specimen, sequence analyses | Х | - | Х | - | Х | - | Х | - |
| 0037U | Trgt gen seg alys sld orgn neo dna 324 genes | Х | _ | Х | _ | Х | _ | Х | _ |
| | Vitamin d, 25 hydroxy d2 and d3, by lc-ms/ms, serum microsample, quantitative | X | | X | _ | X | _ | X | |
| | Deoxyribonucleic acid (dna) antibody, double stranded, high avidity | X | - | X | - | X | | X | |
| | Bcr/abl1 (t (9;22)) (e.g., chronic myelogenous leukemia) translocation analysis, major | | - | ^ | - | | - | ^ | - |
| 00400 | breakpoint, quantitative | Х | - | Х | - | Х | - | X | - |
| 004111 | Borrelia burgdorferi, antibody detection of 5 recombinant protein groups, by immunoblot, igm | | | | | | | | |
| 00410 | Borrella burguorieri, antibody detection of 5 recombinant protein groups, by immunobiot, igm | Х | - | Х | - | Х | - | Х | - |
| 0042T | Cerebral perfusion analysis using computed tomography with contrast administration, including | | | | | | | | |
| | post-processing of paramet | Х | - | Х | - | X | - | X | - |
| 0042U | Borrelia burgdorferi, antibody detection of 12 recombinant protein groups, by immunoblot, igg | | | | | | | | |
| | 2011 cm 241 gaot 1611, 4111204, 46160161 61 22 166611211411 p. 161611 g. 164ps, 27 1111141102161, 166 | Х | - | Х | - | Х | - | Х | - |
| 0043U | Tick-borne relapsing fever borrelia group, antibody detection to 4 recombinant protein groups, | | | | | | | | |
| | by immunoblot, igm | Х | - | Х | - | Х | - | X | - |
| 0044U | Tick-borne relapsing fever borrelia group, antibody detection to 4 recombinant protein groups, | | | | | | | | |
| | by immunoblot, igg | Х | - | Х | - | Х | - | X | - |
| 0045U | Onc brst dux carc is mrna 12 genes alg rsk scor | Х | - | Х | - | Х | - | Х | _ |
| | Flt3 (fms-related tyrosine kinase 3) (eg, acute myeloid leukemia) internal tandem duplication | | | | | | | | |
| | (itd) variants, quantitative | Х | - | X | - | Х | - | X | - |
| 0047U | Onc prst8 mrna gen xprs prfl 17 gen alg rsk scor | Х | - | Х | - | Х | - | Х | - |
| | Onc sld org neo dna 468 cancer associated genes | Х | - | Х | - | Х | - | Х | - |
| | Npm1 (nucleophosmin) (eg, acute myeloid leukemia) gene analysis, quantitative | Х | - | Х | - | Х | - | Х | - |
| | Targeted genomic sequence analysis panel, acute myelogenous leukemia, dna analysis, 194 | | | | | | | | |
| | genes, interrogation for sequence variants, copy number variants or rearrangements | Х | - | Х | - | Х | - | X | - |
| | , | | | | | | | | |
| 0051U | Prescription drug monitoring, evaluation of drugs present by lc-ms/ms, urine, 31 drug panel, | | | | | | | | |
| | reported as quantitative results, detected or not detected, per date of service | Х | - | Х | - | Х | - | X | - |
| | | | | | | | | | |
| 0052U | Lpoprtn bld w/5 maj class auto prfl ucentrfugtn | Х | - | Х | - | Х | - | Х | - |
| | Oncology (prostate cancer), fish analysis of 4 genes (asap1, hdac9, chd1 and pten), needle | | | | | | | | |
| | biopsy specimen, algorithm reported as probability of higher tumor grade | Х | - | Х | - | Х | - | Х | - |
| 0054T | Computer-assisted musculoskeletal surgical navigational orthopedic procedure, with image- | ., | | | | ., | | ., | |
| | guidance based on fluoroscopic | Х | - | Х | - | Х | - | Х | - |
| 0054U | Rx mntr 14+ class drugs & sbsts capillary blood | Х | - | Х | - | Х | - | Х | - |
| | Computer-assisted musculoskeletal surgical navigational orthopedic procedure, with image- | | | | | ., | | v | |
| | guidance based on ct/mri images | Х | - | X | - | Х | - | Х | - |
| 005511 | Cardiology (heart transplant), cell-free dna, pcr assay of 96 dna target sequences (94 single | Х | | Х | | Х | | Х | |
| 00000 | | | | | | | | | |

^{*} These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



| 9 | | Trad | itional Medicaid | Tradit | tional Integrated | Non-Tradition | onal Medicaid | Non-Tradition | al Integrated |
|--------|--|----------------------------|-------------------------------------|--------------------------|---------------------------------------|-----------------------|------------------------------------|------------------------|----------------------------------|
| Codes | Description | Not | Preauthorization | Not | Preauthorization | Not Covered | Preauthorization | Not Covered | Preauthorization |
| | Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these | Covered se coding lists | Required do not reflect information | Covered regarding imm | Required unizations, injectable drugs | , or specialty medica | Required ations and should be d | irected to the Pharmac | Required y link option within |
| 0056LL | Hem aml dna gene rearrangement blood/bone marrow | Х | _ | Х | _ | X | _ | Х | |
| | Oncology (merkel cell carcinoma), detection of antibodies to the merkel cell polyoma virus | | - | _ ^ | - | | - | ^ | |
| 00000 | oncoprotein (small t antigen), serum, quantitative | Х | - | Х | - | X | - | X | - |
| 0059U | Oncology (merkel cell carcinoma), detection of antibodies to the merkel cell polyoma virus | | | | | | | | |
| 00000 | capsid protein (vp1), serum, reported as positive or negative | X | - | X | - | X | - | X | - |
| 0060U | Twin zygosity, genomic targeted sequence analysis of chromosome 2, using circulating cell-free | | | | | | | | |
| 00000 | fetal dna in maternal blood | X | - | X | - | X | - | X | - |
| 0061U | Tc meas 5 biomarkers w/sfdi multi-spectral alys | Х | - | Х | _ | Х | - | Х | |
| 0062U | Autoimmune (systemic lupus erythematosus), igg and igm analysis of 80 biomarkers, utilizing | | | | | | | | |
| 00020 | serum, algorithm reported with a risk score | X | - | X | - | X | - | X | - |
| 0063U | Neurology (autism), 32 amines by lcms/ms, using plasma, algorithm reported as metabolic | | | | | | | | |
| 00000 | signature associated with autism spectrum disorder | X | - | X | - | X | - | X | - |
| 0064U | Antibody, treponema pallidum, total and rapid plasma reagin (rpr), immunoassay, qualitative | | | | | | | | |
| 000.0 | Antibody, treponema pamadin, total and rapid plasma reagm (i.p., immunoassay, quantative | X | - | Х | - | X | - | X | - |
| 0065U | Syphilis test, non-treponemal antibody, immunoassay, qualitative (rpr) | Х | - | Х | - | Х | - | Х | - |
| | Placental alpha-micro globulin-1 (pamg1), immunoassay with direct optical observation, cervico- | | | | | | | | |
| | vaginal fluid, each specimen | Х | - | X | - | Χ | - | X | - |
| 0067U | Onc brst imhchem prfl 4 bmrk | Х | - | Х | - | Χ | _ | Х | - |
| 0068U | Candida species pnl amp prb | X | - | X | - | X | - | X | _ |
| | Oncology (colorectal), microrna, rt-pcr expression profiling of mir-31-3p, formalinfixed paraffin- | | | | | | | | |
| | embedded tissue, algorithm reported as an expression score | Х | - | X | - | Χ | - | X | - |
| 0070U | Cyp2d6 gen com&slct rar vrnt | Х | - | Х | - | Х | - | Х | - |
| 0071T | Focused ultrasound ablation of uterine leiomyomata, including mr guidance: total leiomyomata | | | | | | | | |
| | volume less than 200 cc of | X | - | X | - | Χ | - | X | - |
| 0071U | Cyp2d6 full gene sequence | Х | - | Х | - | Х | - | Х | - |
| 0072T | Focused ultrasound ablation of uterine leiomyomata, including mr guidance: total leiomyomata | | | | | | | | |
| | volume less than 200 cc of | Х | - | Х | - | Х | - | X | - |
| 0072U | Cyp2d6 gen cyp2d6-2d7 hybrid | Х | - | Х | - | Х | - | Х | - |
| 0073U | Cyp2d6 gen cyp2d7-2d6 hybrid | Х | - | Х | - | Х | - | Х | - |
| 0074U | Cyp2d6 nonduplicated gene | Х | - | Х | - | Х | - | Х | - |
| 0075T | Transcath placement extracranial vertebral/intrathoracic carotid artery stent(s), inc rad sup∫, | | | ., | | | | | |
| | percut; init vessel | Х | - | Х | - | Х | - | Х | - |
| 0075U | Cyp2d6 5' gene dup/mlt | Х | - | Х | - | Х | - | Х | - |
| 0076T | Transcath placemt of extracran vertebral or intrathoracic carotid art stent(s), inc rad sup∫, | Х | | _ | | V | | | |
| | percut; ea addl vessel | ^ | - | Х | - | X | | Х | <u> </u> |
| 0076U | Cyp2d6 3' gene dup/mlt | Х | - | Х | - | Χ | - | Х | - |
| 0077U | Immunoglobulin paraprotein (m-protein), qualitative, immunoprecipitation and mass | Х | | Х | | Х | | Х | |
| | spectrometry, blood or urine, including isotype | ^ | | ^ | | ^ | | ^ | <u>-</u> |
| 0078U | Pain mgt opi use gnotyp pnl | Χ | - | X | - | Χ | - | X | - |
| 0079U | Comparative dna analysis using multiple selected single-nucleotide polymorphisms (snps), urine | Х | _ | Х | _ | Х | _ | Х | _ |
| | and buccal dna, for specimen identity verification | ^ | - | ^ | - | ^ | - | ^ | <u>-</u> |
| | Onc Ing 5 clin rsk factr alg | Х | - | Х | - | Χ | - | X | - |
| | Rx test def 90+ rx/sbsts ur | Χ | - | X | - | Χ | - | X | - |
| 0083U | Onc rspse chemo cntrst tomog | Χ | - | Х | - | Χ | - | X | - |

^{*} These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



| | | Trad | itional Medicaid | Tradit | tional Integrated | Non-Traditio | onal Medicaid | Non-Tradition | nal Integrated |
|----------------------------|---|-----------------|------------------------------|----------------|------------------------------|-----------------------|------------------------------|------------------------|------------------------------|
| Codes | Description | Not Covered | Preauthorization Required | Not Covered | Preauthorization Required | Not Covered | Preauthorization Required | Not Covered | Preauthorization Required |
| Disclaimer: the website | Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, the . | se coding lists | do not reflect information | regarding imm | unizations, injectable drugs | , or specialty medica | itions and should be d | irected to the Pharmac | y link option within |
| 0084U | Red blood cell antigen typing, dna, genotyping of 10 blood groups with phenotype prediction of 37 red blood cell antigens | Х | - | Х | - | Х | - | х | - |
| 0086U | Infectious disease (bacterial and fungal), organism identification, blood culture, using rrna fish, 6 or more organism targets, reported as positive or negative with phenotypi | Х | - | Х | - | Х | - | Х | - |
| 000711 | | | | | | | | | |
| 00870 | Cardiology (heart transplant), mrna gene expression profiling by microarray of 1283 genes, transplant biopsy tissue, allograft rejection and injury algorithm reported as a pro | Х | - | Х | - | X | - | Х | - |
| 0088U | Transplantation medicine (kidney allograft rejection), microarray gene expression profiling of 1494 genes, utilizing transplant biopsy tissue, algorithm reported as a probabil | Х | - | х | - | Х | - | Х | - |
| | Oncology (melanoma), gene expression profiling by rtqpcr, prame and linc00518, superficial collection using adhesive patch(es) | Х | - | Х | - | Х | - | Х | - |
| 0090U | Oncology (cutaneous melanoma), mrna gene expression profiling by rt-pcr of 23 genes (14 content and 9 housekeeping), utilizing formalin-fixed paraffin-embedded tissue, algorit | х | - | х | - | Х | - | Х | - |
| 0091U | Oncology (colorectal) screening, cell enumeration of circulating tumor cells, utilizing whole blood, algorithm, for the presence of adenoma or cancer, reported as a positive o | Х | - | х | - | Х | - | х | - |
| 0092U | Oncology (lung), three protein biomarkers, immunoassay using magnetic nanosensor technology, plasma, algorithm reported as risk score for likelihood of malignancy | Х | - | х | - | Х | - | х | - |
| 0093U | Prescription drug monitoring, evaluation of 65 common drugs by lc-ms/ms, urine, each drug reported detected or not detected | Х | - | Х | - | Х | - | х | - |
| 0094U | Genome (eg, unexplained constitutional or heritable disorder or syndrome), rapid sequence analysis | 1 | Х | - | Х | Х | - | Х | - |
| | Removal of total disc arthroplasty (artificial disc), anterior approach, each additional interspace, cervical (list sepa | Х | - | Х | - | Х | - | х | - |
| 0095U | Inflammation (eosinophilic esophagitis), elisa analysis of eotaxin-3 (ccl26 [c-c motif chemokine ligand 26]) and major basic protein (prg2 [proteoglycan 2, pro eosinophil majo | Х | - | х | - | х | - | х | - |
| 0096U | Human papillomavirus (hpv), high-risk types (ie, 16, 18, 31, 33, 35, 39, 45, 51, 52, 56, 58, 59, 66, 68), male urine | Х | - | Х | - | Х | - | х | - |
| 0098T | Revision including replacement of total disc arthroplasty (artificial disc), anterior approach, each additional interspa | Х | - | Х | - | Х | - | х | - |
| 0100T | Placement of a subconjunctival retinal prosthesis receiver and pulse generator, and implantation of intra-ocular retina | Х | - | Х | - | Х | - | Х | - |
| | Extracorporeal shock wave involving musculoskeletal system, not otherwise specified; high energy | Х | - | Х | - | Х | - | Х | - |
| 0101U | Hereditary colon cancer disorders (eg, lynch syndrome, pten hamartoma syndrome, cowden syndrome, familial adenomatosis polyposis), genomic sequence analysis panel utilizing a | Х | - | × | - | X | - | X | - |
| 0102T | Extracorporeal shock wave, high energy, performed by a physician, requiring anesthesia other than local, involving later | Х | - | Х | - | Х | - | Х | - |

^{*} These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



| G | Ticalti | Trad | litional Medicaid | Tradi | tional Integrated | Non-Traditio | onal Medicaid | Non-Traditio | nal Integrated |
|-------------|--|----------------------------|---------------------------------------|--------------------------|---|---|-----------------------------------|--------------|-----------------------------------|
| Codes | Description | Not | Preauthorization | Not | Preauthorization | Not Covered | Preauthorization | Not Covered | Preauthorization |
| Disclaimer | Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, the | Covered se coding lists | Required s do not reflect information | Covered regarding imm | Required nunizations, injectable drugs | | Required tions and should be d | | Required by link option within |
| the website | L. | | 1 | · · · · · · | , ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,, | , | | | ., |
| 01020 | Hereditary breast cancer-related disorders (eg, hereditary breast cancer, hereditary ovarian | | | | | | | | |
| | cancer, hereditary endometrial cancer), genomic sequence analysis panel utilizing | Х | - | Х | - | Χ | - | X | - |
| | | | | | | | | | |
| 0103U | Hereditary ovarian cancer (eg, hereditary ovarian cancer, hereditary endometrial cancer), | | | | | | | | |
| | genomic sequence analysis panel utilizing a combination of ngs, sanger, mlpa, and arr | Х | - | Х | - | Χ | - | Х | - |
| 040511 | | | | | | | | | |
| | Neph ckd mult eclia tum nec | Х | - | Х | - | Х | - | Х | - |
| 0106T | Quantitative sensory testing (qst), testing and interpretation per extremity; using touch | Х | - | Х | - | X | - | X | - |
| 040011 | pressure stimuli to assess lar | | | | | ., | | | |
| 0106U | Gstr emptg 7 timed brth spec | Х | - | Х | - | Х | - | Х | - |
| 0107T | Quantitative sensory testing (qst), testing and interpretation per extremity; using vibration | Х | - | Х | - | Х | - | X | - |
| 040711 | stimuli to assess large di | | | | | | | | |
| 0107U | C diff tox ag detcj ia stool | Х | - | Х | - | Х | - | Х | - |
| 0108T | Quantitative sensory testing (qst), testing and interpretation per extremity; using cooling stimuli | Х | - | Х | - | X | - | X | - |
| 040011 | to assess small nerv | | | | | ., | | | |
| 0108U | Gi barrett esoph 9 prtn bmrk | Х | - | Х | - | Х | - | Х | - |
| 0109T | Quantitative sensory testing (qst), testing and interpretation per extremity; using heat-pain | Х | - | Х | - | Х | - | X | - |
| 040011 | stimuli to assess small n | | | | | | | | |
| 0109U | Id aspergillus dna 4 species | Х | - | Х | - | Х | - | Х | - |
| 0110T | Quantitative sensory testing (qst), testing and interpretation per extremity; using other stimuli | Х | - | Х | - | X | - | X | - |
| 044011 | to assess sensation | | | ., | | | | | |
| | Rx mntr 1+oral onc rx&sbsts | X | - | X | - | X | - | X | - |
| | Onc colon ca kras&nras alys | X | - | X | - | X | - | X | - |
| | ladi 16s&18s rrna genes | X | - | X | - | X | - | X | - |
| | Onc prst8 pca3&tmprss2- erg | X | - | X | - | X | - | X | - |
| | Gi barretts esoph vim&ccna1 Respir iadna 18 viral&2 bact | X | - | X | - | X | - | X | - |
| | Respir ladna 18 viral&2 bact Rx mntr nzm ia 35+oral flu | X | - | X | - | X | - | X | - |
| 0117U | | X | - | X | - | X | - | X | - |
| | Pain mgmt 11 endogenous anal Trnsplj don-drv cll-fr dna | X | - | X | - | X | - | X | - |
| | Crd ceramides liq chrom plsm | X | - | X | - | X | - | X | - |
| | Onc b cll lymphm mrna 58 gen | X | - | X | - | X | - | X | - |
| 0121U | Sc dis vcam-1 whole blood | X | - | X | - | X | - | X | - |
| | Sc dis p-selectin while blood | X | - | X | _ | X | _ | X | _ |
| 0123U | Mchnl fragility rbc prflg | X | - | X | - | X | - | X | - |
| | Adm sarscv2 bvl 30mcg/.3ml b | X | _ | X | _ | X | | X | _ |
| | Hered brst ca ritd do panel | X | - | X | - | X | - | X | _ |
| | Hered colon ca do mrna pnl | X | - | X | - | X | - | X | - |
| | Hered brst ca ritd do pnl 13 | X | - | X | - | X | - | X | - |
| | Hered ova ca ritd do pni 17 | X | - | X | _ | X | - | X | - |
| | Hered prst8 ca ritd do prii 17 | X | - | X | - | X | - | X | - |
| | Adm sarscv2 bvl 50mcg/.5ml b | X | - | X | - | X | - | X | - |
| | Hered pan ca mrna pnl 18 gen | X | - | X | - | X | - | X | - |
| | Hered gyn ca mrna pni 12 gen | X | - | X | - | X | - | X | - |
| | Atm mrna seg alys | X | - | X | - | X | - | X | - |
| 0.000 | Parit minu seq uiys | ^ | I | _ ^ | <u> </u> | ^ | _ | ^ | |

^{*} These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



| | readi | Trad | itional Medicaid | Tradi | tional Integrated | Non-Tradition | onal Medicaid | Non-Tradition | nal Integrated |
|-------------|--|----------------------------|-------------------------------------|--------------------------|---------------------------------------|---------------|------------------------------------|---------------|-----------------------------------|
| Codes | Description | Not | Preauthorization | Not | Preauthorization | Not Covered | Preauthorization | Not Covered | Preauthorization |
| Disclaimer | Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these | Covered se coding lists | Required do not reflect information | Covered regarding imm | Required unizations, injectable drugs | | Required ations and should be d | | Required cy link option within |
| the website | 2. | | | | T | 1 | ı | | 1 |
| | Palb2 mrna seq alys | X | - | X | - | X | - | X | - |
| 0138U | Brca1 brca2 mrna seq alys | X | - | X | - | X | - | X | - |
| | Nfct ds fungi dna 15 trgt | X | - | X | - | X | - | X | - |
| | Nfct ds bact&fng gram pos | X | - | X | - | X | - | X | - |
| | Nfct ds bact&fng gram neg | X | - | X | - | X X | - | X | - |
| | Drug assay 120+ rx/metablt | X | - | | - | X | - | | - |
| | Drug assay 160+ rx/metablt | | | X | | | | X | - |
| 0145U | Drug assay 65+ rx/metablt | X | - | X | - | X | - | X | - |
| | Drug assay 80+ rx/metablt | X | - | X | - | X | - | X | - |
| | Drug assay 85+ rx/metablt | X | - | X | - | X | - | X | - |
| | Drug assay 100+ rx/metablt | X | - | X | - | X | - | X | - |
| | Drug assay 60+ rx/metablt | X | - | X | - | X | - | X | - |
| | Drug assay 120+ rx/metablt | X | - | X | - | X | - | X | - |
| 0152U | Nfct bct fng prst dna >1000 | Х | - | Х | - | Х | - | Х | - |
| 0153U | Onc breast mrna 101 genes | - | X | - | X | - | X | - | X |
| 0154U | 1 8 8 1 1 | - | X | - | X | - | X | - | X |
| | Pik3ca gene analysis | - | X | - | X | - | Х | - | Х |
| | Copy number sequence alys | - | X | - | X | - | Х | - | Х |
| | Apc mrna seq alys | - | X | - | X | - | X | - | Х |
| | Mlh1 mrna seq alys | - | X | - | X | - | Х | - | Х |
| 0159U | Msh2 mrna seq alys | - | X | - | X | - | Х | - | Х |
| | Msh6 mrna seq alys | - | X | - | X | - | Х | - | Х |
| | Pms2 mrna seq alys | - | X | - | X | - | Х | - | Х |
| | Hered colon ca trgt mrna pnl | - | X | - | X | - | Х | - | Х |
| 01631 | Total disc arthroplasty (artificial disc), anterior approach, including discectomy to prepare | Х | _ | Х | _ | Х | _ | х | - |
| | interspace (other than for | | | | | | | | <u> </u> |
| | Onc circt scr 3 prtn alg | Х | - | Х | - | Х | - | Х | - |
| 01641 | Removal of total disc arthroplasty, (artificial disc), anterior approach, each additional interspace, lumbar (list separ | Χ | - | Х | - | Х | - | Х | - |
| 0164U | Gi ibs ia anticdtb&vinculin | Х | - | Х | - | Х | _ | Х | _ |
| | Revision including replacement of total disc arthroplasty (artificial disc), anterior approach, each | | | | | | | | 1 |
| | additional interspa | Х | - | X | - | Х | - | X | 1 - |
| 0165U | Peanut allg spec asmt 64 epi | Х | - | Х | - | Х | - | Х | _ |
| 0166U | Liver ds 10 biochem asy srm | X | - | X | - | X | - | X | - |
| 0167U | Chorne gonadotropin hegia | X | - | X | - | X | _ | X | - |
| 0169U | Nudt15&tpmt gene com vrnt | X | - | X | - | X | - | X | - |
| 0170U | Neuro asd rna next gen seq | X | - | X | - | X | _ | X | - |
| 0171U | Trgt gen seg alys pnl dna 23 | X | - | X | - | X | _ | X | _ |
| 0172U | Onc sld tum alys brca1 brca2 | X | - | X | - | X | - | X | - |
| | Psyc gen alys panel 14 genes | X | - | X | - | X | - | X | - |
| 0174T | Computer aided detection (cad) (computer algorithm analysis of digital image data for lesion | | | | | | | | 1 |
| | detection) with further phy | Х | • | Х | - | Х | - | Х | - |
| 0174U | Onc solid tumor 30 prtn trgt | Х | - | Х | - | Х | - | Х | - |
| 0175T | Computer aided detection (cad) (computer algorithm analysis of digital image data for lesion | Х | _ | Х | | Х | | Х | _ |
| | detection) with further phy | ^ | - | ^ | - | λ | - | ^ | |

^{*} These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



| | Ticatti | Trad | itional Medicaid | Tradi | tional Integrated | Non-Traditio | nal Medicaid | Non-Tradition | nal Integrated |
|----------------|--|----------------------------|--|--------------------------|--|--------------|-----------------------------------|---------------|-----------------------------------|
| Codes | Description | Not | Preauthorization | Not | Preauthorization | Not Covered | Preauthorization | Not Covered | Preauthorization |
| Disclaimer | Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, the | Covered se coding lists | Required do not reflect information | Covered regarding imm | Required nunizations, injectable drugs | | Required tions and should be d | | Required by link option within |
| the website | | | | | 1 | | T | • | |
| 01750 | Psyc gen alys panel 15 genes | X | - | X | - | X | - | X | - |
| | Cdtb&vinculin igg antb ia | X | - | X | - | X | - | X | - |
| | Onc brst ca dna pik3ca 11 | X | - | X | - | X | - | X | - |
| | Peanut allg asmt epi clin rx | X | - | X | - | X | - | X | - |
| | Onc nonsm cll lng ca alys 23 | X | - | X | - | X | - | X | - |
| | Abo gnotyp abo 7 exons | X | - | X | - | X | - | X | - |
| | Co gnotyp aqp1 exon 1 | X | - | X | - | X | - | X | - |
| | Crom gnotyp cd55 exons 1-10 | X | - | Х | - | X | - | X | - |
| | Di gnotyp slc4a1 exon 19 | Х | - | Х | - | Х | - | Х | - |
| 01841 | Excision of rectal tumor, transanal endoscopic microsurgical approach (ie, tems), including muscularis propria (ie, full thickness) | Х | - | Х | - | Х | - | Х | - |
| 0184U | Do gnotyp art4 exon 2 | Х | - | Х | - | Χ | - | X | - |
| | Fut1 gnotyp fut1 exon 4 | Χ | - | Х | - | X | - | X | - |
| | Fut2 gnotyp fut2 exon 2 | Χ | - | Х | - | X | - | X | - |
| | Fy gnotyp ackr1 exons 1-2 | Χ | - | Х | - | X | - | X | - |
| 0188U | Ge gnotyp gypc exons 1-4 | Х | - | Х | - | Χ | - | X | - |
| | Gypa gnotyp ntrns 1 5 exon 2 | Х | - | Х | - | Χ | - | X | - |
| 0190U | Gypb gnotyp ntrns 1 5 seux 3 | Χ | ī | X | - | X | - | X | - |
| | In gnotyp cd44 exons 2 3 6 | Χ | i | Х | - | X | - | X | - |
| | Jk gnotyp slc14a1 exon 9 | Χ | · | Х | - | X | - | X | - |
| | Jr gnotyp abcg2 exons 2-26 | Х | - | X | - | Χ | - | X | - |
| | Kel gnotyp kel exon 8 | Х | - | X | - | Χ | - | X | - |
| | Klf1 targeted sequencing | Χ | - | X | - | Χ | - | X | - |
| 0196U | Lu gnotyp bcam exon 3 | Χ | ī | X | - | X | - | X | - |
| 0197U | Lw gnotyp icam4 exon 1 | Χ | ī | X | - | X | - | X | - |
| 0198T | Measurement of ocular blood flow by repetitive intraocular pressure sampling, with interpretation and report | Х | - | Х | - | Х | - | Х | - |
| 0198U | Rhd&rhce gntyp rhd1-10&rhce5 | Х | - | Х | - | Х | - | Х | - |
| 0199U | Sc gnotyp ermap exons 4 12 | Х | - | Х | - | Х | - | Х | - |
| 0200T | Percutaneous sacral augmentation (sacroplasty), unilateral injection(s), including the use of a balloon or mechanical de | Х | - | Х | - | Х | - | Х | - |
| 0200U | | Х | | Х | _ | Х | _ | Х | _ |
| | Percutaneous sacral augmentation (sacroplasty), bilateral injections, including the use of a | | | | | | | | |
| | balloon or mechanical devic | Х | - | Х | - | X | - | Х | - |
| 0201U | Yt gnotyp ache exon 2 | Х | - | Х | - | X | _ | Х | - |
| | Posterior vertebral joint(s) arthroplasty (e.g., facet joint[s] replacement) including facetectomy, | X | - | X | - | X | - | X | - |
| 020211 | laminectomy, foramin Nfct ds 22 trgt sars-cov-2 | Х | _ | X | _ | Х | | X | |
| | Ai ibd mrna xprsn prfl 17 | X | - | X | - | X | - | X | - |
| | Onc thyr mrna xprsn alys 593 | X | - | X | - | X | - | X | - |
| | | X | | X | - | X | | X | - |
| 0205U | Oph amd alys 3 gene variants | X | - | X | - | X | - | X | - |
| 0206U 0207T | Neuro alzheimer cell aggregj Evacuation of meibomian glands, automated, using heat and intermittent pressure, unilateral | X | - | X | - | X | - | X | - |
| 020711 | Neuro alzheimer quan imaging | X | <u>-</u> | X | - | X | _ | X | - |
| 32070 | incure districting quanting | ^ | | _ ^ | <u> </u> | ^ | | ^ | |

^{*} These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



| | nealti | Trad | itional Medicaid | Tradi | tional Integrated | Non-Traditio | onal Medicaid | Non-Tradition | al Integrated |
|------------|--|------------------------------|---------------------------------------|-----------------------|--|--------------|----------------------------------|---------------|----------------------------------|
| Codes | Description | Not | Preauthorization | Not | Preauthorization | Not Covered | Preauthorization | | Preauthorization |
| Disclaimer | Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, the | Covered hese coding lists | Required s do not reflect information | Covered regarding imm | Required unizations, injectable drugs | | Required ations and should be of | | Required y link option within |
| 0208T | Pure tone audiometry (threshold), automated (includes use of computer-assisted device); air | | | 1 | | | | | |
| 02001 | only | Х | - | Х | - | X | - | Х | - |
| 0209T | Pure tone audiometry (threshold), automated (includes use of computer-assisted device); air | | | | | | | | |
| | and bone | Х | - | Х | - | Х | - | Х | - |
| 0209U | Cytog const alys interrog | Х | - | Х | - | Х | - | Х | - |
| 0210T | Speech audiometry threshold, automated (includes use of computer-assisted device); | | | V | | V | | V | |
| | | Х | - | Х | | Х | - | Х | - |
| 0210U | Syphilis tst antb ia quan | Х | - | Х | i | X | - | Х | - |
| 0211T | Speech audiometry threshold, automated (includes use of computer-assisted device); with | X | _ | Х | _ | Х | _ | Х | _ |
| | speech recognition | | | | | | | | |
| | Onc pan-tum dna&rna gnrj seq | Х | - | Х | - | Х | - | Х | - |
| 0212T | Comprehensive audiometry threshold evaluation and speech recognition (0209t, 0211t | Х | _ | Х | - | X | _ | X | - |
| 0212U | combined), automated (includes use of | | | V | | | | | |
| | Rare ds gen dna alys proband | Х | - | Х | - | Х | - | Х | - |
| 02131 | Injection(s), diagnostic or therapeutic agent, paravertebral facet (zygapophyseal) joint (or | X | - | Х | - | X | - | X | - |
| 0213U | nerves innervating that joi Rare ds gen dna alys ea comp | Х | _ | Х | _ | Х | _ | Х | |
| | Injection(s), diagnostic or therapeutic agent, paravertebral facet (zygapophyseal) joint (or | | _ | | | | _ | | |
| 02 | nerves innervating that joi | Х | - | Х | - | Х | - | Х | - |
| 0214U | Rare ds xom dna alys proband | Х | - | Х | - | Х | - | Х | - |
| 0215T | Injection(s), diagnostic or therapeutic agent, paravertebral facet (zygapophyseal) joint (or | ., | | ., | | | | | |
| | nerves innervating that joi | Х | - | Х | - | Х | - | Х | - |
| 0215U | Rare ds xom dna alys ea comp | Х | - | Х | - | Х | - | Х | - |
| 0216T | Injection(s), diagnostic or therapeutic agent, paravertebral facet (zygapophyseal) joint (or | Х | _ | Х | | Х | | Х | |
| | nerves innervating that joi | | - | ^ | - | ^ | _ | ^ | <u> </u> |
| | Neuro inh ataxia dna 12 com | Х | - | Х | - | X | - | X | - |
| 0217T | Injection(s), diagnostic or therapeutic agent, paravertebral facet (zygapophyseal) joint (or | Х | _ | Х | _ | Х | _ | X | _ |
| | nerves innervating that joi | | | | | | | | |
| 0217U | Neuro inh ataxia dna 51 gene | Х | - | Х | - | Х | - | Х | - |
| 02181 | Injection(s), diagnostic or therapeutic agent, paravertebral facet (zygapophyseal) joint (or | Х | - | Х | - | X | - | Х | - |
| 0218U | nerves innervating that joi | X | _ | X | _ | Х | _ | Х | |
| | Neuro musc dys dmd seq alys Placement of posterior intrafacet implant(s), unilateral or bilateral, including imaging and | ^ | - | ^ | - | ^ | - | ^ | |
| 02131 | placement of bone graft(s) | Х | - | Х | - | X | - | Х | - |
| 0219U | Nfct agt hiv gnrj seq alys | X | _ | Х | - | X | _ | Х | |
| | Placement of posterior intrafacet implant(s), unilateral or bilateral, including imaging and | | - | | - | | - | | |
| | placement of bone graft(s) | Х | - | Х | - | Х | - | X | - |
| 0220U | Onc brst ca ai assmt 12 feat | Х | - | Х | - | Х | - | Х | - |
| | Placement of posterior intrafacet implant(s), unilateral or bilateral, including imaging and | | | | | | | | |
| | placement of bone graft(s) | X | - | Х | - | Х | - | Х | - |
| | Abo gnotyp next gnrj seq abo | Х | - | Х | - | Х | - | Х | - |
| | Placement of posterior intrafacet implant(s), unilateral or bilateral, including imaging and | Х | - | Х | | Х | | Х | |
| | placement of bone graft(s) | | - | | - | | _ | | - |
| | Rhd&rhce gntyp next gnrj seq | Х | - | Х | - | Х | - | X | - |
| 0223U | Nfct ds 22 trgt sars-cov-2 | X | - | X | - | Х | - | X | - |

^{*} These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



| ~ | nealth | Trad | itional Medicaid | Tradi | tional Integrated | Non-Traditio | onal Medicaid | Non-Tradition | nal Integrated |
|-------------|--|----------------------------|--|-----------------------|---|--------------|--|---------------|-----------------------------------|
| Codes | Description | Not | Preauthorization | Not | Preauthorization | Not Covered | Preauthorization | | Preauthorization |
| Disclaimer | Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, the | Covered se coding lists | Required do not reflect information | Covered regarding imm | Required nunizations, injectable drugs | | Required ations and should be d | | Required by link option within |
| the website | a. | | T | 1 | ı | ı | Г | 1 | , , |
| | Nfct ds dna&rna 21 sarscov2 | X | - | X | - | X | - | X | - |
| 0226U | Svnt sarscov2 elisa plsm srm | X | - | X | - | X | - | X | - |
| 0227U | Rx asy prsmv 30+rx/metablt | X | - | X | - | X | - | X | - |
| | Onc prst8 ma molec prfl alg | X | - | X | - | X | - | X | - |
| | Bcat1 promoter mthyltn alys | X | - | X | - | X | - | X | - |
| | Ar full sequence analysis | X | - | X | - | X | - | X | - |
| 0231U | Cacna1a full gene analysis | | - | | - | ^ | - | ^ | - |
| 02321 | Injection(s), platelet rich plasma, any tissue, including image guidance, harvesting and | Х | - | Х | - | Х | - | X | - |
| 0232U | preparation when performed | V | | V | | V | | V | _ |
| | Cstb full gene analysis | X | - | X | - | X | - | X | - |
| | Fxn gene analysis | X | - | X | - | | - | X | - |
| | Triumi perip athrc renal art | X | - | X | - | X | - | X | - |
| | Mecp2 full gene analysis | X | | X | - | X | - | X | - |
| 0235U | The state of the s | X | - | X | - | X | - | X | - |
| 0235U | Pten full gene analysis | X | - | X | - | X | - | X | - |
| 0236U | Trluml perip athrc abd aorta Smn1&smn2 full gene analysis | X | - | X | - | X | - | X | - |
| | Trluml perip athrc brchiocph | X | - | X | - | X | - | X | - |
| 0237 U | Car ion chnlpthy gen seq pnl | X | - | X | - | X | - | X | - |
| 0237 U | Triumi perip athrc iliac art | X | - | X | - | X | - | X | - |
| 0238U | One linch syn gen dna seq aly | X | - | X | - | X | - | X | - |
| 0239U | , , , | X | - | X | - | X | - | X | - |
| | Trigt gen seq alys pnl 311+ | ^ | - | ^ | - | ^ | - | ^ | - |
| 02420 | Targeted genomic sequence analysis panel, solid organ neoplasm, cell-free circulating dna | х | | X | | Х | | Х | l |
| | analysis of 55-74 genes, interrogation for sequence variants, gene copy number amplifications, and gene rearrangements | ^ | - | ^ | - | ^ | - | ^ | i - |
| 034311 | Obstetrics (preeclampsia), biochemical assay of placental-growth factor, time-resolved | | | | | | | | |
| 02430 | " ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' | Х | | X | | Х | | Х | l |
| | fluorescence immunoassay, maternal serum, predictive algorithm reported as a risk score for | ^ | - | ^ | - | ^ | - | ^ | i - |
| 024411 | preeclampsia Oncology (solid organ), dna, comprehensive genomic profiling, 257 genes, interrogation for | | | | | | | | |
| 02440 | single-nucleotide variants, insertions/deletions, copy number alterations, gene rearrangements, | | | | | | | | l |
| | tumor-mutational burden and microsatellite instability, utilizing formalin-fixed | X | - | X | - | Х | - | X | - |
| | paraffinembedded tumor tissue | | | | | | | | l |
| 024511 | Oncology (thyroid), mutation analysis of 10 genes and 37 rna fusions and expression of 4 mrna | | | | | | | | |
| 02400 | markers using next-generation sequencing, fine needle aspirate, report includes associated risk | х | _ | X | _ | Х | | Х | _ |
| | of malignancy expressed as a percentage | ^ | - | ^ | - | ^ | _ | ^ | Ī |
| 024611 | Red blood cell antigen typing, dna, genotyping of at least 16 blood groups with phenotype | | | | | | | | |
| 02400 | prediction of at least 51 red blood cell antigens | Х | - | Х | - | X | - | X | - |
| 024711 | Obstetrics (preterm birth), insulin-like growth factor—binding protein 4 (ibp4), sex hormone— | | | | | | | | |
| 02470 | binding globulin (shbg), quantitative measurement by lc-ms/ms, utilizing maternal serum, | | | | | | | | l |
| | combined with clinical data, reported as predictive-risk stratification for spontaneous preterm | Х | - | Х | - | X | - | Х | - |
| | birth | | | | | | | | l |
| 0248U | Onc brn sphrd cll 12 rx pnl | Х | _ | Х | _ | Х | | Х | |
| 0249U | One brit alys 32 phsprtn alg | X | - | X | - | X | - | X | |
| 0250U | Onc sld org neo dna 505 gene | X | _ | X | _ | X | _ | X | |
| | Hepcidin-25 elisa serum/plsm | X | - | X | - | X | - | X | - |
| 02010 | propositi 25 chia actumypiani | ^ | | _ ^ | | ^ | | ^ | |

^{*} These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



| | Tiediti | Trad | itional Medicaid | Tradi | itional Integrated | Non-Tradition | onal Medicaid | Non-Tradition | nal Integrated |
|-------------|---|----------------------------------|--|-----------------------|--|---------------|------------------------------------|---------------|---------------------------------------|
| Codes | Description | Not | Preauthorization | Not | Preauthorization | Not Covered | Preauthorization | Not Covered | Preauthorization |
| Disclaimer | Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally | Covered t, these coding lists | Required do not reflect information | Covered regarding imm | Required nunizations, injectable drugs | | Required itions and should be d | | Required cy link option within |
| the website | 2. | | 1 | | | | T | | · · · · · · · · · · · · · · · · · · · |
| | Ftl aneuploidy str alys dna | Х | - | Х | - | Х | - | Х | - |
| 0253T | Insert aqueous drain device | X | - | Х | - | Х | - | Х | - |
| | Rprdtve med rna gen prfl 238 | X | - | Х | - | Х | - | Х | - |
| | Reprdtve med alys 24 chrmsm | X | - | Х | - | Х | - | Х | - |
| 0255U | Andrology infertility assmt | X | - | Х | - | Х | - | Х | - |
| | Tma/tmao prfl ms/ms ur alg | Х | - | Х | - | Х | - | Х | - |
| | | X | - | Х | - | Х | - | Х | - |
| 0258U | Ai psor mrna 50-100 gen alg | X | - | Х | - | Х | - | Х | - |
| | Neph ckd nuc mrs meas gfr | Х | - | Х | - | Х | - | Х | - |
| | Rare ds id opt genome mapg | Х | - | Х | - | Х | - | X | - |
| | Onc circt ca img alys w/ai | Х | - | Х | - | X | - | X | - |
| | Onc sld tum rtpcr 7 gen | Х | - | Х | - | X | - | Х | - |
| 0263T | Im autol b1 mrw cel ther 1 leg compl incl hrvst | X | - | Х | - | X | - | Х | - |
| 0263U | Neuro asd meas 16 c metblt | Х | - | Х | - | Х | - | Х | - |
| 0264T | Im autol b1 mrw cel ther 1 leg compl xcl hrvst | Х | - | Х | - | Х | - | X | - |
| 0264U | Rare ds id opt genome mapg | Х | - | Х | - | X | - | X | - |
| 0265T | Im autol b1 mrw cel ther uni/bi hrvst only | Х | - | Х | - | X | - | X | - |
| | Rar do whl gn&mtcdrl dna als | Х | - | Х | - | X | - | X | - |
| | Impltj/rplcmt crtd sns brorflx actv dev tot sys | Х | - | Х | - | X | - | X | - |
| 0266U | Unxpl cnst hrtbl do gn xprsn | X | - | Х | - | X | - | X | - |
| 0267T | Impltj/rplcmt crtd sns brorflx actv dev lead uni | X | - | Х | - | X | - | X | - |
| 0267U | Rare do id opt gen mapg&seq | X | - | Х | - | Х | - | X | - |
| 0268T | Impltj/rplcmt crtd sns brorflx actv dev pls gen | X | - | Х | - | Х | - | X | - |
| 0268U | Hem ahus gen seq alys 15 gen | Х | - | Х | - | Х | - | Х | - ' |
| 0269T | Rev/remvl crtd sns brorflx actv dev tot sys | Х | - | Х | - | Х | - | Х | - |
| 0269U | Hem aut dm cgen trmbctpna 14 | Х | - | Х | - | Х | - | Х | - |
| 0270T | Rev/remvl crtd sns brorflx actv dev lead uni | Х | - | Х | - | Х | - | Х | - ' |
| 0270U | Hem cgen coagj do 20 genes | Х | - | Х | - | Х | - | Х | - |
| 0271T | Rev/remvl crtd sns brorflx actv dev pls gen | Х | - | Х | - | Х | - | Х | - |
| 0271U | Hem cgen neutropenia 23 gen | Х | - | Х | - | Х | - | Х | - |
| 0272T | Interrogation eval crtd sns brorflx actv sys | Х | - | Х | - | Х | - | Х | - |
| 0272U | Hem genetic bld do 51 genes | Х | - | Х | - | Х | - | Х | - |
| 0273T | Interrogation eval crtd sns brorflx w/progrmg | Х | - | Х | - | Х | - | Х | - |
| 0273U | Hem gen hyprfibrnlysis 8 gen | Х | - | Х | - | Х | - | Х | - |
| 0274T | Perq lamot/lam any meth single/mlt lvl crv/thrc | Х | - | Х | - | Х | - | Х | - |
| 0274U | Hem gen pltlt do 43 genes | Х | - | Х | - | Х | - | Х | - |
| 0275T | Perq lamot/lam any meth single/mlt lvl lumbar | Х | - | Х | - | Х | - | Х | - |
| 0275U | Hem heprn nduc trmbctpna srm | Х | - | Х | - | Х | - | Х | - |
| 0276U | Hem inh thrombocytopenia 23 | Х | - | Х | - | Х | - | Х | - |
| 0277U | Hem gen pltlt funcj do 31 | Х | - | Х | - | Х | - | Х | - |
| 0278T | Transcutaneous electrical modulation pain reprocessing (eg, scrambler therapy), each | ., | | ., | | v | | | |
| | treatment session (includes placement of electrodes). | Х | - | Х | · - | Х | - | Х | 1 - |
| 0278U | Hem gen thrombosis 12 genes | Х | - | Х | - | Х | - | Х | - |
| | Hem vw factor&clgn iii bndg | Х | - | Х | - | Х | - | Х | - |
| | Hem vw factor&clgn iv bndg | Х | - | Х | - | Х | - | Х | - |
| | | | | | | | | | |

^{*} These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



| ~ | nealti | Trac | litional Medicaid | Tradi | tional Integrated | Non-Traditio | onal Medicaid | Non-Tradition | nal Integrated |
|-------------|--|--------------------------------|-------------------|--------------------------|-------------------|--------------|------------------|---------------|--|
| Codes | Description | Not | Preauthorization | Not | Preauthorization | Not Covered | Preauthorization | | Preauthorization |
| Disclaimer | Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionall | Covered v these coding list | Required | Covered regarding imm | Required | | Required | | Required |
| the website | 3. | | 1 | | I | | | | , |
| | Hem vwd propeptide ag lvl | Х | - | Х | - | Х | - | Х | - |
| | Rbc dna gntyp 12 bld grp gen | X | - | X | - | Х | - | X | - |
| | Vw factor type 2b eval plsm | X | - | X | - | Х | - | X | - |
| | Vw factor type 2n eval plsm | X | - | X | - | X | - | X | - |
| | Onc rsps radj cll fr dna tox | X | - | X | - | X | - | X | - |
| | Cep72 nudt15&tpmt gene alys | X | - | X | - | X | - | X | - |
| | Onc thyr dna&mrna 112 genes | X | - | X | - | X | - | X | - |
| | Onc lung mrna quan pcr 11&3 | X | - | X | - | X | - | X | - |
| 0289U | Neuro alzheimer mrna 24 gen | X | - | X | - | X | - | X | - |
| | Pain mgmt mrna gen xprsn 36 | X | - | X | - | X | - | X | - |
| | Psyc mood do mrna 144 genes | X | - | X | - | X | - | X | - |
| | Psyc strs do mrna 72 genes | X | - | X | - | X | - | X | - |
| | Psyc suicidal idea mrna 54 | X | - | X | - | X | - | X | - |
| | Lngvty&mrtlty rsk mrna 18gen | X | - | X | - | Х | - | X | - |
| | Onc brst dux carc 7 proteins | X | - | X | - | Х | - | X | - |
| | Onc orl&/orop ca 20 mlc feat | X | - | X | - | Х | - | X | - |
| | Onc pan tum whl gen seq dna | X | - | X | - | Х | - | X | - |
| | Onc pan tum whl trns seq rna | X | - | X | - | X | - | X | - |
| | Onc pan tum whl gen opt mapg | X | - | X | - | Х | - | X | - |
| | Onc pan tum whl gen seq&opt | X | - | X | - | Х | - | Х | - |
| 0301U | | X | - | X | - | Х | - | X | - |
| 0302U | | X | - | X | - | Х | - | X | - |
| 0303U | The trace and this big hyperic | X | - | X | - | Х | - | X | - |
| | Hem rbc ads whl bld normoxic | X | - | X | - | Х | - | X | - |
| | Hem rbc fnclty&dfrm shr strs | X | - | X | - | X | - | X | - |
| 03060 | Onc mrd nxt-gnrj alys 1st | X | - | X | - | X | - | X | - |
| | Onc mrd nxt-gnrj alys sbsq | X | - | X | - | X | - | X | - |
| 0308T | Insertion of ocular telescope prothesis including removal of crystalline lens | X | - | X | - | X | - | X | - |
| 0308U | Crd cad alys 3 prtn plsm alg | X | - | X | - | X | - | X | - |
| | Crd cv ds aly 4 prtn plm alg | X | - | X | - | X | - | X | - |
| | Ped vsclts kd alys 3 bmrks | X | - | X | - | X | - | X | - |
| | Nfct ds bct quan antmcrb sc | X | - | X | - | X | - | X | - |
| 0312T | Laps impltj nstim vagus | X | - | X | - | X | - | X | - |
| | Ai ds sle alys 8 igg autoant | X | - | Х | - | Х | - | Х | - |
| 03131 | Vagus nerve blocking therapy (morbid obesity); laparoscopic removal of vagal trunk | Х | - | Х | - | × | - | X | - |
| 004611 | neurostimulator electrode array and pulse generator | | | | | | | | |
| | Onc pncrs dna&mrna seq 74 | X | - | Х | - | Х | - | Х | - |
| 0314T | Vagus nerve blocking therapy (morbid obesity); laparoscopic removal of vagal trunk neurostimulator | Х | - | Х | - | х | - | Х | - |
| 0314U | Onc cutan minma mrna 35 gene | Х | - | Х | - | Х | - | Х | - |
| 0315T | Rmvl vagus nerve pls gen | X | - | Х | - | X | - | X | - |
| 0315U | Onc cutan sq cll ca mrna 40 | X | - | X | - | X | - | X | - |
| 0316T | Replc vagus nerve pls gen | X | - | X | _ | X | - | X | - |
| | B brgdrferi lyme ds ospa evl | X | - | X | _ | X | - | X | - |
| | Elec analysis vagus nerve pls gen | X | - | X | - | X | - | X | - |
| <u> </u> | 1 | | l | | 1 | · · · · · · | 1 | · · · · · · | |

^{*} These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



| | Trac | ditional Medicaid | Tradi | tional Integrated | Non-Tradition | onal Medicaid | Non-Traditio | nal Integrated |
|--|---------------------|------------------------------|----------------|------------------------------|------------------------|------------------------------|----------------------|------------------------------|
| Codes Description | Not Covered | Preauthorization Required | Not Covered | Preauthorization Required | Not Covered | Preauthorization Required | Not Covered | Preauthorization Required |
| Disclaimer: Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally the website. | , these coding list | s do not reflect information | regarding imm | unizations, injectable drugs | s, or specialty medica | itions and should be di | rected to the Pharma | cy link option within |
| 0317U Onc lung ca 4-prb fish assay | Х | - | Х | - | Х | - | Х | - |
| 0318U Ped whl gen mthyltn alys 50+ | Х | - | Х | - | Х | - | Х | - |
| 0319U Neph rna pretrnspl perph bld | Х | - | Х | - | Х | - | Х | - |
| 0320U Neph rna psttrnspl perph bld | Х | - | Х | - | Х | - | Х | - |
| 0321U ladna gu pthgn 20bct&fng org | Х | - | Х | - | Х | - | Х | - |
| 0322U Neuro asd meas 14 acyl carn | Х | - | Х | - | Х | - | Х | - |
| 0323U ladna cns pthgn next gen seq | Х | - | Х | - | Х | - | Х | - |
| 0324U Onc ovar sphrd cell 4 rx pnl | Х | - | Х | - | Х | - | Х | - |
| 0325U Onc ovar sphrd cell parp | Х | - | Х | - | Х | - | Х | - |
| 0326U Trgt gen seq alys pnl 83+ | Х | - | Х | - | Х | - | Х | - |
| 0327U FtI aneuploidy trsmy dna seq | Х | - | Х | - | Х | - | Х | - |
| 0328U Drug assay 120+ rx&metablt | Х | - | Х | - | Х | - | Х | - |
| 0329T Mntr io press 24hrs/> uni/bi | Х | - | Х | - | Х | - | Х | - |
| 0329U Onc neo xome&trns seq alys | Х | - | X | - | Х | - | Х | - |
| 0330T Tear film img uni/bi w/i&r | Х | - | X | - | Х | - | Х | - |
| 0330U ladna vag pthgn panel 27 org | Х | - | X | - | Х | - | Х | - |
| 0331T Heart symp image plnr | Х | - | X | - | Х | - | Х | - |
| 0331U Onc hI neo opt gen mapping | Х | - | Х | - | X | - | X | - |
| 0332T Heart symp image plnr spect | Х | - | Х | - | X | - | X | - |
| 0332U Onc pan tum gen prflg 8 dna | Х | - | Х | - | X | - | X | - |
| 0333T Visual ep acuity screen auto | X | - | Х | - | X | - | X | - |
| 0333U Onc lvr surveilanc hcc cfdna | X | - | Х | - | X | - | X | - |
| 0334U Onc sld orgn tgsa dna 84/+ | X | - | Х | - | X | - | X | - |
| 0335T Extraosseous joint stblztion | X | - | X | - | Х | - | Х | - |
| 0335U Rare ds whl gen seq fetal | X | - | X | - | X | - | X | - |
| 0336U Rare ds whl gen seq bld/slv | Х | - | X | - | X | - | Х | - |
| 0337U Onc plsm cell do & myeloma id | Х | - | X | - | Х | - | X | - |
| 0338T Trnscth renal symp denry unl | Х | - | Х | - | Х | - | X | - |
| 0338U Onc sld tum crcg tum cl slct | X | - | Х | - | Х | - | Х | - |
| 0339T Trnscth renal symp denrv bil | Х | - | Х | - | Х | - | Х | - |
| 0339U Onc prst8 mrna hoxc6 & dlx1 | X | - | Х | - | Х | - | Х | - |
| 0340U Onc pan ca alys mrd plasma | X | - | X | - | X | - | X | - |
| 0341U Ftl aneup dna seq cmpr alys | X | - | X | - | Х | - | Х | - |
| 0342T Thxp apheresis w/hdl delip | X | - | X | - | X | - | X | - |
| 0342U Onc pncrtc ca mult ia eclia | X | - | X | - | X | - | X | - |
| 0343U Onc prst8 xom aly 442 sncrna | X | - | X | - | X | - | X | - |
| 0344U Hep nafld semiq evl 28 lipid | X | - | X | - | X | - | X | - |
| 0345T Transcath mtral vive repair | X | - | X | - | X | - | X | - |
| 0345U Psyc genom alys pnl 15 gen | X | - | X | - | X | - | X | - |
| 0346U Beta amyl aβ40 & aβ42 lc-ms/ms | X | - | X | - | X | - | X | - |
| 0347T Ins bone device for rsa | X | - | X | - | X | - | X | - |
| 0347U Rx metab/pcx dna 16 gen alys 0348T Rsa spine exam | X | - | X | - | X | - | X | - |
| The specific states of the sta | X | - | X | - | X | - | X | - |
| | X | - | X | - | X | - | X | - |
| 0349T Rsa upper extr exam | | - | X | - | Λ | - | Λ | |

^{*} These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



| | ricaldi | Tradi | itional Medicaid | Tradit | tional Integrated | Non-Traditio | onal Medicaid | Non-Tradition | nal Integrated |
|-------------|--|----------------------------|--|-------------------------|---------------------------------------|--------------|------------------------------------|---------------|-----------------------------------|
| Codes | Description | Not | Preauthorization | Not | Preauthorization | Not Covered | Preauthorization | Not Covered | Preauthorization |
| Disclaimer: | Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, the | Covered se coding lists | Required do not reflect information r | Covered egarding imm | Required unizations, injectable drugs | | Required tions and should be di | | Required by link option within |
| the website | | | | | 1 | | Т | | · · |
| | Rx metab/pcx dna 27gen rx ia | X | - | X | - | X | - | X | - |
| | Rsa lower extr exam | X | - | X | - | X | - | X | - |
| | Rx metab/pcx dna 27 gen alys | Х | - | X | - | X | - | X | - |
| | Intraop oct brst/node spec | Х | - | Х | - | X | - | X | - |
| | Nfct ds bct/viral trail ip10 | X | - | X | - | X | - | X | - |
| 03521 | Oct brst/node i&r per spec | X | - | X | - | X | - | X | - |
| | Nfct ds bv & vaginitis amp prb | Х | - | Х | - | X | - | X | - |
| | Intraop oct breast cavity | Х | - | Х | - | X | - | X | - |
| 03530 | ladna chlmyd & gonorr amp prb | Х | - | Х | - | X | - | Х | - |
| | Oct breast surg cavity i&r | Х | - | Х | - | Х | - | Х | - |
| | Apol1 risk variants | Х | - | Х | - | Х | - | X | - |
| | Onc orop 17 dna ddpcr alg | Х | - | Х | - | Х | - | Х | - |
| | Onc mlnma ai quan alys 142 | Х | - | X | - | X | - | X | - |
| 03581 | Bia whole body | Х | - | Х | - | Х | - | Х | - |
| | Neuro alys β-amyl 1-42&1-40 | Х | - | Х | - | Х | - | Х | - |
| | Onc prst8 ca alys all psa | Х | - | Х | - | Х | - | Х | - |
| | Onc lung elisa 7 autoant alg | Х | - | Х | - | X | - | Х | - |
| | Neurflmnt lt chn dig ia quan | Χ | - | Х | - | Х | - | Х | - |
| | Expose behav assessment | Х | - | Х | - | Х | - | Х | - |
| | Onc pap thyr ca rna 82&10 | Х | - | Х | - | Х | - | Х | - |
| | Onc urthl mrna 5 gen alg | Х | - | Х | - | Х | - | Х | - |
| | Onc hI neo gen seq alys alg | Χ | - | Х | - | Х | - | Х | - |
| | Onc bldr 10 prb bldr ca | Χ | - | Х | - | Х | - | Х | - |
| | Onc bldr 10 prb recr bldr ca | Х | - | Х | - | Х | - | Х | - |
| | Onc bldr 10 flwg trurl rescj | Χ | - | Х | - | Х | - | Х | - |
| | Onc clrct ca mut&mthyltn mrk | Χ | - | Х | - | Х | - | Х | - |
| | ladna gi pthgn 31 org&21 arg | Х | - | Х | - | X | - | Х | - |
| | ladna surg wnd pthgn 34&21 | Х | - | Х | - | Х | - | Х | - |
| | ladna gu pthgn semiq dna16&1 | Х | - | Х | - | Х | - | Х | - |
| | Nfct ds gu pthgn arg detcj | Х | - | Х | - | Х | - | Х | - |
| | Exposure behavior treatment | Х | - | Х | - | Х | - | Х | - |
| | ladna rsp tr nfct 17 8 13&16 | Х | - | Х | - | Х | - | Х | - |
| 0374U | ladna gu pthgn 21 org&21arg | Х | - | Х | - | Х | - | Х | - |
| | Onc ovrn bchm asy 7 prtn alg | Х | - | Х | - | Х | - | Х | - |
| | Onc prst8 ca img alys 128 | Χ | - | Х | - | Χ | - | Х | - |
| 0377U | Cv ds quan advsrm/plsm lprtn | Χ | - | Х | - | Χ | - | Х | - |
| | Visual field assmnt rev/rprt | Χ | - | Х | - | Χ | - | X | - |
| | Rfc1 repeat xpnsj vrnt alys | Χ | - | Х | - | Х | - | Х | - |
| | Vis field assmnt tech suppt | X | - | Х | - | Χ | - | Х | - |
| | Tgsap sl or neo dna523&rna55 | Χ | - | Х | - | Х | - | Х | - |
| | Rx metb advrs trgt sq aly 20 | X | - | Χ | - | X | - | Х | - |
| | Maple syrup ur ds mntr quan | X | - | Χ | - | X | - | X | - |
| | Hyprphenylalninmia mntr quan | Χ | - | Χ | - | X | - | Х | - |
| | Tyrosinemia typ i mntr quan | Х | - | Χ | - | X | - | X | - |
| 0384U | Neph ckd rsk hi stg kdn ds | Χ | - | Χ | - | X | - | X | - |

^{*} These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



| 9 | nealth | Trad | itional Medicaid | Tradit | tional Integrated | Non-Tradition | onal Medicaid | Non-Tradition | nal Integrated |
|-------------|---|----------------------------|--|-----------------------|--|---------------|------------------|---------------|------------------|
| Codes | Description | Not | Preauthorization | Not | Preauthorization | Not Covered | Preauthorization | | Preauthorization |
| Disclaimer | Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, the | Covered se coding lists | Required s do not reflect information | Covered regarding imm | Required unizations, injectable drugs | | Required | | Required |
| the website | 2. | | I | | | | | | I |
| | Neph ckd alg rsk dbtc kdn ds | X | - | X | - | X | - | X | - |
| 0386U | Gi barrett esoph mthyltn aly | Х | - | X | - | Х | - | Х | - |
| | High dose rate electronic brachytherapy, skin surface application, per fraction, includes basic dosimetry, when performed | Х | - | Х | - | X | - | Х | - |
| 0395T | High dose rate electronic brachytherapy, interstitial or intracavitary treatment, per fraction, includes basic dosimetry, when performed | Х | - | х | - | Х | - | х | - |
| 0397T | Endoscopic retrograde cholangiopancreatography (ercp), with optical endomicroscopy (list separately in addition to code for primary procedure) | Х | - | Х | - | Х | - | Х | - |
| 0398T | Magnetic resonance image guided high intensity focused ultrasound (mrgfus), stereotactic ablation lesion, intracranial for movement disorder including stereotactic navigation | Х | - | х | - | х | - | х | - |
| 0402T | Collagen cross-linking of cornea (including removal of the corneal epithelium and intraoperative pachymetry when performed) | Х | - | Х | - | X | - | Х | - |
| 0402U | U nfct agt sti mult amp prb tq | Х | - | Х | - | Х | _ | Х | - |
| | Preventive behavior change, intensive program of prevention of diabetes using a standardized diabetes prevention program curriculum, provided to individuals in a group setting | х | - | Х | - | Х | - | X | - |
| 0403U | Onc prst8 mrna 18 gen dre ur | X | _ | X | _ | X | _ | Х | _ |
| 0404T | Transcervical uterine fibroid(s) ablation with ultrasound guidance, radiofrequency | X | _ | X | _ | X | _ | X | _ |
| 0404U | One brst semig meas thym kn | X | _ | X | _ | X | _ | X | _ |
| 0405U | One pricts 59 mthltn blk mrk | X | _ | X | _ | X | _ | X | _ |
| 0406U | One lung flow cytmtry 5 mrk | X | _ | X | _ | X | _ | X | _ |
| 0407U | Neph dbtc ckd mult eclia alg | X | _ | X | _ | X | _ | X | _ |
| 0408T | Insertion or replacement of permanent cardiac contractility modulation system, including contractility evaluation when performed, and programming of sensing and therapeutic pa | X | - | х | - | Х | - | X | - |
| 0408U | laad blk ac wy bsnsr sarscv2 | Х | - | Х | - | Х | - | Х | - |
| 0409T | Insertion or replacement of permanent cardiac contractility modulation system, including contractility evaluation when performed, and programming of sensing and therapeutic pa | х | - | х | - | Х | - | х | - |
| 0409U | Onc sld tum dna 80 & rna 36 | Х | - | Х | - | Х | - | Х | - |
| 0410T | Insertion or replacement of permanent cardiac contractility modulation system, including contractility evaluation when performed, and programming of sensing and therapeutic pa | х | - | х | - | х | - | х | - |
| 0410U | Onc pncrtc dna whl gn seq 5- | Х | - | Х | - | Х | _ | Х | - |
| | Insertion or replacement of permanent cardiac contractility modulation system, including contractility evaluation when performed, and programming of sensing and therapeutic pa | Х | - | Х | - | х | - | Х | - |
| 0411U | Psyc genom alys pnl 15 gen | Х | - | Х | - | Х | - | Х | - |
| | Removal of permanent cardiac contractility modulation system; pulse generator only | Х | - | Х | - | Х | - | х | - |
| 0412U | Beta amyloid aβ42/40 imprcip | Х | - | Х | - | Х | - | Х | - |
| | Removal of permanent cardiac contractility modulation system; transvenous electrode (atrial or ventricular) | Х | - | Х | - | Х | - | х | - |
| 0413U | Onc hI neo opt gen mapg dna | Х | - | Х | - | Х | _ | Х | - |

^{*} These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



| | | Trad | itional Medicaid | Tradi | tional Integrated | Non-Tradition | onal Medicaid | Non-Tradition | nal Integrated |
|----------------|---|----------------|------------------------------|----------------|------------------------------|------------------------|------------------------------|-------------------------|------------------------------|
| Codes | Description | Not Covered | Preauthorization Reguired | Not Covered | Preauthorization Required | Not Covered | Preauthorization Required | Not Covered | Preauthorization Required |
| Disclaimer: | Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, the | | | | | s, or specialty medica | | lirected to the Pharmac | |
| | Removal and replacement of permanent cardiac contractility modulation system pulse | ., | | | | ., | | | |
| | generator only | Х | - | Х | - | Х | - | X | - |
| 0414U | Onc Ing aug alg aly whi sid8 | Х | - | Х | - | Х | - | Х | - |
| 0415T | Repositioning of previously implanted cardiac contractility modulation transvenous electrode, | Х | _ | Х | _ | Х | _ | Х | _ |
| | (atrial or ventricular lead) | | | | | | | | |
| | Cv ds acs bld alg 5 yr score | Х | - | Х | - | Х | - | Х | - |
| 0416T | Relocation of skin pocket for implanted cardiac contractility modulation pulse generator | Х | - | Х | - | Х | - | Х | - |
| 0417T | Programming device evaluation (in person) with iterative adjustment of the implantable device | | | | | | | | |
| | to test the function of the device and select optimal permanent programmed values | Х | - | Х | - | Х | - | Х | - |
| 0417U | Rare ds alys 335 nuc genes | Х | - | Х | - | Х | - | Х | - |
| | Interrogation device evaluation (in person) with analysis, review and report, includes | | | | | | | | |
| | connection, recording and disconnection per patient encounter; implantable cardiac contr | Х | - | Х | - | Х | - | Х | - |
| 0418U | Onc brst aug alg aly whl sl8 | Х | - | Х | - | Х | - | Х | - |
| 0419T | Destruction neurofibromata, extensive, (cutaneous, dermal extending into subcutaneous); face, | Х | | Х | | Х | | х | |
| | head and neck, greater than 50 neurofibromata | | - | ^ | • | ^ | _ | ^ | - |
| | Nrpsyc gen seq vrnt aly 13 | Х | - | Х | - | Х | - | Х | - |
| 0420T | Destruction neurofibromata, extensive, (cutaneous, dermal extending into subcutaneous); trunk | Х | _ | Х | - | Х | _ | X | - |
| 0.40011 | and extremities, extensive, greater than 100 neurofibromata | | | | | | | | |
| 0420U 0421T | Onc urthl mrna xprsn 6 snp | Х | - | Х | - | - | - | - | - |
| 04211 | Transurethral waterjet ablation of prostate, including control of post-operative bleeding, including ultrasound guidance, complete (vasectomy, meatotomy, cystourethroscopy, ur | х | - | Х | - | х | - | Х | - |
| 0421U | Onc circt scr sgl amp 8 rna | X | _ | X | _ | | | _ | _ |
| 0422T | Tactile breast imaging by computer-aided tactile sensors, unilateral or bilateral | X | - | X | - | Х | _ | Х | _ |
| 0422U | Onc pan solid tum alys dna | X | - | X | - | - | _ | - | - |
| 0423U | Psyc genomic alys pnl 26 gen | Х | - | Х | - | - | - | - | - |
| 0424T | Insertion or replacement of neurostimulator system for treatment of central sleep apnea; complete system (transvenous placement of right or left stimulation lead, sensing lead | х | - | х | - | Х | _ | х | - |
| | | | | | | | | | |
| | Onc prst8 xom alys 53 sncrna | Х | - | Х | - | - | - | - | - |
| 0425T | Insertion or replacement of neurostimulator system for treatment of central sleep apnea; sensing lead only | Х | - | Х | - | Х | - | х | - |
| 0425U | Genom rpd seq alys ea cmprtr | - | Х | - | Х | Х | - | Х | - |
| 0426T | Insertion or replacement of neurostimulator system for treatment of central sleep apnea; stimulation lead only | Х | - | Х | - | Х | - | Х | - |
| 0426U | Genome ultra-rapid seq alys | - | X | - | X | X | - | X | - |
| | Insertion or replacement of neurostimulator system for treatment of central sleep apnea; pulse | ,,, | | ,, | - | | | | |
| | generator only | Х | - | Х | - | Х | - | X | - |
| 0427U | Monocyte dstrbj wdth whl bld | Х | - | Х | - | - | - | - | - |
| 0428T | Removal of neurostimulator system for treatment of central sleep apnea; pulse generator only | Х | - | Х | - | Х | - | х | - |
| 0428U | Onc brst ctdna alys 56/> gen | Х | - | Х | - | - | - | - | - |

^{*} These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



| | | Traditional Medicaid | | Traditional Integrated | | Non-Traditional Medicaid | | Non-Traditio | nal Integrated |
|-------|--|----------------------|------------------------------|------------------------|------------------------------|--------------------------|------------------------------|----------------------|------------------------------|
| Codes | Description | Not Covered | Preauthorization Required | Not Covered | Preauthorization Required | Not Covered | Preauthorization Required | Not Covered | Preauthorization Required |
| | Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, the | | | | | , or specialty medica | | rected to the Pharma | |
| 0429T | Removal of neurostimulator system for treatment of central sleep apnea; sensing lead only | Х | - | Х | - | Х | - | Х | - |
| 0429U | Hpv orop swab 14 hirisk typ | Х | - | Х | - | - | - | - | - |
| 0430T | Removal of neurostimulator system for treatment of central sleep apnea; stimulation lead only | Х | - | х | - | Х | - | х | - |
| 0430U | Gi malabs aat calpro pncrtc | Х | - | Х | - | - | - | - | - |
| 0431T | Removal and replacement of neurostimulator system for treatment of central sleep apnea, pulse generator only | Х | - | Х | - | Х | - | Х | - |
| 0431U | Gly rcptr alpha1 igg srm/csf | Х | - | Х | - | - | - | - | - |
| 0432T | Repositioning of neurostimulator system for treatment of central sleep apnea; stimulation lead only | Х | - | Х | - | Х | - | х | - |
| 0432U | KIhl11 antb sr/csf asy qual | Х | - | Х | - | - | - | - | - |
| 0433T | Repositioning of neurostimulator system for treatment of central sleep apnea; sensing lead only | Х | - | Х | - | Х | - | х | - |
| 0433U | Onc prst8 5 dna reg mrk pcr | Х | - | Х | - | - | - | - | - |
| 0434T | Interrogation device evaluation implanted neurostimulator pulse generator system for central sleep apnea | Х | - | Х | - | Х | - | х | - |
| 0434U | Rx metab advrs vrnt alys 25 | Х | - | Х | - | - | - | - | - |
| 0435T | Programming device evaluation of implanted neurostimulator pulse generator system for central sleep apnea; single session | Х | - | Х | - | Х | - | Х | - |
| 0435U | Onc chemo rx cytox csc 14 rx | Х | - | Х | - | - | - | - | - |
| 0436T | Programming device evaluation of implanted neurostimulator pulse generator system for central sleep apnea; during sleep study | Х | - | Х | - | Х | - | х | - |
| 0436U | Onc Ing plsm alys 388 prtn | Х | - | Х | - | - | - | - | - |
| | Impltj synth rnfcmt abdl wal | Х | - | Х | - | Х | - | Х | - |
| | Psyc anxiety do mrna 15 bmrk | Χ | - | Х | - | - | - | - | - |
| | Rx metab advrs vrnt alys 33 | Х | - | Х | - | - | - | - | - |
| | Myocrd contrast prfuj echo | Х | - | Х | - | Х | - | Х | - |
| 0439U | Cardiology (coronary heart disease [CHD]), DNA, analysis of 5 single-nucleotide polymorphisms (SNPs) (rs11716050 [LOC105376934], rs6560711 [WDR37], rs3735222 [SCIN/LOC107986769], rs6820447 [intergenic | Х | - | х | - | - | - | - | - |
| 0440T | Ablation, percutaneous, cryoablation, includes imaging guidance; upper extremity distal/peripheral nerve | Х | - | Х | - | Х | - | х | - |
| 0440U | Cardiology (coronary heart disease [CHD]), DNA, analysis of 10 single-nucleotide polymorphisms (SNPs) (rs710987 [LINC010019], rs1333048 [CDKN2B-AS1], rs12129789 [KCND3], rs942317 [KTN1-AS1], rs1441433 | Х | - | х | - | - | - | - | - |
| 0441T | Ablation, percutaneous, cryoablation, includes imaging guidance; lower extremity distal/peripheral nerve | Х | - | х | - | Х | - | Х | - |
| 0441U | Infectious disease (bacterial, fungal, or viral infection), semiquantitative biomechanical assessment (via deformability cytometry), whole blood, with algorithmic analysis and result reported as an in | Х | - | Х | - | - | - | - | - |
| 0442T | Ablation, percutaneous, cryoablation, includes imaging guidance; nerve plexus or other truncal nerve (eg, brachial plexus, pudendal nerve) | Х | - | Х | - | Х | - | Х | - |

^{*} These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



| G | nealti | Trad | itional Medicaid | Tradit | tional Integrated | Non-Traditio | onal Medicaid | Non-Tradition | nal Integrated |
|----------------|---|----------------------------|--|--------------------------|--|--------------|---------------------------------|---------------|-----------------------------------|
| Codes | Description | Not | Preauthorization | Not | Preauthorization | Not Covered | Preauthorization | | Preauthorization |
| Disclaimer: | Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, the | Covered se coding lists | Required s do not reflect information | Covered regarding imm | Required unizations, injectable drugs | | Required ations and should be d | | Required by link option within |
| the website | | - I | ī | 1 | | T - | | 1 | |
| 04420 | Infectious disease (respiratory infection), Myxovirus resistance protein A (MxA) and C-reactive | | | V | | | | | |
| | protein (CRP), fingerstick whole blood specimen, each biomarker reported as present or absent | Х | - | Х | - | - | - | - | - |
| 0443T | Real time spectral analysis of prostate tissue by fluorescence spectroscopy | Х | - | Х | - | X | - | Х | - |
| 0443U | Neurofilament light chain (NfL), ultra-sensitive immunoassay, serum or cerebrospinal fluid | Х | _ | Х | _ | _ | _ | _ | _ |
| | | ^ | _ | ^ | - | - | - | _ | - |
| 0444T | Initial placement of a drug-eluting ocular insert under one or more eyelids, including fitting, | Х | - | Х | - | Х | _ | X | - |
| 0.4.441 | training, and insertion, unilateral or bilateral | | | | | | | | |
| 0444U | Oncology (solid organ neoplasia), targeted genomic sequence analysis panel of 361 genes, | | | | | | | | |
| | interrogation for gene fusions, translocations, or other rearrangements, using DNA from | Х | - | Х | - | - | - | - | - |
| 04457 | formalin-fixed paraffin | | | | | | | | |
| 04451 | Subsequent placement of a drug-eluting ocular insert under one or more eyelids, including re- | Х | - | Х | - | Х | - | Х | - |
| 044511 | training, and removal of existing insert, unilateral or bilateral β-amyloid (Abeta42) and phospho tau (181P) (pTau181), electrochemiluminescent | | | | | | | | |
| 04430 | immunoassay (ECLIA), cerebral spinal fluid, ratio reported as positive or negative for amyloid | x | | х | | | | | |
| | pathology | ^ | _ | ^ | - | - | _ | _ | _ |
| 0446T | Crti subg insi impltbl glucose sensor sys | Х | - | Х | _ | Х | _ | Х | _ |
| | Autoimmune diseases (systemic lupus erythematosus [SLE]), analysis of 10 cytokine soluble | | | | | | | | |
| | mediator biomarkers by immunoassay, plasma, individual components reported with an | Х | _ | Х | - | _ | _ | _ | - |
| | mediator siomarkers by immunoussay, plasma, marvioual components reported with an | , | | , | | | | | |
| 0447T | algorithmic risk score for | Х | - | Х | - | Х | - | Х | - |
| | Autoimmune diseases (systemic lupus erythematosus [SLE]), analysis of 11 cytokine soluble | | | | | | | | |
| | mediator biomarkers by immunoassay, plasma, individual components reported with an | Х | - | Х | - | - | - | - | - |
| | algorithmic prognostic risk | | | | | | | | |
| 0448T | Rmvl insj impltbl gluc sensor dif anatomic site | Х | - | Х | - | Х | - | Х | - |
| 0448U | Oncology (lung and colon cancer), DNA, qualitative, nextgeneration sequencing detection of | | | | | | | | |
| | single-nucleotide variants and deletions in EGFR and KRAS genes, formalin-fixed | Х | - | Х | - | - | - | - | - |
| | paraffinembedded (FFPE) solid | | | | | | | | |
| | Insj aqueous drain dev w/o eo rsvr initial dev | Х | - | Х | - | Х | - | Х | - |
| 0449U | Carrier screening for severe inherited conditions (eg, cystic fibrosis, spinal muscular atrophy, | | | | | | | | |
| | beta hemoglobinopathies [including sickle cell disease], alpha thalassemia), regardless of race or | Х | - | Х | - | - | - | - | - |
| 0.450 | self | ., | | | | | | | |
| | Insj aqueous drain dev w/o eo rsvr ea addl dev | X | - | X | - | X | - | X | - |
| 0464T 0465T | Visual ep testing for glaucoma w/interpj & reprt | X | - | X | - | X | - | X | - |
| 0469T | Supchrdl njx of rx agt w/o supply of medication | X | - | X | - | X | - | X | - |
| 04691 0470T | Rta polarize scan oc scr bi Oct skn img acquisj i&r 1st | X | - | X | - | X | - | X | - |
| | Oct skn img acquisj i&r 1st Oct skn img acquisj i&r addl | X | - | X | - | X | - | X | - |
| | Prgrmg io rta eltrd ra | X | - | X | - | X | - | X | - |
| | Reprgrmg io rta eltrd ra | X | - | X | - | X | - | X | - |
| | Insj aqueous drg dev io rsvr | X | - | X | - | X | - | X | |
| | Rec ftl car sgl 3 ch i&r | X | - | X | - | X | _ | X | - |
| | Rec ftl car sgl elec tr data | X | - | X | - | X | - | X | - |
| | Rec ftl car sgl xrtj alys | X | - | X | - | X | - | X | - |
| | Rec ftl car 3 ch rev i&r | Х | - | Х | - | Х | - | Х | - |

^{*} These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



| W. | nealui | Trad | itional Medicaid | Tradi | tional Integrated | Non-Traditio | onal Medicaid | Non-Tradition | nal Integrated |
|----------------|--|------------------------------|--|--------------------------|-------------------|--------------|-----------------------------------|---------------|-----------------------------------|
| Codes | Description | Not | Preauthorization | Not | Preauthorization | Not Covered | Preauthorization | | Preauthorization |
| Disclaime | Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, the | Covered lese coding lists | Required do not reflect information | Covered regarding imm | | | Required tions and should be d | | Required by link option within |
| the websit | э. | 1 | ı | | 1 | | 1 | 1 | |
| | Fractional abl Isr fenestration first 100 sqcm | X | - | X | - | X | - | X | - |
| 0480T | Fractional abl Isr fenestration ea addl 100 sqcm | X | - | X | | | - | X | - |
| 0483T | Njx autol wbc concentr inc img gdn hrv & prep | X | - | X | - | X | - | X | - |
| 0484T | Tmvi w/prosthetic valve percutaneous approach Tmvi w/prosthetic valve transthoracic exposure | X | - | X | - | X | - | X | - |
| | Oct middle ear with i&r unilateral | X | - | X | - | X | - | X | - |
| | Oct middle ear with i&r bilateral | X | - | X | - | X | - | X | - |
| 0487T | Transvaginal biomechanical mapping w/report | X | - | X | - | X | _ | X | _ |
| 0488T | Diabetes prev online/electronic prgrm pr 30 days | X | - | X | - | X | _ | X | |
| 0489T | 1 10 1 7 | X | _ | X | - | X | _ | X | |
| 0490T | | X | _ | X | _ | X | | X | _ |
| 04901 0491T | | X | <u>-</u> | X | - | X | - | X | <u>-</u> |
| 04911 0492T | Abl laser tx open wnd pr day addl 20 sqcm | X | - | X | - | X | - | X | <u>-</u> |
| 04921 0493T | Near infrared spectroscpy studies low ext wounds | X | - | X | - | X | - | X | |
| 0493T | Prep & cannulj cdvr don lng orgn prfuj sys | X | - | X | - | X | _ | X | - |
| 04941 0495T | Init & mntr cdvr don ing orgn prfuj sys 1st 2 hr | X | - | X | - | X | _ | X | <u>-</u> |
| 0496T | 0 0 1 7 7 | X | _ | X | - | X | | X | _ |
| | Xtrnl pt act ecg w/o attn mntr in-office conn | X | - | X | - | X | - | X | _ |
| 0498T | | X | - | X | - | X | _ | X | |
| 0499T | Cysto w/dil & urtl rx del f/urtl strix/stenosis | X | _ | X | _ | X | _ | X | _ |
| 0500F | | X | _ | X | _ | X | _ | X | _ |
| 0500T | ladna hpv 5+ sep reprt high risk hpv types | X | _ | X | _ | X | _ | X | _ |
| 0501F | 1 1 0 1 7 | X | _ | X | _ | X | _ | X | _ |
| 0501T | Trematar not sheet accumented in incured to a first prematar time | X | _ | X | _ | X | _ | X | _ |
| 0502F | | X | _ | X | _ | X | _ | X | _ |
| 0502T | | X | _ | X | - | X | _ | X | _ |
| | Postpartum care visit2 | X | _ | X | _ | X | _ | X | _ |
| 0503T | | X | _ | X | _ | X | _ | X | _ |
| 0504T | | X | _ | X | _ | X | _ | X | - |
| | Hemodialysis plan of care documented (esrd) | X | _ | X | _ | X | _ | X | - |
| | Ev fempop artl revsc tcat plmt iv st grf & clsr | X | - | X | _ | X | _ | X | _ |
| | Mac pgmt optical dns meas hfp uni/bi w/i&r | X | - | X | - | X | - | X | - |
| 0507F | | X | - | X | - | X | - | X | - |
| | Near infrared dual img meibomian glnd uni/bi i&r | X | - | X | - | X | - | X | _ |
| | Pls echo us b1 dns meas indic axl b1 min dns tib | X | - | X | - | X | - | X | _ |
| 0509F | | X | _ | X | - | X | _ | X | _ |
| 0509T | Electroretinography (erg) with interpretation and report, pattern (perg) | X | - | X | - | X | - | X | _ |
| 0510T | | X | - | X | - | X | - | X | _ |
| 0511T | | X | - | X | - | X | - | X | - |
| | Extracorporeal shock wave for integumentary wound healing, high energy, including topical | | | | | | | | |
| | application and dressing care; initial wound | Х | - | Х | - | Х | - | X | - |
| 0513F | Elevated blood pressure plan of care documented (ckd)1 | Х | - | Х | - | Х | - | Х | - |
| | Esw integ wnd hlg ea addl | X | - | X | - | X | - | X | _ |
| | Plan of care for elevated hemoglobin level documented for patient receiving erythropoiesis- | | | | | | 1 | | |
| | stimulating agent (esa) thera | Х | - | Х | - | Х | - | X | - |
| <u> </u> | Isaminamin a demote feed their | | l | L | 1 | | I | l | l |

^{*} These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



| | | Trad | itional Medicaid | Tradit | tional Integrated | Non-Tradition | onal Medicaid | Non-Traditio | nal Integrated |
|-------|--|-----------------------------|------------------------------|----------------|------------------------------|-----------------------|------------------------------|------------------------|------------------------------|
| Codes | Description | Not | Preauthorization Required | Not Covered | Preauthorization Required | Not Covered | Preauthorization Required | Not Covered | Preauthorization Required |
| | Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, the | Covered ese coding lists | | | | , or specialty medica | | lirected to the Pharma | |
| 0514T | Intraoperative visual axis identification using patient fixation (list separately in addition to code | | | | | | 1 | 1 | |
| 00141 | for primary procedure) | Х | - | Х | - | X | - | Х | - |
| 0515T | Insj wcs lv compl sys | Х | _ | Х | _ | Х | _ | Х | _ |
| | Anemia plan of care documented (esrd)1 | X | _ | X | _ | X | _ | X | _ |
| | Insj wcs Iv eltrd only | X | - | X | - | X | _ | X | _ |
| | Glaucoma plan of care documented (ec)5 | X | _ | X | - | X | - | X | - |
| 0517T | Insj wcs Iv pg compnt | Х | - | Х | - | X | - | X | - |
| 0518F | Falls plan of care documented (ger)5 | X | - | X | - | X | - | X | - |
| 0518T | Removal of only pulse generator component(s) (battery and/or transmitter) of wireless cardiac | | | | | | | | |
| | stimulator for left ventricular pacing | Х | - | Х | - | Χ | - | X | - |
| 0519F | Planned chemotherapy regimen, including at a minimum: drug(s) prescribed, dose, and | | | | | | | | |
| | duration, documented prior to initia | Х | - | Х | - | Х | - | X | - |
| 0519T | Removal and replacement of wireless cardiac stimulator for left ventricular pacing; pulse | ., | | ., | | ., | | ., | |
| | generator component(s) (battery and/or transmitter) | Х | - | Х | - | Х | - | X | - |
| 0520F | Normal tissue dose constraints established within five treatment days from the initiation of a | · · | | ., | | | | V | |
| | course of 3d conformal ra | X | - | Х | - | Х | - | X | - |
| 0520T | Rmvl&rplcmt pg wcs new eltrd | Х | - | Х | - | Х | - | Х | - |
| 0521F | Plan of care to address pain documented (onc)1 | Х | - | Х | - | Х | - | Х | - |
| 0521T | Interrog dev eval wcs ip | Х | - | Х | - | Х | - | Х | - |
| 0522T | Prgrmg dev eval wcs ip | Х | - | Х | - | Х | - | Х | - |
| 0523T | Ntrapx c ffr w/3d funcjl map | Х | - | Х | - | Х | - | X | - |
| 0524T | Ev cath dir chem abltj w/img | Х | - | Х | - | Х | - | X | - |
| 0525F | Initial visit for episode (bkp)2 | Х | - | Х | - | Х | - | Х | - |
| 0525T | Insj/rplcmt compl ims | Х | - | Х | - | Х | - | Х | - |
| 0526F | Subsequent visit for episode (bkp)2 | Х | - | X | ı | Х | - | X | - |
| 0526T | Insj/rplcmt iims eltrd only | X | - | Х | - | X | - | X | - |
| 0527T | Insj/rplcmt iims implt mntr | Х | - | Х | - | X | - | X | - |
| 0528F | Recommended follow-up interval for repeat colonoscopy of at least 10 years documented in | Х | _ | х | _ | Х | _ | X | _ |
| | colonoscopy report (end/polyp) | ^ | _ | ^ | _ | Λ | _ | ^ | _ |
| 0528T | Programming device evaluation (in person) of intracardiac ischemia monitoring system with | | | | | | | | |
| | iterative adjustment of programmed values, with analysis, review, and report | Х | - | Х | - | Х | - | X | - |
| | | | | | | | | | |
| 0529F | Interval of 3 or more years since patient's last colonoscopy, documented (end/polyp) | X | _ | х | _ | Х | _ | × | _ |
| | | | | , , | | | | | |
| 0529T | Interrogation device evaluation (in person) of intracardiac ischemia monitoring system with | Х | _ | х | _ | Х | _ | × | _ |
| 05005 | analysis, review, and report | | | | | • | | ļ | |
| 0530T | Removal of intracardiac ischemia monitoring system, including all imaging supervision and | | | | | | | | |
| | interpretation; complete system (electrode and implantable monitor) | Х | - | Х | - | Х | - | Х | - |
| 0531T | Removal of intracardiac ischemia monitoring system, including all imaging supervision and | | | ,. | | | | | |
| | interpretation; electrode only | Х | - | Х | - | Х | - | X | - |
| 0532T | Removal of intracardiac ischemia monitoring system, including all imaging supervision and | ,, | | ,, | | ,, | | | |
| | interpretation; implantable monitor only | Х | - | Х | - | Х | - | X | - |
| 0533T | Cont rec mvmt do 6-10 days | Х | - | Х | - | Х | - | Х | - |

^{*} These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



| | | Trad | itional Medicaid | Tradit | ional Integrated | Non-Tradition | onal Medicaid | Non-Traditio | nal Integrated |
|----------------|--|----------------------------|-------------------------------------|-----------------------|--|---------------|-------------------------------------|--------------|-----------------------------------|
| Codes | Description | Not | Preauthorization | Not | Preauthorization | Not Covered | Preauthorization | Not Covered | Preauthorization |
| Disclaimer: | Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, the | Covered se coding lists | Required do not reflect information | Covered regarding imm | Required unizations, injectable drugs | | Required ations and should be di | | Required cy link option within |
| the website | | 1 | | | | | 1 | I | 1 |
| 03341 | Continuous recording of movement disorder symptoms, including bradykinesia, dyskinesia, and | Х | | x | | Х | | X | |
| | tremor for 6 days up to 10 days; set-up, patient training, configuration of monitor | ^ | - | ^ | - | ^ | - | ^ | - |
| 0535F | Dyspnea management plan of care, documented (pall cr) | Х | - | Х | - | Х | - | Х | - |
| 0535T | Cont rec mvmt do reprt cnfig | Х | - | Х | - | Х | - | Х | - |
| 0536T | Continuous recording of movement disorder symptoms, including bradykinesia, dyskinesia, and | | | | | | | | |
| | tremor for 6 days up to 10 days; download review, interpretation and report | Х | - | Х | - | Х | - | Х | - |
| 0537T | Chimeric antigen receptor t-cell (car-t) therapy; harvesting of blood-derived t lymphocytes for | | | | | | | | |
| | development of genetically modified autologous car-t cells, per day | Х | - | Х | - | X | - | X | - |
| | | | | | | | | | |
| 0538T | Chimeric antigen receptor t-cell (car-t) therapy; preparation of blood-derived t lymphocytes for | Х | | х | | Х | | Х | |
| | transportation (eg, cryopreservation, storage) | ^ | - | ^ | <u>-</u> | ^ | - | ^ | - |
| 0539T | Chimeric antigen receptor t-cell (car-t) therapy; receipt and preparation of car-t cells for | х | _ | х | _ | Х | _ | Х | _ |
| | administration | | | | | | | | |
| 0540F | Glucorticoid management plan documented (ra) | Х | - | Х | - | Х | - | Х | - |
| | Chimeric antigen receptor t-cell (car-t) therapy; car-t cell administration, autologous | X | - | X | - | X | - | Х | - |
| | Myocardial imaging mcg | X | - | X | - | X | - | X | - |
| | Myocardial imaging mcg i&r | Х | - | Х | - | Х | - | Х | - |
| 0543T | Transapical mitral valve repair, including transthoracic echocardiography, when performed, with | Х | - | Х | - | X | - | Х | - |
| 0544T | placement of artificial chordae tendineae | | | | | | | | |
| 03441 | Transcatheter mitral valve annulus reconstruction, with implantation of adjustable annulus | X | | x | | Х | | X | |
| | reconstruction device, percutaneous approach including transseptal puncture | ^ | - | ^ | - | ^ | _ | ^ | _ |
| 0545F | Plan for follow-up care for major depressive disorder, documented (mdd adol) | Х | - | Х | - | Х | - | Х | - |
| 0545T | Transcatheter tricuspid valve annulus reconstruction with implantation of adjustable annulus | Х | | Х | _ | Х | | Х | |
| | reconstruction device, percutaneous approach | ^ | - | ^ | | ^ | - | ^ | _ |
| 0546T | Radiofrequency spectroscopy, real time, intraoperative margin assessment, at the time of | X | _ | х | _ | Х | _ | Х | _ |
| | partial mastectomy, with report | ^ | | | | , | | ^ | |
| 0547T | Bone-material quality testing by microindentation(s) of the tibia(s), with results reported as a | Х | - | х | - | X | _ | X | - |
| 05505 | score | | | | | .,, | | .,, | |
| 0550F 0551F | Cytopath report-nongyn spcmn | X | - | X | - | X | - | X | - |
| | Cytopath report non-routine | Х | - | Х | - | Х | - | Х | - |
| 00021 | Low-level laser therapy, dynamic photonic and dynamic thermokinetic energies, provided by a | Х | - | Х | - | X | - | Х | - |
| 0553T | physician or other qualified health care professional Percutaneous transcatheter placement of iliac arteriovenous anastomosis implant, inclusive of | | | | | | | | |
| 00001 | all radiological supervision and interpretation, intraprocedural roadmapping, and imaging | X | _ | x | _ | Х | _ | X | _ |
| | guidance necessary to complete the intervention | _ ^ | - | ^ | • | ^ | | ^ |] |
| 0554T | Bone strength and fracture risk using finite element analysis of functional data, and bone- | | | | | | | | |
| | mineral density, utilizing data from a computed tomography scan; retrieval and transmission of | | | | | | | | |
| | the scan data, assessment of bone strength and fracture risk and bone mineral density, | Х | - | X | - | Х | - | Х | - |
| | interpretation and report | | | | | | | | |
| 0555F | Symptom management plan of care documented (hf) | Х | - | Х | - | Х | - | Х | - |

^{*} These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



| 9 | nealti | Trad | litional Medicaid | Tradit | tional Integrated | Non-Traditio | onal Medicaid | Non-Tradition | nal Integrated |
|-------------|---|-----------------------------|--|-----------------------|--|--------------|---------------------------------|---------------|-----------------------------------|
| Codes | Description | Not | Preauthorization | Not | Preauthorization | Not Covered | Preauthorization | | Preauthorization |
| Disclaimer: | Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, the | Covered ese coding lists | Required s do not reflect information | Covered regarding imm | Required unizations, injectable drugs | | Required ations and should be d | | Required by link option within |
| the website | | · · | _ | 1 | | 1 | I | T | |
| 05551 | Bone strength and fracture risk using finite element analysis of functional data, and bone- | V | | V | | V | | V | |
| | mineral density, utilizing data from a computed tomography scan; retrieval and transmission of | X | - | Х | - | Х | - | Х | - |
| 0556F | the scan data | V | | V | _ | V | | V | |
| | Plan of care to achieve lipid control documented (cad) Bone strength and fracture risk using finite element analysis of functional data, and bone- | Х | - | Х | - | Х | - | Х | - |
| 03301 | mineral density, utilizing data from a computed tomography scan; assessment of bone strength | Х | _ | X | _ | X | _ | X | _ |
| | and fracture risk and bone mineral density | ^ | - | ^ | - | ^ | _ | ^ | - |
| 0557F | Plan of care to manage anginal symptoms documented (cad) | Х | _ | Х | _ | Х | _ | Х | _ |
| | Bone strength and fracture risk using finite element analysis of functional data, and bone- | ^ | _ | ^ | - | ^ | _ | ^ | |
| 03371 | mineral density, utilizing data from a computed tomography scan; interpretation and report | × | | х | | Х | | Х | |
| | milieral density, dtilizing data from a computed tomography scan, interpretation and report | _ ^ | - | ^ | - | ^ | _ | ^ | - |
| 0558T | Computed tomography scan taken for the purpose of biomechanical computed tomography | | | | | | | | |
| | analysis | Х | - | Х | - | X | - | Х | - |
| 0559T | Anatomic model 3d-printed from image data set(s); first individually prepared and processed | | | | | | | | |
| | component of an anatomic structure | Х | - | Х | - | Х | - | Х | - |
| 0560T | Anatomic model 3d-printed from image data set(s); each additional individually prepared and | | | | | | | | |
| | processed component of an anatomic structure (list separately in addition to code for primary | Х | _ | Х | - | X | _ | X | - |
| | procedure) | | | , , | | | | | |
| 0561T | Anatomic guide 3d-printed and designed from image data set(s); first anatomic guide | | | | | | | | |
| | | Х | - | Х | - | X | - | Х | - |
| 0562T | Anatomic guide 3d-printed and designed from image data set(s); each additional anatomic | | | | | | | | |
| | guide (list separately in addition to code for primary procedure) | Х | - | Х | - | Х | - | Х | - |
| 0563T | Evac meibomian glnd heat bi | Х | - | Х | - | Х | - | Х | - |
| | Onc chemo rx cytotox csc 14 | Х | - | Х | - | Х | - | Х | - |
| 0565T | Autol cell implt adps hrvg | Х | - | Х | - | Х | - | Х | - |
| 0566T | Autol cell implt adps njx | Х | - | Х | - | Х | - | Х | - |
| 0567T | Perm flp tube occls w/implt | Х | - | Х | - | Х | - | Х | - |
| 0568T | Intro mix saline&air f/ssg | Х | - | Х | - | Х | - | Х | - |
| 0569T | Ttvr perq appr 1st prosth | Х | - | Х | - | Х | - | Х | - |
| 0570T | Ttvr perq ea addl prosth | Х | - | Х | - | Х | - | Х | - |
| 0571T | Insj/rplcmt icds ss eltrd | Х | - | Х | - | Х | - | Х | - |
| 0572T | Insertion ss dfb electrode | Х | - | Х | - | Х | - | Х | - |
| 0573T | Removal ss dfb electrode | Х | - | Х | - | Х | - | Х | - |
| 0574T | Repos prev ss impl dfb eltrd | Х | - | Х | - | Х | - | Х | - |
| 0575F | Hiv rna control plan of care, documented (hiv) | Х | - | Х | - | Х | - | Х | - |
| 0575T | Prgrmg dev eval icds ss ip | Х | - | Х | - | Х | - | Х | - |
| 0576T | Interrog dev eval icds ss ip | Х | - | Х | - | Х | - | Х | - |
| 0577T | Ephys eval icds ss | Х | - | Х | - | Х | - | Х | - |
| 0578T | Rem interrog dev icds phys | Х | - | Х | - | Х | - | Х | |
| 0579T | Rem interrog dev icds tech | Х | - | Х | - | Х | - | Х | - |
| 0580F | Multidisciplinary care plan | Х | - | Х | - | Х | - | Х | - |
| 0580T | Rmvl ss impl dfb pg only | Х | - | X | - | Х | - | Х | - |
| 0581F | Pt trnsfrd from anesth to cc | Х | - | X | - | Х | - | Х | - |
| 0581T | Abltj mal brst tum perq crtx | Х | - | Х | - | Х | - | Х | - |
| 0582F | No trnsfr from anesth to cc | Х | - | Х | - | X | - | Х | - |

^{*} These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



| G | | Trad | itional Medicaid | Traditional Integrated Non-Trad | | | ditional Medicaid Non-Traditional Integrated | | |
|---------------------------|--|-----------------|------------------------------|---------------------------------|------------------------------|------------------------|--|----------------------|------------------------------|
| Codes | Description | Not Covered | Preauthorization Required | Not Covered | Preauthorization Required | Not Covered | Preauthorization Required | Not Covered | Preauthorization Required |
| Disclaimer the website | Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, the | se coding lists | do not reflect information i | regarding imm | unizations, injectable drugs | i, or specialty medica | tions and should be d | rected to the Pharma | y link option within |
| | Trurl abltj mal prst8 tiss | Х | - | Х | - | Х | - | Х | - |
| 0583F | Transfer care checklist used | Х | - | Х | - | Х | - | Х | - |
| 0583T | Tmpst auto tube dlvr sys | Х | - | Х | - | Х | - | Х | - |
| 0584F | | Х | - | Х | - | Х | - | Х | - |
| 0584T | Perq islet cell transplant | Х | - | Х | - | Х | - | Х | - |
| | Laps islet cell transplant | Х | - | Х | - | Х | - | Х | - |
| | Open islet cell transplant | Х | - | Х | - | Х | - | Х | - |
| 0587T | Perq impltj/rplcmt isdns ptn | Х | - | Х | - | Х | - | Х | - |
| 0588T | Revision/removal isdns ptn | Х | - | Х | - | Х | - | Х | - |
| 0589T | Elec alys smpl prgrmg iins | Х | - | Х | - | Х | - | Х | - |
| 0590T | Elec alys cplx prgrmg iins | Х | - | Х | - | Х | - | Х | - |
| 0591T | Hlth&wb coaching indiv 1st | Х | - | Х | - | Х | - | Х | - |
| 0592T | Hlth&wb coaching indiv f-up | Х | - | Х | - | Х | - | Х | - |
| 0593T | Hlth&wb coaching group | Х | - | Х | - | Х | - | Х | - |
| 0594T | Osteot hum xtrnl lngth dev | Х | - | Х | - | Х | - | Х | - |
| 0596T | Temp fml iu vlv-pmp 1st insj | Х | - | Х | - | Х | - | Х | - |
| 0597T | Temp fml iu valve-pmp rplcmt | Х | - | Х | - | Х | - | Х | - |
| 0598T | Ncntc r-t fluor wnd img 1st | Х | - | Х | - | Х | - | Х | - |
| 0599T | Ncntc r-t fluor wnd img ea | Х | - | Х | - | Х | - | Х | - |
| 0600T | Ire abltj 1+tum organ perq | Х | - | Х | - | Х | - | Х | - |
| 0601T | Ire abltj 1+tumors open | Х | - | Х | - | Х | - | Х | - |
| 0602T | Transdermal gfr measurements | Х | - | Х | - | Х | - | Х | - |
| 0603T | Transdermal gfr monitoring | Х | - | Х | - | Х | - | Х | - |
| 0604T | Rem oct rta dev setup&educaj | Х | - | Х | - | Х | - | Х | - |
| 0605T | Rem oct rta techl sprt min 8 | Х | - | Х | - | Х | - | Х | - |
| 0606T | Rem oct rta phys/qhp ea 30d | X | - | X | - | Χ | - | X | - |
| 0607T | Rem mntr pulm flu mntr setup | Х | - | Χ | - | Χ | - | X | - |
| 0608T | Rem mntr pulm flu mntr alys | Х | - | Χ | - | Χ | - | X | - |
| 0609T | Mrs disc pain acquisj data | Х | - | Χ | - | X | - | X | - |
| | Mrs disc pain transmis data | X | - | Х | - | X | - | X | - |
| 0611T | | X | - | Х | - | X | - | Х | - |
| | Mrs discogenic pain i&r | Х | - | Χ | - | Х | - | Х | - |
| | Perq tcat intratrl septl sht | Х | - | Χ | - | Х | - | Х | - |
| 0614T | Rmvl&rplcmt ss impl dfb pg | Х | - | Х | - | Х | - | Х | - |
| | Eye mvmt alys w/o calbrj i&r | Х | - | Х | - | Х | - | Х | - |
| | Insertion of iris prosthesis | Х | - | Х | - | Х | - | Х | - |
| 0617T | Insj iris prosth w/rmvl&insj | Х | - | Х | - | Х | - | Х | - |
| | Insj iris prosth sec io lens | Х | - | Х | - | Х | - | Х | - |
| 0619T | | Х | - | Х | - | Х | - | Х | - |
| | Evasc ven artiz tibl/prnl vn | Х | - | Х | - | Х | - | Х | - |
| 0621T | Trabeculostomy interno laser | Х | - | Х | - | Х | - | Х | - |
| 0622T | Trabeculostomy int lsr w/scp | Х | - | Х | - | Х | - | Х | - |
| 0623T | Auto quantification c plaque | Х | - | Х | - | Х | - | Х | - |
| 0624T | Auto quan c plaq data prep | Х | - | Х | - | Х | - | Х | - |
| 0625T | Auto quan c plaq cptr alys | X | - | X | - | Х | - | Х | - |

^{*} These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



| 9 | Tiodidi | Trad | itional Medicaid | Tradit | tional Integrated | Non-Traditio | nal Medicaid | Non-Tradition | nal Integrated |
|----------------------|--|----------------------------|------------------------------|-----------------------|------------------------------|-----------------------|------------------------------|-----------------------|-----------------------------------|
| Codes | Description | Not | Preauthorization Required | Not | Preauthorization Required | Not Covered | Preauthorization Required | Not Covered | Preauthorization |
| | Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, the | Covered se coding lists | | Covered regarding imm | | , or specialty medica | | rected to the Pharmac | Required by link option within |
| the website 0626T | Auto quan c plaq i&r | Х | _ | Х | - | Х | _ | Х | - |
| | Perq njx algc fluor lmbr 1st | X | _ | X | - | X | - | X | - |
| | Perq njx algc fluor Imbr ea | X | _ | X | - | X | _ | X | - |
| | Perq njx algc ct lmbr 1st | Х | - | Х | - | Х | - | Х | - |
| 0630T | Perq njx algc ct lmbr ea | Х | - | Х | - | Х | - | Х | - |
| | Tc vis lit hyperspectral img | Х | - | Х | - | Х | - | Х | - |
| 0632T | Perq tcat us abltj nrv p-art | Х | - | Х | - | Х | - | Х | - |
| 0633T | Ct breast w/3d uni c | Χ | - | X | | Х | - | Х | - |
| | Ct breast w/3d uni c+ | Χ | - | X | | Х | - | Х | - |
| 0635T | Ct breast w/3d uni c-/c+ | Χ | - | Х | - | X | - | X | - |
| | Ct breast w/3d bi c | Χ | - | Х | - | X | - | X | - |
| | Ct breast w/3d bi c+ | Χ | - | X | - | X | - | X | - |
| | Ct breast w/3d bi c-/c+ | X | - | X | - | X | - | Х | - |
| | Wrls skn snr anisotropy meas | X | - | X | - | X | - | Х | - |
| 0640T | Noncontact near-infrared spectroscopy studies of flap or wound (eg, for measurement of | | | | | | | | |
| | deoxyhemoglobin, oxyhemoglobin, and ratio of tissue oxygenation [sto2]); image acquisition, | Х | _ | Х | _ | Χ | _ | X | _ |
| | interpretation and report, each flap or wound | , | | , | | ,, | | | |
| 0641T | Image acquisition only, each flap or wound | Х | - | Х | - | X | _ | Х | - |
| | Interpretation and report only, each flap or wound | X | _ | X | _ | X | _ | X | _ |
| | Transcatheter left ventricular restoration device implantation including right and left heart | Α | | | | Λ | | | |
| | catheterization and left ventriculography when performed, arterial approach | Х | _ | Х | _ | Х | _ | × | _ |
| | catheterization and left ventriculography when performed, arterial approach | Α, | | , | | Λ. | | ^ | |
| 0644T | Transcatheter removal or debulking of intracardiac mass (eg, vegetations, thrombus) via suction | | | | | | | | |
| | (eg, vacuum, aspiration) device, percutaneous approach, with intraoperative reinfusion of | V | | V | | V | | v | |
| | aspirated blood, including imaging guidance, when performed | Χ | - | Х | - | Х | - | Х | - |
| | | | | | | | | | |
| 0645T | Transcatheter implantation of coronary sinus reduction device including vascular access and | | | | | | | | |
| | closure, right heart catheterization, venous angiography, coronary sinus angiography, imaging | Х | _ | Х | _ | Х | _ | × | _ |
| | guidance, and supervision and interpretation, when performed | , | | , | | Α | | ^ | |
| 00.40T | | | | | | | | | |
| 06461 | Transcatheter tricuspid valve implantation/replacement (ttvi) with prosthetic valve, | | | | | | | | |
| | percutaneous approach, including right heart catheterization, temporary pacemaker insertion, | X | - | Х | - | X | - | X | - |
| | and selective right ventricular or right atrial angiography, when performed | | | | | | | | |
| 0647T | Insertion of gastrostomy tube, percutaneous, with magnetic gastropexy, under ultrasound | _ | | | | _ | | _ | |
| | guidance, image documentation and report | Х | - | Х | - | Χ | - | Х | - |
| 0648T | Quantitative magnetic resonance for analysis of tissue composition (eg, fat, iron, water | | | | | | | | |
| | content), including multiparametric data acquisition, data preparation and transmission, | | | | | | | | |
| | interpretation and report, obtained without diagnostic mri examination of the same anatomy | X | - | Х | - | Χ | - | X | - |
| | (eg, organ, gland, tissue, target structure) during the same session | | | | | | | | |
| | | | | | | | | | |

^{*} These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



| | nealti | Trad | itional Medicaid | Tradit | ional Integrated | Non-Tradition | onal Medicaid | Non-Traditio | nal Integrated |
|----------------------|---|----------------------------|---------------------------------------|-----------------------|--|---------------|-----------------------------------|--------------|-----------------------------------|
| Codes | Description | Not | Preauthorization | Not | Preauthorization | Not Covered | Preauthorization | Not Covered | Preauthorization |
| | Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, the | Covered se coding lists | Required s do not reflect information | Covered regarding imm | Required unizations, injectable drugs | | Required tions and should be d | | Required cy link option within |
| the website 0649T | Quantitative magnetic resonance for analysis of tissue composition (eg, fat, iron, water | | <u> </u> | | | I | 1 | 1 | 1 |
| 00431 | content), including multiparametric data acquisition, data preparation and transmission, | | | | | | | | |
| | interpretation and report, obtained with diagnostic mri examination of the same anatomy (eg, | Х | _ | х | _ | Х | _ | Х | _ |
| | organ, gland, tissue, target structure) (list separately in addition to code for primary procedure) | | _ | ^ | _ | | _ | | |
| | organ, grand, tissue, target structure, (list separatery in addition to code for primary procedure) | | | | | | | | |
| 0650T | Programming device evaluation (remote) of subcutaneous cardiac rhythm monitor system, with | | | | | | | | |
| | iterative adjustment of the implantable device to test the function of the device and select | V | | . v | | V | | V | |
| | optimal permanently programmed values with analysis, review and report by a physician or | Х | - | Х | - | Х | - | X | - |
| | other qualified health care professional | | | | | | | | |
| 0651T | Magnetically controlled capsule endoscopy, esophagus through stomach, including | Х | | х | | Х | | Х | |
| | intraprocedural positioning of capsule, with interpretation and report | ^ | - | ^ | - | ^ | - | ^ | - |
| 0652T | Esophagogastroduodenoscopy, flexible, transnasal; diagnostic, including collection of | Х | _ | Х | | Х | | Х | |
| | specimen(s) by brushing or washing, when performed (separate procedure) | ^ | - | ^ | - | ^ | - | ^ | - |
| 0653T | Esophagogastroduodenoscopy, flexible, transnasal; with biopsy, single or multiple | Х | - | Χ | - | X | - | Х | - |
| 0654T | Esophagogastroduodenoscopy, flexible, transnasal; with insertion of intraluminal tube or | Х | _ | х | _ | Х | _ | Х | _ |
| | catheter | ^ | - | ^ | | ^ | _ | ^ | _ |
| 0655T | Transperineal focal laser ablation of malignant prostate tissue, including transrectal imaging | Х | _ | Х | _ | Х | _ | Х | _ |
| | guidance, with mr-fused images or other enhanced ultrasound imaging | | | ^ | | | | | |
| 0656T | Vertebral body tethering, anterior; up to 7 vertebral segments | X | - | Х | - | Х | - | X | - |
| 0657T | Vertebral body tethering, anterior; 8 or more vertebral segments | X | - | Х | - | X | - | X | - |
| 0658T | Electrical impedance spectroscopy of 1 or more skin lesions for automated melanoma risk score | Х | _ | Х | - | Х | _ | Х | _ |
| OCEOT | | | | | | | | | |
| 0659T | Transcatheter intracoronary infusion of supersaturated oxygen in conjunction with | | | | | | | | |
| | percutaneous coronary revascularization during acute myocardial infarction, including catheter | Х | - | Х | - | X | - | Х | - |
| | placement, imaging guidance (eg, fluoroscopy), angiography, and radiologic supervision and | | | | | | | | |
| OCCOT | interpretation | | | | | | | | |
| 06601 | Implantation of anterior segment intraocular nonbiodegradable drug-eluting system, internal | Х | - | Х | - | X | - | Х | - |
| 0661T | approach | | | | | | | | |
| 00011 | Removal and reimplantation of anterior segment intraocular nonbiodegradable drug-eluting | X | - | X | - | Х | - | X | - |
| 0662T | implant Scalp cooling, mechanical; initial measurement and calibration of cap | Х | | Х | | Х | | X | |
| | Scalp cooling, mechanical; initial measurement and calibration of cap Scalp cooling, mechanical; placement of device, monitoring, and removal of device (list | ^ | - | ^ | - | ^ | - | ^ | - |
| 00001 | separately in addition to code for primary procedure) | Х | - | Х | - | X | - | Х | - |
| 0664T | Donor hysterectomy (including cold preservation); open, from cadaver donor | Х | _ | Х | | Х | _ | Х | _ |
| 0665T | Donor hysterectomy (including cold preservation); open, from living donor | X | _ | X | - | X | _ | X | _ |
| | Donor hysterectomy (including cold preservation); laparoscopic or robotic, from living donor | | | | | | | | |
| | 25 , 5 55.6. 55.6. If the damp cold preservationly, laboratopic of robotic, from living aution | Х | - | Х | - | Х | - | Х | - |
| 0667T | Donor hysterectomy (including cold preservation); recipient uterus allograft transplantation | | | | | ., | | | |
| | from cadaver or living donor | Х | - | Х | - | Х | - | X | - |
| 0668T | Backbench standard preparation of cadaver or living donor uterine allograft prior to | | | | | | | | |
| | transplantation, including dissection and removal of surrounding soft tissues and preparation of | Х | - | Х | - | X | - | Х | - |
| | uterine vein(s) and uterine artery(ies), as necessary | | | | | | | | |
| 0669T | Backbench reconstruction of cadaver or living donor uterus allograft prior to transplantation; | v | | · · | | V | | V | |
| | venous anastomosis, each | Х | - | Х | - | Х | - | X | - |

^{*} These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



| G | Ticaldi | Tradi | tional Medicaid | Tradit | ional Integrated | Non-Traditio | onal Medicaid | Non-Tradition | nal Integrated |
|-------------|--|-----------------------------|--|-----------------------|--|--------------|-------------------------------------|---------------|-----------------------------------|
| Codes | Description | Not | Preauthorization | Not | Preauthorization | Not Covered | Preauthorization | Not Covered | Preauthorization |
| Disclaimer: | Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, the | Covered ese coding lists | Required do not reflect information | Covered regarding imm | Required unizations, injectable drugs | | Required ations and should be di | | Required by link option within |
| the website | | | | l I | | | | | |
| 06/01 | Backbench reconstruction of cadaver or living donor uterus allograft prior to transplantation; | Х | - | Х | - | Х | - | X | - |
| 0671T | arterial anastomosis, each | | | | | | | | |
| 00711 | Insertion of anterior segment aqueous drainage device into the trabecular meshwork, without | x | | × | _ | Х | | Х | |
| | external reservoir, and without concomitant cataract removal, one or more | ^ | - | ^ | - | ^ | - | ^ | - |
| 0672T | Ndovag cryg rf remdl tiss | Х | - | Х | - | Х | - | Х | - |
| 0673T | Abltj b9 thyr ndul perq lasr | Х | - | Х | - | Х | _ | Х | - |
| | Laps insj nw/rpcmt prm isdss | Х | - | Х | - | Х | - | Х | - |
| | Laps insj nw/rpcmt isdss 1ld | Х | - | Х | - | Х | - | Х | - |
| | Laps insj nw/rpcmt isdss ea | Х | - | Х | - | Х | _ | Х | - |
| | Laps repos lead isdss 1st ld | Х | - | Х | - | Х | - | Х | - |
| 0678T | Laps repos lead isdss ea add | Х | - | Х | - | Х | - | Х | - |
| | Laps rmvl lead isdss | Х | - | Х | - | Х | - | Х | - |
| | Insj/rplcmt pg only isdss | Х | - | Х | - | Х | - | Х | - |
| | RIcj pulse gen only isdss | Х | - | Х | - | Х | - | Х | - |
| | Removal pulse gen only isdss | Х | - | Х | - | Х | - | Х | - |
| | Prgrmg dev eval isdss ip | Х | - | Х | - | Х | - | Х | - |
| 0684T | Peri-px dev eval isdss ip | Х | - | Х | - | Х | - | Х | - |
| | Interrog dev eval isdss ip | Х | - | Х | - | Х | - | Х | - |
| 0686T | Histotripsy mal hepatcel tis | Х | - | Х | - | Х | - | Х | - |
| | Tx amblyopia dev setup 1st | Х | - | Х | - | Х | - | Х | - |
| 0688T | Tx amblyopia assmt w/report | Х | - | Х | - | Х | - | Х | - |
| 0689T | Quan us tis charac w/o dx us | Х | - | Х | - | Х | - | Х | - |
| 0690T | Quan us tis charac w/dx us | Х | - | Х | - | Х | - | Х | - |
| 0691T | Auto alys xst ct std vrt fx | Х | - | Х | - | Х | - | Х | - |
| 0692T | Therapeutic ultrafiltration | Х | - | Х | - | Х | - | Х | - |
| 0693T | Compre ful bdy 3d mtn alys | Х | - | Х | - | Х | - | Х | - |
| | 3d vol img&rcnstj brst/ax | Х | - | Х | - | Х | - | Х | - |
| 0695T | Bdy srf mpg pm/cvdfb tm impl | Х | - | Х | - | Х | - | Х | - |
| 0696T | Bdy surf mapg pm/cvdfb f/up | Х | - | Х | - | Х | - | Х | - |
| 0697T | Quan mr tis wo mri mlt orgn | Х | - | Х | - | Х | - | Х | - |
| 0698T | Quan mr tiss w/mri mlt orgn | Х | - | Х | - | Х | - | Х | - |
| 0699T | Njx pst chmbr eye medication | Х | - | Х | - | Х | - | Х | - |
| 0700T | Molec fluor img sus nev 1st | Х | - | Х | - | Х | - | Х | - |
| 0701T | Molec fluor img sus nev ea | Х | - | Х | - | Х | - | Х | - |
| 0702T | Rem ther mntr ol tech sprt | Х | - | Х | | Х | - | Х | - |
| 0703T | Rem ther mntr ol cog bhv | Х | - | Х | - | Х | - | Х | • |
| 0704T | Rem tx amblyopia setup&edu | Х | - | Х | - | Х | - | Х | - |
| | Rem tx amblyopia tech sprt | Х | - | Х | - | Х | - | X | - |
| | Rem tx amblyopia i&r phy/qhp | X | - | Х | - | X | - | X | - |
| 0707T | Njx b1 sub mtrl sbchdrl dfct | X | - | Х | - | X | - | X | - |
| | Id ca immntx prep & 1st njx | X | - | Х | - | X | - | X | - |
| 0709T | ld ca immntx each addl njx | X | - | Х | - | X | - | X | - |
| | N-invas artl plaq alys | X | - | Х | - | X | - | X | - |
| 0711T | N-nvs artl plaq alys dat prp | Х | - | Х | - | X | - | X | - |

^{*} These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



| the website. 0712T N-nvs 0713T N-nvs 0714T Tprnl 0715T Perq t 0716T Car ac 0717T Adrc t 0718T Adrc t 0719T Pst vr 0720T Prq el | Description In note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these sart! plaq alys quan Is art! plaq alys rvw i&r I Isr ablt b9 prst8 hypr I trlum! coronry lithotrp acous wavfrm rec cad rsk I ther prt! rc tear I ther prt! rc tear njx | Not Covered se coding lists X X X X X | Preauthorization Required do not reflect information | Not Covered | ional Integrated Preauthorization Required unizations, injectable drugs | Not Covered | Preauthorization Required tions and should be di | irected to the Pharmac | Preauthorization Required |
|---|--|--|--|----------------|---|-----------------------|--|------------------------|------------------------------|
| the website. 0712T N-nvs 0713T N-nvs 0714T Tprnl 0715T Perq t 0716T Car ac 0717T Adrc t 0718T Adrc t 0719T Pst vr 0720T Prq el | rs artl plaq alys quan rs artl plaq alys rvw i&r Il Isr ablt b9 prst8 hypr trluml coronry lithotrp acous wavfrm rec cad rsk | X X X X | do not reflect information | regarding imm | | , or specialty medica | | irected to the Pharmac | |
| the website. 0712T N-nvs 0713T N-nvs 0714T Tprnl 0715T Perq t 0716T Car ac 0717T Adrc t 0718T Adrc t 0719T Pst vr 0720T Prq el | rs artl plaq alys quan rs artl plaq alys rvw i&r Il Isr ablt b9 prst8 hypr trluml coronry lithotrp acous wavfrm rec cad rsk | X X X | - | Х | - | | I | | |
| 0713T N-nvs 0714T Tprnl 0715T Perq t 0716T Car ac 0717T Adrc t 0718T Adrc t 0719T Pst vr 0720T Prq el | rs artl plaq alys rvw i&r Il Isr ablt b9 prst8 hypr trluml coronry lithotrp acous wavfrm rec cad rsk | X X X | - | | - | X | | | |
| 0714T Tprnl 0715T Perq t 0716T Car ac 0717T Adrc t 0718T Adrc t 0719T Pst vr 0720T Prq el | I Isr ablt b9 prst8 hypr trluml coronry lithotrp acous wavfrm rec cad rsk ther prtl rc tear | X | - | X | | | - | X | |
| 0715T Perq t 0716T Car ac 0717T Adrc t 0718T Adrc t 0719T Pst vr 0720T Prq el | trluml coronry lithotrp acous wavfrm rec cad rsk ther prtl rc tear | Χ | - | | - | X | - | X | |
| 0716T Car ac 0717T Adrc t 0718T Adrc t 0719T Pst vr 0720T Prq el | acous wavfrm rec cad rsk ther prtl rc tear | | | X | - | X | - | X | - |
| 0717T Adrc t 0718T Adrc t 0719T Pst vr 0720T Prq el | ther prtl rc tear | Х | - | X | - | X | - | X | - |
| 0718T Adrc t 0719T Pst vr 0720T Prq el | | | - | X | - | X | - | X | |
| 0719T Pst vr 0720T Prq el | ther prtl rc tear nix | X | - | X | - | X | - | X | |
| 0720T Prq el | | X | - | X | - | X | - | X | - |
| 1 | rt jt rplcmt lmbr 1 sgm | X | - | X | - | X | - | X | - |
| I ()721 I I∩uan | elc nrv stim cn wo implt | Х | - | Х | - | Х | - | X | - |
| | n ct tiss charac w/o ct | Х | - | Х | - | Х | - | Х | - |
| | n ct tiss charac w/ct | Х | - | Х | - | X | - | Х | |
| | cp w/o dx mri sm anat ses | Χ | - | X | - | Х | - | Х | - |
| | cp w/dx mri same anatomy | Х | - | Х | - | X | - | X | - |
| | ibular dev impltj uni | Χ | - | Х | - | Х | - | Х | - |
| | l implt vstibular dev uni | Χ | - | X | - | Х | - | X | - |
| | l&rplcmt implt vstblr dev | Χ | - | X | - | X | - | X | - |
| | lys vstblr implt uni 1st | Χ | - | X | - | X | - | X | - |
| | lys vstblr implt uni sbq | Χ | - | X | - | X | - | X | - |
| 0730T Trabe | eculotomy lsr w/oct gdn | Χ | - | X | - | X | - | X | - |
| | nnt ai-based fcl phnt a/r | Χ | - | Χ | - | X | - | X | - |
| 0732T Immn | ntx admn electroporatn im | Χ | - | Х | - | Χ | - | X | - |
| 0733T Rem b | bdy&lmb knmtc ther sply | Χ | ı | Х | - | X | - | X | - |
| 0734T Rem b | bdy&lmb knmtc tx mgmt | Χ | ı | Х | - | X | - | X | - |
| 0735T Prep t | tum cav iort prim crnot | Х | - | Х | | Х | - | X | - |
| 0736T Colon | nic lavage 35+l water | Х | - | Х | | Х | - | X | - |
| 0737T Xenos | ograft impltj artclr surf | Х | - | Х | - | Х | - | Х | - |
| | rtion or replacement of percutaneous electrode array, spinal, with integrated ostimulator, including imaging guidance, when performed | Х | - | Х | - | - | - | - | - |
| | sion or removal of neurostimulator electrode array, spinal, with integrated neurostimulator | Х | - | Х | - | - | - | - | - |
| | rtion or replacement of percutaneous electrode array, sacral, with integrated | Х | - | Х | - | - | - | - | - |
| | sion or removal of neurostimulator electrode array, sacral, with integrated neurostimulator | X | - | Х | - | - | - | - | |
| 0700T =: | | | | | | | | | |
| | tronic analysis with simple programming of implanted integrated neurostimulation system electrode array and receiver), including contact group(s), amplitude, pulse wi | X | - | х | - | - | - | - | - |
| | tronic analysis with complex programming of implanted integrated neurostimulation system electrode array and receiver), including contact group(s), amplitude, pulse w | Х | - | × | - | - | - | - | - |
| | sion (eg, augmentation, division of tether), replacement, or removal of thoracolumbar or par vertebral body tethering, including thoracoscopy, when performed | Х | - | Х | - | - | - | - | - |
| 0791T Motr | r cog vr gait train ea 15 | Х | - | Х | _ | Х | _ | X | |
| | slvr diamn fluoride 38% | X | - | X | _ | X | - | X | |

^{*} These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



| | Ticaldi | Trad | itional Medicaid | Tradi | tional Integrated | Non-Tradition | onal Medicaid | Non-Tradition | nal Integrated |
|----------------|--|-----------------------------|-------------------------------------|--------------------------|--|---------------|------------------------------------|---------------|-----------------------------------|
| Codes | Description | Not | Preauthorization | Not | Preauthorization | Not Covered | Preauthorization | Not Covered | Preauthorization |
| Disclaimer: | Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, the | Covered ese coding lists | Required do not reflect information | Covered regarding imm | Required nunizations, injectable drugs | | Required ations and should be d | | Required by link option within |
| the website | | | | | ī | 1 | ı | | |
| | Prq tcat thrm ablt nrv p-art | X | - | X | - | X | - | X | - |
| 0794T 0795T | Pt spec alg rx-onc tx option | X | - | X | - | X | - | X | - |
| | Tcat ins 2chmbr Idls pm cmpl | X | - | X | - | X | - | X | - |
| 0796T 0797T | Total ins 2 chmbr Idls pm ra | X | - | X | - | X | - | X | - |
| 0797T | Tcat ins 2chmbr Idls pm rv | X | - | X | - | X X | - | X | - |
| 0799T | Toat rmv 2chmbr Idls pm cmpl | X | - | X | - | X | - | X | - |
| 0800T | Toat rmvl 2 chmbr Idls pm ra | X | - | X | - | X | - | X | - |
| 0800T | Tcat rmvl 2chmbr Idls pm rv | X | - | X | - | X | - | | - |
| 0802T | Tcat rmv&rpl 2chmbr Idls pm | X | - | X | - | X | - | X | - |
| 0803T | Tcat rmv&rpl2chmb ldls pm ra | | | | | | | | |
| | Tcat rmv&rpl2chmb ldls pm rv | X | - | X | - | X | - | X | - |
| 0804T 0805T | Prgrmg evl Idls pm 2chmbr ip | X | - | X | - | X | - | X | - |
| 0805T | Tcat s&ivc prstc vl impl prq | | | | | X | | | |
| 0807T | Tcat s&ivc prstc vI impl opn | X | - | X | - | X | - | X | - |
| | Pulm tiss vntj alys prev ct | X | - | X | - | X | - | X | - |
| | Pulm tiss vntj alys w/ct | X | - | X | - | X | - | X | - |
| 0809T | Arthrd si jt prq tfx&implt | X | - | X | - | X | - | X | - |
| 0810T | Subrta njx rx agt w/vtrc | X | - | X | - | X | - | X | - |
| 0811T | Rem mlt day uroflow setup | X | - | X | - | X | - | X | - |
| | Rem mlt day uroflow dev sply | X | - | X | - | X | - | X | - |
| 0813T | Egd vol adjmt bariatric balo | X | - | X | - | X | - | X | - |
| | Prq njx biod osteo matrl fem | X | - | X | - | X | - | X | - |
| 0815T | Us rems b1 dns hips plvs/spi | Х | - | Х | - | Х | - | Х | - |
| 0816T | Open insertion or replacement of integrated neurostimulation system for bladder dysfunction | ., | | ., | | | | | |
| | including electrode(s) (eg, array or leadless), and pulse generator or receiver, in | X | - | Х | - | - | - | - | - |
| 0017T | | | | | | | | | |
| 06171 | Open insertion or replacement of integrated neurostimulation system for bladder dysfunction | V | | V | | | | | |
| | including electrode(s) (eg, array or leadless), and pulse generator or receiver, in | X | - | Х | - | - | - | - | - |
| 0040T | By Change of Change of the control o | | | | | | | | |
| 00101 | Revision or removal of integrated neurostimulation system for bladder dysfunction, including | V | | V | | | | | |
| | analysis, programming, and imaging, when performed, posterior tibial nerve; subcut | X | - | Х | - | - | - | - | - |
| 0819T | By Change of Change of the control o | | | | | | | | |
| 00191 | Revision or removal of integrated neurostimulation system for bladder dysfunction, including | X | | | | | | | |
| | analysis, programming, and imaging, when performed, posterior tibial nerve; subfas | ^ | - | Х | - | - | - | - | - |
| 0820T | Marks possely dia mond 1 others / when | X | _ | Х | _ | Х | _ | Х | |
| 08201 0821T | Mntr psycholic med 1stphy/qhp Mntr psycholic med 2ndphy/ghp | X | - | X | - | X | - | X | - |
| | Mntr psychdlc med 2ndphy/qhp Mntr psychdlc med cln staff | X | - | X | - | X | - | X | - |
| 0823T | Toat ins 1chmbr ldls pm ra | X | - | X | - | X | - | X | - |
| 0824T | Toat rmv 1chmbr Idls pm ra | X | - | X | - | X | - | X | - |
| 08241 0825T | Toat rmv 1chmbr lais pm ra Toat rmv&rpl1chmb ldls pm ra | X | - | X | - | X | - | X | - |
| 0826T | | X | - | X | - | X | - | X | - |
| 0827T | Prgrmg evl ldls pm 1chmbr ip | X | | X | | X | - | X | |
| 0827T | Dgtz gls mcrscp cytp smears | X | - | X | - | X | - | X | - |
| | Dgtz gls mcrscp cytp smpl fl Dgtz gls mcrscp cytp conctrj | X | - | X | - | X | - | X | - |
| 00291 | שניג פוס וווכוסבף בעוף בטווכנון | ^ | • | ^ | _ | ^ | | ^ | - |

^{*} These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



| 9 | | Trad | itional Medicaid | Tradi | tional Integrated | Non-Tradition | onal Medicaid | Non-Tradition | nal Integrated |
|----------------------------|---|-----------------|------------------------------|----------------|------------------------------|------------------------|------------------------------|------------------------|------------------------------|
| Codes | Description | Not Covered | Preauthorization Required | Not Covered | Preauthorization Required | Not Covered | Preauthorization Required | Not Covered | Preauthorization Required |
| Disclaimer: the website | : Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, the | se coding lists | s do not reflect information | regarding imm | unizations, injectable drugs | s, or specialty medica | ations and should be d | irected to the Pharmac | cy link option within |
| | Dgtz gls mcrscp cytp slctv | Х | - | Х | - | Х | - | Х | - |
| | Dgtz gls mcrscp cytp c/v | Х | - | Х | - | Х | - | Х | - |
| 0832T | Dgtz gls mcrscp cytp oth scr | Х | - | Х | - | Х | - | Х | - |
| 0833T | Dgtz gls mcrscp cytp oth prp | Х | - | Х | - | Х | - | Х | - |
| 0834T | Dgtz gls mcrscp cytp oth xtn | Х | - | Х | - | Х | - | Х | - |
| 0835T | Dgtz gls mcrscp fna 1st ea | Х | - | Х | - | Х | - | Х | - |
| 0836T | Dgtz gls mcrscp fna ea addl | Х | - | Х | - | X | - | X | - |
| 0837T | Dgtz gls mcrscp fna i&r | Χ | - | Х | - | X | - | X | - |
| 0838T | Dgtz gls mcrscp cslt sld els | Χ | - | Х | - | X | - | X | - |
| 0839T | Dgtz gls mcrscp cslt mat prp | Χ | - | Х | - | X | - | X | - |
| 0840T | Dgtz gls mcrscp cslt compre | Χ | - | Х | - | X | - | X | - |
| 0841T | Dgtz gls mcrscp pth cslt 1st | Х | - | Х | - | X | - | X | - |
| | Dgtz gls mcrscp pth cslt ea | X | - | X | - | Х | - | Х | - |
| | Dgtz gls mcrscp cslt cyt 1st | X | - | X | - | X | - | X | - |
| | Dgtz gls mcrscp cslt cyt ea | X | - | Х | - | Х | - | Х | - |
| | Dgtz gls mcrscp imfluor 1st | Χ | - | Х | - | Х | - | Х | - |
| | Dgtz gls mcrscp imfluor ea | Х | - | Х | - | Х | - | Х | - |
| | Dgtz gls mcrscp xm arch tiss | Х | - | Х | - | Х | - | Х | - |
| | Dgtz gls mcrscp ish 1st | Х | - | Х | - | Х | - | Х | - |
| 0849T | Dgtz gls mcrscp ish ea adl 1 | Х | - | Х | - | Х | - | Х | - |
| | Dgtz gls mcrscp ish ea mult | Х | - | Х | - | Х | - | Х | - |
| _ | Dgtz gls mcrscp mphmtrc 1st | Х | - | Х | - | Х | - | Х | - |
| | Dgtz gls mcrscp mphmtrc ea 1 | X | - | X | - | Х | - | X | - |
| | Dgtz gls mcrscp mphmtrc ea m | X | - | X | - | X | - | X | - |
| | Dgtz gls mcrscp bld smr prph | X | - | X | - | X | - | X | - |
| | Dgtz gls mcrscp b1 marow smr | X | - | X | - | X | - | X | - |
| | Dgtz gls mcrscp electron mic | X | - | X | - | X | - | X | - |
| | Opto-acoustic img breast uni | X | - | X | - | X | - | X | - |
| | Ext trnscranl mag stimj meas | Х | - | Х | - | Х | - | Х | - |
| 0859T | Noncontact near-infrared spectroscopy (eg, for measurement of deoxyhemoglobin, oxyhemoglobin, and ratio of tissue oxygenation), other than for screening for peripheral arteria | Х | | | | | | | |
| | oxynemogloom, and ratio of tissue oxygenation), other than for screening for peripheral arteria | ^ | - | Х | - | - | - | - | - |
| 0860T | Noncontact near-infrared spectroscopy (eg, for measurement of deoxyhemoglobin, | | | | | | | | |
| | oxyhemoglobin, and ratio of tissue oxygenation), for screening for peripheral arterial disease, | Х | - | Х | - | - | - | - | - |
| | Rmvl pg wcs lv both compnt | Х | - | Х | - | Х | - | Х | - |
| | Rlcj pg wcs Iv battery only | Х | - | Х | - | Х | - | X | - |
| 0863T | RIcj pg wcs Iv trnsmtr only | Х | - | Х | - | Х | - | X | - |
| 0864T | Low ntsty eswt corpus cvrnsm | Х | - | Х | - | Х | - | X | - |
| 0865T | Quan mri alys brn w/o dx mri | Χ | - | Х | - | Χ | - | X | - |
| 0866T | Quan mri alys brn w/dx mri | Χ | - | Х | - | Χ | - | X | - |
| 0867T | Transperineal laser ablation of benign prostatic hyperplasia, including imaging guidance prostate volume greater or equal to 50 mL | Х | - | Х | - | - | - | - | - |
| 0868T | High-resolution gastric electrophysiology mapping with simultaneous patientsymptom profiling, | Х | - | Х | - | - | - | - | - |
| | with interpretation and report | | l | l | | | | L | |

^{*} These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



| 9 | | Trad | litional Medicaid | Tradi | tional Integrated | Non-Traditio | onal Medicaid | Non-Tradition | nal Integrated |
|-------------|--|----------------------------|---------------------------------------|--------------------------|--|-----------------------|-----------------------------------|-------------------------|------------------------------|
| Codes | Description | Not | Preauthorization | Not | Preauthorization | Not Covered | Preauthorization | Not Covered | Preauthorization Required |
| | Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, the | Covered se coding lists | Required s do not reflect information | Covered regarding imm | Required unizations, injectable drugs | , or specialty medica | Required tions and should be d | lirected to the Pharmac | |
| the website | Injection(s), bone-substitute material for bone and/or soft tissue hardware fixation | | | | | | | | |
| | augmentation, including intraoperative imaging guidance, when performed | Х | - | Х | - | - | - | - | - |
| 0870T | Implantation of subcutaneous peritoneal ascites pump system, percutaneous, including pump- | | | | | | | | |
| | pocket creation, insertion of tunneled indwelling bladder and peritoneal catheters with pump | Х | - | Х | - | - | - | - | - |
| | connections, incl | | | | | | | | |
| 0871T | Replacement of a subcutaneous peritoneal ascites pump, including reconnection between | | | | | | | | |
| | pump and indwelling bladder and peritoneal catheters, including initial programming and | X | - | Х | - | - | - | - | - |
| | imaging, when performed | | | | | | | | |
| 0872T | Replacement of indwelling bladder and peritoneal catheters, including tunneling of catheter(s) | | | | | | | | |
| | and connection with previously implanted peritoneal ascites pump, including imaging and | Х | - | Х | - | - | - | - | - |
| 00707 | programming, when | | | | | | | | |
| 08/31 | Revision of a subcutaneously implanted peritoneal ascites pump system, any component | | | ., | | | | | |
| | (ascites pump, associated peritoneal catheter, associated bladder catheter), including imaging | Х | - | Х | - | - | - | - | - |
| 0974T | and programming, whe | | | | | | | | |
| 00741 | Removal of a peritoneal ascites pump system, including implanted peritoneal ascites pump and indwelling bladder and peritoneal catheters | Х | - | Х | - | - | - | - | - |
| 0875T | Programming of subcutaneously implanted peritoneal ascites pump system by physician or | | | | | | | | |
| 00701 | other qualified health care professional | X | - | Х | - | - | - | - | - |
| 0876T | Duplex scan of hemodialysis fistula, computer-aided, limited (volume flow, diameter, and depth, | | | | | | | | |
| | including only body of fistula) | X | - | Х | - | - | - | - | - |
| 0877T | Augmentative analysis of chest computed tomography (CT) imaging data to provide categorical | | | | | | | | |
| | diagnostic subtype classification of interstitial lung disease; obtained without concurrent CT | Х | - | Х | - | - | - | - | - |
| | examination o | | | | | | | | |
| 0878T | Augmentative analysis of chest computed tomography (CT) imaging data to provide categorical | | | | | | | | |
| | diagnostic subtype classification of interstitial lung disease; obtained with concurrent CT | Х | - | Х | - | - | - | - | - |
| | examination of t | | | | | | | | |
| 0879T | Augmentative analysis of chest computed tomography (CT) imaging data to provide categorical | | | | | | | | |
| | diagnostic subtype classification of interstitial lung disease; radiological data preparation and | Х | - | Х | - | - | - | - | - |
| 0000 | transmissi | | | | | | | | |
| 08801 | Augmentative analysis of chest computed tomography (CT) imaging data to provide categorical | | | ., | | | | | |
| | diagnostic subtype classification of interstitial lung disease; physician or other qualified health | Х | - | Х | - | - | - | - | - |
| 0881T | care pro Cryotherapy of the oral cavity using temperature regulated fluid cooling system, including | | | | | | | | |
| 00011 | placement of an oral device, monitoring of patient tolerance to treatment, and removal of the | Х | _ | Х | _ | _ | _ | _ | _ |
| | oral device | ^ | | ^ | - | | _ | | _ |
| 0882T | Intraoperative therapeutic electrical stimulation of peripheral nerve to promote nerve | | | | | | | | |
| | regeneration, including lead placement and removal, upper extremity, minimum of 10 minutes; | Х | _ | Х | - | _ | _ | _ | _ |
| | initial nerve (List s | • | | | | | | | |
| 0883T | Intraoperative therapeutic electrical stimulation of peripheral nerve to promote nerve | | | | | | | | |
| | regeneration, including lead placement and removal, upper extremity, minimum of 10 minutes; | Х | - | Х | - | - | - | - | - |
| | each additional nerve | | | | | | | | |
| 0884T | Esophagoscopy, flexible, transoral, with initial transendoscopic mechanical dilation (eg, nondrug- | | | | | <u> </u> | | | |
| | coated balloon) followed by therapeutic drug delivery by drug-coated balloon catheter for | Х | - | Х | - | - | - | - | - |
| | esophageal s | | | | | | | | |

^{*} These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



| 0885T Co | Description | Not | | | | | | | nal Integrated |
|-----------|---|---------|------------------------------|----------------|------------------------------|-----------------------|------------------------------|------------------------|------------------------------|
| 0885T Co | | Covered | Preauthorization Required | Not Covered | Preauthorization Required | Not Covered | Preauthorization Required | Not Covered | Preauthorization Required |
| 0885T Co | ase note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these | | | | | , or specialty medica | | irected to the Pharmac | |
| l l | olonoscopy, flexible, with initial transendoscopic mechanical dilation (eg, nondrug-coated | | | | | | | | |
| 60 | alloon) followed by therapeutic drug delivery by drug-coated balloon catheter for colonic | Х | - | Х | - | - | - | - | - |
| | ricture, includ | | | | | | | | |
| 0886T Sig | gmoidoscopy, flexible, with initial transendoscopic mechanical dilation (eg, nondrug-coated | | | | | | | | |
| ba | alloon) followed by therapeutic drug delivery by drug-coated balloon catheter for colonic | Χ | - | X | - | - | - | - | - |
| | ricture, incl | | | | | | | | |
| | nd-tidal control of inhaled anesthetic agents and oxygen to assist anesthesia care delivery (List | Х | - | Х | - | - | - | - | - |
| | parately in addition to code for primary procedure) | | | | | | | | |
| l l | stotripsy (ie, non-thermal ablation via acoustic energy delivery) of malignant renal tissue, cluding imaging guidance | X | - | Х | - | - | - | - | - |
| | ersonalized target development for accelerated, repetitive high-dose functional connectivity | | | | | | | | |
| | RI–guided theta-burst stimulation derived from a structural and resting-state functional MRI, | Х | - | х | - | - | _ | _ | _ |
| | cluding d | | | | | | | | |
| 0890T Ac | ccelerated, repetitive high-dose functional connectivity MRI–guided theta-burst stimulation, | | | | | | | | |
| ind | cluding target assessment, initial motor threshold determination, neuronavigation, delivery | Χ | - | X | - | - | - | - | - |
| | nd manageme | | | | | | | | |
| l l | ccelerated, repetitive high-dose functional connectivity MRI–guided theta-burst stimulation, | | | | | | | | |
| ind | cluding neuronavigation, delivery and management, subsequent treatment day | X | - | Х | - | - | - | - | - |
| 0802T A | ccelerated, repetitive high-dose functional connectivity MRI–guided theta-burst stimulation, | | | | | | | | |
| | cluding neuronavigation, delivery and management, subsequent motor threshold | Х | _ | X | _ | _ | _ | _ | _ |
| | determination with delive | ^ | | ^ | | | | | |
| | oninvasive assessment of blood oxygenation, gas exchange efficiency, and cardiorespiratory | | | | | | | | |
| sta | atus, with physician or other qualified health care professional interpretation and report | Χ | - | Х | - | - | - | - | - |
| | | | | | | | | | |
| 0894T Ca | annulation of the liver allograft in preparation for connection to the normothermic perfusion | | | | | | | | |
| de | evice and decannulation of the liver allograft following normothermic perfusion | Х | - | X | - | - | - | - | - |
| 0895T Co | | | | | | | | | |
| - | onnection of liver allograft to normothermic machine perfusion device, hemostasis control; itial 4 hours of monitoring time, including hourly physiological and laboratory assessments (eg, | Х | _ | x | _ | | _ | | _ |
| | erfusate | ^ | - | ^ | - | - | _ | _ | _ |
| | onnection of liver allograft to normothermic machine perfusion device, hemostasis control; | | | | | | | | |
| | ach additional hour, including physiological and laboratory assessments (eg, perfusate | X | - | Х | - | - | - | - | - |
| te | mperature, perfusa | | | | | | | | |
| 0897T No | oninvasive augmentative arrhythmia analysis derived from quantitative computational cardiac | | | | | | | | |
| | rhythmia simulations, based on selected intervals of interest from 12-lead electrocardiogram | Х | - | Х | - | - | - | - | - |
| | nd uploaded | | | | | | | | |
| l l | oninvasive prostate cancer estimation map, derived from augmentative analysis of image- | ~ | | | | | | | |
| _ | uided fusion biopsy and pathology, including visualization of margin volume and location, with argin determina | Х | - | X | - | - | - | - | - |
| | argin determina oninvasive determination of absolute quantitation of myocardial blood flow (AQMBF), derived | | | | | | | | |
| | om augmentative algorithmic analysis of the dataset acquired via contrast cardiac magnetic | Х | - | х | _ | _ | _ | _ | _ |
| | sonance (CMR | | | | | | | | |

^{*} These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



| | nealti : 5 | Trad | itional Medicaid | Tradit | tional Integrated | Non-Tradition | onal Medicaid | Non-Tradition | nal Integrated |
|-------------|--|----------------------------|--|--------------------------|---------------------------------------|---------------|----------------------------------|---------------|-----------------------------------|
| Codes | Description | Not | Preauthorization | Not | Preauthorization | Not Covered | Preauthorization | Not Covered | Preauthorization |
| Disclaimer | Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, the | Covered se coding lists | Required s do not reflect information | Covered regarding imm | Required unizations, injectable drugs | | Required ations and should be of | | Required by link option within |
| the website | | l | I | | | <u> </u> | 1 | 1 | <u> </u> |
| 09001 | Noninvasive estimate of absolute quantitation of myocardial blood flow (AQMBF), derived from | Х | | X | | | | | |
| | assistive algorithmic analysis of the dataset acquired via contrast cardiac magnetic resonance | ^ | - | ^ | - | - | - | - | - |
| 1000F | (CMR), pharm | X | - | Х | _ | Х | _ | X | |
| 1000F | Tobacco use, smoking, assessed1 Anginal symptoms and level of activity assessed (nma - no measure associated) | X | - | X | - | X | - | X | - |
| 1002F | | X | - | X | - | X | - | X | - |
| 1003F | Level of activity assessed (nma no measure associated) | ^ | - | ^ | - | ^ | - | ^ | - |
| 10046 | Clinical symptoms of volume overload (excess) assessed (nma - no measure associated) | Х | - | Х | - | Х | - | Х | - |
| 1005F | Asthma symptoms evaluated (includes physician documentation of numeric frequency of | | | | | | | | |
| | symptoms or patient completion of an asthma assessment tool/survey/questionnaire) (nma - no | Х | - | Х | - | Х | - | Х | - |
| 1006F | Osteoarthritis symptoms and functional status assessed | Х | - | Х | - | Х | - | Х | - |
| 1007F | Use of anti-inflammatory or analgesic over-the-counter (otc) medications for symptom relief | | | ., | | ., | | | |
| | assessed | Х | - | Х | - | Х | - | Х | - |
| 1008F | Gastrointestinal and renal risk factors assessed for patients on prescribed or otc nsaids | Х | - | Х | - | Х | - | х | - |
| 1010F | Severity of angina assessed by level of activity (cad) | Х | _ | Х | _ | Х | _ | Х | _ |
| 1011F | Angina present (cad) | X | _ | X | _ | X | _ | X | _ |
| 1012F | Angina absent (cad) | X | _ | X | _ | X | _ | X | _ |
| 1015F | Chronic obstructive pulmonary disease (copd) symptoms assessed (includes assessment of at | | | | | | | | |
| | least one of the following: | Х | - | Х | - | Х | - | Х | - |
| 1018F | Dyspnea assessed, not present (copd) | Х | - | Х | - | Х | _ | Х | _ |
| 1019F | Dyspnea assessed, present (copd) | X | - | X | - | X | - | X | - |
| 1022F | Pneumococcus immunization status assessed (cap, copd) | Х | - | X | - | X | - | X | - |
| 1026F | Co-morbid conditions assessed 9eg, includes assessment for presence or absence of: | | | | | | | | |
| | malignancy, liver disease, | Х | - | Х | - | Х | - | Х | - |
| 1030F | Influenza immunization status assessed (cap) | Х | - | Х | - | Х | - | Х | - |
| 1031F | Smoking status and exposure to second hand smoke in the home assessed (asthma) | Х | - | Х | - | Х | - | Х | - |
| 1032F | Current tobacco smoker or currently exposed to secondhand smoke (asthma) | Х | - | Х | - | Х | - | Х | - |
| 1033F | Current tobacco non-smoker and not currently exposed to secondhand smoke (asthma) | Х | - | Х | - | Х | - | Х | - |
| 1034F | Current tobacco smoker (cad, cap, copd, dm, pv) | Х | - | Х | - | Х | - | Х | - |
| 1035F | Current smokeless tobacco user (eg chew, snuff)(pv) | Х | - | Х | - | Х | - | Х | - |
| 1036F | Current tobacco non-user (cad, cap, copd, pv), (dm), (ibd) | X | - | Х | - | X | - | X | - |
| 1038F | Persistent asthma (mild, moderate or severe) | X | - | Х | - | X | - | X | - |
| 1039F | Intermittent asthma | X | - | X | - | X | - | X | - |
| 1040F | Dsm-iv¿ criteria for major depressive disorder documented (mdd) | X | - | X | - | X | - | X | - |
| 1050F | History obtained regarding new or changing moles (ml) | X | - | X | - | X | - | X | - |
| 1052F | Type, anatomic location, and activity all assessed (ibd) | X | - | X | - | X | - | X | - |
| 1055F | Visual functional staus assessed (ec) | X | - | Х | - | X | - | X | - |
| 1060F | Documentation of permanent or persistent or paroxysmal atrial fibrillation (str) | X | - | Х | - | X | - | X | - |
| 1061F | Documentation of absence of permanent and persistent and paroxysmal atrial fibrillation (str) | | | | | | | | |
| | (60) | Х | - | Х | - | Х | - | X | - |
| 1065F | Ischemic stroke symptom onset of less than 3 hours prior to arrival (str) | Х | - | Х | - | Х | - | Х | - |
| 1066F | Ischemic stroke symptom onset greater than or equal to 3 hours prior to arrival (str) | Х | - | Х | - | Х | - | Х | - |

^{*} These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



| G | nealti | Trad | itional Medicaid | Tradi | tional Integrated | Non-Traditio | onal Medicaid | Non-Tradition | nal Integrated |
|-------------|--|----------------------------|--|-----------------------|--|---|-----------------------------------|---------------|-----------------------------------|
| Codes | Description | Not | Preauthorization | Not | Preauthorization | Not Covered | Preauthorization | Not Covered | Preauthorization |
| Disclaimer: | Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, the | Covered se coding lists | Required do not reflect information | Covered regarding imm | Required unizations, injectable drugs | | Required tions and should be d | | Required ty link option within |
| the website | | | T | 1 | , ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,, | , | 1 | | , ,,,,, |
| 1070F | Alarm symptoms (involuntary weight loss, dysphagia, or gastrointestinal bleeding) assessed; | Х | - | Х | - | X | - | Х | - |
| 40745 | none present (gerd) | | | | | | | | |
| 10/16 | Alarm symptoms (involuntary weight loss, dysphagia, or gastrointestinal bleeding) assessed; one | Х | - | Х | - | X | - | Х | - |
| 1000 | or more present (gerd) | | | | | | | | |
| | Presence or absence of urinary incontinence assessed (ger) | Х | - | Х | - | X | - | Х | - |
| 10917 | Urinary incontinence characterized (eg frequency, volume, timing, type of symptoms, how | Χ | - | Х | - | X | - | Х | - |
| 1100F | bothersome) (ger) Patient screened for future fall risk; documentation of two or more falls in the past year or any | | | | | | | | |
| 11001 | fall with injury in th | Χ | - | Х | - | X | - | X | - |
| 1101F | Patient screened for fall risk; documentation of no falls in the past year or only one fall without | | | | | | | | |
| 11011 | injury in the past y | X | - | X | - | X | - | X | - |
| 1110F | Patient discharged from an inpatient facility (eg hospital, skilled nursing facility, or rehabilitation | | | | | | | | |
| 11101 | facility) within | Χ | - | X | - | X | - | X | - |
| 1111F | Discharge medications reconciled with the current medication list in outpatient medical record | | | | | | | | |
| | (ger) | X | - | X | - | X | - | Х | - |
| 1116F | Auricular or periauricular pain assessed (aoe) | X | _ | Х | - | Х | _ | Х | - |
| 1118F | Gerd symptoms assessed after 12 months of therapy (gerd)5 | X | - | X | - | X | _ | X | - |
| 1119F | Initial evaluation for condition (hep c)1 | X | - | X | - | X | _ | X | - |
| 1121F | Subsequent evaluation for condition (hep c)1 | X | - | X | - | X | - | X | - |
| 1123F | Advance care planning discussed and documented advance care plan or surrogate decision | ., | | ., | | ., | | ., | |
| | maker documented in the medical record (dem) (ger, pall cr) | Χ | - | Х | - | Х | - | Х | - |
| 1124F | Advance care planning discussed and documented in the medical record, patient did not wish or | | | | | | | | |
| | was not able to name a surrogate decision maker or provide an advance care plan (| X | - | Х | - | X | - | X | - |
| | | | | | | | | | |
| 1125F | Pain severity quantified; pain present (onc)1 | Х | - | Х | - | Х | - | Х | - |
| 1126F | Pain severity quantified; no pain present (onc)1 | Х | - | Х | - | Х | - | Х | - |
| 1127F | New episode for condition (nma-no measure associated) | Х | - | Х | - | Х | - | Х | - |
| 1128F | Subsequent episode for condition (nma-no measure associated) | Χ | - | X | | Х | - | Х | |
| 1130F | Back pain and function assessed, including all of the following: pain assessment and functional | Х | | Х | | Х | | Х | |
| | status and patient histo | ^ | - | ^ | | ^ | - | ^ | |
| 1134F | Episode of back pain lasting 6 weeks or less (bkp) | Χ | - | Х | - | Χ | - | X | - |
| 1135F | Episode of back pain lasting longer than six weeks (bkp)2 | Χ | - | X | - | X | - | Х | - |
| 1136F | Episode of back pain lasting 12 weeks or less (bkp)2 | X | - | X | - | X | - | X | - |
| 1137F | Episode of back pain lasting longer than 12 weeks (bkp)2 | Χ | - | X | - | Х | - | X | - |
| 1150F | Documentation that a patient has a substantial risk of death within 1 year (pall cr) | Χ | - | X | - | Х | - | Х | - |
| 1151F | Documentation that a patient does not have a substantial risk of death within one year (pall cr) | Х | - | Х | - | Х | - | х | - |
| 1152F | Documentation of advanced disease diagnosis, goals of care prioritize comfort (pall cr) | Х | - | Х | - | Х | - | Х | - |
| 1153F | Documentation of advanced disease diagnosis, goals of care do not prioritize comfort (pall cr) | Х | - | х | - | Х | - | Х | - |
| 1157F | Advance care plan or similar legal document present in the medical record (coa) | Χ | - | Х | - | Χ | - | Х | - |
| 1158F | Advance care planning discussion documented in the medical record (coa) | Х | - | Х | - | Х | - | Х | - |
| 1159F | Medication list documented in medical record (coa) | Х | - | Х | - | Х | - | Х | - |
| 1160F | Rvw meds by rx/dr in rcrd | Χ | - | Х | - | Χ | - | X | - |

^{*} These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



| Content Cont | \ <u>\\\</u> | nealth | Trad | itional Medicaid | Tradit | tional Integrated | Non-Traditio | onal Medicaid | Non-Tradition | nal Integrated |
|--|--------------|--|------|------------------|--------|-------------------|--------------|------------------|---------------|------------------|
| The present of the | Codes | Description | Not | Preauthorization | Not | Preauthorization | | Preauthorization | | Preauthorization |
| The functional status assessed (coal) (in) Time Functional status assessed (coal) (in) Functional status for demental assessed and results reviewed (dem) X | Disclaimer | Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, the | | | | | | | | |
| Interior | the website | | _ | 1 | | | | 1 | | , |
| 1896 | | | | - | | - | | - | | - |
| 1891 Neuropsychiatric symptoms assessed and results reviewed (dem) | | | | - | | - | | - | | |
| Mesurpsychiatric symptoms, one or more present (dem) | | | | - | | - | | - | | - |
| Neuropsychiatric symptoms, abvent (fem) | | | | - | | - | | - | | - |
| Seture type(s) and current solarue frequency(es) documented (eps) | | | | | | - | | - | | - |
| 1809F Etiology of epilegoys emplegoys syndrome(s) reviewed and documented (epi) | | | | | | | | - | | - |
| Patient screened for depression (sud) | | | | | | - | | | | - |
| 1400F Prints diag riviewed | | | | - | | | | - | | - |
| 1450F Symptoms improved or remained consistent with treatment goals since last assessment (inf) | | | | - | | - | | - | | - |
| 1451F Symptoms demonstrated clinically important deterioration since last assessment (hf) | | | Х | - | Х | - | Х | - | X | - |
| Mailying cardiac event/diagnosis in previous 12 months (cad) | 1450F | Symptoms improved or remained consistent with treatment goals since last assessment (hf) | Х | - | Х | - | X | - | Х | - |
| HeSF No qualifying cardiac event/diagnosis in previous 12 months (cad) | 1451F | Symptoms demonstrated clinically important deterioration since last assessment (hf) | Х | - | Х | - | Х | - | Х | - |
| 1461F No qualifying cardiac event/diagnosts in previous 12 months (cad) | 1460F | Qualifying cardiac event/diagnosis in previous 12 months (cad) | Х | - | Х | - | Х | - | Х | - |
| 1490F Dementia severity classified, midl (dem) | 1461F | | Х | - | Х | - | Х | - | Х | - |
| 1491F Dementia severity classified, moderate (dem) | 1490F | | Х | - | Х | - | Х | - | Х | - |
| 1498F Cognition assessed and reviewed (dem) | | | Х | - | Х | - | Х | - | Х | - |
| 1500F Symptom + sign symm polyneuron | 1493F | | Х | - | Х | - | Х | - | Х | - |
| Symptom + sign symm polyneuro | 1494F | Cognition assessed and reviewed (dem) | Х | - | Х | - | Х | - | Х | - |
| 1502F Pt queried pain fxn w/instr | 1500F | Symptom + sign symm polyneuro | Х | - | Х | - | Х | - | Х | - |
| 1503F Pt queried symp resp insufficient X | 1501F | Not initial eval for cond | Х | - | Х | - | Х | - | Х | - |
| 1504F Pt has resp insufficiency | 1502F | Pt queried pain fxn w/instr | Х | - | Х | - | Х | - | Х | - |
| 1505F Pt has no resp insufficiency | 1503F | Pt queried symp resp insufficient | Х | - | Х | - | Х | - | Х | - |
| Blood pressure measured (ckd)(dm) Weight recorded (pag) X X X X X X X X X X X X X | 1504F | Pt has resp insufficiency | Х | - | Х | - | Х | - | Х | - |
| 201F Weight recorded (pag) Clinical signs of volume overload (excess) assessed (nma - no measure associated) X - X - X - X - X - X - 2004F Initial examination of the involved joint(s) X - X - X - X - X - X - X - X - 2004F Initial examination of the involved joint(s) X - X - X - X - X - X - X - X - X - X | 1505F | Pt has no resp insufficiency | Х | - | Х | - | Х | - | Х | - |
| 2001F Weight recorded (pag) X | 2000F | Blood pressure measured (ckd)(dm) | Х | - | Х | - | Х | - | Х | - |
| 2004F Initial examination of the involved joint(s) | 2001F | | Х | - | Х | - | Х | - | Х | - |
| 2010F Vital signs recorded (includes at minimum: temperature, pulse, respiration, and blood pressure)(cap) X | 2002F | Clinical signs of volume overload (excess) assessed (nma - no measure associated) | Х | - | Х | - | Χ | - | Х | - |
| pressure)(cap) 2014F Mental status assessed (normal/mildly impaired/severely impaired)(cap) X | | | Х | - | Х | - | Х | - | Х | - |
| pressure)(cap) Mental status assessed (normal/mildly impaired/severely impaired)(cap) X - X | 2010F | | Х | _ | х | _ | Х | - | Х | - |
| 2015F Asthma impairment assessed (asthma) 2016F Asthma risk assessed (asthma) X - | | | | | | | | | | |
| 2016F Asthma risk assessed (asthma) 2018F Hydration status assessed (normal/mildly dehydrated/severely dehydrated) X X X X X X X X X X X X X | | | | - | | - | | - | | - |
| 2018F Hydration status assessed (normal/mildly dehydrated/severely dehydrated) X X X X X X X X X X X X X | | | | - | | - | | - | | - |
| 2019F Dilated macular exam performed, including documentation of the presence or absence of macular thickening or hemmorrhage 2020F Dilated fundus evaluation performed within six months prior to cataract surgery (ec) 2021F Dilated macular or fundus exam performed, including documentation of the presence or absence of macular edema and level 2022F Dilated retinal eye exam with interpretation by an ophthalmologist or optometrist documented and reviewed (dm) 2022F A STAN STAN STAN STAN STAN STAN STAN ST | | | | - | | - | | - | | - |
| macular thickening or hemmorrhage 2020F Dilated fundus evaluation performed within six months prior to cataract surgery (ec) 2021F Dilated macular or fundus exam performed, including documentation of the presence or absence of macular edema and level 2022F Dilated retinal eye exam with interpretation by an ophthalmologist or optometrist documented and reviewed (dm) X - X - X - X - X - X - X - X - X - X | | | Х | - | X | - | Х | - | Х | - |
| 2021F Dilated macular or fundus exam performed, including documentation of the presence or absence of macular edema and level 2022F Dilated retinal eye exam with interpretation by an ophthalmologist or optometrist documented and reviewed (dm) X - X - X - X - X - X - X - X - X - X | 2019F | | Х | - | Х | - | X | - | X | - |
| 2021F Dilated macular or fundus exam performed, including documentation of the presence or absence of macular edema and level 2022F Dilated retinal eye exam with interpretation by an ophthalmologist or optometrist documented and reviewed (dm) X - X - X - X - X - X - X - X - X - X | 2020F | | Х | - | Х | - | Х | - | Х | - |
| absence of macular edema and level 2022F Dilated retinal eye exam with interpretation by an ophthalmologist or optometrist documented and reviewed (dm) X - X - X - X - X - X - X - X - X - X | | | V | | v | | | | v | |
| and reviewed (dm) | | absence of macular edema and level | X | - | Х | - | Х | - | Х | - |
| 2023F Dilat rta xm w/o rtnopthy | 2022F | | Х | - | Х | - | Х | - | Х | - |
| | 2023F | Dilat rta xm w/o rtnopthy | Х | - | Х | - | Х | - | Х | - |

^{*} These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



| | | | itional Medicaid | | ional Integrated | Non-Tradition | onal Medicaid | Non-Tradition | nal Integrated |
|-------------|--|----------------|------------------------------|----------------|------------------------------|-----------------------|------------------------------|------------------------|------------------------------|
| Codes | Description | Not Covered | Preauthorization Required | Not Covered | Preauthorization Required | Not Covered | Preauthorization Required | Not Covered | Preauthorization Required |
| | Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, the | | | | | , or specialty medica | | irected to the Pharmac | |
| the website | Seven standard field stereoscopic photos with interpretation by an ophthalmologist or | | | | | | | | |
| 202 11 | optemetrist documented and review | X | - | X | - | X | - | Х | - |
| 2025F | F 7 fld rta photo w/o rtnopthy | Х | - | Х | - | Х | _ | Х | - |
| | Eye imaging validated to match diagnosis from seven standard field stereoscopic photos results | | | | | | | | |
| | documented and reviewed | Х | - | Х | - | Х | - | X | - |
| 2027F | Optic nerve head evaluation performed (ec) | Х | - | Х | - | Х | - | Х | - |
| | Foot examination performed (includes examination through visual inspection, sensory exam | Х | | V | | Х | | V | |
| | with monofilament, and pulse | ^ | - | Х | - | ^ | - | Х | - |
| 2029F | Complete physical skin exam performed (ml) | Х | - | Х | - | Х | - | Х | - |
| 2030F | Hydration status documented, normally hydrated (pag) | X | - | Х | - | Х | - | Х | - |
| 2031F | Hydration status documented, dehydrated (pag) | X | - | Х | - | X | - | X | - |
| 2033F | Eye img valid w/o rtnopthy | X | - | X | - | X | - | Х | - |
| 2035F | Tympanic membrane mobility assessed with pneumatic otoscopy or tympanometry (ome) | Х | - | х | - | Х | - | Х | - |
| 2040F | Physical examination on the date of the initial visit for low back pain performed, in accordance with specifications (bk | Х | - | Х | - | Х | - | Х | - |
| 2044F | Documentation of mental health assessment prior to intervention (back surgery or epidural | Х | - | Х | - | Х | - | Х | - |
| 2050E | steroid injection) or for back | | | | | | | | |
| 2030F | Wound characteristics including size and nature of wound base tissue and amount of drainage prior to debridement documented (cwc) | Х | - | Х | - | Χ | - | X | - |
| 2060F | Patient interviewed directly by evaluating clinician on or before date of diagnosis of major | | | | | | | | |
| | depressive disorder (mdd ad | Х | - | Х | - | Х | - | Х | - |
| 3006F | Chext xray results documented and reviewed (cap) | Х | - | Х | - | Х | - | Х | - |
| | Body mass index (bmi), documented (pv) | X | - | X | - | X | _ | X | - |
| | Lipid panel results documented and reviewed (must include total cholesterol, hdl-c, triglycerides | | | ., | | ., | | ., | |
| | and calculated Idl-c) | Х | - | Х | - | Х | - | Х | - |
| 3014F | Screening mammography results documented and reviewed | Х | - | Х | - | Х | - | Х | - |
| 3015F | Cervical cancer screening results documented and reviewed (pv) | Х | - | Х | - | Х | - | Х | - |
| 3016F | Patient screened for unhealthy alcohol use using a systematic screening method (pv) | Х | - | Х | - | Х | - | Х | - |
| 3017F | Colorectal cancer screening results documented and reviewed (pv) includes: fecal occult blood testing annually, flexible | Х | - | Х | - | Х | - | х | - |
| 3018F | including location of each polyp, size, number and gross morp | Х | - | Х | - | Х | _ | Х | - |
| 3019F | Left ventricular ejection fraction (lvef) assessment planned post discharge (hf) | X | - | X | - | X | - | X | - |
| 3020F | Left ventricular function (Ivf) assessment (eg, echocardiography, nuclear test, or | | | | | | | | |
| | ventriculography) documented in the medical record (includes quantitative or qualitative ass | Х | - | Х | - | Х | - | X | - |
| 3021F | Left ventricular ejection fraction (lvef) <40% or documentation of moderately or severely depressed left ventricular | Х | - | х | - | Х | - | × | - |
| 3022F | Left ventricular ejection fraction (lvef)>=40% or documentation as normal or mildly depressed left ventricular systolic | Х | - | х | - | Х | - | х | - |
| 3023F | Spirometry results documented and reviewed (copd) | Х | - | Х | - | Х | - | Х | - |
| 3025F | Spirometry test results demonstrate fev1/fvc<70% with copd symptoms (eg, dyspnea, | | | | | | | | |
| | cough/sputum, wheezing) | X | - | X | - | X | - | X | - |

^{*} These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



| V | nealti | Trad | itional Medicaid | Tradi | tional Integrated | Non-Tradition | onal Medicaid | Non-Traditio | nal Integrated |
|-------------|---|-----------------------------|--|--------------------------|--|---------------|------------------------------------|--------------|-----------------------------------|
| Codes | Description | Not | Preauthorization | Not | Preauthorization | Not Covered | Preauthorization | Not Covered | Preauthorization |
| Disclaimer: | Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, the | Covered ese coding lists | Required do not reflect information | Covered regarding imm | Required unizations, injectable drugs | | Required ations and should be d | | Required by link option within |
| the website | | · · | ı | 1 | | 1 | T | 1 | · · |
| 3027F | Spirometry test results demonstrate fev1/fvc>=70% or patient does not have copd symptoms | Х | - | Х | - | X | - | Х | - |
| 3028F | (copd) | 1 | | | | | | | |
| 3020F | Oxygen saturation results documneted and reviewed (includes assessment through pulse | Х | - | Х | - | Х | - | Х | - |
| 3035E | oximetry or arterial blood gas Oxygen saturation ,=88% or a pao2<=55 hg1 (copd) | Х | | Х | _ | Х | | Х | |
| | Oxygen saturation > 88% or page > 55 mgf (copd) Oxygen saturation > 88% or page > 55 mmhg1 (copd) | X | - | X | - | X | - | X | - |
| | Pulmonary function test performed within 12 months prior to surgery (lung/esop cx) | X | - | X | - | X | _ | X | |
| | Functional expiratory volume (fev1) <40% of predicted value (copd) | X | - | X | - | X | - | X | _ |
| | Functional expiratory volume (fev1) >=40% of predicted value (copd) | X | - | X | - | X | _ | X | _ |
| | Most recent hemoglobin a1c level <7.0% (dm) | X | _ | X | | X | _ | X | |
| | Hemoglobin a1c level > 9.0% | X | _ | X | | X | _ | X | _ |
| | Most recent IdI-c less than 100 mg/dl (cad) (dm) | X | _ | X | | X | _ | X | _ |
| | Most recent Idl-c 100-129 mg/dl (cad) (dm) | X | - | X | - | X | _ | X | _ |
| | Most recent Idl-c greater than or equal to 130 mg/dl (cad) (dm) | X | _ | X | | X | _ | X | _ |
| | Hg a1c>equal 7.0%<8.0% | X | _ | X | - | X | _ | X | _ |
| | Hg a1c>equal 8.0% | X | _ | X | | X | _ | X | _ |
| | Left ventricular ejection fraction (Ivef) less than or equal to 35% (hf) | X | - | X | | X | _ | X | _ |
| | Left ventricular ejection fraction (iver) less than of equal to 35% (iii) Left ventricular ejection fraction (iver) less than 35% or no lvef result available (hf) | ^ | - | ^ | - | ^ | - | ^ | - |
| 30001 | Left ventricular ejection fraction (iver) greater than 33% of no iver result available (iii) | Х | - | X | - | X | - | X | - |
| 3060F | Positive microalbuminuria test result documneted and reviewed (dm) | Х | _ | Х | - | Х | _ | Х | _ |
| | Negative microalbuminuria test result documented and reviewed (dm) | X | _ | X | _ | X | _ | X | _ |
| | Positive macroalbuminuria test result documented and reviewed (dm) | X | _ | X | _ | X | _ | X | _ |
| | Documentation of treatment for nephropathy (eg, patient receiving dialyssi, patient being | | | | | | | | |
| 0000. | treated for esrd, crf, arf | Х | - | X | - | X | - | Х | - |
| 3072F | Low risk for retinopathy (no evidence of retinopathy in the prior year) (dm) | Х | _ | Х | - | Х | _ | Х | _ |
| | Pre-surgical (cataract) axial length, corneal power measurement and method of intraocular lens | | | | | | | | |
| 00.0. | power calculation documen | Х | - | X | - | Х | - | Х | - |
| 3074F | Most recent systolic blood pressure less than 130 mm hg (dm) (htn, ckd, cad) | Х | - | Х | - | Х | - | Х | - |
| 3075F | Most recent systolic blood pressure 130 - 139 mm hg (dm) (htn, ckd, cad) | Х | - | X | - | X | - | X | - |
| 3077F | Most recent systolic blood pressure greater than or equal to 140 mm hg (htn, ckd, cad) (dm) | | | | | | | | |
| | (····, ····) | Х | - | Х | - | X | - | Х | - |
| 3078F | Most recent diastolic blood pressure less than 80 mm hg (htn, ckd, cad) (dm) | Х | - | Х | - | Х | - | Х | - |
| 3079F | Most recent diastolic blood pressure 80-89 mm hg (htn, ckd, cad) (dm) | Х | - | Х | - | Х | - | Х | - |
| 3080F | Most recent diastolic blood pressure greater than or equal to 90 mm hg (htn, ckd, cad) (dm) | | | | | | | | |
| | | Х | - | Х | - | Х | - | Х | - |
| 3082F | Kt/v <1.2 (clearance of urea (kt)/volume (v)) (esrd) | Х | - | Х | - | Х | - | Х | - |
| 3083F | Kt/v equal to or greater than 1.2 and less than 1.7 (clearance of urea (kt)/volume (v)) (esrd) | | | | | | | | |
| | | Х | - | X | - | Х | - | Х | - |
| 3084F | Kt/v >= 1.7 (clearance of urea (kt)/volume (v)) (esrd) | Х | - | Х | - | Х | - | Х | - |
| 3085F | Suicide risk assessed (mdd) | Х | - | Х | - | Х | - | Х | - |
| 3088F | Major depressive disorder, mild (mdd) | Х | - | Х | - | Х | - | Х | - |
| 3089F | Major depressive disorder, moderate (mdd) | Х | - | Х | - | Х | - | Х | - |
| 3090F | Major depressive disorder, severe without psychotic features (mdd) | Х | - | Х | - | Х | - | Х | - |
| 3091F | Major depressive disorder, severe with psychotic features (mdd) | Х | - | Х | - | Х | - | Х | - |
| 3092F | Major depressive disorder, in remission (mdd) | Х | - | Х | - | Х | - | Х | - |

^{*} These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



| | | Trad | itional Medicaid | Tradit | tional Integrated | Non-Tradition | onal Medicaid | Non-Tradition | nal Integrated |
|-------|--|----------------|------------------------------|----------------|------------------------------|-----------------------|------------------------------|-------------------------|------------------------------|
| Codes | Description | Not Covered | Preauthorization Required | Not Covered | Preauthorization Required | Not Covered | Preauthorization Required | Not Covered | Preauthorization Required |
| | Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, the | | | | | , or specialty medica | | lirected to the Pharmac | |
| 3093F | Documentation of new diagnosis of initial or recurrent episode of major depressive disorder | | | | | | | | |
| 0000. | (mdd) | Х | - | Х | - | Х | - | Х | - |
| 3095F | Central dual - energy x-ray absorptionmetry (dxa) results documented (op) | Х | - | Х | - | Х | - | Х | - |
| 3096F | Central dual - energy x-ray absorptionmetry (dxa) ordered (op) | Х | - | Х | - | Х | - | Х | - |
| 3100F | Carotid imaging study report includes direct or indirect reference to measurements of distal internal carotid diameter a | Х | - | Х | - | Х | - | х | - |
| 3110F | Documentation in final ct or mri report of presence or absence of hemorrhage and mass lesion and acute infarction (str) | Х | - | х | - | Х | - | Х | - |
| 3111F | Ct or mri of the brain performed in the hospital within 24 hours of arrival or performed in an | | | | | | | | |
| | outpatient imaging center, to confirm initial diagnosis of stroke, tia or intrac | Х | - | Х | - | Х | - | Х | - |
| 3112F | Ct or mri of the brain performed greater than 24 hours after arrival to the hospital or performed | | | | | | | | |
| | in an outpatient imaging center for purpose other than confirmation of initia | Х | - | Х | - | Х | - | Х | - |
| 3115F | Quantitative results of an evaluation of current level of activity and clinical symptoms (hf) | Х | - | х | - | Х | - | х | - |
| 3117F | Heart failure disease specific structured assessment tool completed (hf) | Х | - | Х | - | Х | - | Х | - |
| 3118F | New york heart association (nyha) class documented (hf) | Х | - | Х | - | Х | - | Х | - |
| 3119F | No evaluation of level of activity or clinical symptoms (hf) | Х | - | Х | - | Х | - | Х | - |
| 3120F | 12-lead ecg performed (em) | Х | - | Х | - | Х | - | Х | - |
| 3126F | Esoph bx rprt w/dyspl info | Х | - | Х | - | Х | - | Х | - |
| 3130F | Upper gastrointestinal endoscopy performed (gerd) | Х | - | Х | - | Х | - | Х | - |
| 3132F | Documentation of referral for upper gastrointestinal endoscopy (gerd) | Х | - | Х | - | Х | - | Х | - |
| 3140F | Upper gastrointestinal endoscopy report indicates suspicion of barrett's esophagus (gerd) | Х | - | Х | - | х | - | Х | - |
| 3141F | Upper gastrointestinal endoscopy report indicates no suspicion of barrett's esophagus (gerd) | Х | - | Х | - | Х | - | х | - |
| 3142F | Barium swallow test ordered (gerd) | Х | - | Х | - | Х | - | Х | - |
| | Forceps esophageal biopsy performed (gerd) | Х | - | Х | - | Х | - | Х | - |
| | Cytogenetic testing performed on bone marrow at time of diagnosis or prior to initiating treatment (hem) | Х | - | Х | - | Х | - | Х | - |
| 3160F | Documentation of iron stores prior to initiating erythropoietin therapy (hem) | Х | - | Х | - | Х | - | Х | - |
| 3170F | Flow cytometry studies performed at time of diagnosis or prior to initiating treatment (hem) | Х | - | Х | - | Х | - | Х | - |
| 3200F | Barium swallow test not ordered (gerd) | Х | - | Х | - | Х | - | Х | - |
| 3210F | Group a strep test performed (phar) | Х | - | Х | - | Х | - | Х | - |
| 3215F | Patient has documented immunity to hepatitis a (hep-c) | Х | - | Х | - | Х | - | Х | - |
| 3216F | Patient has documented immunity to hepatitis b (hep-c) | Х | - | Х | - | Х | - | Х | - |
| 3218F | Rna testing for hepatitis c documented as performed within six months prior to initiation of antiviral treatment for hep | Х | - | х | - | Х | - | Х | - |
| 3220F | Hepatitis c quantitative rna testing documented as performed at 12 weeks from initiation of antiviral treatment (hep-c) | Х | - | Х | - | Х | - | Х | - |
| 3230F | Documentation that hearing test was performed within 6 months prior to tympanostomy tube insertion (ome) | Х | - | Х | - | Х | - | Х | - |

^{*} These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



| | | | itional Medicaid | | tional Integrated | Non-Traditio | onal Medicaid | Non-Tradition | nal Integrated |
|---------------------------|--|----------------|------------------------------|----------------|------------------------------|-----------------------|------------------------------|------------------------|------------------------------|
| Codes | Description | Not Covered | Preauthorization Required | Not Covered | Preauthorization Required | Not Covered | Preauthorization Required | Not Covered | Preauthorization Required |
| Disclaimer the website | Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, the | | | | | , or specialty medica | | irected to the Pharmac | |
| | Specimen biopsy site other than anatomic location of primary tumor (eg, liver biopsy, lymph | | | | | | | V | |
| | node biopsy) (path) | Х | - | Х | - | Х | - | Х | |
| 3260F | Pt category (primary tumor), pn category (regional lymph nodes), and histologic grade | Х | _ | Х | _ | Х | _ | Х | |
| | documented in pathology report (pa | ^ | | ^ | | | | | |
| | Ribonucleic acid (rna) testing for hepatitis c viremia ordered or results documented (hep c)1 | Х | - | Х | - | Х | - | Х | - |
| 3266F | Hepatitis c genotype testing documented as performed prior to initiation of antiviral treatment for hepatitis c (hep c)1 | Х | - | Х | - | X | - | х | - |
| 3267F | Pathology report includes pt category, pn category, gleason score and statement about margin status (path) | Х | - | Х | - | Х | - | Х | - |
| 3268F | Prostate-specific antigen (psa), and primary tumor (t) stage, and gleason score documented prior to initiation of treatm | Х | - | Х | - | Х | - | х | - |
| 3269F | Bone scan performed prior to initiation of treatment or at any time since diagnosis of prostate cancer (prca)1 | Х | - | х | - | Х | - | х | - |
| 3270F | Bone scan not performed prior to initiation of treatment nor at any time since diagnosis of prostate cancer (prca)1 | Х | - | Х | - | Х | - | х | - |
| 3271F | Low risk of recurrence, prostate cancer (prca)1 | Х | - | Х | - | Х | - | Х | - |
| 3272F | Intermediate risk of recurrence, prostate cancer (prca)1 | Х | - | Х | - | Х | - | X | - |
| 3273F | High risk of recurrence, prostate cancer (prca)1 | Х | - | Х | - | Х | - | Х | - |
| 3274F | Prostate cancer risk of recurrence not determined or neither low, intermediate nor high (prca)1 | Х | - | Х | - | Х | - | Х | - |
| 3278F | Serum levels of calcium, phosphorus, intact parathyroid hormone (pth) and lipid profile ordered (ckd)1 | Х | - | Х | - | X | - | Х | - |
| 3279F | Hemoglobin level greater than or equal to 13 g/dl (ckd, esrd)1 | Х | - | Х | - | Х | - | Х | - |
| 3280F | Hemoglobin level 11 g/dl to 12.9 g/dl (ckd, esrd)1 | Х | - | Х | - | Х | - | Х | - |
| 3281F | Hemoglobin level less than 11 g/dl (ckd, esrd)1 | Х | - | Х | - | Х | - | Х | - |
| 3284F | Intraocular pressure (iop) reduced by a value of greater than or equal to 15% from the pre- intervention level (ec)5 | Х | - | Х | - | Х | - | х | - |
| 3285F | Intraocular pressure (iop) reduced by a value less than 15% from the pre-intervention level (ec)5 | Х | - | Х | - | Х | - | х | - |
| 3288F | Falls risk assessment documented (ger)5 | Х | - | Х | - | Х | - | Х | - |
| 3290F | Patient is d (rh) negative and unsensitized (prenatal)1 | Х | - | Х | - | Х | - | Х | - |
| 3291F | Patient is d (rh) positive or sensitized (prenatal)1 | X | - | Х | - | Х | - | Х | - |
| 3292F | Hiv testing ordered or documented and reviewed during the first or second prenatal visit (prenatal)1 | Х | - | Х | - | X | - | Х | - |
| 3293F | Abo and rh blood typing documented as performed (pre-cr) | Х | - | Х | - | Х | - | Х | - |
| 3294F | Group b streptococcus (gbs) screening documented as performed during week 35-37 gestation (pre-cr) | Х | - | Х | - | Х | - | Х | - |
| | American joint committee on cancer (ajcc) stage documented and reviewed prior to the initiation of therapy (onc)1 | Х | - | х | - | Х | - | х | - |
| 3301F | Cancer stage documented in medical record as metastatic and reviewed prior to the initiation of therapy (onc)1 | Х | - | х | - | Х | - | х | - |
| 3315F | Estrogen receptor (er) or progesterone receptor (pr) positive breast cancer (onc)1 | Х | - | Х | - | Х | - | Х | - |
| 3316F | Estrogen receptor (er) and progesterone receptor (pr) negative breast cancer (onc)1 | Х | - | Х | - | Х | - | Х | - |

^{*} These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



| V | nealti | Trad | itional Medicaid | Tradit | ional Integrated | Non-Traditio | onal Medicaid | Non-Traditio | nal Integrated |
|-------------|--|-----------------------------|---------------------------------------|--------------------------|--|--------------|------------------------------------|--------------|-----------------------------------|
| Codes | Description | Not | Preauthorization | Not | Preauthorization | Not Covered | Preauthorization | Not Covered | Preauthorization |
| Disclaimer: | Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, the | Covered ese coding lists | Required s do not reflect information | Covered regarding imm | Required unizations, injectable drugs | | Required ations and should be d | | Required cy link option within |
| the website | Pathology report confirming malignancy documented in the medical record and reviewed prior | 1 | 1 | | | | | I | |
| 33171 | to the initiation of chemothe | Х | - | Х | - | X | - | X | - |
| 3318F | Pathology report confirming malignancy documented in the medical record and reviewed prior | | | | | | | | - |
| | to the initiation of radiatio | Х | - | X | - | Х | - | X | - |
| 3319F | One of the following diagnostic imaging studies ordered: (chest x-ray, ct, ultrasound, mri, pet, or | ., | | ., | | ., | | ., | |
| | nuclear medicine sca | Х | - | Х | - | Х | - | Х | - |
| 3320F | None of the following diagnostic imaging studies ordered: (chest x-ray, ct, ultrasound, mri, pet, | Х | _ | х | _ | Х | _ | Х | _ |
| | or nuclear medicine sc | ^ | - | ^ | <u> </u> | ^ | - | ^ | - |
| | Ajcc cancer stage 0 or ia melanoma, documented (ml) | X | - | X | - | X | - | X | - |
| | Melanoma greater than ajcc stage 0 or ia (ml) | X | - | X | - | X | - | X | - |
| 3323F | Clinical tumor, node and metastases (tnm) staging documented and reviewed prior to surgery | Х | _ | x | - | Х | _ | Х | _ |
| | (lung/esop cx) | | | | | | | | |
| | Mri or ct scan ordered, reviewed or requested (epi) | Х | - | Х | - | Х | - | Х | - |
| 3325F | Preoperative assessment of functional or medical indication(s) for surgery prior to the cataract | Х | - | Х | - | X | - | X | - |
| 3328F | surgery with intraocula | 1 | | | | | | | |
| 3320F | Performance status documented and reviewed within 2 weeks prior to surgery(lung/esop cx) | Х | - | Х | - | Х | - | X | - |
| 3330F | Imaging study ordered (bkp)2 | X | _ | Х | | X | _ | X | |
| 3331F | Imaging study ordered (bkp)2 | X | - | X | <u> </u> | X | | X | |
| | Breast imaging-reporting and data system (bi-rads) assessment category 0, documented (rad)5 | | _ | | | | _ | | |
| | breast imaging reporting and data system (or rads) assessment category o, documented (rad)s | Х | - | X | - | Х | - | Х | - |
| 3341F | Breast imaging-reporting and data system (bi-rads) assessment category 1, documented (rad)5 | | | | | | | | |
| | (************************************** | Х | - | Х | - | Х | - | Х | - |
| 3342F | Breast imaging-reporting and data system (bi-rads) assessment category 2, documented (rad)5 | | | ., | | | | | |
| | | Х | - | X | - | Х | - | Х | - |
| 3343F | Breast imaging-reporting and data system (bi-rads) assessment category 3, documented (rad)5 | Х | | х | | Х | | Х | |
| | | | - | | <u> </u> | | - | | |
| 3344F | Mammogram assessment category of "suspicious," documented (rad) | Х | - | Х | - | Х | - | Х | - |
| 3345F | Breast imaging-reporting and data system (bi-rads) assessment category 5, documented (rad)5 | X | _ | Х | - | X | _ | X | _ |
| 00505 | | | | | | | | | |
| 3350F | Mammogram assessment category of "known biopsy proven malignancy", documented (rad) | Х | - | Х | - | Х | - | Х | - |
| 3351F | Magative serves for degreesive symptoms as estagarized by using a standardized degreesies | | | | | | | | |
| 33311 | Negative screen for depressive symptoms as categorized by using a standardized depression screening/assessment tool(mdd) | Х | - | Х | - | X | - | X | - |
| 3352F | No significant depressive symptoms as categorized by using a standardized depression | | | | | | | | |
| 00021 | assessment tool (mdd) | Х | - | X | - | X | - | X | - |
| 3353F | Mild to moderate depressive symptoms as categorized by using a standardized depression | | | | | | | | |
| | screening/assessment tool (mdd) | Х | - | X | - | Х | - | Х | - |
| 3354F | Clinically significant depressive symptoms as categorized by using a standardized depression | | | <u> </u> | | | | | |
| | screening/assessment tool (| X | - | X | - | Х | - | Х | - |
| 3370F | Ajcc breast cancer stage 0, documented (onc) | Х | - | Х | - | Х | - | Х | - |
| 3372F | Ajcc breast cancer stage i: t1mic, t1a or t1b (tumor size ? 1 cm), documented (onc) | Х | - | Х | - | Х | - | Х | - |
| 3374F | Ajcc breast cancer stage i: t1c (tumor size > 1cm to 2 cm), documented (onc) | Х | - | Х | - | Х | | Х | - |
| 3376F | Ajcc breast cancer stage ii, documented (onc) | Х | - | Х | - | Х | - | Х | - |
| 3378F | Ajcc breast cancer stage iii, documented (onc) | Х | - | Х | - | Х | - | Х | - |

^{*} These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



| ~ | nealti | Trad | itional Medicaid | Tradit | tional Integrated | Non-Tradition | onal Medicaid | Non-Tradition | nal Integrated |
|-------------|--|----------------------------|--|--------------------------|--|---------------|---------------------------------|---------------|-----------------------------------|
| Codes | Description | Not | Preauthorization | Not | Preauthorization | Not Covered | Preauthorization | | Preauthorization |
| Disclaimer | Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, the | Covered se coding lists | Required do not reflect information | Covered regarding imm | Required unizations, injectable drugs | | Required ations and should be d | | Required by link option within |
| the website | | | ı | | | | | T | , , |
| 3382F | Ajcc breast cancer stage iv, documented (onc) | X | - | X | - | X | - | X | - |
| 3384F | Ajcc colon cancer, stage 0, documented (onc) | X | - | X | - | X | - | X | - |
| 3386F | Ajcc colon cancer, stage i, documented (onc) | X | - | X | - | X | - | X | - |
| 3388F | Ajcc colon cancer, stage ii, documented (onc) Ajcc colon cancer, stage iii, documented (onc) | X | - | X | - | X | - | X | - |
| 3390F | Ajcc colon cancer, stage in, documented (onc) Ajcc colon cancer, stage iv, documented (onc) | X | - | X | - | X | - | X | - |
| 3394F | Quantitative her2 immunohistochemistry (ihc) evaluation of breast cancer consistent with the | ^ | - | ^ | - | ^ | - | ^ | - |
| 00041 | scoring system defined in the asco/cap guidelines (path) | Х | - | X | - | X | - | X | - |
| 3395F | Quantitative non-her2 immunohistochemistry (ihc) evaluation of breast cancer (eg, testing for | | | | | | | | |
| 00001 | estrogen or progesterone receptors [er/pr]) performed (path)9 | X | - | Х | - | X | - | X | - |
| 3450F | Dyspnea screened, no dyspnea or mild dyspnea (pall cr) | Х | _ | Х | _ | Х | _ | Х | _ |
| 3451F | Dyspnea screened, no dyspnea or finia dyspnea (pall cr) Dyspnea screened, moderate or severe dyspnea (pall cr) | X | - | X | | X | | X | |
| 3452F | Dyspnea not screened (pall cr) | X | - | X | - | X | - | X | |
| | Tb screening performed and results interpreted within six months prior to initiation of first-time | | - | | - | | - | | _ |
| 0 1001 | biologic disease modifying anti-rheumatic drug therapy for ra (ra) | X | - | Х | - | X | - | X | - |
| 3470F | Rheumatoid arthritis (ra) disease activity, low (ra) | Х | _ | Х | _ | Х | _ | Х | _ |
| 3471F | Rheumatoid arthritis (ra) disease activity, now (ra) | X | _ | X | | X | | X | _ |
| 3472F | Rheumatoid arthritis (ra) disease activity, high (ra) | X | _ | X | | X | | X | _ |
| 3475F | Disease prognosis for rheumatoid arthritis assessed, poor prognosis documented (ra) | | _ | | - | Λ | _ | Α | _ |
| | | Х | - | Х | - | Х | - | Х | - |
| 3476F | Disease prognosis for rheumatoid arthritis assessed, good prognosis documented (ra) | Х | - | Х | - | Х | - | Х | - |
| 3490F | History of aids-defining condition (hiv) | Х | _ | Х | _ | Х | _ | Х | _ |
| | His indeterminate (infants of undetermined his status born of his-infected mothers) (his) | | - | ^ | - | | - | ^ | - |
| 04311 | The mueterminate (infants of undetermined the status both of the infanteties) (inv) | Х | - | Х | - | Х | - | Х | - |
| 3492F | History of nadir cd4+ cell count <350 cells/mm (hiv) | X | - | X | - | Х | - | X | - |
| 3493F | No history of nadir cd4+ cell count <350 cells/mm and no history of aids-defining condition (hiv) | Х | - | Х | - | Х | - | Х | - |
| 3494F | Cd4+ cell count <200 cells/mm (hiv) | Х | - | Х | - | Х | - | Х | - |
| 3495F | Cd4+ cell count 200 - 499 cells/mm (hiv) | Х | - | Х | - | Х | - | Х | - |
| 3496F | Cd4+ cell count >=500 cells/mm (hiv) | Х | - | Х | - | Х | - | Х | - |
| 3497F | Cd4+ cell percentage <15% (hiv) | Х | - | Х | - | Х | - | Х | - |
| 3498F | Cd4+ cell percentage >=15% (hiv) | Х | - | Х | - | Х | - | Х | - |
| 3500F | Cd4+ cell count or cd4+ cell percentage documented as performed (hiv) | Х | - | Х | - | Х | - | Х | - |
| 3502F | Hiv rna viral load below limits of quantification (hiv) | Х | - | Х | - | Х | - | Х | - |
| 3503F | Hiv rna viral load not below limits of quantification (hiv) | Х | - | Х | - | Х | - | Х | - |
| 3510F | Documentation that tuberculosis (tb) screening test performed and results interpreted (hiv) | Х | - | Х | - | Х | - | Х | - |
| 3511F | Chlamydia and gonorrhea screenings documented as performed (hiv) | Х | - | Х | - | Х | - | Х | - |
| 3512F | Syphilis screening documented as performed (hiv) | Х | - | Х | - | Х | - | Х | - |
| 3513F | Hepatitis b screening documented as performed (hiv) | Χ | - | Х | - | Х | - | Х | - |
| 3514F | Hepatitis c screening documented as performed (hiv) | Χ | - | X | - | Х | - | Х | - |
| 3515F | Patient has documented immunity to hepatitis c (hiv) | Χ | - | Х | - | Х | - | Х | - |
| 3517F | Hepatitis b virus (hbv) status assessed and results interpreted within one year prior to receiving | Х | _ | X | _ | Х | _ | Х | _ |
| | a first course of anti-tnf (tumor necrosis factor) therapy (ibd) | | | ^ | | ^ | | | |

^{*} These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



| | | Trad | itional Medicaid | Tradi | tional Integrated | Non-Traditio | onal Medicaid | Non-Tradition | al Integrated |
|-------------------|--|----------------------------|-------------------------------------|--------------------------|---------------------------------------|-----------------------|-----------------------------------|------------------------|----------------------------------|
| Codes | Description | Not | Preauthorization | Not | Preauthorization | Not Covered | Preauthorization | Not Covered | Preauthorization |
| Disclaimer: | Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these | Covered se coding lists | Required do not reflect information | Covered regarding imm | Required unizations, injectable drugs | , or specialty medica | Required tions and should be d | irected to the Pharmac | Required y link option within |
| the website 3520F | Clostridium difficile testing performed (ibd) | X | _ | Х | - | X | | Х | |
| 3550F | Low risk for thromboembolism (afib) | X | - | X | - | X | - | X | - |
| _ | | X | - | X | - | X | - | X | - |
| 3552F | Intermediate risk for thromboembolism (afib) High risk for thromboembolism (afib) | X | - | X | - | X | - | X | |
| | Patient had international normalized ratio (inr) measurement performed (afib) | X | - | X | - | X | - | X | - |
| | Final report for bone scintigraphy study includes correlation with existing relevant imaging | ^ | - | ^ | - | ^ | - | ^ | |
| 33701 | studies (eg, x-ray, mri, ct | Χ | - | Х | - | X | - | X | - |
| 3572F | Patient considered to be potentially at risk for fracture in a weight-bearing site (nuc_med) | | | | | | | | |
| 00721 | Patient considered to be potentially at risk for fracture in a weight-bearing site (fluc_fried) | X | - | Х | - | Χ | - | X | - |
| 3573F | Patient not considered to be potentially at risk for fracture in a weight-bearing site (nuc_med) | | | ., | | ., | | ., | |
| | , | Χ | - | Х | - | Χ | - | Х | - |
| | Electroencephalogram (eeg) ordered, reviewed or requested (epi) | Х | - | Х | - | Χ | - | Х | - |
| | Psych disorders assessed | Χ | - | X | - | Χ | - | X | |
| 3720F | Cognit impairment assessed | Χ | • | Х | ı | Χ | - | X | - |
| 3725F | Screening for depression performed (dem) | Χ | • | Х | ı | Χ | - | X | - |
| 3750F | Patient not receiving dose of corticosteroids greater than or equal to 10mg/day for 60 or greater | Х | | Х | | Х | | Х | |
| | consecutive days (ibd) | ^ | , | ^ | | ^ | - | ^ | - |
| | Electrodiag polyneuro6mon | Х | - | Х | - | Х | - | Х | - |
| 3752F | No electrodiag polyneuro6mon | Х | - | Х | - | Х | - | Х | - |
| 3753F | Pt has symp plus signs neuropathy | Х | - | Х | - | Х | - | Х | - |
| 3754F | Screening tests dm done | Х | - | Х | - | Х | - | Х | - |
| 3755F | Cog and behav imprmnt scrng done | Х | - | X | - | Х | - | Х | - |
| 3756F | Pt /w pseudobulbar affect, sialorrhea or als rltd sysmptom | Х | - | X | - | Х | - | Х | - |
| 3757F | Pt /w no pseudobulbar affect, sialorrhea or als rltd sysmptom | Х | - | Х | - | Х | - | Х | - |
| 3758F | Pt ref pulmon fx test with peak flow | Х | - | Х | - | Х | - | Х | - |
| 3759F | Pt scrn dysphag /wt loss/nutrition | Х | - | Х | - | Х | - | Х | - |
| 3760F | Pt w/ dysphag /wt loss/nutr | Х | - | Х | - | Х | - | Х | - |
| 3761F | Pt not exhbt dysphagia, wt loss, or impaired nutrition | Х | - | Х | - | Х | - | Х | - |
| 3762F | Patient is dysarthric | Х | - | Х | - | Х | - | Х | - |
| 3763F | Patient is not dysarthric | Х | - | Х | - | Х | - | Х | - |
| 3775F | Adenoma detected screening | Х | - | Х | - | Х | - | Х | - |
| 3776F | Adenoma not detect screening | Х | - | Х | - | Х | - | Х | - |
| 4000F | Tobacco use cessation intervention, counseling (copd, cap, cad, asthma)(dm)(pv) | Х | - | X | - | Х | - | Х | - |
| 4001F | Tobacco use cessation intervention, pharmacologic therapy (copd, cad, cap, pv, asthma) (dm)(pv) | Х | - | Х | - | Х | - | Х | - |
| 4003F | Patient education, written/oral, appropriate for patients with heart failure, performed (nma - no measure associated) | Х | - | Х | - | Х | - | х | - |
| 4004F | Patient screened for tobacco use and received tobacco cessation intervention (counseling, | | | | | | | | |
| | pharmacotherapy, or both), if identified as a tobacco user (pv, cad) | X | - | Х | - | Х | - | Х | - |
| 4005F | Pharmacologic therapy (other than minerals/vitamins) for osteoporosis prescribed (op)(ibd) | Х | - | Х | - | Х | - | х | - |
| 4008F | Beta-blocker therapy prescribed or currently being taken (cad,hf) | Х | - | Х | - | Х | - | Х | - |
| | Angiotensin converting enzyme (ace) inhibitor or angiotensin receptor blocker (arb) therapy | | | _ | | V | | | |
| | prescribed or currently being taken (cad, ckd, hf) (dm) | Χ | - | Х | - | Χ | - | Х | - |

^{*} These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



| | | Trad | itional Medicaid | Tradit | tional Integrated | Non-Traditio | onal Medicaid | Non-Tradition | nal Integrated |
|----------------|--|----------------------------|--|-----------------------|--|-----------------------|------------------------------------|------------------------|-----------------------------------|
| Codes | Description | Not | Preauthorization | Not | Preauthorization | Not Covered | Preauthorization | Not Covered | Preauthorization |
| | Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, the | Covered se coding lists | Required solution do not reflect information | Covered regarding imm | Required unizations, injectable drugs | , or specialty medica | Required itions and should be d | irected to the Pharmac | Required by link option within |
| the website | | 1 | | 1 | | | | 1 | |
| 40116 | Oral antiplatelet therapy, prescribed (eg, aspirin, clopidogrel/plavix, or comb aspirin and | Х | - | Х | - | X | - | X | - |
| 4012E | dipyridamole/aggrenox)1 | V | | V | | | | V | |
| 4012F 4013F | Warfarin therapy prescribed (nma-no measure associated) | X | - | X | - | X | - | X | - |
| | Statin therapy prescribed or currently being taken (cad) | Х | - | Х | - | X | - | Х | - |
| 40146 | Written discharge instructions provided to heart failure patients discharged home (instructions | x | | х | | Х | | X | |
| | include all of the following components: activity level, diet, discharge medica | ^ | - | ^ | - | ^ | - | ^ | - |
| 4015F | Persistent asthma, preferred long term control medication or an acceptable alternative | | | | | | | | |
| | treatment, prescribed (nma - no measure associated) (note: there are no medical exclusio | Х | - | Х | - | X | - | X | - |
| 4016F | Anti-inflammatory/analgesic agent prescribed [use for prescribed or continued medication(s), | Х | | V | | | | V | |
| | including otc medication(s)] | ^ | - | Х | - | Χ | - | Х | - |
| 4017F | Gastrointestinal prophylaxis for nsaid use prescribed | Х | - | Х | - | Х | - | Х | - |
| 4018F | Therapeutic exercise for the involved joint(s) instructed or physical or occupational therapy prescribed | Х | - | Х | - | Х | - | Х | - |
| 4019F | Documentation of receipt of counseling on exercise and either both calcium and vitamin d use | | | | | | | | |
| | or counseling regarding bot | Х | - | Х | - | Χ | - | X | - |
| 4025F | Inhaled bronchodilator prescribed (copd) | Х | - | Х | - | Х | - | Х | - |
| 4030F | Long term oxygen therapy prescribed (more than fifteen hours per day) (copd) | Х | - | Х | - | Х | - | Х | - |
| 4033F | Pulmonary rehabilitation exercise training recommended (copd) | Х | - | Х | - | Х | - | Х | - |
| 4035F | Influenza immunization recommended (copd)(ibd) | Х | - | Х | - | Х | - | Х | - |
| 4037F | Influenza immunization ordered or administered (copd, pv) | Х | - | Х | - | Х | - | Х | - |
| 4040F | Pneumococcal vaccine administer or previously received (copd) (pv) | Х | - | Х | - | Х | - | Х | - |
| 4041F | Documentation of order for cefazolin or cefuroxime for antimicrobial prophylaxis (peri 2) | Х | - | Х | - | Х | - | Х | - |
| 4042F | Documentation that prophylactic antibiotics were neither given within 4 hours prior to surgical | Х | - | Х | - | Х | - | Х | - |
| 4043F | incision nor given intra Documentation that an order was given to discontinue prophylactic antibiotics within 48 hours | | | | | | | | |
| 10 101 | of surgical end time, card | Х | - | Х | - | X | - | Х | - |
| 4044F | Documentation that an order was given for venous thromboembolism (vte) prophylaxis to be | | | | | | | | |
| | given within 24 hrs prior to in | X | - | X | - | X | - | Х | - |
| 4045F | Appropriate empiric antibio0 | Х | _ | Х | - | Х | _ | Х | - |
| 4046F | Documentation that prophylactic antibiotics were given within 4 hours prior to surgical incision | | | | | | | | |
| | or given intraoperative | Х | - | Х | - | Χ | - | X | - |
| 4047F | Documentation of order for prophylactic parenteral antibiotics to be given within one hour (if | ., | | ., | | | | ., | |
| | fluoroquinolone or vancom | Х | - | Х | - | Χ | - | X | - |
| 4048F | Documentation that administration of prophylactic parenteral antibiotic was initiated within | ., | | ., | | | | ., | |
| | one hour (if fluoroquinolon | Х | - | Х | - | Х | - | Х | - |
| 4049F | Documentation that order was given to discontinue prophylactic antibiotics within 24 hours of | ., | | ., | | | | ,, | |
| | surgical end time, non-car | Х | - | Х | - | X | | Х | |
| 4050F | Hypertension plan of care documented as appropriate (nma - no measure associated) | Х | - | Х | - | Х | - | Х | - |
| 4051F | Referred for an arterio-venous (av) fistula (esrd) | Х | - | Х | - | Х | - | Х | - |
| | Hemodialysis via functioning arterio-venous (av) fistula (esrd) | Х | - | Х | - | Х | - | Х | - |
| | Hemodialysis via functioning arterio-venous (av) graft (esrd) | Х | - | Х | - | Х | - | Х | - |

^{*} These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



| V | nealti | Trad | itional Medicaid | Tradi | tional Integrated | Non-Traditio | onal Medicaid | Non-Tradition | nal Integrated |
|-------------|--|------------------------------|--|-----------------------|---------------------------------------|--------------|------------------|---------------|------------------|
| Codes | Description | Not | Preauthorization | Not | Preauthorization | Not Covered | Preauthorization | | Preauthorization |
| Disclaimer | Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, the | Covered lese coding lists | Required s do not reflect information | Covered regarding imm | Required unizations, injectable drugs | | Required | | Required |
| the website | | _ | I | | T | ı | ı | 1 | , |
| | Hemodialysis via catheter (esrd) | X | - | Х | - | X | - | X | - |
| 4055F | Patient receiving peritoneal dialysis (esrd) | X | - | X | - | X | - | X | - |
| 4056F | Appropriate oral rehydration solution recommended (pag) | Х | - | Х | - | Х | - | Х | - |
| 4058F | Pediatric gastroenteritis education provided to caregiver (pag) | Х | - | Х | - | Х | - | Х | - |
| 4060F | Psychotherapy services provided (mdd) | X | - | X | - | X | - | X | - |
| 4062F | Patient referral for psychotherapy documented (mdd) | Х | - | Х | - | Х | - | Х | - |
| 4063F | Antidepressant pharmacotherapy considered and not prescribed (mdd adol) | Х | - | Х | - | Х | - | Х | - |
| 4064F | Antidepressant pharmacotherapy prescribed (mdd) | Х | - | Х | - | Х | - | Х | - |
| 4065F | Antipsychotic pharmacotherapy prescribed (mdd) | Х | - | Х | - | Х | - | Х | - |
| 4066F | Electroconvulsive therapy (ect) provided (mdd) | X | - | Х | - | Х | - | Х | - |
| 4067F | Patient referral for electroconvulsive therapy (ect) documented (mdd) | Х | - | X | - | Х | - | Х | - |
| 4069F | Venous thromboembolism (vte) prophylaxis received (ibd) | Х | - | Х | - | Х | - | Х | - |
| 4070F | Deep vein thrombosis (dvt) prophylaxis received by end of hospital day 2 (str) | Х | - | Х | - | Х | - | Х | - |
| 4073F | Oral antiplatelet therapy prescribed at discharge (str) | X | - | X | - | Х | - | X | - |
| 4075F | Anticoagulant therapy prescribed at discharge (str) | X | - | Х | - | X | - | X | - |
| 4077F | Documentation that tissue plasminogen activator (t-pa) administration was considered (str) | Х | - | х | - | Х | - | Х | - |
| 4079F | Documentation that rehabilitation services were considered (str) | Х | - | Х | - | Х | - | Х | - |
| 4084F | Aspirin received within 24 hours before emergency department arrival or during emergency | ., | | ., | | ., | | ., | |
| | department stay (em) | Х | - | X | - | Х | - | X | - |
| 4086F | Aspirin or clopidogrel prescribed or currently being taken (cad) | Х | - | Х | - | Х | - | Х | - |
| 4090F | Patient receiving erythropoietin therapy (hem) | Х | - | Х | - | Х | - | Х | - |
| 4095F | Patient not receiving erythropoietin therapy (hem) | Х | - | Х | - | Х | - | Х | - |
| 4100F | Bisphosphonate therapy, intravenous, ordered or received (hem) | Х | - | Х | - | Х | - | Х | - |
| 4110F | Internal mammary artery graft performed for primary, isolated coronary artery bypass graft | | | | | | | | |
| | procedure (cabg) | Х | - | X | - | Х | - | X | i - |
| 4115F | Beta blocker administered within 24 hours prior to surgical incision (cabg) | Х | - | Х | - | Х | - | Х | - |
| 4120F | Antibiotic prescribed or dispensed (uri, phar) | Х | - | Х | - | Х | - | Х | - |
| 4124F | Antibiotic neither prescribed nor dispensed (uri, phar) | Х | - | Х | - | Х | - | Х | - |
| 4130F | Topical preparations (including otc) prescribed for acute otitis externa (aoe) | Х | - | Х | - | Х | - | Х | - |
| 4131F | Systemic antimicrobial therapy prescribed (aoe) | Х | - | Х | - | Х | - | Х | - |
| 4132F | Systemic antimicrobial therapy not prescribed (aoe) | Х | - | Х | - | Х | - | Х | - |
| 4133F | Antihistamines or decongestants prescribed or recommended (ome) | Х | - | Х | - | Х | _ | Х | - |
| 4134F | Antihistamines or decongestants neither prescribed nor recommended (ome) | X | - | X | - | X | - | X | - |
| 4135F | Systemic corticosteroids prescribed (ome) | X | - | X | - | X | - | X | - |
| 4136F | Systemic corticosteroids not prescribed (ome) | X | - | X | - | X | - | X | - |
| 4140F | Inhaled corticosteroids prescribed (asthma) | X | - | X | - | X | - | X | - |
| 4142F | Corticosteroid sparing therapy prescribed (ibd) | X | - | X | - | X | - | X | - |
| 4144F | Alternative long-term control medication prescribed (asthma) | X | - | X | - | X | - | X | - |
| 4145F | Two or more anti-hypertensive agents prescribed or currently being taken (cad, htn) | X | - | X | - | X | - | X | - |
| 4148F | Hepatitis a vaccine injection administered or previously received (hep-c) | X | - | X | _ | X | _ | X | - |
| 4149F | Hepatitis b vaccine injection administered or previously received (hep-c, hiv) | X | - | X | _ | X | _ | X | - |
| 4150F | Patient receiving antiviral treatment for hepatitis c (hep-c) | X | _ | X | _ | X | _ | X | |
| 4151F | Patient not receiving antiviral treatment for hepatitis c (hep-c) | X | - | X | _ | X | <u> </u> | X | |
| | Combination peginterferon and ribavirin therapy prescribed (hep-c) | X | - | X | _ | X | - | X | |
| T 1001 | Combination peginterreron and ribavilin therapy prescribed (hep-c) | ^ | <u> </u> | ^ | - | ^ | | ^ | |

^{*} These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



| G | ricaldi | Trad | itional Medicaid | Tradi | tional Integrated | Non-Tradition | onal Medicaid | Non-Tradition | al Integrated |
|----------------|--|----------------------------|-------------------------------------|--------------------------|---------------------------------------|-----------------------|----------------------------------|------------------------|----------------------------------|
| Codes | Description | Not | Preauthorization | Not | Preauthorization | Not Covered | Preauthorization | Not Covered | Preauthorization |
| | Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, the | Covered se coding lists | Required do not reflect information | Covered regarding imm | Required unizations, injectable drugs | , or specialty medica | Required ations and should be di | irected to the Pharmac | Required y link option within |
| 4155F | Hepatitis a vaccine series previously received (hep-c) | Х | _ | Х | _ | Х | _ | Х | |
| 4157F | Hepatitis b vaccine series previously received (hep-c) | X | _ | X | _ | X | | X | |
| 4158F | Patient counseled about risks of alcohol use (hep-c) | X | _ | X | _ | X | | X | |
| 4159F | Counseling regarding contraception received prior to initiation of antiviral treatment (hep-c) | | | | | | _ | ^ | |
| 11001 | counseling regarding contraception received prior to initiation of antiviral treatment (hep-c) | Χ | - | Х | - | Χ | - | Х | - |
| 4163F | Patient counseling at a minimum on all of the following treatment options for clinically localized | Х | _ | Х | _ | Х | _ | Х | _ |
| | prostate cancer: acti | | | ^ | | | | ^ | |
| 4164F | Adjuvant (ie, in combination with external beam radiotherapy to the prostate for prostate | Х | _ | X | _ | Χ | _ | × | _ |
| | cancer) hormonal therapy (gona | | | ,, | | | | ^ | |
| 4165F | Three-dimensional conformal radiotherapy (3d-crt) or intensity modulated radiation therapy | Х | _ | X | _ | Χ | _ | × | _ |
| | (imrt) received (prca)1 | | | | | | | | |
| | Head of bed elevation (30-45 degrees) on first ventilator day ordered (crit)1 | Χ | - | X | - | Х | - | X | - |
| 4168F | Patient receiving care in the intensive care unit (icu) and receiving mechanical ventilation, 24 | Х | _ | х | _ | Χ | _ | × | _ |
| | hours or less (crit)1 | | | ^ | | | | ^ | |
| 4169F | Patient either not receiving care in the intensive care unit (icu) or not receiving mechanical | Х | _ | X | _ | Χ | _ | X | _ |
| | ventilation or receiving | | | | | | | | |
| | Patient receiving erythropoiesis-stimulating agents (esa) therapy (ckd)1 | Χ | - | Х | - | Х | - | X | - |
| 4172F | Patient not receiving erythropoiesis-stimulating agents (esa) therapy (ckd)1 | Χ | - | Х | - | X | - | X | - |
| 4174F | Counseling about the potential impact of glaucoma on visual functioning and quality of life, and | Х | - | X | - | Χ | - | Х | - |
| 4175E | importance of treatment | | | | | | | | |
| 4175 | Best-corrected visual acuity of 20/40 or better (distance or near) achieved within the 90 days | Χ | - | Х | - | X | - | Х | - |
| 4176E | following cataract surger | | | | | | <u> </u> | | |
| 4170 | Counseling about value of protection from uv light and lack of proven efficacy of nutritional | X | - | Х | - | X | - | X | - |
| 4477 | supplements in prevention | | | | | | | | |
| 41//F | Counseling about the benefits and/or risks of the age-related eye disease study (areds) | X | - | Х | - | X | - | X | - |
| 4178F | formulation for preventing progr | | _ | V | _ | | _ | V | |
| | Anti-d immune globulin received between 26 and 30 weeks gestation (prenatal)1 | X | | X | | X | - | X | |
| 4179F | Tamoxifen or aromatase inhibitor (ai) prescribed (onc)1 | Х | - | Х | - | Х | - | Х | - |
| 4180F | Adjuvant chemotherapy referred, prescribed, or previously received for stage iii colon cancer | Χ | - | Х | - | X | - | X | - |
| 44045 | (onc) | | | ., | | | | | |
| 4181F | Conformal radiation therapy received (onc)1 | X | - | X | - | X | - | X | - |
| 4182F 4185F | Conformal radiation therapy not received (onc)1 | Х | - | Х | - | X | - | Х | - |
| 4100F | Continuous (12-months) therapy with proton pump inhibitor (ppi) or histamine h2 receptor | Χ | - | Х | - | X | - | X | - |
| 44065 | antagonist (h2ra) received (ger | | | | | | | | |
| 4100F | No continuous (12-months) therapy with either proton pump inhibitor (ppi) or histamine h2 | X | - | Х | - | X | - | X | - |
| 4187F | receptor antagonist (h2ra) rec | | | | | | | | |
| | Disease modifying anti-rheumatic drug therapy prescribed or dispensed (ra)2 | Х | - | Х | - | Х | - | Х | - |
| 4188F | Appropriate angiotensin converting enzyme (ace)/angiotensin receptor blockers (arb) therapeutic monitoring test ordered | Χ | - | X | - | Χ | - | Х | - |
| 4189F | Appropriate digoxin therapeutic monitoring test ordered or performed (am)2 | Х | - | Х | - | Х | _ | Х | - |
| 4190F | Appropriate digonii therapeutic monitoring test ordered or performed (am)2 Appropriate diuretic therapeutic monitoring test ordered or performed (am)2 | X | - | X | - | X | - | X | - |
| 4191F | Appropriate didirect the apedito monitoring test ordered or performed (am)2 Appropriate anticonvulsant therapeutic monitoring test ordered or performed (am)2 | | | | | | | | |
| | | Х | - | Х | - | X | - | Х | - |
| 4192F | Patient not receiving glucocorticoid therapy (ra) | Χ | - | X | - | Х | - | X | - |

^{*} These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



| G | - 10 CONTEST (2012) | Trac | litional Medicaid | Tradi | tional Integrated | Non-Traditio | onal Medicaid | Non-Tradition | nal Integrated |
|----------------------------|--|----------------|------------------------------|----------------|------------------------------|-----------------------|------------------------------|------------------------|------------------------------|
| Codes | Description | Not Covered | Preauthorization Required | Not Covered | Preauthorization Required | Not Covered | Preauthorization Required | Not Covered | Preauthorization Required |
| Disclaimer: the website | Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, the | se coding list | s do not reflect information | regarding imm | unizations, injectable drugs | , or specialty medica | tions and should be d | irected to the Pharmac | cy link option within |
| 4193F | Patient receiving <10 mg daily prednisone (or equivalent), or ra activity is worsening, or | | | | | ., | | ., | |
| | glucocorticoid use is for less than 6 months (ra) | X | - | Х | - | Х | - | Х | - |
| 4194F | Patient receiving >=10 mg daily prednisone (or equivalent) for longer than 6 months, and | | | ., | | | | ν, | |
| | improvement or no change in disease activity (ra) | Х | - | Х | - | Χ | - | Х | - |
| 4195F | Patient receiving first-time biologic disease modifying anti-rheumatic drug therapy for | Х | _ | Х | | Х | | Х | |
| | rheumatoid arthritis (ra) | ^ | - | ^ | - | ^ | - | ^ | - |
| 4196F | Patient not receiving first-time biologic disease modifying anti-rheumatic drug therapy for | Х | _ | Х | _ | Х | _ | Х | _ |
| | rheumatoid arthritis (ra) | ^ | _ | ^ | _ | Λ | _ | Λ | _ |
| 4200F | $\label{prop:continuous} \textbf{External beam radiotherapy as primary the rapy to the prostate with or without nodal irradiation}$ | X | _ | х | _ | Х | _ | Х | _ |
| | (prca) | | | ^ | | | | ^ | |
| 4201F | External beam radiotherapy with or without nodal irradiation as adjuvant or salvage therapy for | Х | _ | X | _ | Х | _ | × | _ |
| | prostate cancer patient | ^ | | ^ | | | | ^ | |
| 4210F | Angiotensin converting enzyme (ace) or angiotensin receptor blockers (arb) medication therapy | Х | _ | Х | - | Χ | _ | x | _ |
| | for 6 months or more (mm)2 | | | | | | | | |
| | Digoxin medication therapy for 6 months or more (mm)2 | Х | - | Х | - | Х | - | Х | - |
| 4221F | Diuretic medication therapy for 6 months or more (mm)2 | X | - | X | - | X | - | X | - |
| 4230F | Anticonvulsant medication therapy for 6 months or more (mm)2 | Х | - | Х | - | Х | - | Х | - |
| 4240F | Instruction in therapeutic exercise with follow-up by the physician provided to patients during | Х | - | Х | - | Х | - | х | - |
| 40405 | episode of back pain las | | | | | | | | |
| 4242F | Counseling for supervised exercise program provided to patients during episode of back pain | Х | - | Х | - | X | - | Х | - |
| 4245F | lasting longer than 12 weeks | | | | | | | | |
| 4245F | Patient counseled during the initial visit to maintain or resume normal activities (bkp)2 | Х | - | Х | - | X | - | Х | - |
| 4248F | Patient counseled during the initial visit for an episode of back pain against bed rest lasting 4 | V | | V | | V | | V | |
| | days or longer (bkp)2 | Х | - | Х | - | Х | - | Х | - |
| 4250F | Active warming used intraoperatively for the purpose of maintaining normothermia, or at least | Х | | V | | Х | | Х | |
| | one body temperature equal | ^ | - | Х | - | ^ | - | ^ | - |
| 4255F | Duration of general or neuraxial anesthesia 60 minutes or longer, as documented in the | Х | _ | Х | | Х | | Х | |
| | anesthesia record (crit) | ^ | - | ^ | - | ^ | - | ^ | - |
| 4256F | Duration of general or neuraxial anesthesia less than 60 minutes, as documented in the | Х | _ | X | _ | Х | _ | Х | _ |
| | anesthesia record (crit) | ^ | | ^ | _ | ^ | | ^ | - |
| 4260F | Wound surface culture technique used (cwc) | X | - | X | - | Х | - | Х | - |
| 4261F | Tech other than surfc cultr | Х | - | Х | - | Х | - | Х | - |
| 4265F | Use of wet to dry dressings prescribed or recommended (cwc) | Х | - | Х | - | Х | - | Х | - |
| 4266F | Use of wet to dry dressings neither prescribed nor recommended (cwc) | Х | - | Х | - | Х | - | Х | - |
| 4267F | Compression therapy prescribed (cwc) | Х | - | Х | - | Х | - | Х | - |
| 4268F | Patient education regarding the need for long term compression therapy including interval | Х | _ | Х | - | Χ | - | x | _ |
| 1000= | replacement of compression stockings received (cwc) | | | | | | | | |
| 4269F | Appropriate method of offloading (pressure relief) prescribed (cwc) | X | - | X | - | X | - | X | - |
| 4270F | Patient receiving potent antiretroviral therapy for 6 months or longer (hiv) | Х | - | Х | - | X | - | Х | - |
| 4271F | Patient receiving potent antiretroviral therapy for less than 6 months or not receiving potent | Х | - | Х | - | Χ | - | X | - |
| 4274F | antiretroviral therapy (h Influenza immunization administered or previously received (hiv) | Х | | X | | X | | X | |
| 4274F | Potent antiretroviral therapy prescribed (hiv) | X | - | X | - | X | - | X | - |
| | Pneumocystis jiroveci pneumonia prophylaxis prescribed (hiv) | X | - | X | - | X | - | X | - |
| +213F | Friedinocystis Jiroveci priedinonia propriylaxis prescribed (niv) | ^ | | _ ^ | - | ^ | | _ ^ | - |

^{*} These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



| | Ticaldi | Trad | itional Medicaid | Tradi | tional Integrated | Non-Tradition | onal Medicaid | Non-Tradition | nal Integrated |
|-------------|--|----------------------------|---------------------------------------|--------------------------|---------------------------------------|---------------|---------------------------------|---------------|-----------------------------------|
| Codes | Description | Not | Preauthorization | Not | Preauthorization | Not Covered | Preauthorization | Not Covered | Preauthorization |
| Disclaimer: | Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, the | Covered se coding lists | Required s do not reflect information | Covered regarding imm | Required unizations, injectable drugs | | Required ations and should be d | | Required by link option within |
| the website | | - I | ī | 1 | · - | | T | T | · · |
| 4280F | Pneumocystis jiroveci pneumonia prophylaxis prescribed within 3 months of low cd4+ cell count | Х | - | Х | - | Х | - | Х | - |
| 42005 | or percentage (hiv) | | | | | | | | |
| 4290F | Patient screened for injection drug use (hiv) | X | - | X | - | X | - | X | - |
| 4293F | Patient screened for high-risk sexual behavior (hiv) | Х | - | Х | - | Х | - | Х | - |
| 4300F | Patient receiving warfarin therapy for nonvalvular atrial fibrillation or atrial flutter (afib) | Х | - | Х | - | Х | - | Х | - |
| 4301F | Patient not receiving warfarin therapy for nonvalvular atrial fibrillation or atrial flutter (afib) | Х | - | Х | - | Х | - | Х | - |
| 4305F | Patient education regarding appropriate foot care and daily inspection of the feet received (cwc) | Х | - | Х | - | Х | - | Х | - |
| 4306F | Patient counseled regarding psychosocial and pharmacologic treatment options for opioid addiction (sud) | Х | - | Х | - | Х | - | Х | - |
| 4320F | Patient counseled regarding psychosocial and pharmacologic treatment options for alcohol dependence (sud) | Х | - | Х | - | х | - | х | - |
| 4322F | Caregiver provided with education and referred to additional resources for support (dem) | Х | - | Х | - | Х | - | х | - |
| 4324F | Pt queried prkns complic | Х | - | Х | - | Х | - | Х | - |
| 4325F | Med txmnt options rvwd w/pt | Х | - | Х | - | Х | - | Х | - |
| 4326F | Pt asked re symp auto dysfxn | Х | - | Х | - | Х | - | Х | - |
| 4328F | Pt asked re sleep disturb | Х | - | Х | - | Х | - | Х | - |
| 4330F | Counseling about epilepsy specific safety issues provided to patient (or caregiver (s)) (epi) | Х | - | Х | - | Х | - | Х | - |
| 4340F | Counseling for women of childbearing potential with epilepsy (epi) | Х | - | Х | - | Х | - | Х | - |
| 4350F | Counseling provided on symptom management, end of life decisions, and palliation (dem) | Х | - | Х | - | Х | - | Х | - |
| 4400F | Rehab thxpy options w/pt | Х | - | Х | - | Х | - | Х | - |
| 4450F | Self-care education provided to patient (hf) | Х | - | Х | - | Х | - | Х | - |
| 4470F | Implantable cardioverter-defibrillator (icd) counseling provided (hf) | Х | - | Х | - | Х | - | Х | - |
| 4480F | Patient receiving ace inhibitor/arb therapy and beta-blocker therapy for 3 months or longer (hf) | Х | - | Х | - | Х | - | Х | - |
| 4481F | Patient receiving ace inhibitor/arb therapy and beta-blocker therapy for less than 3 months (hf) | Х | - | Х | - | Х | - | х | - |
| 4500F | Referred to an outpatient cardiac rehabilitation program (cad) | Х | - | Х | - | Х | - | Х | - |
| 4510F | Previous cardiac rehabilitation for qualifying cardiac event completed (cad) | Х | - | Х | - | Х | - | Х | - |
| 4525F | Neuropsychiatric intervention ordered (dem) | Х | - | Х | - | Х | - | Х | - |
| 4526F | Neuropsychiatric intervention received (dem) | Х | - | Х | - | Х | - | Х | - |
| 4540F | Disease modified pharmacothxpy | Х | - | Х | - | Х | - | Х | - |
| 4541F | Pt offered tx for pseudobulb | Х | - | Х | - | Х | - | Х | - |
| 4550F | Noninvas resp support talk | Х | - | Х | - | Х | - | Х | - |
| 4551F | Nutritional support offered | Х | - | Х | - | Х | - | Х | - |
| 4552F | Pt ref for speech lang path | Х | - | Х | - | Х | - | Х | - |
| | Pt asst re end life issues | Х | - | Х | - | Х | - | Х | - |
| 4554F | Pt recvd inhal anesthetic | Х | - | Х | - | Х | - | Х | - |
| | Pt recvd no inhal anesthic | Х | - | Х | - | Х | - | Х | - |
| 4556F | Ptw/3+ post-op nausea and vommiting | Х | - | Х | - | Х | - | Х | - |

^{*} These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



| | Ticaldi | Trad | itional Medicaid | Tradi | tional Integrated | Non-Tradition | onal Medicaid | Non-Tradition | al Integrated |
|----------------------|--|----------------------------|--|--------------------------|---------------------------------------|---------------|------------------------------------|---------------|----------------------------------|
| Codes | Description | Not | Preauthorization | Not | Preauthorization | Not Covered | Preauthorization | Not Covered | Preauthorization |
| Disclaimer: | Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, the | Covered se coding lists | Required do not reflect information | Covered regarding imm | Required unizations, injectable drugs | | Required ations and should be d | | Required y link option within |
| the website 4557F | | | I | | | | 1 | T v | |
| | Pt w/o 3+ pot-op nausea and vommiting | X | - | X | - | X | - | X | <u> </u> |
| 4559F | Pt recvd 2 rx anti-emetagnts | X | <u>-</u> | X | - | X | - | X | - |
| _ | 1 bodytemp >=35.5 cw/in 30 mins | X | - | X | - | X | - | X | |
| _ | Anesth w/o general or neurax anesth | X | - | | - | | - | X | - |
| | Pt w/ cornonary artery stent | X | - | X | - | X | - | X | |
| | Patient does not have coronary artery stent Pt recvd aspirin w/in 24 hours | X | | X | - | X | - | X | |
| | Patient counseled on self - examination for new or changing moles (ml) | X | - | X | - | X | - | X | <u> </u> |
| | | ^ | - | ^ | - | ^ | - | ^ | - |
| | Findings of dilated macular or fundus exam communicated to the physician managing the diabetes care (ec) | Х | - | Х | - | Х | - | Х | - |
| | Documentation of communication that a fracture occurred and that the patient was or should be tested or treated for oste | Х | - | Х | - | Х | - | Х | - |
| 5020F | Treatment summary report communicated to physician(s) managing continuing care and to the patient within one month of co | Х | - | Х | - | Х | - | х | - |
| 5050F | Treatment plan communicated to provider(s) managing continuing care within one month of diagnosis (ml)5 | х | - | х | - | Х | - | х | - |
| 5060F | Findings from diagnostic mammogram communicated to practice managing patient's on-going care within 3 business days of e | х | - | Х | - | Х | - | х | - |
| 5062F | Documentation of direct communication of diagnostic mammogram findings by telephone or in person [by the diagnostic imag | х | - | х | - | Х | - | х | - |
| 5100F | Potential risk for fracture communicated to the referring physician within 24 hours of completion of the imaging study (nuc_med) | Х | - | Х | - | Х | - | × | - |
| 5200F | Consideration of referral for a neurological evaluation of appropriateness for surgical therapy for intractable epilepsy | х | - | х | - | Х | - | х | - |
| 5250F | Asthma discharge plan present (asthma) | Х | - | Х | - | Х | - | Х | - |
| 6005F | Rationale (eg, severity of illness and safety) for level of care (eg, home hospital) documented. | Х | - | Х | - | Х | - | Х | - |
| 6010F | Dysphagia screening conducted prior to order for or receipt of any foods, fluids or medication by mouth (str) | Х | - | х | - | Х | - | х | - |
| 6015F | Patient receiving or eligible to receive foods, fluids or medication by mouth (str) | Х | - | Х | - | Х | - | Х | - |
| 6020F | Npo (nothing by mouth) ordered (str) | Х | - | Х | - | Х | - | Х | - |
| 6030F | All elements of maximal sterile barrier technique followed including: cap and mask and sterile gown and sterile gloves a | Х | - | Х | - | Х | - | Х | - |
| 6040F | Use of appropriate radiation dose reduction devices or manual techniques for appropriate moderation of exposure, documen | Х | - | Х | - | Х | - | Х | - |
| 6045F | Radiation exposure or exposure time in final report for procedure using fluoroscopy, documented (rad)5 | Х | - | х | - | Х | - | Х | - |
| 6070F | Patient queried and counseled about anti-epileptic drug (aed) side effects (epi) | Х | _ | Х | - | Х | - | Х | - |
| | Pt/caregiver queried falls | X | - | Х | - | X | - | X | - |
| | Pt/caregiver counsel safety | Х | - | Х | - | Х | - | Х | - |
| 6100F | Timeout to verify correct patient, correct site, and correct procedure, documented (path)9 | Х | - | х | - | Х | - | х | - |
| 6101F | Safety counsel dementia prov | Х | - | Х | - | Х | - | Х | - |
| | Safety counsel dementia ord | Х | - | Х | - | Х | - | Х | - |
| | Counsel risks driving and alternatives | Х | - | Х | - | Х | - | Х | - |

^{*} These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



| | Ticaldi | Tradi | tional Medicaid | Tradit | tional Integrated | Non-Tradition | onal Medicaid | Non-Traditio | nal Integrated |
|-------------|--|------------------------------|-------------------------------------|--------------------------|--|---------------|------------------------------------|--------------|-----------------------------------|
| Codes | Description | Not | Preauthorization | Not | Preauthorization | Not Covered | Preauthorization | Not Covered | Preauthorization |
| Disclaimer: | Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, the | Covered lese coding lists | Required do not reflect information | Covered regarding imm | Required unizations, injectable drugs | | Required tions and should be di | | Required by link option within |
| the website | Patient not receiving a first course of anti-tnf (tumor necrosis fact0r) therapy (ibd) | Х | | Х | _ | Х | _ | Х | _ |
| | | ^ | - | ^ | - | ^ | - | ^ | - |
| 70101 | Patient information entered into a recall system that includes: target date for the next exam specified and a process to | Х | - | Х | - | Х | - | X | - |
| 7020F | Breast imaging-reporting and data system (bi-rads) assessment category entered into an | | | | | | | | |
| 70201 | internal database to allow for a | Х | - | Х | - | Х | - | X | - |
| 7025F | Patient information entered into a reminder system with a target due date for the next | | | | | | | | |
| 7 0201 | mammogram (rad)5 | Х | - | Х | - | X | - | Х | - |
| 9001F | Immunohisto antibod add slid | Х | - | Х | - | Х | _ | Х | _ |
| | Aortic aneurysm 5-5.4cm diam | X | | X | | X | _ | X | _ |
| _ | Aortic arrysm5.5-5.9cm diam | X | | X | | X | _ | X | _ |
| | Aortic arrysm 6/> cm diam | X | | X | - | X | <u> </u> | X | |
| | Asympt carot/vrtbrbas sten | X | | X | - | X | <u> </u> | X | |
| | Sympt sten-tia/strk<120days | X | - | X | - | X | - | X | - |
| | Other carot sten 120 days/> | X | - | X | - | X | | X | - |
| | Outside state ambulance serv | X | | X | - | X | <u> </u> | X | - |
| A0080 | Noninterest escort in non er | X | <u> </u> | X | - | X | - | X | - |
| A0090 | Interest escort in non er | X | <u> </u> | X | - | X | _ | X | - |
| | Nonemergency transport taxi | - | - | | - | X | - | X | - |
| | Nonemergency transport taxi Nonemergency transport bus | X | | X | - | X | - | X | - |
| | Noner transport mini-bus | - | | - | - | X | | X | - |
| A0130 | Noner transport wheelch van | - | | - | - | X | - | X | - |
| | - | - | | - | - | X | - | X | |
| | Nonemergency transport air Noner transport case worker | - | <u> </u> | - | - | X | - | X | - |
| | Noner transport case worker Noner transport parking fees | X | - | X | - | X | - | X | - |
| | Noner transport lodging recip | X | <u> </u> | X | - | X | - | X | - |
| | Noner transport meals recip | X | - | X | - | X | - | X | - |
| | Noner transport lodging escrt | X | - | X | - | X | _ | X | _ |
| A0210 | Noner transport meals escort | X | | X | - | X | _ | X | _ |
| A0225 | Neonatal emergency transport | X | - | X | - | X | _ | X | _ |
| | Basic support routine suppls | X | | X | - | X | _ | X | _ |
| | Bls defibrillation supplies | X | <u> </u> | X | - | X | _ | X | - |
| | Als defibrillation supplies | X | | X | - | X | | X | - |
| A0394 | Als iv drug therapy supplies | X | | X | - | X | _ | X | _ |
| | Als esophageal intub suppls | X | | X | - | X | _ | X | _ |
| | Als routine disposble suppls | X | <u> </u> | X | - | X | - | X | - |
| | Extra ambulance attendant | X | | X | - | X | | X | - |
| | Als 1 | X | | X | - | X | <u> </u> | X | - |
| | Als1-emergency | X | <u> </u> | X | - | X | | X | - |
| A0428 | | X | - | X | - | X | - | X | - |
| | Pi volunteer ambulance co | X | <u> </u> | X | - | X | <u> </u> | X | |
| | Als 2 | X | | X | - | X | _ | X | _ |
| | Specialty care transport | X | - | X | - | X | | X | - |
| | Noncovered ambulance mileage | X | - | X | - | X | - | X | - |
| | Unlisted ambulance service | X | - | X | - | X | - | X | - |
| | Supp for self-adm injections | X | <u> </u> | X | - | X | - | X | - |
| 744411 | Supp for sen-aum injections | ^ | - | ^ | • | ^ | | ^ | _ |

^{*} These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



| | | Trad | itional Medicaid | Tradi | tional Integrated | Non-Tradition | onal Medicaid | Non-Tradition | nal Integrated |
|-------------|--|----------------------------|--|-----------------------|--|---------------|---------------------------------|---------------|-----------------------------------|
| Codes | Description | Not | Preauthorization | Not | Preauthorization | Not Covered | Preauthorization | | Preauthorization |
| Disclaimer: | Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, the | Covered se coding lists | Required do not reflect information | Covered regarding imm | Required unizations, injectable drugs | | Required ations and should be d | | Required ty link option within |
| the website | | I | ī | 1 | | | | 1 | , ,,,,, |
| | Sterile water, saline and/or dextrose, diluent/flush, 10 ml | - | - | - | - | X | - | X | - |
| A4225 | Sup/ext insulin inf pump syr | X | - | X | - | X | - | X | - |
| A4226 | Weekly supply maint cgs pump | Х | - | Х | - | Х | - | Х | - |
| A4233 | Replacement battery, alkaline (other than j cell), for use with medically necessary home blood | Х | - | Х | - | X | - | Х | - |
| A 400.4 | glucose monitor owned by | | | | | | | | |
| A4234 | Replacement battery, alkaline, j cell, for use with medically necessary home blood glucose | Х | - | Х | - | Х | - | X | - |
| A 400E | monitor owned by patient, eac | | | | | | | | |
| A4235 | Replacement battery, lithium, for use with medically necessary home blood glucose monitor | Х | - | Х | - | Х | - | X | - |
| A 400C | owned by patient, each | | | | | | | | |
| A4236 | Replacement battery, silver oxide, for use with medically necessary home blood glucose | Х | - | Х | - | Х | - | X | - |
| A 4000 | monitor owned by patient, each | | | | | | | | |
| | Adju cgm supply allowance | X | - | Х | - | Х | - | X | - |
| | Non-adju cgm supply allow | X | - | X | - | X | - | X | - |
| | Alcohol or peroxide per pint | X | - | X | - | X | - | Х | - |
| | Betadine/phisohex solution | Х | - | Х | - | Х | - | Х | - |
| | Blood ketone test or reagent strip, each | Х | - | Х | - | Х | - | Х | |
| | Glucose monitor platforms | Х | - | Х | - | X | - | X | - |
| | Calibrator solution/chips | Х | - | Х | - | X | - | X | - |
| | Replacement lens shield cartridge for use with laser skin piercing device, each | Х | - | Х | - | Х | - | X | - |
| | Cervical cap contraceptive | Х | - | Х | - | X | - | X | - |
| A4265 | Paraffin | Х | - | Х | - | Χ | - | X | - |
| A4266 | Diaphragm for contraceptive use | X | - | Х | - | X | - | X | - |
| A4267 | Contraceptive supply, condom, male, each | X | - | Х | ı | X | - | Х | ı |
| A4268 | Contraceptive supply, condom, female, each | Х | - | Х | - | Х | - | Х | - |
| A4269 | Contraceptive supply, spermicide (e.g., foam, gel), each | Х | - | Х | - | Х | - | Х | - |
| A4271 | Integrated lancing and blood sample testing cartridges for home blood glucose monitor, per | | | V | | | | | |
| | month | Х | - | Х | - | - | - | - | - |
| A4281 | Tubing for breast pump, replacement | Х | - | Х | - | Х | - | Х | - |
| | | Х | - | Х | - | Х | - | Х | - |
| | Cap for breast pump bottle, replacement | Х | - | Х | - | Х | - | Х | - |
| | Breast shield and splash protector for use with breast pump, replacement | Х | - | Х | - | Х | - | Х | - |
| A4285 | Polycarbonate bottle for use with breast pump, replacement | Х | - | Х | - | Х | - | Х | - |
| A4286 | Locking ring for breast pump, replacement | Х | - | Х | - | Х | - | Х | - |
| A4287 | Disposable collection and storage bag for breast milk, any size, any type, each | Х | - | Х | - | - | - | - | - |
| A4290 | Sacral nerve stim test lead | X | - | X | - | Х | - | Х | - |
| A4337 | Incontinence supply, rectal insert, any type, each | X | - | X | - | X | - | X | - |
| | Ostomy supply misc | X | - | X | - | X | _ | X | _ |
| | Adhesive clip applied to the skin to secure external electrical nerve stimulator controller, each | X | _ | X | _ | | _ | | _ |
| | | | - | | - | | - | | - |
| A4458 | Enema bag with tubing, reusable | Х | - | Х | - | Х | - | Х | - |
| | Belt strap sleev grmnt cover | Х | - | Х | - | Х | - | Х | - |
| | Exsufflation belt, includes all supplies and accessories | Х | - | Х | - | - | - | - | - |
| A4520 | Incontinence garment anytype | Х | - | Х | - | Х | - | Х | - |
| A4540 | Distal transcutaneous electrical nerve stimulator, stimulates peripheral nerves of the upper arm | Х | - | Х | - | - | - | - | - |

^{*} These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



| Disclaimer: Plea | Description | | | | tional Integrated | | onal Medicaid | Tron Traditio | nal Integrated |
|------------------|---|----------------------------|--|-----------------------|---------------------------------------|-------------|---------------------------------|---------------|-----------------------------------|
| | 2000 p. 100 | Not | Preauthorization | Not | Preauthorization | Not Covered | Preauthorization | Not Covered | Preauthorization |
| | ase note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, the | Covered se coding lists | Required do not reflect information | Covered regarding imm | Required unizations, injectable drugs | | Required ations and should be d | | Required by link option within |
| | | | T | | Τ | 1 | T | Т | |
| | onthly supplies for use of device coded at e0733 | Х | - | Х | - | - | - | - | - |
| | applies and accessories for external upper limb tremor stimulator of the peripheral nerves of | Х | - | Х | - | - | - | - | _ |
| | e wrist | ., | | | | ., | | | |
| | irgical trays | X | - | X | - | X | - | X | - |
| | ondisp underpads, all sizes | X | - | X | - | X | - | X | - |
| | a tx e-stim electr/transduc | X | - | X | - | X | - | X | - |
| | ectrodes, pair | X | - | X | - | X | - | X | - |
| | ad wires, pair | X | - | X | - | X | - | X | - |
| | onductive paste or gel | X | - | X | - | X | - | X | - |
| | oupling gel or paste, for use with ultrasound device, per oz | X | - | X | - | X | - | X | - |
| | nould sling/vest/abrestrain | Х | - | X | - | X | - | X | - |
| | /perbaric o2 chamber disps | X | - | X | - | X | - | X | - |
| | ens suppl 2 lead per month | X | - | X | - | X | - | X | - |
| | es system monthly supp | Х | - | Х | - | X | - | X | - |
| | eeve for intermittent limb compression device, replacement only, each | Х | - | X | - | X | - | X | - |
| | thium ion battery for non-prosthetic use, replacement | Х | - | Х | - | Х | - | Х | - |
| A4604 Tu | bing with integrated heating element for use with positive airway pressure device | Х | - | Х | - | Х | - | Х | - |
| A4608 Tra | anstracheal oxygen cath | Х | - | Х | - | Х | - | Х | - |
| A4611 He | eavy duty battery | Х | - | Х | - | X | - | Х | - |
| | attery cables | Х | - | Х | - | Х | - | Х | - |
| A4613 Ba | attery charger | Х | - | Х | - | Х | - | Х | - |
| A4619 Fa | rce tent | Х | - | Х | - | Х | - | Х | - |
| A4620 Va | ariable concentration mask | Х | - | Х | - | Х | - | Х | - |
| A4627 Sp | pacer bag/reservoir | - | - | - | - | Х | - | Х | - |
| A4630 Re | epl bat t.e.n.s. own by pt | Х | - | Х | - | Х | - | Х | - |
| | eplacement bulb/lamp for ultraviolet light therapy system, each | Х | - | Х | - | Х | - | Х | - |
| A4638 Re | eplacement battery for patient-owned ear pulse generator, each | Х | - | Х | - | Х | - | Х | - |
| A4639 Re | eplacement pad for infrared heating pad system, each | Х | - | Х | - | Х | - | Х | - |
| A4649 Su | ırgical supplies | - | Х | - | Х | - | Х | - | Х |
| A4671 Dis | sposable cycler set used with cycler dialysis machine, each | Х | - | Х | - | Х | - | Х | - |
| A4672 Dr | rainage extension line, sterile, for dialysis, each | Х | - | Х | - | Х | - | Х | - |
| | tension line with easy lock connectors, used with dialysis | Х | - | Х | - | Х | - | X | - |
| A4674 Ch | nemicals/antiseptics solution used to clean/sterilize dialysis equipment, per 8 oz | Х | - | Х | - | Х | - | Х | - |
| | alysate solution, non-dextrose containing, 500 ml | Х | - | Х | - | Х | - | Х | - |
| | rd shunt accessory | - | - | - | - | Х | - | Х | - |
| A4932 Re | ectal thermometer, reusable, any type, each | Х | - | Х | - | Х | - | Х | - |
| | ab shoe for density insert | Х | - | Х | - | Х | - | Х | - |
| A5501 Dia | abetic custom molded shoe | Х | - | Х | - | Х | - | Х | - |
| A5503 Dia | abetic shoe w/roller/rockr | Х | - | Х | - | Х | - | Х | - |
| | abetic shoe with wedge | Х | - | Х | - | Х | - | Х | - |
| | ab shoe w/metatarsal bar | Х | - | Х | - | Х | - | Х | - |
| | abetic shoe w/off set heel | Х | - | Х | - | Х | - | Х | - |
| A5507 M | odification diabetic shoe | Х | - | Х | - | Х | - | Х | - |
| | abetic deluxe shoe | Х | - | Х | - | Х | - | Х | - |

^{*} These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



| 9 | nealti | Trad | itional Medicaid | Tradit | ional Integrated | Non-Tradition | onal Medicaid | Non-Tradition | nal Integrated |
|------------------------|--|----------------------------|--|-----------------------|---------------------------------------|---------------|------------------------------------|---------------|-----------------------------------|
| Codes | Description | Not | Preauthorization | Not | Preauthorization | Not Covered | Preauthorization | Not Covered | Preauthorization |
| Disclaimer: | Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated guarterly. Additionally, the | Covered se coding lists | Required do not reflect information | Covered regarding imm | Required unizations, injectable drugs | | Required ations and should be d | | Required by link option within |
| the website | | - | ī | · · · | | | T | | |
| A5510 | For diabetics only, direct formed, compression molded to patient's foot without external heat | Х | - | Х | - | Х | - | X | - |
| A = [4 0 | source, multiple-density i | | | | | | | | |
| A5512 | For diabetics only, multiple density insert, direct formed, molded to foot after external heat | Х | - | Х | - | X | - | X | - |
| A E E 1 2 | source of 230 degrees fah | | | | | | | | |
| A5513 | For diabetics only, multiple density insert, custom molded from model of patient's foot, total | Χ | - | Х | - | X | - | X | - |
| Λ <i>5</i> 51 <i>1</i> | contact with patient's fo Mult den insert dir carv/cam | Х | - | X | - | Х | _ | Х | _ |
| | Non-contact wound warming wound cover for use with the non-contact wound warming device | ^ | - | ^ | - | ^ | - | ^ | - |
| A0000 | and warming card | Χ | - | Х | - | Х | - | Х | - |
| A6025 | Silicone gel sheet, each | Х | _ | Х | _ | Х | | X | |
| | Wound pouch each | X | - | X | - | X | - | X | - |
| | Foam drg > 48 sq in w/o brdr | X | - | X | - | X | _ | X | - |
| | Adhesive bandage, first-aid type, any size, each | X | - | X | - | X | - | X | |
| A6513 | Compression burn mask, face and/or neck, plastic or equal, custom fabricated | X | _ | X | | X | _ | X | _ |
| A6535 | Gradient compression stocking, thigh length, 40-50 mmhg, each | X | _ | X | | X | _ | X | _ |
| A6536 | Gradient compression stocking, full length/chap style, 18-30 mmhg, each | X | _ | X | | X | _ | X | _ |
| A6537 | Gradient compression stocking, full length/chap style, 30-40 mmhg, each | X | _ | X | | X | _ | X | _ |
| A6538 | Gradient compression stocking, full length/chap style, 40-50 mmhg, each | X | _ | X | _ | X | _ | X | - |
| A6539 | Gradient compression stocking, waist length, 18-30 mmhg, each | X | _ | X | - | X | _ | X | - |
| A6540 | Gradient compression stocking, waist length, 30-40 mmhg, each | X | _ | X | - | X | _ | X | - |
| A6541 | Gradient compression stocking, waist length, 40-50 mmhg, each | X | - | X | - | X | _ | X | - |
| A6544 | Gradient compression stocking, garter belt | X | - | X | - | X | _ | X | - |
| A6549 | Gradient compression stocking/sleeve, not otherwise specified | X | - | X | - | X | - | X | - |
| | Dressing set for negative pressure wound therapy electrical pump, stationary or portable, each | | | | | | | | |
| | G | - | X | - | X | - | X | - | Х |
| A7001 | Nondisposable pump canister | Х | - | Х | - | Х | - | Х | - |
| | Tubing used w suction pump | - | - | - | - | Х | - | Х | - |
| | Nebulizer administration set | Х | - | Х | - | Х | - | Х | - |
| A7004 | Disposable nebulizer sml vol | Х | - | Х | - | Х | - | Х | - |
| A7006 | Filtered nebulizer admin set | Х | - | Х | - | Х | - | Х | - |
| A7007 | Lg vol nebulizer disposable | - | - | - | - | Х | - | Х | - |
| A7008 | Disposable nebulizer prefill | Х | - | Х | - | Х | - | Х | - |
| A7009 | Nebulizer reservoir bottle | Х | - | Х | - | Х | - | Х | |
| A7010 | Disposable corrugated tubing | Х | - | Х | - | Х | - | Х | • |
| A7012 | Nebulizer water collec devic | Х | - | Х | - | Х | - | Х | • |
| A7013 | Disposable compressor filter | Х | - | Х | - | Х | - | Х | - |
| | Compressor nondispos filter | Х | - | Х | - | Х | - | Х | - |
| A7015 | Aerosol mask used w nebulize | Х | - | Х | - | Х | - | Х | |
| A7016 | Nebulizer dome & mouthpiece | Χ | - | Х | - | Χ | - | Х | - |
| | Nebulizer not used w oxygen | Χ | - | Х | - | Χ | - | Х | - |
| | Water distilled w/nebulizer | Χ | - | Х | - | Χ | - | Х | - |
| | Mechanical allergen particle barrier/inhalation filter, cream, nasal, topical | Χ | - | Х | - | - | - | - | - |
| A7025 | High frequency chest wall oscillation system vest, replacement for use withpatient owned | | Х | ı ₋ 7 | Х | Х | | Х | _ |
| | equipment, each | | ^ | | | | | _ ^ | |

^{*} These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



| | | Traditional Medicaid | | Traditional Integrated | | Non-Traditional Medicaid | | Non-Traditional Integrate | |
|-------------|--|----------------------------|---------------------------------------|--------------------------|---------------------------------------|--------------------------|------------------------------|---------------------------|-----------------------------------|
| Codes | Description | Not | Preauthorization | Not | Preauthorization | Not Covered | Preauthorization Required | Not Covered | Preauthorization |
| Disclaimer: | Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, the | Covered se coding lists | Required s do not reflect information | Covered regarding imm | Required unizations, injectable drugs | s, or specialty medica | | lirected to the Pharma | Required by link option within |
| the website | | l | 1 | 1 | | I | T | | I |
| | High frequency chest wall oscillation system hose, replacement for use withpatient owned | Х | - | Х | - | X | - | X | - |
| | equipment, each Combination oral/nasal mask, used with continuous positive airway pressure device, each | | | | | | | | |
| ATOZI | Combination oral/hasar mask, used with continuous positive airway pressure device, each | Х | - | Х | - | Х | - | Х | - |
| A7044 | Oral interface used with positive airway pressure device, each | Х | - | Х | - | X | - | Х | - |
| | Repl exhalation port for pap | Х | - | Х | - | X | - | X | - |
| A7046 | Water chamber for humidifier, used with positive airway pressure device, replacement, each | - | - | - | - | Х | - | Х | - |
| A7520 | Tracheostomy/laryngectomy tube, non-cuffed, polyvinylchloride (pvc), silicone or equal, each | - | - | - | - | Х | - | х | - |
| A7521 | Tracheostomy/laryngectomy tube, cuffed, polyvinylchloride (pvc), silicone or equal, each | - | - | - | - | Х | - | х | - |
| A7522 | Tracheostomy/laryngectomy tube, stainless steel or equal (sterilizable and reusable) each | - | - | - | - | Х | - | Х | - |
| A7525 | Tracheostomy mask, each | - | - | - | - | Х | - | Х | - |
| A7526 | Tracheostomy tube collar/holder, each | - | - | - | - | Х | - | Х | - |
| A8001 | Helmet, protective, hard, prefabricated, includes all components and accessories | - | - | - | - | Х | - | Х | - |
| A8002 | Helmet, protective, soft, custom fabricated, includes all components and accessories | - | - | - | - | Х | - | Х | - |
| A8003 | Helmet, protective, hard, custom fabricated, includes all components and accessories | - | - | - | - | Х | - | Х | - |
| A8004 | Soft interface for helmet, replacement only | Х | - | Х | - | Х | - | Х | - |
| A9150 | Misc/exper non-prescript dru | Х | - | Х | - | Х | - | Х | - |
| A9152 | Single vitamin nos | Х | - | Х | - | Х | - | Х | - |
| A9153 | Multi-vitamin nos | Х | - | Х | - | Х | - | X | - |
| | Artificial saliva, 30 ml | Х | - | Х | - | X | - | X | - |
| | Oral mucoadhesive per 1 ml | Х | - | Х | - | X | - | Х | - |
| A9180 | Naturopaths | Х | - | Х | - | Х | - | X | - |
| A9268 | Programmer orally ingest cap | Х | - | Х | - | Х | - | X | - |
| A9269 | Programable ingest capsule | Х | - | Х | - | Х | - | X | - |
| | Non-covered item or service | Х | - | Х | - | X | - | X | - |
| A9272 | Mechanical wound suction, disposable, includes dressing, all accessories and components, each | Х | - | Х | - | Х | - | Х | - |
| A9273 | Hot/cold h2obot/cap/col/wrap | Х | - | Х | - | Х | - | Х | - |
| A9274 | External ambulatory insulin delivery system, disposable, each, includes all supplies and accessories | - | Х | - | Х | - | х | - | х |
| | Home glucose disposable monitor, includes test strips | Х | _ | Х | _ | Х | _ | Х | _ |
| | Sensor; invasive (e.g. subcutaneous), disposable, for use with interstitial continuous glucose | _^ | | | | ^ | | ^ | |
| | monitoring system, one un | - | Х | - | Х | - | Х | - | Х |
| | Transmitter; external, for use with interstitial continuous glucose monitoring system | - | Х | - | Х | - | Х | - | Х |
| A9278 | Receiver (monitor); external, for use with interstitial continuous glucose monitoring system | - | Х | - | Х | - | Х | - | Х |
| | Monitoring feature/device, stand-alone or integrated, any type, includes all accessories, components and electronics, no | Х | - | Х | - | Х | - | Х | - |

^{*} These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



| V | neatti | Trad | itional Medicaid | Tradi | tional Integrated | Non-Traditio | onal Medicaid | Non-Tradition | nal Integrated |
|-------------|--|-----------------------------|-------------------------------------|--------------------------|---------------------------------------|--------------|-----------------------------------|---------------|-----------------------------------|
| Codes | Description | Not | Preauthorization | Not | Preauthorization | Not Covered | Preauthorization | | Preauthorization |
| Disclaimer | Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, the | Covered ese coding lists | Required do not reflect information | Covered regarding imm | Required unizations, injectable drugs | | Required tions and should be d | | Required by link option within |
| the website |). | 1 | T | | | | 1 | 1 | |
| A9281 | | X | - | X | - | X | - | X | - |
| A9282 | Reaching/grabbing device, any type, any length, each | X | - | X | - | X | - | X | - |
| A9283 | Wig, any type, each Foot pressure off loading/supportive device, any type, each | X | - | X | - | X | - | X | - |
| A9285 | Inversion eversion cor devic | X | - | X | - | X | - | X | _ |
| A9286 | | X | - | X | - | X | - | X | |
| | Pres digital behav thera fda | X | _ | X | _ | X | | X | _ |
| A9292 | | X | - | X | _ | X | _ | X | _ |
| A9293 | | | | | | Λ | | | |
| | month, includes accessories (e.g., thermometer) | Х | - | Х | - | - | - | - | - |
| A9300 | · - | Х | - | Х | - | Х | - | Х | _ |
| A9501 | Technetium tc-99m teboroxime, diagnostic, per study dose | X | - | Х | - | X | - | X | _ |
| A9502 | Technetium tc99m tetrofosmin | X | - | X | - | X | - | X | - |
| A9503 | | X | - | Х | - | X | - | X | _ |
| A9504 | Technetium to 99m apcitide | X | - | Х | - | X | - | X | _ |
| A9505 | ' | X | - | Х | - | X | - | X | - |
| A9507 | Indium/111 capromab pendetid | X | - | Х | - | X | - | X | - |
| A9508 | | X | - | X | - | X | - | X | - |
| A9509 | lodine i-123 sodium iodide, diagnostic, per millicurie | X | - | X | - | X | - | X | _ |
| A9510 | 7 0 71 | X | - | Х | - | X | - | X | _ |
| A9512 | Supply of radiopharmaceutical diagnostic imaging agent, technetium tc-99mpertechnetate, per | | | | | | | | |
| | mci | Х | - | Х | - | Х | - | Х | - |
| A9513 | Lutetium lu 177, dotatate, therapeutic, 1 millicurie | Х | - | Х | - | Х | - | Х | - |
| A9515 | | Х | - | Х | - | Х | - | Х | - |
| A9516 | Supply of radiopharmaceutical diagnostic imaging agent, i-123 sodium iodidecapsule, per 100 | | | · · | | | | | |
| | uci | Х | - | Х | - | Х | - | Х | - |
| A9517 | Supply of radiopharmaceutical therapeutic imaging agent, i-131 sodium iodidecapsule, per mci | | | · · | | | | ٧, | |
| | | Х | - | Х | - | Х | - | Х | - |
| A9520 | Tc99 tilmanocept diag 0.5mci | Х | - | Х | - | Х | - | Х | - |
| A9521 | Supply of radiopharmaceutical diagnostic imaging agent, technetium tc-99mexametazine, per | Х | | · · | | | | V | |
| | dose | ^ | - | Х | - | Χ | - | Х | - |
| A9524 | Supply of radiopharmaceutical diagnostic imaging agent, iodinated i-131 serumalbumin, 5 | V | | V | | V | | V | |
| | microcuries | Х | - | Х | - | Х | - | Х | - |
| A9526 | Supply of radiopharmaceutical diagnostic imaging agent, ammonia n-13, per dose | Х | - | Х | - | Х | - | Х | - |
| A9527 | lodine i-125, sodium iodide solution, therapeutic, per millicurie | Х | - | Х | - | Х | - | Х | - |
| A9528 | Supply of radiopharmaceutical diagnostic agent, i-131 sodium iodide capsule, per millicurie | Х | _ | Х | _ | Х | | Х | |
| | | ^ | _ | ^ | - | ^ | _ | ^ | _ |
| A9529 | Supply of radiopharmaceutical diagnostic agent, i-131 sodium iodide solution, per millicurie | X | _ | Х | _ | Х | _ | Х | _ |
| | | | - | ^ | - | ^ | | ^ | - |
| A9530 | Supply of radiopharmaceutical therapeutic agent, i-131 sodium iodide solution, per millicurie | X | _ | X | _ | Χ | _ | × | _ |
| | | | | | | | | | |
| A9531 | Supply of radiopharmaceutical diagnostic agent, i-131 sodium iodide, per millicurie | Х | - | Х | - | Х | - | Х | - |
| A9532 | | Х | _ | Х | _ | Х | _ | X | _ |
| 10-5- | microcuries | | | | | | | | |
| A9536 | Technetium tc-99m depreotide, diagnostic, per study dose, up to 35 millicuries | X | - | X | - | X | - | X | - |

^{*} These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



| Description Not Covered Presention Not Covered Presention Not Covered No | ditional Integrated |
|--|---------------------|
| Appear of the company of the process and you'ply give in process of the company of the process of the company of the process of the company o | Preauthorization |
| A8637 Technetium tc-99m mebrofenin, diagnostic, per study dose, up to 15 millicuries | Required |
| A9859 Technetium tc-99m pprophosphate, diagnostic, per study dose, up to 25 millicuries X | |
| A8593 Technetium tc-99m pentetate, diagnostic, per study dose, up to 25 millicuries X X X X X X X X X X X X X | - - - |
| A9540 Technetium tc-99m macroaggregated albumin, diagnostic, per study dose, up to 10 millicuries X | |
| A9541 Technetium tc-99m sulfur colloid, diagnostic, per study dose, up to 20 millicuries X - X - X - X - X - X - X - X - X - X | - |
| A9542 Indium in-111 Ibritumomab tiuxetan, diagnostic, per study dose, up to 5 millicuries X X X X X X X X X X X X X | - |
| A9543 Yttrium y-90 ibritumomab tiuxetan, therapeutic, per treatment dose, up to 40 millicuries | - |
| A9546 Cobalt co-57/58, cyanocobalamin, diagnostic, per study dose, up to 1 microcurie | - |
| A9548 Indium in-111 pentetate, diagnostic, per 0.5 millicurie X - X - X - X A9550 Technetium tc-99m sodium gluceptate, diagnostic, per study dose, up to 25 millicuries X - X - X - X A9551 Technetium tc-99m succimer, diagnostic, per study dose, up to 10 millicuries X - X - X - X A9552 Fluorodeoxyglucose f-18 fdg, diagnostic, per study dose, up to 45 millicuries X - X - X - X A9553 Chromium cr-51 sodium chromate, diagnostic, per study dose, up to 250 microcuries X - X - X - X A9555 Rubidium rb-82, diagnostic, per study dose, up to 10 microcuries X - X - X - X A9555 Rubidium rb-82, diagnostic, per study dose, up to 10 microcuries X - X - X - X A9555 Rubidium rb-82, diagnostic, per study dose, up to 250 millicuries X - X - X - X A9555 Rubidium rb-82, diagnostic, per study dose, up to 250 millicuries X - X - X - X - X A9555 Rubidium rb-99m bicisate, diagnostic, per study dose, up to 250 millicuries X - X - X - X - X A9556 Gallium ga-67 citrate, diagnostic, per study dose, up to 25 millicuries X - X - X - X - X A9557 Technetium tc-99m bicisate, diagnostic, per study dose, up to 25 millicuries X - X - X - X - X A9558 Rubidium rb-91 bicisate, diagnostic, per study dose, up to 25 millicuries X - X - X - X - X A9557 Technetium tc-99m bicisate, diagnostic, per study dose, up to 25 millicuries X - X - X - X - X A9558 Cobalt co-57 cyanocobalamin, oral, diagnostic, per study dose, up to 1 microcurie X - X - X - X - X - X A9560 Technetium tc-99m labeled red blood cells, diagnostic, per study dose, up to 30 Millicuries X - X - X - X - X - X A9560 Technetium tc-99m meritatide, diagnostic, per study dose, up to 15 millicuries X - X - X - X - X - X A9560 Technetium tc-99m meritatide, diagnostic, per study dose, up to 25 millicuries X - X - X - X - X - X - X A9560 Technetium tc-99m meritatide, diagnostic, per study dose, up to 25 millicuries X - X - X - X - X - X - X - X A9560 Technetium tc-99m pentetate, per millicurie X - X - X - X - X - X - X A9560 Technetium tc-99m pentetate, per study d | - |
| A9550 Technetium tc-99m sodium gluceptate, diagnostic, per study dose, up to 25 millicuries X X X X X X X X X X X X X | - |
| A9551 Technetium tc-99m succimer, diagnostic, per study dose, up to 10 millicuries X - X - X - X - X A9552 Fluorodeoxyglucose f-18 fdg, diagnostic, per study dose, up to 45 millicuries X - X - X - X A9553 Chromium cr-51 sodium chromate, diagnostic, per study dose, up to 250 microcuries X - X - X - X A9554 Idoine i-125 sodium inthalamate, diagnostic, per study dose, up to 10 microcuries X - X - X - X A9555 Rubidium rb-82, diagnostic, per study dose, up to 10 microcuries X - X - X - X A9556 Idoine i-125 sodium inthalamate, diagnostic, per study dose, up to 10 microcuries X - X - X - X A9557 Technetium tc-99m bicisate, diagnostic, per study dose, up to 250 microcuries X - X - X - X A9557 Technetium tc-99m bicisate, diagnostic, per study dose, up to 25 millicuries X - X - X - X A9559 Cobalt co-57 cyanocobalamin, oral, diagnostic, per study dose, up to 1 microcurie X - X - X - X A9560 Technetium tc-99m labeled red blood cells, diagnostic, per study dose, up to 30 millicuries X - X - X - X A9561 Technetium tc-99m moxidronate, diagnostic, per study dose, up to 30 millicuries X - X - X - X A9561 Technetium tc-99m moxidronate, diagnostic, per study dose, up to 30 millicuries X - X - X - X A9560 Technetium tc-99m moxidronate, diagnostic, per study dose, up to 15 millicuries X - X - X - X - X A9560 Technetium tc-99m fanolesomab, diagnostic, per study dose, up to 25 millicuries X - X - X - X - X A9560 Technetium tc-99m pentetate, diagnostic, per study dose, up to 25 millicuries X - X - X - X - X A9560 Technetium tc-99m pentetate, diagnostic, per study dose, up to 75 millicuries X - X - X - X - X A9560 Technetium tc-99m pentetate, diagnostic, per study dose, up to 75 millicuries X - X - X - X - X - X - X A9560 Technetium tc-99m pentetate, diagnostic, per study dose, up to 75 millicuries X - X - X - X - X - X - X - X - X - X | - |
| A9552 Fluorodeoxyglucose f-18 fdg, diagnostic, per study dose, up to 45 millicuries | - |
| A9553 Chromium cr-51 sodium chromate, diagnostic, per study dose, up to 250 microcuries X - X - X - X - X A9554 lodine i-125 sodium iothalamate, diagnostic, per study dose, up to 10 micorcuries X - X - X - X - X A9555 Rubidium rb-82, diagnostic, per study dose, up to 60 millicuries X - X - X - X - X - X - X A9556 Gallium ga-67 citrate, diagnostic, per study dose, up to 25 millicuries X - X - X - X - X - X - X - X A9557 Technetium tc-99m bicisate, diagnostic, per study dose, up to 25 millicuries X - X - X - X - X - X - X A9558 Xenon xe-133 gas, diagnostic, per study dose, up to 25 millicuries X - X - X - X - X - X - X A9559 Cobalt co-57 cyanocobalamin, oral, diagnostic, per study dose, up to 1 microcurie X - X - X - X - X - X - X - X - X - X | - |
| A9554 Iodine i-125 sodium iothalamate, diagnostic, per study dose, up to 10 micorcuries X - X - X - X A9555 Rubidium rb-82, diagnostic, per study dose, up to 60 millicuries X - X - X - X A9556 Gallium ga-67 citrate, diagnostic, per millicurie X - X - X - X A9557 Technetium tc-99m bicisate, diagnostic, per study dose, up to 25 millicuries X - X - X - X A9558 Xenon xe-133 gas, diagnostic, per study dose, up to 25 millicuries X - X - X - X A9558 Cobalt co-57 cyanocobalamin, oral, diagnostic, per study dose, up to 1 microcurie X - X - X - X A9560 Technetium tc-99m labeled red blood cells, diagnostic, per study dose, up to 30 X - X - X - X A9561 Technetium tc-99m mertiatide, diagnostic, per study dose, up to 15 millicuries X - X - X - X A9562 Technetium tc-99m mertiatide, diagnostic, per study dose, up to 15 millicuries X - X - X - X A9563 Sodium phosphate p-32, therapeutic, per millicurie X - X - X - X A9566 Technetium tc-99m fanolesomab, diagnostic, per study dose, up to 25 millicuries X - X - X - X A9567 Technetium tc-99m pentetate, diagnostic, per study dose, up to 55 millicuries X - X - X - X A9568 Technetium tc-99m pentetate, diagnostic, per study dose, up to 45 millicuries X - X - X - X A9568 Technetium tc-99m arcitumomab, diagnostic, per study dose, up to 45 millicuries X - X - X - X A9568 Technetium tc-99m arcitumomab, diagnostic, per study dose, up to 45 millicuries X - X - X - X - X A9568 Technetium tc-99m arcitumomab, diagnostic, per study dose, up to 45 millicuries X - X - X - X - X A9568 Technetium tc-99m exametazime labeled autologous white blood cells, diagnostic, per study X - X - X - X - X - X - X - X - X - X | - |
| A9554 Iodine i-125 sodium iothalamate, diagnostic, per study dose, up to 10 micorcuries X - X - X - X A9555 Rubidium rb-82, diagnostic, per study dose, up to 60 millicuries X - X - X - X A9556 Gallium ga-67 citrate, diagnostic, per millicurie X - X - X - X A9557 Technetium tc-99m bicisate, diagnostic, per study dose, up to 25 millicuries X - X - X - X A9558 Xenon xe-133 gas, diagnostic, per study dose, up to 25 millicuries X - X - X - X A9559 Cobalt co-57 cyanocobalamin, oral, diagnostic, per study dose, up to 1 microcurie X - X - X - X A9560 Technetium tc-99m labeled red blood cells, diagnostic, per study dose, up to 30 X - X - X - X A9561 Technetium tc-99m eritatide, diagnostic, per study dose, up to 15 millicuries X - X - X - X A9562 Technetium tc-99m meritatide, diagnostic, per study dose, up to 15 millicuries X - X - X - X A9563 Sodium phosphate p-32, therapeutic, per millicurie X - X - X - X A9566 Technetium tc-99m fanolesomab, diagnostic, per study dose, up to 25 millicuries X - X - X - X A9566 Technetium tc-99m pentetate, diagnostic, per study dose, up to 75 millicuries X - X - X - X A9568 Technetium tc-99m arcitumomab, diagnostic, per study dose, up to 45 millicuries X - X - X - X A9568 Technetium tc-99m arcitumomab, diagnostic, per study dose, up to 45 millicuries X - X - X - X - X A9568 Technetium tc-99m arcitumomab, diagnostic, per study dose, up to 45 millicuries X - X - X - X - X A9568 Technetium tc-99m arcitumomab, diagnostic, per study dose, up to 45 millicuries X - X - X - X - X - X A9568 Technetium tc-99m exametazime labeled autologous white blood cells, diagnostic, per study X - X - X - X - X - X - X A9569 Technetium tc-99m exametazime labeled autologous white blood cells, diagnostic, per study | - |
| A9556 Gallium ga-67 citrate, diagnostic, per millicurie X - X - X - X A9557 Technetium tc-99m bicisate, diagnostic, per study dose, up to 25 millicuries X - X - X A9558 Xenon xe-133 gas, diagnostic, per 10 millicuries X - X - X - X A9559 Cobalt co-57 cyanocobalamin, oral, diagnostic, per study dose, up to 1 microcurie X - X - X - X A9560 Technetium tc-99m labeled red blood cells, diagnostic, per study dose, up to 30 X - X - X - X A9561 Technetium tc-99m oxidronate, diagnostic, per study dose, up to 30 millicuries X - X - X - X A9562 Technetium tc-99m mertiatide, diagnostic, per study dose, up to 15 millicuries X - X - X - X A9566 Chromic phosphate p-32, therapeutic, per millicurie X - X - X - X A9566 Technetium tc-99m fanolesomab, diagnostic, per study dose, up to 25 millicuries X - X - X - X A9567 Technetium tc-99m pentetate, diagnostic, per study dose, up to 75 millicuries X - X - X - X A9568 Technetium tc-99m pentetate, diagnostic, per study dose, up to 45 millicuries X - X - X - X A9568 Technetium tc-99m arcitumomab, diagnostic, per study dose, up to 45 millicuries X - X - X - X A9568 Technetium tc-99m exametazime labeled autologous white blood cells, diagnostic, per study X - X - X - X A9569 Technetium tc-99m exametazime labeled autologous white blood cells, diagnostic, per study X - X - X - X A9569 Technetium tc-99m exametazime labeled autologous white blood cells, diagnostic, per study X - X - X - X - X A9569 Technetium tc-99m exametazime labeled autologous white blood cells, diagnostic, per study | - |
| A9557 Technetium tc-99m bicisate, diagnostic, per study dose, up to 25 millicuries | - |
| A9558 Xenon xe-133 gas, diagnostic, per 10 millicuries | - |
| A9559 Cobalt co-57 cyanocobalamin, oral, diagnostic, per study dose, up to 1 microcurie A9560 Technetium tc-99m labeled red blood cells, diagnostic, per study dose, up to 30 A9561 Technetium tc-99m oxidronate, diagnostic, per study dose, up to 30 millicuries X A9562 Technetium tc-99m mertiatide, diagnostic, per study dose, up to 15 millicuries X A9563 Sodium phosphate p-32, therapeutic, per millicurie X A9564 Chromic phosphate p-32 suspension, therapeutic, per millicurie X A9566 Technetium tc-99m fanolesomab, diagnostic, per study dose, up to 25 millicuries X A9567 Technetium tc-99m pentetate, diagnostic, aerosol, per study dose, up to 75 millicuries X A9568 Technetium tc-99m arcitumomab, diagnostic, per study dose, up to 45 millicuries X A9569 Technetium tc-99m exametazime labeled autologous white blood cells, diagnostic, per study X A9569 Technetium tc-99m exametazime labeled autologous white blood cells, diagnostic, per study X A9569 Technetium tc-99m exametazime labeled autologous white blood cells, diagnostic, per study X A9569 Technetium tc-99m exametazime labeled autologous white blood cells, diagnostic, per study X A9569 Technetium tc-99m exametazime labeled autologous white blood cells, diagnostic, per study | - |
| A9560 Technetium tc-99m labeled red blood cells, diagnostic, per study dose, up to 30 | - |
| A9561 Technetium tc-99m oxidronate, diagnostic, per study dose, up to 30 millicuries X - X - X - X - X - X - X - X - X - X | - |
| A9562 Technetium tc-99m mertiatide, diagnostic, per study dose, up to 15 millicuries X - X - X - X - X - X - X - X - X - X | - |
| A9563 Sodium phosphate p-32, therapeutic, per millicurie X - X - X A9564 Chromic phosphate p-32 suspension, therapeutic, per millicurie X - X - X A9566 Technetium tc-99m fanolesomab, diagnostic, per study dose, up to 25 millicuries X - X - X X - X A9567 Technetium tc-99m pentetate, diagnostic, aerosol, per study dose, up to 75 millicuries X - X - X A9568 Technetium tc-99m arcitumomab, diagnostic, per study dose, up to 45 millicuries X - X - X A9569 Technetium tc-99m exametazime labeled autologous white blood cells, diagnostic, per study X - X - X A9569 Technetium tc-99m exametazime labeled autologous white blood cells, diagnostic, per study X - X - X X - X - X | - |
| A9564 Chromic phosphate p-32 suspension, therapeutic, per millicurie X - X - X - X - X - X - X - X - X - X | - |
| A9566 Technetium tc-99m fanolesomab, diagnostic, per study dose, up to 25 millicuries X - X - X - X A9567 Technetium tc-99m pentetate, diagnostic, aerosol, per study dose, up to 75 millicuries X - X - X A9568 Technetium tc-99m arcitumomab, diagnostic, per study dose, up to 45 millicuries X - X - X A9569 Technetium tc-99m exametazime labeled autologous white blood cells, diagnostic, per study X - X - X - X | - |
| A9567 Technetium tc-99m pentetate, diagnostic, aerosol, per study dose, up to 75 millicuries X - X - X A9568 Technetium tc-99m arcitumomab, diagnostic, per study dose, up to 45 millicuries X - X - X - X - X - X - X - X - X - X | - |
| A9568 Technetium tc-99m arcitumomab, diagnostic, per study dose, up to 45 millicuries X - X - X - X A9569 Technetium tc-99m exametazime labeled autologous white blood cells, diagnostic, per study X - X - X - X | - |
| A9569 Technetium tc-99m exametazime labeled autologous white blood cells, diagnostic, per study | - |
| | - |
| | - |
| A9570 Indium in-111 labeled autologous white blood cells, diagnostic, per study dose X - X - X | - |
| A9571 Indium in-111 labeled autologous platelets, diagnostic, per study dose X - X - X | - |
| A9572 Indium in-111 pentetreotide, diagnostic, per study dose, up to 6 millicuries X - X - X | - |
| A9573 Inj, gadopiclenol, 1 ml X - X - X | - |
| A9574 Air poly intrauterine foam X - X - X | - |
| A9575 Inj gadoterate meglumi 0.1ml X - X - X | - |
| A9576 Injection, gadoteridol, (prohance multipack), per ml X - X - X | - |
| A9577 Injection, gadobenate dimeglumine (multihance), per ml X - X - X | - |
| A9578 Injection, gadobenate dimeglumine (multihance multipack), per ml X - X - X | - |
| A9579 Injection, gadolinium-based magnetic resonance contrast agent, not otherwise specified (nos), X - X - X | - |
| A9580 Sodium fluoride f-18, diagnostic, per study dose, up to 30 millicuries X - X - X | - |

^{*} These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



| | | Trad | itional Medicaid | Tradi | tional Integrated | Non-Tradition | onal Medicaid | Non-Tradition | nal Integrated |
|-------------|--|-------------------------------|-------------------------------------|--------------------------|--|------------------------|------------------------------------|------------------------|-----------------------------------|
| Codes | Description | Not | Preauthorization | Not | Preauthorization | Not Covered | Preauthorization | Not Covered | Preauthorization |
| Disclaimer: | Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, | Covered these coding lists | Required do not reflect information | Covered regarding imm | Required nunizations, injectable drugs | s, or specialty medica | Required ations and should be d | irected to the Pharmac | Required cy link option within |
| the website | | | | | 1 | 1 | ı | | 1 |
| | Injection, gadoxetate disodium, 1 ml | X | - | X | - | X | - | X | - |
| A9582 | lodine i-123 iobenguane, diagnostic, per study dose, up to 15 millicuries | X | - | X | - | X | - | X | - |
| | Injection, gadofosveset trisodium, 1 ml | X | - | X | - | X | - | X | - |
| | Gallium ga-68 | X | - | X | - | X | - | X | - |
| | Fluciclovine f-18 | X | - | X | - | X X | - | X | - |
| | lodine i-131 iobenguane 1mci | X | - | | - | X | - | | - |
| | Fluoroestradiol f 18 | | | X | | | - | X | - |
| | Copper cu-64, dotatate, diagnostic, 1 millicurie | X | - | X | - | X | | X | - |
| | Gallium ga-68 psma-11 ucsf | X | - | X | - | X | - | X | - |
| | Gallium ga-68 psma-11, ucla | X | - | X | - | X | - | X | - |
| | Piflufolastat f-18, diagnostic, 1 millicurie" | X | - | X | - | X | - | X | - |
| | Gallium ga-68 gozetotide, diagnostic, (illuccix), 1 millicurie | X | - | X | - | X | - | X | - |
| - | Pet, dx, for tumor id, noc | X | - | X | - | X | - | X | - |
| | Pet dx for non-tumor id, noc | X | - | X | - | X | - | X | - |
| - | Strontium-89 chloride | X | - | X | - | X | - | X | - |
| | Flortaucipir f 18 injection, diagnostic, 1 millicurie | X | - | X | - | X | - | X | - |
| | Fluorodopa f-18, diagnostic, per millicurie | Х | - | Х | - | Х | - | Х | - |
| | Inj, pafolacianine, 0.1 mg | Х | - | Х | - | Х | - | Х | <u> </u> |
| A9604 | Samarium sm-153 lexidronam, therapeutic, per treatment dose, up to 150 millicuries | Х | - | Х | - | Х | - | Х | - |
| | Flotufolastat f 18, diagnostic, 1 millicurie | Х | - | Х | - | - | - | - | - |
| A9609 | Fludeoxyglucose f18 up to 15 millicuries | Х | - | Х | - | - | - | - | - |
| A9697 | Inj, magtrace per study dose | X | - | Х | - | X | - | X | - |
| A9698 | Non-radioactive contrast imaging material, not otherwise classified, per study | X | • | Х | - | X | - | X | |
| A9699 | Supply of radiopharmaceutical therapeutic imaging agent, not otherwise classified | X | • | Х | - | X | - | X | |
| A9700 | Echocardiography contrast | Х | - | Х | - | X | - | X | - |
| | Gallium ga-68 gozetotide, diagnostic, (locametz), 1 millicurie | Х | - | Х | - | X | - | X | - |
| A9900 | Supply/accessory/service | Х | - | Х | - | X | - | X | - |
| A9901 | Delivery/set up/dispensing | X | - | Х | - | X | - | X | - |
| A9999 | Miscellaneous dme supply or accessory, not otherwise specified | X | • | Х | - | X | - | X | - |
| B4083 | Enteral stomach tube levine | X | • | Х | - | X | - | X | - |
| | Food thickener, administered orally, per ounce | - | - | - | - | Х | - | Х | - |
| B4102 | Ef adult fluids and electro | Х | - | Х | - | Х | - | Х | - |
| | Ef ped fluid and electrolyte | Х | - | Х | - | Х | - | Х | - |
| B4104 | Additive for enteral formula | Х | - | Х | - | Х | - | Х | - |
| B4105 | In-line cartridge containing digestive enzyme(s) for enteral feeding, each | Х | - | Х | - | Х | - | Х | - |
| | Ef ped complete intact nut | - | - | - | - | Х | - | Х | - |
| B4159 | Ef ped complete soy based | - | - | - | - | Х | - | Х | - |
| B4160 | Ef ped caloric dense>/=0.7kc | - | - | - | - | Х | - | Х | - |
| B4161 | Ef ped hydrolyzed/amino acid | - | - | - | - | Х | - | Х | - |
| B4162 | Ef ped specmetabolic inherit | - | - | - | - | Х | - | Х | - |
| B4187 | Omegaven, 10 grams lipids | Х | - | Х | - | Х | - | Х | - |
| B9004 | Parenteral infus pump portab | Х | - | Х | - | Х | - | Х | - |
| | Enteral supp not otherwise c | Х | - | Х | - | Х | - | Х | - |
| B9999 | Parenteral supp not othrws c | Х | - | Х | - | Х | - | Х | - |

^{*} These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



| | Ticaldi | Trad | itional Medicaid | Tradi | tional Integrated | Non-Tradition | onal Medicaid | Non-Tradition | nal Integrated |
|-------------|--|----------------------------|--|-----------------------|--|---------------|---------------------------------|---------------|-----------------------------------|
| Codes | Description | Not | Preauthorization | Not | Preauthorization | Not Covered | Preauthorization | Not Covered | Preauthorization |
| Disclaimer: | Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, the | Covered se coding lists | Required do not reflect information | Covered regarding imm | Required nunizations, injectable drugs | | Required ations and should be d | | Required by link option within |
| the website | | , | | | 1 | • | 1 | | |
| | The most action against a pro- | X | - | X | - | Х | - | X | - |
| C1062 | Intravertebral fx aug impl | Х | - | Х | - | Х | - | Х | - |
| C1602 | Orthopedic/device/drug matrix/absorbable bone void filler, antimicrobial-eluting (implantable) | Х | - | Х | - | - | - | - | - |
| C1604 | Graft, transmural transvenous arterial bypass (implantable), with all delivery system components | Х | - | Х | - | - | - | - | - |
| C1734 | Orth/devic/drug bn/bn,tis/bn | Х | - | Х | - | Х | - | Х | - |
| | Catheter, infusion, inserted peripherally, centrally or midline (other than hemodialysis) | - | - | - | - | Х | - | х | - |
| C1760 | Closure device, vascular (implantable/ insertable) | - | Х | - | Х | - | Х | - | Х |
| C1782 | Morcellator | Х | - | Х | - | Х | - | Х | - |
| C1789 | Prothesis, breast (implantable) | - | Х | - | Х | - | Х | - | Х |
| C1813 | Prothesis, penile, inflatable | Х | - | Х | - | Х | - | Х | - |
| C1818 | Integrated keratoprosthesis | - | Х | - | Х | - | Х | - | Х |
| | Generator, ccm, implant | Х | - | Х | - | Х | - | Х | - |
| C1825 | | Х | - | Х | - | Х | - | Х | - |
| C1830 | Powered bone marrow biopsy needle | Х | - | Х | - | Х | - | Х | - |
| | Pressure sensor system, im | Х | - | Х | - | Х | _ | Х | - |
| | Iris prosthesis | Х | - | Х | - | Х | - | Х | - |
| | Lens, intraocular (telescopic) | Х | _ | Х | - | Х | - | Х | - |
| C1841 | Retinal prosthesis, includes all internal and external components; add-on | Х | - | Х | - | Х | _ | Х | - |
| | Retinal prosthesis | X | _ | X | - | X | - | X | - |
| C1886 | Catheter, extravascular tissue ablation, any modality (insertable) | X | - | X | - | X | _ | X | _ |
| | No implantable/insertable device used with device-intensive procedures | X | _ | X | _ | X | _ | X | _ |
| C1894 | Introducer/sheath, other than guiding, intracardiac, electrophysiological, non-laser | X | _ | X | - | X | _ | X | _ |
| C1982 | Cath, pressure, valve-occlu | X | - | X | - | X | _ | X | _ |
| C2596 | Probe, robotic, water-jet | X | _ | X | - | X | _ | X | _ |
| | Lung bx plug w/deliv sys | | Х | - | Х | - | Х | - | Х |
| C2616 | Brachytherapy seed, yttrium-90 | _ | X | - | X | - | X | _ | X |
| | Prothesis, penile, non-inflatable | _ | X | _ | X | - | X | _ | X |
| C2623 | Cath, translumin, drug-coat | Х | - | Х | - | Х | - | Х | |
| | | | X | - | X | - | X | - | X |
| C2637 | Brachytherapy source, ytterbium-169, per source | Х | - | Х | - | X | - | X | - |
| C2645 | Brachytherapy planar source, palladium-103, per square millimeter | X | - | X | _ | X | _ | X | _ |
| C5271 | Low cost skin substitute app | X | | X | - | X | - | X | |
| C5272 | Low cost skin substitute app | X | - | X | - | X | _ | X | - |
| C5273 | | X | - | X | - | X | - | X | - |
| | Low cost skin substitute app Low cost skin substitute app | X | - | X | - | X | | X | |
| C5274 | | X | | | | | - | | - |
| C5275 | | | - | X | - | X | | X | - |
| | 2011 COST SIMI SUBSTITUTE UPP | X | - | X | - | X | - | X | - |
| C5277 | Low cost skin substitute app | X | - | X | - | X | - | X | - |
| | | Х | - | Х | - | Х | - | Х | - |
| | Perq cvt&ls inj vert bodies | - | X | - | X | - | X | - | X |
| | Perq Is&cvt inj vert bodies | - | X | - | X | - | X | - | X |
| C7507 | Perq thor&lumb vert aug | - | Х | - | X | - | X | - | Х |

^{*} These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



| | | Trad | itional Medicaid | Tradi | tional Integrated | Non-Tradition | nal Medicaid | Non-Tradition | nal Integrated |
|----------------|---|----------------------------|-------------------------------------|--------------------------|-------------------|---------------|-----------------------------------|---------------|-----------------------------------|
| Codes | Description | Not | Preauthorization | Not | Preauthorization | Not Covered | Preauthorization | Not Covered | Preauthorization |
| Disclaimer: Pl | lease note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, the | Covered se coding lists | Required do not reflect information | Covered regarding imm | | | Required tions and should be d | | Required by link option within |
| C7508 D | Perq lumb&thor vert aug | _ | Х | Π. | Х | _ | Х | _ | Х |
| | Hopd mntl hlt, 15-29 min | X | ^ | - | | X | | - | |
| | Hopd mntl hlt, 30-60 min | X | - | | - | X | - | - | - |
| | Hopd mntl hit, so-oo mili | X | | | - | X | _ | | |
| | Group psychotherapy service for diagnosis, evaluation, or treatment of a mental health or | | | | _ | | _ | _ | |
| 1 | ubstance use disorder provided remotely by hospital staff who are licensed to provide mental | | | | | | | | |
| | nealth services under applicable state law(s), when the patient is in their home, and there is no | X | - | Х | - | - | - | - | - |
| | associated professional service | | | | | | | | |
| | Cad breast mri | Х | - | Х | _ | Х | _ | Х | _ |
| | (e129 xenon, diagnostic | X | _ | X | _ | X | _ | X | _ |
| | Flotufolastat f18, dia 1 mci | X | - | X | _ | X | _ | X | _ |
| | Human plasma firbrin sealant, vapor-heated, solvent-detergent (artiss), 2ml | X | | X | _ | X | _ | X | |
| | Dermal substitute, native, non-denatured collagen, fetal bovine origin (surgimend collagen | | | | _ | Λ | _ | ^ | |
| | natrix), per 0.5 square centi | Χ | - | Х | - | X | - | X | - |
| | Dermal substitute, native, non-denatured collagen, neonatal bovine origin (surgimend collagen | | | | | | | | |
| 1 1 | natrix), per 0.5 square ce | X | - | Х | - | X | - | X | - |
| | Collagen matrix nerve wrap (neuromend collagen nerve wrap), per 0.5 centimeter length | | | | | | | | |
| 03301 | Soliagen matrix herve wrap (heuromend collagen herve wrap), per 0.5 centimeter length | X | - | Х | - | X | - | X | - |
| C9362 P | Porous purified collagen matrix bone void filler (integra mozaik osteoconductive scaffold strip), | | | | | | | | |
| | per 0.5 cc | Х | - | Х | - | X | - | X | - |
| | ikin substitute, integra meshed bilayer wound matrix, per square centimeter | Х | _ | Х | _ | Х | _ | Х | _ |
| | Porcine impact, permacol, per square centimeter | X | | X | _ | X | _ | X | _ |
| | Jnclassified drugs or biologicals | | X | - | X | - | X | - | X |
| | iotalol hydrochloride iv | Х | - | Х | - | Х | - | Х | - |
| | Placement of endorectal intracavitary applicator for high intensity brachytherapy | X | - | X | _ | X | _ | X | _ |
| | Placement and removal (if performed) of applicator into therapy | X | _ | X | - | X | _ | X | _ |
| | nsertion of implants into the soft palate; minimum of three implants | X | - | X | _ | X | _ | X | _ |
| | Placement of interstitial device(s) for radiation therapy/surgery guidance (eg, fiducial markers, | | | | | | | | |
| 1 | dosimeter), for other | Х | - | Х | - | X | - | Х | - |
| | Non-ophthalmic fluorescent vascular angiography | Х | - | Х | - | Х | _ | Х | - |
| 1 | ocused ultrasound ablation/therapeutic intervention, other than uterine leiomyomata, with or | | | | | | | | |
| 1 | vithout magnetic resonance (mr) guidance | Х | - | Х | - | Х | - | X | - |
| | Slue light cysto imag agent | Х | _ | Х | - | Х | - | Х | - |
| | Cystourethroscopy, with insertion of transprostatic implant; 1 to 3 implants | Х | - | Х | - | Х | - | Х | - |
| | Cystourethroscopy, with insertion of transprostatic implant; 4 or more implants | Х | _ | Х | - | Х | - | Х | - |
| | Microwave bronch, 3d, ebus | - | Х | - | Х | - | Х | _ | Х |
| | ntraoperative near-infrared fluorescence lymphatic mapping of lymph node(s) (sentinel or | | | | | | | | |
| | umor draining) with administration of indocyanine green (icg) (list separately in addition to | Х | - | х | _ | Х | _ | х | - |
| | code for primary procedure) | | | | | | | | |
| | pine/lumbar disk surgery | Х | - | Х | - | Х | - | Х | - |
| | nteratrial shunt ide | X | - | X | - | X | - | X | - |
| | Transcath intraop microinf | X | - | X | - | X | - | X | - |
| | Non-blind interatrial shunt | Х | - | Х | - | Х | - | Х | - |
| | Cysto, litho, vacuum kidney | Х | _ | Х | - | Х | - | Х | - |
| C9761 C | ysto, iitno, vacuum kidney | | | | | | | | |

^{*} These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



| Processor Proc | 9 | ricaldi | Tradi | itional Medicaid | Tradi | tional Integrated | Non-Tradition | onal Medicaid | Non-Tradition | nal Integrated |
|--|-------------|--|----------------------------|--|--------------------------|-------------------|---------------|---------------|---------------|------------------|
| The content of the | Codes | Description | | | | | Not Covered | | Not Covered | Preauthorization |
| Incustors | Disclaimer: | Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated guarterly. Additionally, the | Covered se coding lists | Required do not reflect information | Covered regarding imm | | | | | |
| C9771 Mark prince yop post nasal tis | the website | | | T | | · - | 1 | T | | <u> </u> |
| September Sept | | | | - | | - | | - | | - |
| C9773 Revasc lithort-steht tillyper | | , , , | | | | | | | | |
| C9778 Revase lithoter-atter tulyper | | | | | | | | | | |
| C9776 Revase (ith-stern strit th/spec) | | | | | | | | - | | |
| 197922 Bind myocar tripl bon marrow | | | | | | | | - | | |
| C9783 Blind cor sinus reducer impl X | | | | | | | | | | |
| C9796 Endo sleeve gastro w/fube | | | | | | | | | | |
| C9786 End outlet restrict w/tube | | | | | | | | | | |
| C9786 Etho cad for If preserved ef | | | | | | | | | | |
| C9786 Universe proags simult pt sx X | | | | | | | | | | |
| C9780 Unit breas optoacoustic limag | | | | | | | | | | |
| C9790 Idiney histotripsy w/mage | | | | | | | | | | |
| C9791 Mrl hyperpolarized xenon129 | | | | | | | | | | |
| C9892 Bind/Inonblind trans strial | | | | | | | | | | |
| Implanted prosthetic device, payable only for inpatients who do not have inpatient coverage X | | 71 | | | | | | | | |
| D0120 Periodic oral examination | | ., | Х | - | Х | - | Х | - | X | - |
| D0145 Oral evaluation for a patient under three years of age and counseling with primary caregiver | C9899 | Implanted prosthetic device, payable only for inpatients who do not have inpatient coverage | Х | - | Х | - | Х | - | Х | - |
| D0150 Comprehensive oral evaluation X | | | Χ | - | Х | - | X | - | X | - |
| D0160 Detailed and extensive oral evaluation - problem-focused, by report | D0145 | Oral evaluation for a patient under three years of age and counseling with primary caregiver | Х | - | Х | - | Х | - | Х | - |
| D0160 Detailed and extensive oral evaluation - problem-focused, by report X | D0150 | Comprehensive oral evaluation | Х | - | Х | - | Х | - | X | - |
| D0170 Re-evaluation - limited problem focused (established patient; not post-operative visit) X | | | Х | - | Х | - | Х | - | Х | - |
| D0180 Comprehensive periodontal evaluation - new or established patient X | | | Х | - | Х | - | Х | - | х | - |
| D0180 Comprehensive periodontal evaluation - new or established patient | D0171 | Re-evaluation- post operative office visit | Х | - | Х | - | Х | - | Х | - |
| D0190 A screening, including state or federally mandated screening, to determine an individual's need to be seen by a dentist D0191 A limited clinical inspection that is performed to identify possible signs of oral or systemic disease, malformation, or injury, and the potential need for referral for diagno | | | Х | - | Х | - | Х | - | | - |
| D0191 A limited clinical inspection that is performed to identify possible signs of oral or systemic disease, malformation, or injury, and the potential need for referral for diagno | | A screening, including state or federally mandated screening, to determine an individual's need | Х | - | Х | - | Х | - | Х | - |
| D0220 Intraoral- periapical first radiographic image - X | D0191 | A limited clinical inspection that is performed to identify possible signs of oral or systemic | Х | - | Х | - | Х | - | х | - |
| D0220Intraoral- periapical first radiographic image-XXXXD0230Intraoral- periapical each additional radiographic image-XXX-XD0240Intraoral- occlusal radiographic imageX-X-X-X-X-D0250Extra-oral 2d projection radiographic image created using a stationary radiation source, and detectorX-X-X-X-X-D0251Extra-oral posterior dental radiographic imageX-X-X-X-X-D0270Bitewing- single radiographic imageX-X-X-X-X-D0272Bitewings- two radiographic imagesX-X-X-X-X-D0273Bitewings- three radiographic imagesX-X-X-X-X-D0274Bitewings- four radiographic imagesX-X-X-X-X-X-X-D0277Vertical bitewings- 7 to 8 radiographic imagesX-X-X-X-X-X-X-X-X-X-X-X-X-X-X-X-X | D0210 | Intraoral- complete series of radiographic images | Х | - | Х | - | Х | - | Х | - |
| D0230 Intraoral- periapical each additional radiographic image Columbia Columbia | | | - | Х | | - | | Х | - | Х |
| D0240 Intraoral- occlusal radiographic image X | | | - | | | - | - | | - | |
| D0250 Extra-oral 2d projection radiographic image created using a stationary radiation source, and detector X | D0240 | | Х | | | - | Х | | Х | |
| D0251 Extra-oral posterior dental radiographic image X | | | | | | | | | | |
| D0251Extra-oral posterior dental radiographic imageX-X-X-X-D0270Bitewing- single radiographic imageX-X-X-X-D0272Bitewings- two radiographic imagesX-X-X-X-D0273Bitewings- three radiographic imagesX-X-X-X-D0274Bitewings- four radiographic imagesX-X-X-X-D0277Vertical bitewings- 7 to 8 radiographic imagesX-X-X-X- | | | X | - | X | - | X | - | X | - |
| D0270 Bitewing- single radiographic image X - X | D0251 | | Х | - | Х | - | Х | - | Х | - |
| D0272 Bitewings- two radiographic images X - X | | | | - | | - | | - | | - |
| D0273 Bitewings- three radiographic images X - X | | | | - | | - | | - | | - |
| D0274 Bitewings- four radiographic images X - X | D0273 | | | - | | - | | - | | - |
| D0277 Vertical bitewings- 7 to 8 radiographic images X - X - X - | | | | - | | - | | - | | - |
| | | | | | | | | - | | - |
| | | | X | - | X | - | X | - | X | - |

^{*} These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



| ⋄ | nealti | Trad | itional Medicaid | Tradi | tional Integrated | Non-Traditio | onal Medicaid | Non-Traditio | nal Integrated |
|-------------|--|-----------------------------|--|-----------------------|--|--------------|-------------------------------------|--------------|-----------------------------------|
| Codes | Description | Not | Preauthorization | Not | Preauthorization | Not Covered | Preauthorization | Not Covered | Preauthorization |
| Disclaimer: | Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, the | Covered ese coding lists | Required do not reflect information | Covered regarding imm | Required unizations, injectable drugs | | Required ations and should be di | | Required by link option within |
| the website | | | | | | | | 1 | ., |
| D0320 | Temporomandibular joint arthrogram, including injection | Х | - | Х | - | Х | - | Х | - |
| | Other temporomandibular joint radiographic images, by report | Х | - | Х | - | Х | - | Х | - |
| | Tomographic survey | Х | - | Х | - | Х | - | Х | - |
| | Panoramic radiographic image | - | X | - | X | X | - | X | - |
| | 2d cephalometric radiographic image-acquisition, measurement and analysis | X | - | X | - | X | - | X | - |
| | 2d oral/facial photographic image obtained intra-orally or extra-orally | X | - | X | - | X | - | X | - |
| | 3d photographic image | Х | - | Х | - | Х | - | Х | - |
| D0364 | Cone beam ct capture and interpretation with limited field of view-less than one whole jaw | Х | - | Х | - | Х | - | Х | - |
| D0365 | Cone beam ct capture and interpretation with field of view of one dental arch-mandible | Х | - | Х | - | Х | - | Х | - |
| | Cone beam ct capture and interpretation with field of view of one full dental arch-maxilla, with or without cranium | Х | - | Х | - | Х | - | х | - |
| D0367 | Cone beam ct capture and interpretation with field of view of both jaws, with or without cranium | Х | - | Х | - | X | - | X | - |
| D0368 | Cone beam ct capture and interpretation for tmj series including two or more exposures | Х | - | Х | - | Х | - | х | - |
| D0369 | Maxillofacial mri capture and interpretation | Х | - | Х | - | Х | - | Х | - |
| D0370 | Maxillofacial ultrasound capture and interpretation | Х | - | Х | - | Х | - | Х | - |
| D0371 | Sialoendoscopy capture and interpretation | Х | - | Х | - | Х | - | Х | - |
| D0372 | Intraoral tomosynthesis - comprehensive seris of radiographic images | Х | - | Х | - | Х | - | Х | - |
| D0373 | Intraoral tomosynthesis - bitewing radiographic image | Х | • | X | ī | X | - | Х | - |
| D0374 | Intraoral tomosynthesis - periapical radiographic image | Х | • | X | - | X | - | X | - |
| D0380 | Cone beam ct image capture with limited field of view-less than one whole jaw | Х | - | Х | - | X | - | X | - |
| D0381 | Cone beam ct image capture with field of view of one full dental arch-mandilbe | Х | - | Х | - | X | - | X | - |
| D0382 | Cone beam ct image capture with field of view of one full dental arch-maxilla, with or without cranium | Х | - | х | - | Х | - | Х | - |
| D0383 | Cone beam ct image capture with field of view of both jaws, with or without cranium | Х | - | Х | - | Х | - | х | - |
| D0384 | Cone beam ct image capture for tmj series including two or more exposures | Х | - | Х | - | Х | - | Х | - |
| | Maxillofacial mri image capture | Х | - | Х | - | Х | - | Х | - |
| | Maxillofacial ultrasound image capture | Х | - | Х | - | Х | - | Х | - |
| | Intraoral tomosynthesis - comprehensive seris of rediographic images - image capture only | Х | - | Х | - | Х | - | х | |
| D0388 | Intraoral tomosynthesis - bitewing radiographic image - image capture only | Х | _ | Х | - | Х | - | Х | |
| | Intraoral tomosynthesis - periapical radiographic image- image capture only | X | - | X | - | X | - | X | |
| | Interpretation of diagnostic image by a practitioner not associated with capture of the image, including report | Х | - | Х | - | X | - | х | - |
| D0393 | Treatment simulation using 3d image volume | Х | - | Х | - | Х | - | Х | - |
| | Digital subtraction of two or more images or image volumes of the same modality | X | _ | X | - | X | - | X | - |
| | Fusion of two or more 3d image volumes of one or more modalities | X | _ | X | - | X | - | X | - |
| | 3D printing of a 3D dental surface scan to obtain a physical model. | X | - | X | - | X | - | X | - |
| | Hba1c in-office point of service testing | X | - | X | - | X | - | X | - |
| | Blood glucose level test-in-office using a glucose meter | Х | - | Х | - | Х | - | Х | - |

^{*} These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



| G | nealti | Trad | litional Medicaid | Tradi | tional Integrated | Non-Tradition | onal Medicaid | Non-Traditio | nal Integrated |
|------------|--|----------------------------|---------------------------------------|--------------------------|--|------------------------|----------------------------------|------------------------|-----------------------------------|
| Codes | Description | Not | Preauthorization | Not | Preauthorization | Not Covered | Preauthorization | Not Covered | Preauthorization |
| Disclaimer | Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, the | Covered se coding lists | Required s do not reflect information | Covered regarding imm | Required unizations, injectable drugs | s, or specialty medica | Required ations and should be of | directed to the Pharma | Required by link option within |
| D0414 | Laboratory processing of microbial specimen to include culture and sensitivity studies, | | 1 | 1 | | | | 1 | |
| DOTIT | preparation and transmission of written report | Х | - | X | - | X | - | Х | - |
| D0415 | Bacteriologic studies for determination of pathologic agents | Х | _ | Х | _ | Х | _ | Х | _ |
| | Viral culture | X | - | X | | X | | X | _ |
| | Collection and preparation of saliva sample for laboratory diagnostic testing | X | _ | X | _ | X | _ | X | _ |
| | Analysis of saliva sample | X | - | X | - | X | _ | X | - |
| D0419 | · | X | _ | X | _ | X | _ | X | _ |
| | Collection and preparation of genetic sample material for laboratory analysis and report | | | | | | | | |
| | concerton and preparation of genetic sample material for laboratory analysis and report | Х | - | Х | - | X | - | X | - |
| D0423 | Genetic test for susceptibility to diseases- specimen analysis | Х | - | Х | - | Х | - | Х | - |
| | Caries susceptibility tests | Х | - | Х | - | Х | - | Х | - |
| D0431 | Diag tst detect mucos abnorm | Х | - | Х | - | Х | - | Х | - |
| | Pulp vitality tests | Х | - | Х | - | Х | - | Х | - |
| | Diagnostic casts | Х | - | Х | - | Х | - | Х | - |
| | Accession of tissue gross examination prep/transmission of written report | Х | - | Х | - | Х | - | Х | - |
| | Accession of tissue gross and microscopic examination prep/trans of report | Х | - | Х | - | Х | - | Х | - |
| | Accession of tissue gross/micro exam assess of surg margins for presence of disease prep/trans | ., | | ., | | | | | |
| | of report | Х | - | X | - | Х | - | Х | - |
| D0475 | Decalcification procedure | Х | - | Х | - | Х | - | Х | - |
| D0476 | | Х | - | Х | - | Х | - | Х | - |
| D0477 | Spec stains not for microorg | Х | - | Х | - | Х | - | Х | - |
| D0478 | Immunohistochemical stains | Х | - | Х | - | Х | - | Х | - |
| D0479 | Tissue in-situ hybridization | Х | - | Х | - | Х | - | Х | - |
| D0480 | Processing and interpretation of cytologic smears incl the prep/trans of written report | Х | - | Х | - | х | - | Х | - |
| D0481 | Electron microscopy | Х | - | Х | - | Х | - | Х | - |
| | Direct immunofluorescence | Х | - | Х | - | Х | - | Х | - |
| | Indirect immunofluorescence | Х | - | Х | - | Х | _ | Х | - |
| D0484 | Consult slides prep elsewher | Х | - | Х | - | Х | - | Х | - |
| D0485 | Consult inc prep of slides | Х | - | Х | - | Х | - | Х | - |
| D0486 | Laboratory accession of transepithelial cytologic sample, microscopic examination preparation | | | 1 | | ., | | ,, | |
| | and transmission of written report | Х | - | X | - | Х | - | X | - |
| D0502 | Other oral pathology procedures, by report | Х | - | Х | - | Х | - | Х | - |
| | Non-ionizing diagnostic procedure capable of quantifying, monitoring, and recording changes in | Х | | V | | V | | V | |
| | structure of enamel, dentin, and cementum | | - | X | - | Х | - | X | - |
| D0601 | Caries risk assessment and documentation, with a finding of low risk | Х | - | Х | - | Х | - | Х | - |
| | Caries risk assessment and documentation, with a finding of moderate risk | Х | - | Х | - | Х | - | Х | - |
| D0603 | Caries risk assessment and documentation, with a finding of high risk | Х | - | Х | - | Х | - | Х | - |
| D0604 | Antigen testing for a public health related pathogen, including coronavirus | Х | - | Х | - | Х | - | Х | - |
| D0605 | Antibody testing for a public health related pathogen, including coronavirus | Х | - | Х | - | Х | - | Х | - |
| D0606 | Molecular testing for a public health related pathogen, including coronavirus | Х | - | Х | - | Х | - | Х | - |
| D0636 | Cone beam - three-dimensional image reconstruction using existing data, includes multiple | | | ., | | v | | v | |
| | images | Х | - | X | - | Х | - | X | - |
| D0701 | Panoramic radiographic image – image capture only | Х | - | Х | - | Х | - | Х | - |
| | 2-d cephalometric radiographic image – image capture only | Х | - | Х | - | Х | - | Х | - |

^{*} These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



| 9 | | Trad | itional Medicaid | Tradit | tional Integrated | Non-Tradition | onal Medicaid | Non-Tradition | nal Integrated |
|-------------|--|----------------------------|--|--------------------------|-------------------|---------------|---------------------------------|---------------|-----------------------------------|
| Codes | Description | Not | Preauthorization | Not | Preauthorization | Not Covered | Preauthorization | Not Covered | Preauthorization |
| Disclaimer: | Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, the | Covered se coding lists | Required do not reflect information | Covered regarding imm | | | Required ations and should be d | | Required by link option within |
| the website | | - I | ī | | · - | T | T | 1 | |
| D0703 | 2-d oral/facial photographic image obtained intra-orally or extra-orally – image capture only | Х | - | Х | - | Х | - | X | - |
| D0704 | 3-d photographic image – image capture only | Х | - | Х | - | Х | - | Х | - |
| D0705 | Extra-oral posterior dental radiographic image – image capture only | Х | - | Х | - | Х | - | Х | - |
| D0706 | Intraoral – occlusal radiographic image – image capture only | Х | - | Х | - | Х | - | Х | - |
| D0707 | Intraoral – periapical radiographic image – image capture only | Х | - | Х | - | Х | - | Х | - |
| D0708 | Intraoral – bitewing radiographic image – image capture only | Х | - | Х | - | Х | - | Х | - |
| D0709 | Intraoral – complete series of radiographic images – image capture only | Х | - | Х | - | Х | - | X | - |
| D0999 | Unspecified diagnostic procedure, by report | Х | - | Х | - | Х | - | X | - |
| | Prophylaxis-adult | Х | - | Х | - | Х | - | Х | - |
| D1120 | Prophylaxis-child | Х | - | Х | - | Х | - | Х | - |
| D1206 | Topical application of fluoride varnish | Х | - | Х | - | Х | - | Х | - |
| D1208 | Topical application of fluoride- excluding varnish | Х | - | Х | - | Х | - | Х | • |
| | A review of a patient's vaccine and medical history, and discussion of the vaccine benefits, risks, | | | | | | | | |
| | and consequences of not obtaining the vaccine. Counseling also includes a discussion of | Х | | | | Х | | X | |
| | questions and concerns the patient, family, or caregiver may have and suggestions on where | ^ | - | X | - | ^ | - | ^ | - |
| | the patient can obtain the vaccine. | | | | | | | | |
| D1310 | Nutritional counseling for the control of dental disease | Х | - | Х | - | Х | - | Х | - |
| | Tobacco counseling for the control and prevention of oral disease | Х | - | Х | - | Х | - | Х | - |
| D1321 | Counseling for the control and prevention of adverse oral, behavioral, and systemic health | V | | V | | V | | V | |
| | effects associated with high-risk substance use | Х | - | X | - | Х | - | Х | - |
| D1330 | Oral hygiene instruction | Х | - | Х | - | Х | - | Х | - |
| D1351 | Sealant-per tooth | Х | - | Х | - | Х | - | X | - |
| D1352 | Prev resin rest, perm tooth | Х | - | Х | - | Х | - | X | - |
| D1353 | Sealant repair- per tooth | Х | - | Х | - | Х | - | Х | - |
| D1354 | Interim caries arresting medicament application-per tooth | Х | - | Х | - | Х | - | Х | - |
| | Caries preventive medicament application – per tooth | Х | - | Х | - | Х | - | X | - |
| D1510 | Space maintainer-fixed unilateral | Х | - | Х | - | Х | - | X | - |
| D1516 | Space maintainer-fixed-bilateral, maxillary | Х | - | Х | - | Х | - | X | - |
| D1517 | Space maintainer-fixed-bilateral, mandibular | Х | - | Х | - | Х | - | X | - |
| D1520 | Space maintainer-removable unilateral | Х | - | Х | - | Х | - | X | - |
| D1526 | Space maintainer -removable-bilateral, maxillary | Х | - | Х | - | Х | - | X | - |
| D1527 | Space maintainer -removable-bilateral, mandibular | Х | - | X | - | Х | - | X | |
| | Re-cement or re-bond bilateral space maintainer-maxillary | X | - | X | - | Х | - | X | ı |
| D1552 | Re-cement or re-bond bilateral space maintainer-mandibular | Х | - | Х | - | Х | - | Х | - |
| D1553 | Re-cement or re-bond unilateral space maintainer-per quadrant | Х | - | Х | - | Х | - | Х | - |
| D1556 | Removal of fixed unilateral space maintainer- per quadrant | Х | - | Х | - | Х | - | Х | - |
| D1557 | Removal of fixed bilateral space maintainer- maxillary | Х | - | Х | - | Х | - | Х | - |
| | Removal of fixed bilateral space maintainer- mandibular | Х | - | Х | - | Х | - | X | |
| D1575 | Distal shoe space maintainer-fixed-unilateral | X | - | X | - | Х | - | X | |
| D1701 | Sarscov2 covid-19 vac mrna 30mcg/0.3ml im dose 1 | X | - | X | - | Х | - | X | - |
| D1702 | Sarscov2 covid-19 vac mrna 30mcg/0.3ml im dose 2 | X | - | X | - | Х | - | X | |
| D1703 | Sarscov2 covid-19 vac mrna 100mcg/0.5ml im dose 1 | X | - | X | - | Х | - | X | |
| D1704 | Sarscov2 covid-19 vac mrna 100mcg/0.5ml im dose 2 | Х | - | Х | - | Х | - | Х | - |
| D1705 | Sarscov2 covid-19 vac rs-chadox1 5x1010 vp/.5ml im dose 1 | Х | - | Х | - | Х | - | X | - |

^{*} These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



| | Ticaldi | Tradi | itional Medicaid | Tradi | tional Integrated | Non-Traditio | onal Medicaid | Non-Tradition | nal Integrated |
|-------------|--|----------------------------|--|--------------------------|--|--------------|-----------------------------------|---------------|-----------------------------------|
| Codes | Description | Not | Preauthorization | Not | Preauthorization | Not Covered | Preauthorization | Not Covered | Preauthorization |
| Disclaimer | Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, the | Covered se coding lists | Required do not reflect information | Covered regarding imm | Required nunizations, injectable drugs | | Required tions and should be d | | Required by link option within |
| the website | | | | 1 | 1 | | Т | | |
| | Sarscov2 covid-19 vac rs-chadox1 5x1010 vp/.5ml im dose 2 | X | - | Х | - | X | - | X | - |
| D1707 | Sarscov2 covid-19 vac ad26 5x1010 vp/.5ml im single dose | X | - | X | - | X | - | X | - |
| D1708 | Sarscov2 covid-19 vac mrna 30mcg/0.3ml im dose 3 | X | - | Х | - | X | - | X | - |
| D1709 | 54136671 56714 13 746711114 561116B/ 615111 1111 4656 566566 | Х | - | X | - | X | - | X | - |
| | Sarscov2 covid-19 vac mrna 100mcg/0.5ml im dose 3 | X | - | X | - | X | - | X | - |
| | Sarscov2 covid-19 vac mrna 100mcg/0.5ml im dose booster | X | - | X | - | X | - | X | - |
| D1712 | Sarscov2 covid-19 vac ad26 5x1010 vp/.5ml im dose booster | Х | - | X | - | X | - | X | - |
| D1713 | Sarscov2 covid-19 vac mrna 10mcg/0.2ml tris-sucrose im dose 1 | Х | - | X | - | X | - | X | - |
| D1714 | Sarscov2 covid-19 vac mrna 10mcg/0.2ml tris-sucrose im dose 2 | Х | - | X | - | X | - | X | - |
| | Vaccine administration - human papillomavisrus - dose 1 | Х | - | Х | - | Х | - | Х | - |
| | Vaccine administration - human papillomavisrus - dose 2 | Х | - | Х | - | Х | - | Х | - |
| D1783 | Vaccine administration - human papillomavisrus - dose 3 | Х | - | Х | - | X | - | X | - |
| D1999 | Unspecified preventive procedure, by report | X | - | X | - | X | - | X | - |
| D2140 | | Х | - | Х | - | Х | - | Х | - |
| D2150 | A strange of the same deep permanent | Х | - | Х | - | Х | - | Х | - |
| D2160 | A time Barri time e sarraces, permanent | Х | - | Х | - | Х | - | Х | - |
| D2161 | Amalgam-fouror more surfaces, permanent | Х | | Х | - | Х | - | Х | - |
| | Resin-one surface, anterior | Х | | Х | - | Х | - | Х | - |
| | Resin-two surfaces, anterior | Х | - | Х | - | Х | - | Х | - |
| D2332 | • | Х | - | Х | - | Х | - | Х | - |
| D2335 | Resin-fouror more surfacesor involving incisal angle (anterior) | Х | | Х | - | Х | - | Х | - |
| D2390 | Resin-based composite crown, anterior | Х | | Х | - | Х | - | Х | - |
| D2391 | Resin-based composite - one surface, posterior | Х | - | X | - | Х | - | Х | - |
| | Resin-based composite - two surfaces, posterior | Х | - | X | - | Х | - | Х | - |
| D2393 | Resin-based composite - three surfaces, posterior | Х | - | Х | - | Х | - | Х | - |
| D2394 | Resin-based composite - four or more surfaces, posterior | Х | | Х | - | Х | - | Х | - |
| | Gold foil-one surface | Х | - | X | - | Х | - | Х | - |
| D2420 | Gold foil-two surfaces | Х | - | X | - | Х | - | Х | - |
| D2430 | Gold foil-three surfaces | Х | - | Х | - | Х | - | Х | - |
| | Inlay-metallic-one surface | Х | - | X | - | X | - | X | - |
| D2520 | Inlay-metallic-two surfaces | Х | - | Х | - | Х | - | Х | - |
| | Inlay-metallic-three surfaces | Х | - | Х | - | Х | - | Х | - |
| D2542 | Onlay - metallic - two surfaces | Х | - | Х | - | Х | - | Х | - |
| D2543 | emay meaning amore surfaces | Х | - | Х | - | Х | - | Х | - |
| D2544 | Onlay - metallic - four or more surfaces | Χ | - | Х | - | Χ | - | X | - |
| | Inlay-porcelain/ceramic-one surface | X | - | Х | - | X | - | X | - |
| D2620 | Inlay-porcelain/ceramic-two surfaces | X | - | Х | - | X | - | X | - |
| | Inlay-porcelain/ceramic-three surfaces | X | - | Х | - | X | - | X | - |
| D2642 | Onlay - porcelain/ceramic - two surfaces | Χ | - | Х | - | Χ | - | X | - |
| | Onlay - porcelain/ceramic - three surfaces | X | - | Х | - | X | - | X | - |
| D2644 | Onlay - porcelain/ceramic - four or more surfaces | X | - | Х | - | X | - | X | - |
| D2650 | Inlay-composite/resin-one surface (laboratory processed) | X | - | Х | - | X | - | X | - |
| D2651 | Inlay-composite/resin-two surfaces (laboratory processed) | Χ | - | Х | - | Χ | - | X | - |
| D2652 | Inlay-composite/resin-three surfaces (laboratory processed) | Х | i | X | - | X | - | X | - |
| D2662 | Onlay - composite/resin - two surfaces (laboratory processed) | Χ | - | X | - | Х | - | Х | - |

^{*} These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



| ~ | nealth | Trad | litional Medicaid | Tradi | tional Integrated | Non-Traditio | onal Medicaid | Non-Tradition | nal Integrated |
|-------------|--|-------------------------------|--|-----------------------|--|--------------|------------------|---------------|-----------------------------------|
| Codes | Description | Not | Preauthorization | Not | Preauthorization | Not Covered | Preauthorization | | Preauthorization |
| Disclaimer | Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, | Covered these coding lists | Required s do not reflect information | Covered regarding imm | Required nunizations, injectable drugs | | Required | | Required by link option within |
| the website | 3. | | | | T | ı | | | |
| | Onlay - composite/resin - three surfaces (laboratory processed) | X | - | X | - | X | - | X | - |
| D2664 | omay composite, team of more surfaces (laboratery processed) | X | - | X | - | X | - | X | - |
| | Crown resin (laboratory) | X | - | X | - | X | - | X | - |
| | Crown 3/4 resin-based compos | X | - | X | - | X | - | X | - |
| D2720 | | X | - | X | - | X | - | X | |
| | Crown-resin with predominantly base metal | X | - | X | - | X | - | X | - |
| | Crown-resin with noble metal | X | - | X | - | X | - | X | - |
| | Crown-porcelain/ceramic | Х | - | Х | - | Х | - | Х | - |
| D2750 | erenn perceiam rasea te mg. meste | Х | - | Х | - | Х | - | Х | - |
| | Crown-procelain fused to predominantly base metal | - | X | - | X | Х | - | Х | - |
| | Crown-porcelain fused to noble metal | Х | - | Х | - | Х | - | Х | - |
| | Crown-porcelain fused to titanium and titanium alloys | Х | - | Х | - | Х | - | Х | - |
| D2780 | the state of the s | Х | - | Х | - | Х | - | Х | - |
| D2781 | Crown - 3/4 cast predominately base metal | Х | - | Х | - | Х | - | Х | - |
| D2782 | | X | - | X | - | X | - | Х | - |
| D2783 | | X | - | X | - | X | - | Х | - |
| D2790 | | X | - | Х | - | X | - | X | - |
| | Crown-full cast predominantly base metal | X | - | Х | - | X | - | X | - |
| | Crown-full cast noble metal | X | - | Х | - | Х | - | X | - |
| | Crown-titanium | X | - | Х | - | X | - | X | - |
| D2799 | Provisional crown- further treatment or completion of diagnosis necessary prior to final | X | | X | | Х | | Х | 1 |
| | impression | ^ | - | ^ | - | ^ | - | ^ | i - I |
| D2910 | Re-cement or re-bond inlay, onlay, veneer or partial coverage restoration | X | - | Х | - | Х | - | X | - |
| | Re-cement or re-bond indirectly fabricated or prefabricated post and core | Х | - | Х | - | Х | - | Х | - |
| D2920 | Re-cement or re-bond crown | Х | - | Х | - | Х | - | Х | - |
| D2921 | Reattachment of tooth fragment, incisal edge or cusp | Х | - | Х | - | Х | - | Х | - |
| D2928 | Prefabricated porcelain/ceramic crown – permanent tooth | Х | - | Х | - | Х | - | Х | - |
| D2929 | Prefabricated porcelain/ceramic crown- primary tooth | Х | - | Х | - | Х | - | Х | - |
| D2930 | Prefabricated stainless steel crown-primary tooth | Х | - | Х | - | Х | - | Х | - |
| | Prefabricated stainless steel crown-permanent tooth | Х | - | Х | - | Х | - | Х | - |
| | Prefabricated resin crown | Х | - | Х | - | Х | - | Х | - |
| | Prefabricated stainless steel crown with resin window | Х | - | Х | - | Х | - | Х | - |
| | Prefab steel crown primary | Х | - | Х | - | Х | - | Х | - |
| | Protective restoration | Х | - | Х | - | Х | - | Х | - |
| | Interim therapeutic restoration- primary dentition | Х | - | Х | - | Х | - | Х | - |
| | Restorative foundation for an indirect restoration | Х | - | Х | - | Х | - | Х | - |
| D2950 | Core buildup, including any pins when required | Х | - | Х | - | Х | - | Х | - |
| | Pin retention-per tooth, in addition to restoration | Х | - | Х | - | Х | - | Х | - |
| | Cast post and core in addition to crown | X | - | X | - | X | - | X | - |
| D2953 | Each additional cast post - same tooth | Х | - | Х | - | Х | - | Х | - |
| | Prefabricated post and core in addition to crown | X | - | X | - | X | - | X | - |
| | Post removal | X | - | X | - | X | - | X | - |
| | Each additional prefabricated post - same tooth | X | - | X | - | X | _ | X | - |
| | Labial veneer (laminate)-chairside | X | - | X | - | X | _ | X | _ |
| | Labial veneer (resin laminate)-laboratory | X | - | X | - | X | _ | X | _ |
| 22001 | Passial verteer (resimilation laboratory | | 1 | _ ^ | l | | l | | |

^{*} These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



| | nealti | Trad | itional Medicaid | Tradi | tional Integrated | Non-Traditio | onal Medicaid | Non-Tradition | nal Integrated |
|-------------|--|-----------------------------|--|-----------------------|---------------------------------------|--------------|------------------------------------|---------------|-----------------------------------|
| Codes | Description | Not | Preauthorization | Not | Preauthorization | Not Covered | Preauthorization | | Preauthorization |
| Disclaimer | Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, the | Covered ese coding lists | Required do not reflect information | Covered regarding imm | Required unizations, injectable drugs | | Required ations and should be d | | Required ty link option within |
| the website | 3. | T X | T | 1 | T | | 1 | T | , , |
| | Labial veneer (porcelain laminate)-laboratory | X | - | X | - | X | - | X | - |
| D2971 | Add proc construct new crown Coping | X | - | X | - | | - | | - |
| | | ^ | - | Α | - | Х | - | Х | - |
| D2976 | A band, typically cemented around a molar tooth after a multi-surface restoration is placed, to | V | | | | | | V | |
| | add support and resistance to fracture until a patient is ready for the full cuspal coverage | Х | - | X | - | Х | - | Х | - |
| D2000 | restoration. | V | | | | | | V | |
| | Crown repair necessitated by restorative material failure | X | - | X | - | X | - | X | - |
| | Inlay repair necessitated by restorative material failure | X | - | X | - | X | - | X | - |
| D2982 | | X | - | X | - | Х | - | X | - |
| | Veneer repair necessitated by restorative material failure | Х | - | Х | - | Х | - | Х | - |
| | Excavation of a tooth resulting in the determination of non-restorability | Х | - | Х | - | Х | - | Х | - |
| D2990 | Placement of an infiltration resin restoration for strengthening, stabilizing, and/or limiting the | X | _ | Х | _ | X | _ | X | _ |
| | progression of the lesion | , | | , , | | | | | |
| D2991 | Preparation of tooth surfaces and topical application of a scaffold to guide hydroxyapatite | X | _ | Х | _ | Х | _ | X | _ |
| | regeneration. | | | | | | | | |
| | Unspecified restorative procedure, by report | Х | - | X | - | Х | - | Х | - |
| D3110 | Pulp cap-direct (excluding final restoration) | Х | - | Х | - | X | - | X | - |
| | Pulp cap-indirect (excluding final restoration) | Х | - | Х | - | X | - | X | - |
| | Therapeutic pulpotomy (excluding final restoration) | Х | - | Х | - | X | - | X | - |
| | Gross pulpal debridement primary and permanent teeth | Х | - | X | - | X | - | X | - |
| D3222 | Partial pulpotomy for apexogenesis - permanent tooth with incomplete root development | X | _ | X | _ | Х | | Х | _ |
| | | ^ | - | ^ | - | ^ | - | ^ | - |
| D3230 | Pulpal therapy (resorbable filling) - anterior, primary tooth (exclud | Х | - | X | - | Х | - | Х | - |
| D3240 | Pulpal therapy (resorbable filling) - posterior, primary tooth (exclu | Х | - | Х | - | Х | - | Х | - |
| D3310 | Anterior (excluding final restoration) | Х | - | Х | - | Х | - | Х | - |
| D3320 | Endodontic therapy, premolar tooth (excluding final restoration) | Х | - | Х | - | Х | - | Х | - |
| | Endodontic therapy, molar tooth (excluding final restoration) | Х | - | Х | - | Х | - | Х | - |
| | Treatment of root canal obstruction; non-surgical access | Х | - | Х | - | Х | - | Х | - |
| D3332 | | Х | - | Х | - | Х | - | Х | - |
| D3333 | Internal root repair of perforation defects | Х | - | Х | - | Х | - | Х | - |
| | Retreatment-anterior, by report | Х | - | Х | - | Х | - | Х | - |
| | Retreatment of previous root canal therapy-premolar | Х | - | Х | - | Х | - | Х | - |
| | Retreatment-molar, by report | Х | - | Х | - | Х | - | Х | - |
| | Apexification/recalcification- initial visit (apical closure/calcific repair of perforations, root | | | | | | | | |
| | resorption, etc.) | Х | - | Х | - | Х | - | Х | - |
| D3352 | Apexification/recalcification initial visit (apical closure/calcific repair of perforations, root | | | | | _ | | | |
| | resorption, pulp space disinfection, etc.) | Х | - | Х | - | Х | - | Х | - |
| D3353 | Apexification/recalcification-final visit (includes completed root can | Х | _ | Х | _ | Х | _ | Х | - |
| | Pulpal regeneration- initial visit | X | - | X | _ | X | - | X | - |
| | Pulpal regeneration- interim medication replacement | X | - | X | - | X | <u> </u> | X | - |
| | Pulpal regeneration- interim medication replacement | X | _ | X | _ | X | _ | X | - |
| | Apicoectomy-anterior | X | - | X | _ | X | - | X | - |
| D3421 | Apicoectomy-anterior Apicoectomy-premolar (first root) | X | - | X | _ | X | - | X | - |
| | Apicoectomy - molar (first root) | X | - | X | - | X | - | X | - |
| | Apicoectomy - (each additional root) | X | - | X | - | X | <u>-</u> | X | - |
| D3420 | Apricoectomy - teach additional root) | _ ^ | - | ^ | - | ^ | | ^ | - |

^{*} These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



| G | Ticaldi | Trad | itional Medicaid | Tradi | tional Integrated | Non-Tradition | onal Medicaid | Non-Tradition | nal Integrated |
|-------------|--|-----------------------------|--|--------------------------|---------------------------------------|---------------|------------------------------------|---------------|-----------------------------------|
| Codes | Description | Not | Preauthorization | Not | Preauthorization | Not Covered | Preauthorization | Not Covered | Preauthorization |
| Disclaimer | Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, the | Covered ese coding lists | Required do not reflect information | Covered regarding imm | Required unizations, injectable drugs | | Required ations and should be d | | Required by link option within |
| the website | | | | | | | T | | |
| | Bone graft in conjunction with periradicular surgery- per tooth, single site | Х | - | Х | - | Х | - | Х | - |
| D3429 | Bone graft in conjunction with periradicular surgery- each additional contiguous tooth in the | Х | - | Х | - | X | - | Х | - |
| D3430 | same surgical site | V | _ | V | _ | V | _ | V | |
| | Retrograde filling-per root | Х | - | Х | - | Х | - | Х | - |
| D3431 | Biologic materials to aid in soft and osseous tissue regeneration in conjunction with | Х | - | X | - | Х | - | Х | - |
| D3/13/2 | periradicular surgery Guided tissue regeneration, resorbable barrier, per site, in conjunction with periradicular | | | | | | | | |
| D3432 | | Х | - | Х | - | X | - | X | - |
| D3/150 | surgery Root amputation-per root | Х | _ | Х | _ | Х | | X | _ |
| | Endodontic endosseous implant | X | - | X | - | X | - | X | - |
| | <u>'</u> | | | | | | | | |
| | Intentional replantation (including necessary splinting) | X | - | X | - | X | - | X | - |
| D3471 | Surgical repair of root resorption - anterior | X | - | X | - | X | - | X | - |
| D3472 | Surgical repair of root resorption – premolar | X | - | X | - | X | - | X | - |
| D3473 | 0 1 1 | Х | - | Х | - | Х | - | Х | - |
| D3501 | Surgical exposure of root surface without apicoectomy or repair of root resorption – anterior | Х | - | Х | - | Х | - | Х | - |
| D3502 | Surgical exposure of root surface without apicoectomy or repair of root resorption – premolar | Х | - | Х | - | Х | - | х | • |
| D3503 | Surgical exposure of root surface without apicoectomy or repair of root resorption – molar | Х | - | Х | - | Х | - | X | • |
| | Surgical procedure for isolation of tooth with rubber dam | Х | - | Х | - | X | - | X | • |
| D3911 | Intraorifice barrier | Х | - | Х | - | Х | - | Х | - |
| D3920 | Hemisection (including any root removal), not including root canal the | Х | - | Х | - | Х | - | Х | - |
| D3921 | Decoronation or submergence of an erupted tooth | Х | - | Х | - | Х | - | Х | - |
| D3950 | Canal preparation and fitting of preformed dowelor post | Х | - | Х | - | Х | - | Х | - |
| D3999 | Unspecified endodontic procedure, by report | Х | - | Х | - | Х | - | Х | - |
| D4210 | Gingivectomyor gingivoplasty-per quadrant | - | Х | - | Х | Х | - | Х | - |
| D4211 | Gingivectomyor gingivoplasty-per tooth | Х | - | Х | - | Х | - | Х | - |
| D4212 | Gingivectomy or gingivoplasty to allow access for restorative procedure, per tooth | Х | - | Х | - | Х | - | Х | - |
| D4230 | Anatomical crown exposure - four or more contiguous teeth or tooth bounded spaces per quadrant | Х | - | Х | - | Х | - | х | - |
| D4231 | Anatomical crown exposure - one to three teeth or tooth bounded spaces per quadrant | Х | - | Х | - | Х | - | × | - |
| D4240 | Gingival flap procedure, including root planing-per quadrant | Х | - | Х | - | Х | - | Х | - |
| D4241 | Gingival flap procedure, including root planing - one to three teeth, perquadrant | Х | - | Х | - | Х | - | Х | - |
| D4245 | Apically positioned flap | Х | - | Х | - | X | - | X | - |
| D4249 | Crown lengthening-hard and soft tissue, by report | Х | - | Х | - | X | - | X | - |
| D4260 | Osseous surgery (including elevation of a full thickness flap and closure)- four or more contiguous teeth or tooth bounded spaces per quadrant | Х | - | Х | - | Х | - | х | - |
| D4261 | Osseous surgery (including elevation of a full thickness flap and closure)- one to three contiguous teeth or tooth bounded spaces per quadrant | Х | - | Х | - | Х | - | х | - |
| D4263 | | Х | _ | Х | _ | Х | _ | | |
| D4263 | Bone replacement graft - retained natural tooth - first site in quadrant | X | | | | X | | X | - |
| | Bone replacement graft - retained natural tooth - each additional site in quadrant | X | - | X | - | | - | X | |
| | Biologic materials to aid in soft and osseous tissue regeneration | X | - | X | - | X | - | X | - |
| D4200 | Guided tissue regeneration - resorbable barrier, per site, per tooth | X | - | X | - | X | - | Х | - |

^{*} These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



| G | | Trad | litional Medicaid | Tradi | tional Integrated | Non-Tradition | onal Medicaid | Non-Tradition | nal Integrated |
|---------------------------|--|----------------|------------------------------|----------------|------------------------------|------------------------|------------------------------|------------------------|------------------------------|
| Codes | Description | Not Covered | Preauthorization Required | Not Covered | Preauthorization Required | Not Covered | Preauthorization Required | Not Covered | Preauthorization Required |
| Disclaimer the website | : Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, the | se coding list | s do not reflect information | regarding imm | unizations, injectable drugs | s, or specialty medica | ations and should be d | irected to the Pharmac | cy link option within |
| D4267 | Guided tissue regeneration - non-resorbable barrier, per site, per too | Х | - | Х | - | Х | - | Х | - |
| D4268 | | Х | - | Х | - | Х | - | Х | - |
| D4270 | Pedicle soft tissue graft procedure | Х | - | Х | - | Х | - | Х | - |
| | Autogenous connective tissue graft procedure (including donor and recipient surgical sites) first | | | | | | | | |
| | tooth, implant, or edentulous tooth position in graft | Х | - | Х | - | Х | - | X | - |
| D4274 | Mesial/distal wedge procedure, single tooth (when not performed in conjunction with surgical | | | | | | | | |
| | procedures in the same anatomical area) | Х | - | Х | - | X | - | X | - |
| D4275 | Non-autogenous connective tissue graft (including recipient site and donor material) first tooth, | | | | | | | | |
| | implant, or edentulous tooth position in graft | Х | - | Х | - | Х | - | X | - |
| D4276 | Combined connective tissue and double pedicle graft | Х | _ | Х | - | Х | - | Х | _ |
| | Free soft tissue graft procedure (including recipient and donor surgical sites) first tooth, implant, | | | | | | | | |
| | or edentulous tooth position in graft | Х | - | Х | - | X | - | X | - |
| D4278 | Free soft tissue graft procedure (including recipient and donor surgical sites), each additional | | | | | | | | |
| 12.0 | contiguous tooth, implant or edentulous tooth position in same graft site | Х | - | Х | - | X | - | X | - |
| D4283 | Autogenous connective tissue graft procedure (including donor and recipient surgical sites)- | | | | | | | | |
| D4203 | | Х | | X | | Х | | Х | |
| | each additional contiguous tooth, implant or edentulous tooth position in same gra | ^ | - | ^ | - | ^ | - | ^ | - |
| D4285 | Non-autogenous connective tissue graft procedure (including recipient surgical site and donor | | | | | | | | |
| | material)- each additional contiguous tooth, implant or edentulous tooth position | Х | _ | X | _ | X | _ | X | _ |
| | indicinal, Cach additional configurate to cached as court position | | | | | , | | ^ | |
| D4286 | Removal of non-resorbable barrier | Х | - | Х | - | Х | - | Х | - |
| | Provisional splinting-intracoronal | Х | - | Х | - | Х | - | Х | - |
| D4321 | Provisional splinting-extracoronal | Х | - | Х | - | Х | - | Х | - |
| D4322 | | Х | - | Х | - | Х | - | Х | - |
| D4323 | Splint - extra-coronal; natural teeth or prosthetic crowns | Х | - | Х | - | Х | - | Х | - |
| D4341 | Periodontal scaling and root planing-per quadrant | Х | - | Х | - | Х | - | Х | - |
| D4342 | Periodontal scaling and root planing - one to three teeth, per quadrant | Х | - | Х | - | Х | - | Х | - |
| D4346 | Scaling in presence of generalized moderate or severe gingival inflammation- full mouth, after | | | | | | | | |
| | oral evaluation | Х | - | X | - | Х | - | X | - |
| D4355 | Full mouth debridement to enable comprehensive oral evaluation and diagnosis on a | | | 1 | | | | | |
| | subsequent visit | - | X | - | X | Х | - | X | - |
| D4381 | Localized delivery of antimicrobial agents via a controlled release vehicle into diseased | | | <u> </u> | | | | | |
| | crevicular tissue, per tooth | Х | - | Х | - | Х | - | X | - |
| D4910 | Periodontal maintenance procedures (following active therapy) | Х | - | Х | - | Х | - | Х | - |
| D4920 | | Х | - | Х | - | Х | - | Х | - |
| | Gingival irrigation- per quadrant | Х | - | Х | - | Х | - | Х | - |
| | Unspecified periodontal procedure, by report | Х | - | Х | - | Х | - | Х | - |
| | Complete upper | Х | - | Х | - | Х | - | Х | - |
| | Complete lower | X | - | X | - | X | - | X | - |
| | Immediate upper | Х | - | Х | - | Х | - | Х | - |
| D5140 | | X | - | Х | - | X | - | X | - |
| | Maxillary partial denture - resin base (including retentive/clasping materilas, rest, and teeth) | | 1 | | | | | | |
| | , Farmer , Farmer Community (Control of Control of Cont | Х | - | X | - | Х | - | X | - |
| D5212 | Mandibular partial denture - resin base (including retentive/clasping materials, rest, and teeth) | | 1 | | | | | 1 | |
| 1 | and teering to the state of the | Х | - | Х | - | Х | - | X | - |
| L | 1 | l | I . | 1 | 1 | | 1 | ı | ı |

^{*} These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



| <u> </u> | ricaldi | Tradi | tional Medicaid | Tradit | tional Integrated | Non-Traditio | onal Medicaid | Non-Tradition | nal Integrated |
|----------------------------|--|-------------------------|-------------------------------------|-----------------------|---------------------------------------|--------------|----------------------------------|---------------|-----------------------------------|
| Codes | Description | Not | Preauthorization | Not | Preauthorization | Not Covered | Preauthorization | Not Covered | Preauthorization |
| Disclaimer: the website | Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, the | Covered se coding lists | Required do not reflect information | Covered regarding imm | Required unizations, injectable drugs | | Required ations and should be di | | Required by link option within |
| | Upper partial-cast metal base with resin saddles (including any conven | Х | - | Х | - | Х | - | Х | - |
| D5214 | Lower partial-cast metal base with resin saddles (including any conven | Х | - | Х | - | Х | - | Х | - |
| D5221 | Immediate maxillary partial denture- resin base (including any conventional clasps, rests and teeth) | Х | - | Х | - | Х | - | х | - |
| D5222 | Immediate mandibular partial denture- resin base (including any conventional clasps, rests and teeth) | Х | - | Х | - | Х | - | х | - |
| D5223 | Immediate maxillary partial denture- cast metal framework with resin denture bases (including any conventional clasps, rests and teeth | Х | - | х | - | Х | - | х | - |
| D5224 | Immediate mandibular partial denture- cast metal framework with resin denture bases (including any conventional clasps, rests and teeth | Х | - | Х | - | Х | - | х | - |
| D5225 | Maxillary part denture flex | Х | - | Х | - | Х | - | Х | - |
| D5226 | Mandibular part denture flex | Х | - | Х | - | Х | - | Х | - |
| D5227 | Immediate maxillary partial denture - flexible base (including any clasps, rests and teeth) | Х | - | Х | - | Х | - | Х | - |
| D5228 | Immediate mandibular partial denture - flexible base (including any clasps, rests and teeth) | Х | - | Х | - | Х | - | Х | - |
| D5282 | Removable unilateral partial denture-one piece cast metal (including clasps and teeth), maxillary | Х | - | х | - | Х | - | Х | - |
| D5283 | Removable unilateral partial denture-one piece cast metal (including clasps and teeth), mandibular | Х | - | Х | - | Х | - | х | - |
| D5284 | Removable unilateral partial denture-one piece flexible base (including clasps and teeth) – per quadrant | Х | - | Х | - | Х | - | × | - |
| D5286 | Removable unilateral partial denture-one piece resin (including clasps and teeth) – per quadrant | Х | - | Х | - | Х | - | × | - |
| D5410 | Adjust complete denture-upper | Х | - | X | - | Х | - | Х | - |
| D5411 | Adjust complete denture-lower | Χ | - | Х | - | X | - | X | - |
| | Adjust partial denture-upper | Χ | - | X | - | X | - | X | - |
| D5422 | Adjust partial denture-lower | Χ | - | Х | - | Χ | - | X | - |
| D5511 | Repair broken complete denture base, mandibular | Χ | - | Х | - | Χ | - | X | - |
| D5512 | Repair broken complete denture base, maxillary | X | - | X | - | X | - | X | - |
| D5520 | Replace missingor broken teeth-complete denture (each tooth) | Х | - | X | - | X | - | X | - |
| D5611 | Repair resin partial denture base, mandibular | X | - | X | - | X | - | Х | - |
| D5612 | Repair resin partial denture base, maxillary | Х | - | X | - | X | - | X | - |
| D5621 | Repair cast partial framework, mandibular | Х | - | X | - | X | - | X | - |
| D5622 | Repair cast partial framework, maxillary | X | - | X | - | X | - | Х | - |
| D5630 | Repair or replace broken retentive/clasping materials per tooth | Χ | - | Х | - | Χ | - | Х | - |
| D5640 | Replace broken teeth-per tooth | Χ | - | Х | - | Χ | - | Х | - |
| D5650 | Add tooth to existing partial denture | X | - | X | - | X | - | X | - |
| D5660 | Add clasp to existing partial denture- per tooth | X | - | X | - | X | - | Х | - |
| D5670 | Replace all teeth and acrylic on cast metal framework (maxillary) | Χ | - | Х | - | Χ | - | Х | - |
| D5671 | Replace all teeth and acrylic on cast metal framework (mandibular) | Х | - | Х | - | Х | - | X | - |
| D5710 | Rebase complete upper denture | Х | - | X | - | X | - | Х | - |
| | Rebase complete lower denture | Х | - | X | - | X | - | Х | - |
| D5720 | Rebase upper partial denture | Х | - | Х | - | Х | - | X | - |
| D5721 | Rebase lower partial denture | X | - | X | - | X | - | X | - |

^{*} These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



| | | Tradi | tional Medicaid | Tradi | tional Integrated | Non-Traditio | onal Medicaid | Non-Tradition | al Integrated |
|-------------|--|----------------------------|--|-----------------------|-------------------|--------------|-----------------------------------|---------------|----------------------------------|
| Codes | Description | Not | Preauthorization | Not | Preauthorization | Not Covered | Preauthorization | Not Covered | Preauthorization |
| Disclaimer: | Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, the | Covered se coding lists | Required do not reflect information | Covered regarding imm | Required | | Required tions and should be d | | Required v link option within |
| the website | | 1 | | | 1 | | 1 | | , ., ., |
| | Rebase hybrid prosthesis | Х | - | Х | - | Х | - | Х | - |
| D5730 | Reline upper complete denture (chairside) | Х | - | Х | - | Х | - | Х | - |
| | Reline lower complete denture (chairside) | X | - | Х | - | Х | - | Х | - |
| | Reline upper partial denture (chairside) | Х | - | Х | - | Х | - | Х | - |
| | Reline lower partial denture (chairside) | Х | - | Х | - | Х | - | Х | - |
| | Reline upper complete denture (laboratory) | Х | - | Х | - | Х | - | Х | - |
| | Reline lower complete denture (laboratory) | Х | - | Х | - | Х | - | Х | - |
| | Reline upper partial denture (laboratory) | Х | | Х | - | Х | - | Х | - |
| | Reline lower partial denture (laboratory) | Х | - | X | - | Х | - | Х | - |
| | Soft liner for complete or partial removable denture - indirect | X | - | X | - | Χ | - | X | - |
| | Interim complete denture (upper) | Х | - | X | - | Х | - | Х | - |
| | Interim complete denture (lower) | Х | - | Х | - | Х | - | Х | - |
| D5820 | Interim partial denture (upper) | Х | - | Х | - | Х | - | Х | - |
| | Interim partial denture (lower) | X | - | Х | - | X | - | X | - |
| D5850 | Tissue conditioning, upper-per denture unit | X | - | Х | - | X | - | X | - |
| D5851 | Tissue conditioning, lower-per denture unit | X | - | X | - | X | - | X | - |
| D5862 | Precision attachment, by report | X | - | Х | - | X | - | X | - |
| D5863 | Overdenture- complete maxillary | X | - | Х | - | X | - | X | - |
| | Overdenture- partial maxillary | X | - | X | - | Х | - | Х | - |
| D5865 | Overdenture- complete mandibular | X | - | Х | - | X | - | X | - |
| D5866 | Overdenture- partial mandibular | X | - | Х | - | X | - | X | - |
| D5867 | Replacement of replaceable part of semi-precision/attachment (m/f component) | X | - | Х | - | X | - | X | - |
| | Modification of removable prosthesis following implant surgery | X | - | Х | - | X | - | X | - |
| | Add metal substructure to acrylic full denture (per arch) | Χ | - | Х | - | Χ | - | X | - |
| D5899 | Unspecified removable prosthodontic procedure, by report | Χ | - | Х | - | Χ | - | X | - |
| | Facial moulage (sectional) | X | - | Х | - | X | - | X | - |
| | Facial moulage (complete) | X | - | Х | - | X | - | X | - |
| | Nasal prosthesis | Χ | - | Х | - | Χ | - | X | - |
| D5914 | Auricular prosthesis | Χ | - | Х | - | Χ | - | X | - |
| D5915 | Orbital prosthesis | Χ | - | Х | - | Χ | - | X | - |
| D5916 | Ocular prosthesis | Х | - | Х | - | Χ | - | X | - |
| D5919 | Facial prosthesis | Х | ı | Х | - | X | - | X | - |
| D5922 | Nasal septal prosthesis | Х | • | Х | - | Χ | - | X | - |
| D5923 | Ocular prosthesis, interim | Х | i | Х | - | X | - | X | - |
| D5924 | Cranial prosthesis | X | • | X | - | X | - | X | - |
| D5925 | Facial augmentation implant prosthesis | Х | • | Х | - | Х | - | Х | - |
| D5926 | Nasal prosthesis, replacement | Х | • | Х | - | Х | - | Х | - |
| D5927 | Auricular prosthesis, replacement | Х | • | Х | - | Х | - | Х | - |
| D5928 | Orbital prosthesis, replacement | Х | - | Х | - | Х | - | Х | - |
| D5929 | Facial prosthesis, replacement | Х | • | Х | - | Х | - | Х | - |
| D5931 | Obturator prosthesis, surgical | - | Х | - | Х | Х | - | Х | - |
| D5932 | Obturator prosthesis, definitive | - | Х | - | Х | Χ | - | Х | - |
| D5933 | Obturator prosthesis, modification | Х | - | Х | - | Х | - | Х | - |
| D5934 | Mandibular resection prosthesis with guide flange | Х | - | Х | - | Х | - | Х | - |
| D5935 | Mandibular resection prosthesis without guide flange | Х | - | Х | - | Х | - | Х | - |

^{*} These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



| G | ricaldi | Trad | itional Medicaid | Tradi | tional Integrated | Non-Tradition | onal Medicaid | Non-Tradition | nal Integrated |
|-------|--|------------------------------|---------------------------------------|--------------------------|---------------------------------------|------------------------|----------------------------------|------------------------|-----------------------------------|
| Codes | Description | Not | Preauthorization | Not | Preauthorization | Not Covered | Preauthorization | Not Covered | Preauthorization |
| | Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, the | Covered nese coding lists | Required s do not reflect information | Covered regarding imm | Required unizations, injectable drugs | s, or specialty medica | Required ations and should be di | irected to the Pharmac | Required by link option within |
| D5936 | Obturator/prosthesis, interim | X | _ | Х | _ | Х | _ | Х | _ |
| | Trismus appliance (not for tm treatment) | X | _ | X | _ | X | _ | X | |
| | Feeding aid | X | - | X | _ | X | | X | _ |
| | Speech aid prosthesis, pediatric | X | _ | X | _ | X | _ | X | _ |
| D5953 | Speech aid prosthesis, adult | X | - | X | - | X | _ | X | - |
| | Palatal augmentation prosthesis | - | Х | - | X | X | - | X | - |
| | Palatal lift prosthesis, definitive | _ | X | _ | X | X | - | X | - |
| | Palatal lift prosthesis, interim | Х | - | Х | - | X | _ | X | - |
| D5959 | Palatal lift prosthesis, modification | X | - | X | - | X | - | X | - |
| D5960 | Speech aid prosthesis, modification | X | - | X | - | X | - | X | - |
| D5982 | Surgical stent | X | - | X | - | X | - | X | - |
| | Radiation carrier | Х | - | Х | - | Х | - | Х | - |
| | Radiation shield | Х | - | Х | - | Х | - | Х | - |
| | Radiation cone locator | Х | - | Х | - | Х | - | Х | - |
| D5986 | Fluoride gel carrier | Х | - | Х | - | Х | - | Х | - |
| D5987 | Commissure splint | Х | - | Х | - | Х | - | Х | - |
| D5988 | Surgical splint | Х | - | Х | - | Х | - | Х | - |
| D5991 | Vesiculobullous disease medicament carrier | Х | - | Х | - | Х | - | Х | - |
| D5992 | Adjust max prost appliance | Х | - | Х | - | Х | - | Х | - |
| | Main/clean max prosthesis | Х | - | Х | - | Х | - | Х | - |
| D5995 | Periodontal medicament carrier with peripheral seal – laboratory processed – maxillary | Х | - | х | - | Х | - | х | - |
| D5996 | Periodontal medicament carrier with peripheral seal – laboratory processed – mandibular | Х | - | х | - | Х | - | х | - |
| | Unspecified maxillofacial prosthesis, by report | Х | - | Х | - | Х | - | Х | - |
| D6010 | Surgical placement of implant body: endosteal implant. see also 21248 | Х | - | Х | - | Х | - | Х | |
| D6011 | Second stage implant surgery | Х | - | Х | - | X | - | X | ı |
| D6012 | Surgical placement of interim implant body for transitional prosthesis: endosteal implant | Х | - | Х | - | X | - | X | |
| D6013 | Surgical placement of mini implant | Х | - | Х | - | Х | - | Х | - |
| | Subperiosteal implant | Х | - | Х | - | Х | - | Х | |
| | Transosseous implant | Х | - | Х | - | X | - | X | • |
| D6051 | Includes placement and removal. a healing cap is not an interim abutment | Х | - | X | - | X | - | X | - |
| D6055 | Implant connecting bar | Х | - | Х | - | Х | - | Х | - |
| | Prefabricated abutment- includes modification and placement | Х | - | Х | - | Х | - | Х | - |
| | Custom fabricated abutment- includes placement | Х | - | X | - | Χ | - | X | - |
| | Abutment supported porcelain/ceramic crown | Х | - | X | - | Χ | - | X | - |
| | Abutment supported porcelain fused to metal crown (high noble metal) | X | - | X | - | Х | - | Х | - |
| | Abutment supported porcelain fused to metal crown (predominantly base metal) | X | - | Х | - | Х | - | Х | - |
| | Abutment supported porcelain fused to metal crown (noble metal) | X | - | Х | - | Х | - | Х | - |
| D6062 | Abutment supported cast metal crown (high noble metal) | X | - | Х | - | Х | - | Х | - |
| D6063 | Abutment supported cast metal crown (predominantly base metal) | X | - | Х | - | Х | - | Х | - |
| | Abutment supported cast metal crown (noble metal) | Х | - | Х | - | Х | - | Х | - |
| D6065 | Implant supported porcelain/ceramic crown | X | - | X | - | X | - | Х | - |

^{*} These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



| December to contribute the contribute of the contribute the contribute of the contribute the contribute that the contribute the contribute the contribute that the con | 9 | nealth | Trad | itional Medicaid | Tradi | tional Integrated | Non-Tradition | onal Medicaid | Non-Traditio | nal Integrated |
|--|-------------|--|------|------------------|-------|-------------------|---------------|----------------|--------------|-----------------------------------|
| Decomptions to separate design of the company of th | Codes | Description | | | | | Not Covered | | Not Covered | Preauthorization |
| DEBOT of papers supported procesian fused to metal crown (titanium/alloy high noble metal) X | Disclaimer | Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, the | | | | | | | | Required by link option within |
| DeB67 Implant supported metal crown (Itlanium/alloy high noble metal) | the website |). | | <u> </u> | | | | | | |
| D8089 Aburment supported retainer for porcelain fused to metal find (inplin noble metal) Note of the supported retainer for porcelain fused to metal find (inplin noble metal) Note of the supported retainer for porcelain fused to metal find (inplin noble metal) Note of the supported retainer for porcelain fused to metal find (inplin metal) Note of the supported retainer for porcelain fused to metal find (inplin metal) Note of the supported retainer for porcelain fused to metal find (inplin metal) Note of the supported retainer for cast metal find (inplin noble metal) Note of the supported retainer for cast metal find (inplin metal) Note of the supported retainer for cast metal find (inplin metal) Note of the supported retainer for cast metal find (inplin metal) Note of the supported retainer for cast metal find (inplin metal) Note of the supported retainer for porcelain fused to metal find (inthin multily or high noble metal) Note of the supported retainer for cast metal find (inthin multily or high noble metal) Note of the supported retainer for cast metal find (inthin multily or high noble metal) Note of the supported retainer for cast metal find (inthin multily or high noble metal) Note of the supported retainer for cast metal find (inthin multily or high noble metal) Note of the supported retainer for cast metal find (inthin multily or high noble metal) Note of the supported retainer for cast metal find (inthin multily or high noble metal) Note of the supported retainer for cast metal find (inthin multily or high noble metal) Note of the supported retainer for cast metal find (inthin multily or high noble metal) Note of the supported retainer for cast metal find (inthin multily or high noble metal) Note of the supported retainer for cast metal find (inthin multily or high noble metal) Note of the supported retainer for cast metal find (inthin multily or high noble metal) Note of the supported retainer for cast metal find (inthin multily or high noble metal) Note of the supported retai | D0000 | Implant supported porcelain fused to metal crown (titalium/alloy mgn noble metal) | X | - | Х | - | Х | - | Х | - |
| Decoration Dec | D6067 | Implant supported metal crown (titanium/alloy high noble metal) | Х | - | Х | - | Х | - | Х | - |
| De070 Abutment supported retainer for porcelain fused to metal find (predominately base metal) X . X . X . X . X . X . X . X . X . De071 Abutment supported retainer for porcelain fused to metal find (predominately base metal) X . X . X . X . X . X . X . X . X . De072 Abutment supported retainer for cast metal fight (predominately base metal) X . X . X . X . X . X . X . X . X . X | D6068 | Abutment supported retainer for porcelain/ceramic fpd | Х | - | Х | - | Х | - | X | - |
| D8071 Abutment supported retainer for porcelain fused to metal fpd (noble metal) | D6069 | Abutment supported retainer for porcelain fused to metal fpd (high noble metal) | Х | - | Х | - | Х | - | Х | - |
| De077 Abutment supported retainer for porcelain fused to metal fpd (noble metal) X - X - X - X - X - X - De078 Abutment supported retainer for cast metal fpd (lingh noble metal) X - X - X - X - X - X - De078 Abutment supported retainer for cast metal fpd (gredominately base metal) X - X - X - X - X - X - X - De078 Abutment supported retainer for cast metal fpd (gredominately base metal) X - X - X - X - X - X - X - X - X - De078 Implant supported retainer for cast metal fpd (gredominately base metal) X - X - X - X - X - X - X - X - De078 Implant supported retainer for cast metal fpd (gredominately base metal) X - X - X - X - X - X - X - X - X - X | D6070 | Abutment supported retainer for porcelain fused to metal fpd (predominately base metal) | Y | _ | Y | _ | Y | _ | Y | _ |
| De072 Abutment supported retainer for cast metal fold (high noble metal) | D0074 | | | _ | | | | | | _ |
| De072 | | | | - | | | | - | | - |
| De075 Implant supported retainer for cast metal fpd (noble metal) X - X - X - X - X - De076 Implant supported retainer for procedian fused to metal fpd (ittanium/alloy or high noble metal) X - X - X - X - X - X - De076 Implant supported retainer for procedian fused to metal fpd (ittanium/alloy or high noble metal) X - X - X - X - X - X - X - De076 Implant supported retainer for procedian fused to metal fpd (ittanium/alloy or high noble metal) X - X - X - X - X - X - X - X - X - X | | · ···································· | | - | | | | - | | - |
| De076 implant supported retainer for ceramic fpd Implant supported retainer for poxical nused to metal fpd (titanium/alloy or high noble metal) Implant supported retainer for cast metal fpd (titanium/alloy or high noble metal) Implant supported retainer for cast metal fpd (titanium/alloy or high noble metal) Implant supported retainer for cast metal fpd (titanium/alloy or high noble metal) Implant supported retainer for cast metal fpd (titanium/alloy or high noble metal) Implant supported creative, when prostheses are removed and reinserted, including cleaning of prostheses and abutments Implant supported crown-porcelain fused to predominantly base alloys Implant supported crown-porcelain fused to predominantly base alloys Implant supported crown-porcelain fused to noble alloys Implant supported crown-porcelain fused to including cleaning of the implant supported crown-porcelain fused to titanium and titanium alloys Implant supported crown-porcelain fused to titanium and titanium alloys Implant supported crown-porcelain fused to titanium and titanium alloys Implant supported crown-porcelain fused to titanium and titanium alloys Implant supported crown-porcelain fused to titanium and titanium alloys Implant supported crown-porcelain fused to titanium and titanium alloys Implant supported crown-porcelain fused to titanium and titanium alloys Implant supported crown-porcelain fused to metal and titanium alloys Implant supported crown-porcelain fused to metal fpd (titanium/alloys) Implant supported crown-porcelain fused to metal fpd (titanium/alloys) Implant supported crown-porcelain fused to metal fpd (titanium/alloys) Implant supported crown-porcelain fused to titanium alloys Implant supported from the fore fpd-ported frown-porcelain fused to titanium allo | | | | - | | - | | - | | - |
| Depote Implant supported retainer for porcelain fused to metal fpd (titanium/alloy or high noble metal) X | D6074 | Abutment supported retainer for cast metal fpd (noble metal) | Χ | - | X | • | X | - | X | - |
| De077 Implant supported retainer for cast metal fpd (titanium/alloy or high noble metal) X | D6075 | Implant supported retainer for ceramic fpd | Χ | - | X | - | X | - | X | - |
| Debta Implant maintenance procedures, when prostheses are removed and reinserted, including X | D6076 | Implant supported retainer for porcelain fused to metal fpd (titanium/alloy or high noble metal) | Х | - | Х | - | Х | - | Х | - |
| Debta Implant maintenance procedures, when prostheses are removed and reinserted, including X | D6077 | Implant supported retainer for cast metal fpd (titanium/alloy or high noble metal) | Х | - | Х | - | Х | - | Х | - |
| cleansing of prostheses and abutments Caling and debirdement in the presence of inflammation of mucositis of a single implant, X X X X X X X X X | D6080 | | | | | | | | | |
| including cleaning of the implant surfaces, without flap entry and closure X | | | Х | - | X | - | Х | - | Х | - |
| including cleaning of the implant surfaces, without flap entry and closure 1 | D6081 | Scaling and debridement in the presence of inflammation of mucositis of a single implant, | ., | | ., | | | | | |
| De083 | | including cleaning of the implant surfaces, without flap entry and closure | Х | - | Х | - | X | - | X | - |
| De083 Implant supported crown-porcelain fused to noble alloys | D6082 | | Х | - | Х | - | Х | _ | Х | - |
| Implant supported crown-porcelain fused to titanium and titanium alloys | D6083 | | Х | - | | - | | _ | | - |
| De085 Provisional implant crown | | | | - | | - | | _ | | - |
| Implant supported crown-predominantly base alloys | | | | - | | - | | - | | - |
| Implant supported crown-noble alloys | D6086 | 1 | | _ | | _ | | _ | | _ |
| Implant supported crown-titanium and titanium alloys | | m.p.ay | | _ | | _ | | _ | | _ |
| De089 Accessing and retorquing loose implant screw - per screw X - X - X - X - X - X - De090 Repair implant, by report X - X - X - X - X - X - X - De091 Replacement of semi-precision or precision attachment (male or female component) of implant/abutment supported prosthesi X - X - X - X - X - X - X - X - De092 Re-cement or re-bond implant/abutment supported crown X - X - X - X - X - X - X - De093 Re-cement or re-bond implant/abutment supported fixed partial denture X - X - X - X - X - X - X - De094 Abut support crown titanium X - X - X - X - X - X - X - X - De095 Repair implant abutment, by report. see also code 21299 X - X - X - X - X - X - X - X - De096 Remove broken implant retaining screw X - X - X - X - X - X - X - De097 Abutment supported crown-porcelain fused to titanium and titanium alloys X - X - X - X - X - X - X - De099 Implant supported retainer-porcelain fused to predominantly base alloys X - X - X - X - X - X - De099 Implant supported retainer-porcelain fused to noble alloys X - X - X - X - X - X - De099 Implant supported retainer for fpd-porcelain fused to noble alloys X - X - X - X - X - X - De099 Implant fremoval, by report X - X - X - X - X - X - X - De099 Implant fremoval, by report X - X - X - X - X - X - X - X - De099 Implant fremoval, by report Debridement of a peri-implant defect or defects surrounding a single implant, and surface cleaning of the exposed implant surfaces, including flap entry and closure X - X - X - X - X - X - X - X - X - X | | , | | _ | | _ | | _ | | _ |
| Repair implant, by report X | | | | _ | | | | _ | | _ |
| Replacement of semi-precision or precision attachment (male or female component) of implant/abutment supported prosthesi Replacement or re-bond implant/abutment supported crown Replacement or re-bond implant/abutment supported fixed partial denture X - X - X - X - X - X - X - D6093 Re-cement or re-bond implant/abutment supported fixed partial denture X - X - X - X - X - X - X - D6094 Abut support crown titanium X - X - X - X - X - X - X - D6095 Repair implant abutment, by report. see also code 21299 X - X - X - X - X - X - X - D6096 Remove broken implant retaining screw X - X - X - X - X - X - X - D6096 Remove broken implant retaining screw X - X - X - X - X - X - D6096 Remove broken implant retaining screw X - X - X - X - X - X - D6096 Remove broken implant retaining screw X - X - X - X - X - X - D6096 Remove broken implant supported crown-porcelain fused to titanium and titanium alloys X - X - X - X - X - X - X - D6097 Abutment supported retainer-porcelain fused to predominantly base alloys X - X - X - X - X - X - D6099 Implant supported retainer-porcelain fused to noble alloys X - X - X - X - X - X - X - D6099 Implant supported retainer for fpd-porcelain fused to noble alloys X - X - X - X - X - X - X - D6099 Implant removal, by report X - X - X - X - X - X - X - X - D6090 Implant removal, by report X - X - X - X - X - X - X - X - X - D6090 Implant surfaces implant defect or defects surrounding a single implant, and surface Cleaning of the exposed implant surfaces, including flap entry and closure Debridement and osseous contouring of a peri-implant defect- or defects surrounding a single implant and includes surface cleaning of the exposed implant surfaces X - X - X - X - X - X - X - X - X - X | | | | _ | | | | _ | | _ |
| implant/abutment supported prosthesi D6092 Re-cement or re-bond implant/abutment supported crown X - X - X - X - X - X - D6093 Re-cement or re-bond implant/abutment supported fixed partial denture X - X - X - X - X - X - D6094 Abut support crown titanium D6094 Abut support crown titanium X - X - X - X - X - X - X - D6095 Repair implant abutment, by report. see also code 21299 X - X - X - X - X - X - X - D6096 Remove broken implant retaining screw X - X - X - X - X - X - X - D6097 Abutment supported crown-porcelain fused to titanium and titanium alloys X - X - X - X - X - X - X - D6098 Implant supported retainer-porcelain fused to predominantly base alloys X - X - X - X - X - X - D6099 Implant supported retainer for fpd-porcelain fused to noble alloys X - X - X - X - X - X - D6099 Implant supported retainer for fpd-porcelain fused to noble alloys X - X - X - X - X - X - X - D6099 Implant removal, by report D6100 Implant removal, by report D6101 Debridement of a peri-implant defect or defects surrounding a single implant, and surface cleaning of the exposed implant surfaces, including flap entry and closure D6102 Debridement and osseous contouring of a peri-implant defect- or defects surrounding a single implant surfaces implant and includes surface cleaning of the exposed implant surfaces implant surfaces or defects surrounding a single implant surface or defects surrounding a single implant surfaces or defects surrounding a single implant surfaces or defects surrounding a single implant surface or S X - X - X - X - X - X - X - X - X - X | | repair implemental of repair | | _ | | | Λ | _ | Α | _ |
| Debug Re-cement or re-bond implant/abutment supported crown X - X - X - X - X - Debug Re-cement or re-bond implant/abutment supported fixed partial denture X - X - X - X - X - Debug Re-cement or re-bond implant/abutment supported fixed partial denture X - X - X - X - X - Debug Repair implant abutment, by report. see also code 21299 X - X - X - X - X - X - Debug Repair implant abutment, by report. see also code 21299 X - X - X - X - X - Debug Repair implant retaining screw X - X - X - X - X - Debug Repair implant retaining screw X - X - X - X - Debug Repair implant supported crown-porcelain fused to titanium and titanium alloys X - X - X - X - X - Debug Repair implant supported crown-porcelain fused to titanium and titanium alloys X - X - X - X - X - Debug Repair implant supported creatiner-porcelain fused to titanium and titanium alloys X - X - X - X - X - Debug Repair implant supported creatiner-porcelain fused to titanium and titanium alloys X - X - X - X - X - Debug Repair implant supported creatiner-porcelain fused to titanium and titanium alloys X - X - X - X - X - Debug Repair implant supported creatiner-porcelain fused to titanium and titanium alloys X - X - X - X - X - X - X - X - Debug Repair implant supported creatiner-porcelain fused to titanium and titanium alloys X - X | D0031 | | Χ | - | X | - | Х | - | X | - |
| D6093 Re-cement or re-bond implant/abutment supported fixed partial denture X - X - X - X - X - X - X - D6094 Abut support crown titanium X - X - X - X - X - X - X - X - X - X | D6092 | 1 2 11 1 | X | - | Х | - | X | - | Х | _ |
| D6094 Abut support crown titanium | | те се по | | _ | | - | | _ | | _ |
| Debtidement and includes surface cleaning of the exposed implant surfaces X - | | у се | | _ | | - | | - | | - |
| D6096 Remove broken implant retaining screw X - X - X - X - X - X - X - X - X - X | | | | _ | | _ | | _ | | _ |
| D6097 Abutment supported crown-porcelain fused to titanium and titanium alloys X - X - X - X - X - X - X - D6098 Implant supported retainer-porcelain fused to predominantly base alloys X - D6099 Implant supported retainer for fpd-porcelain fused to noble alloys X - X - X - X - X - X - X - X - X - X - D6100 Implant removal, by report X - D6101 Debridement of a peri-implant defect or defects surrounding a single implant, and surface cleaning of the exposed implant surfaces, including flap entry and closure D6102 Debridement and osseous contouring of a peri-implant defect- or defects surrounding a single implant surfaces X - X | | nepair implante abatiment, by reports see also code 22255 | | _ | | | | _ | | _ |
| D6098 Implant supported retainer-porcelain fused to predominantly base alloys X - X - X - X - X - X - X - X - X - X | | nemove evenem implant returning seren | | - | | | | | | |
| D6099 Implant supported retainer for fpd-porcelain fused to noble alloys X X X X X X X X X X X X X | | | | - | | | | - | | |
| D6100 Implant removal, by report Debridement of a peri-implant defect or defects surrounding a single implant, and surface X - X - X - X - X - Cleaning of the exposed implant surfaces, including flap entry and closure D6102 Debridement and osseous contouring of a peri-implant defect- or defects surrounding a single implant and includes surface cleaning of the exposed implant surfaces X - X - X - X - X - X - X - X - X - X | | , , , | | - | | | | + - | | - |
| Debridement of a peri-implant defect or defects surrounding a single implant, and surface cleaning of the exposed implant surfaces, including flap entry and closure Debridement and osseous contouring of a peri-implant defect- or defects surrounding a single implant and includes surface cleaning of the exposed implant surfaces X - X - X - X - X - X - X - X - X - X | | militario de processo de la companya del la companya de la company | | - | | | | - | | - |
| cleaning of the exposed implant surfaces, including flap entry and closure Debridement and osseous contouring of a peri-implant defect- or defects surrounding a single implant and includes surface cleaning of the exposed implant surfaces X - X - X - X - X - X - X - X - X - X | | | ^ | - | ^ | - | ^ | - | ^ | - |
| implant and includes surface cleaning of the exposed implant surfaces X - X - X - X - | | cleaning of the exposed implant surfaces, including flap entry and closure | Х | - | Х | - | Х | - | Х | - |
| | D6102 | Debridement and osseous contouring of a peri-implant defect- or defects surrounding a single | | | | | | | _ | |
| D6103 Report raft for repair of part implant defect, door not include flag entry and closure. | | | Χ | - | Х | - | Х | - | Х | - |
| | D6103 | Rone graft for repair of peritimplant defect, does not include flan entry and closure | X | _ | Х | _ | X | _ | Х | _ |

^{*} These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



| V | nealti | Trad | litional Medicaid | Tradit | tional Integrated | Non-Tradition | onal Medicaid | Non-Traditio | nal Integrated |
|-------------|--|------------------------------|--|-----------------------|--|---------------|---------------------------------|--------------|-----------------------------------|
| Codes | Description | Not | Preauthorization | Not | Preauthorization | Not Covered | Preauthorization | | Preauthorization |
| Disclaimer: | Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, the | Covered nese coding lists | Required s do not reflect information | Covered regarding imm | Required unizations, injectable drugs | | Required ations and should be d | | Required to link option within |
| the website | | 1 | 1 | 1 | , ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,, | ,, | Г | 1 | , ,,,,, |
| D6104 | Placement of a barrier membrane, or biologic materials to aid in osseous regeneration are | Х | - | Х | - | X | - | X | - |
| D610E | reported separately | | | V | | | | | |
| | Removal of implant body not requiring bone removal nor flap elevation | X | - | X | - | X | - | X | - |
| | Guided tissue regeneration - resorbable barrier, per implant | X | - | X | - | X | - | X | - |
| | Guided tissue regeneration - non-resorbable barrier, per implant | X | - | X | - | X | - | X | - |
| | Implant/abutment supported removable denture for edentulous arch-maxillary | X | - | X | - | X | - | X | - |
| | Implant/ abutment supported removable denture for edentulous arch- mandibular | ^ | - | ^ | - | ^ | - | ^ | - |
| D0112 | Implant/ abutment supported removable denture for partially edentulous arch- maxillary | X | - | X | - | Х | - | X | - |
| D6113 | Implant/ abutment supported removable denture for partially edentulous arch- mandibular | Х | - | х | - | Х | - | х | - |
| D6114 | Implant/ abutment supported fixed denture for edentulous arch- maxillary | Х | - | Х | - | Х | - | Х | - |
| D6115 | Implant/ abutment supported fixed denture for edentulous arch- mandibular | Х | - | Х | - | Х | - | Х | - |
| D6116 | Implant/ abutment supported fixed denture for partially edentulous arch- maxillary | Х | - | Х | - | Х | - | Х | - |
| D6117 | Implant/ abutment supported fixed denture for partially edentulous arch- mandibular | Х | - | Х | - | Х | - | Х | - |
| D6118 | Implant/abutment supported interim fixed denture for edentulous arch ¿ mandibular | Х | - | х | - | Х | - | Х | - |
| D6119 | Implant/abutment supported interim fixed denture for edentulous arch ¿ maxillary | Х | - | Х | - | Х | - | Х | - |
| D6120 | Implant supported retainer -porcelain fused to titanium and titanium alloys | Х | - | Х | - | Х | - | Х | - |
| D6121 | Implant supported retainer for metal fpd -predominantly base alloys | Х | - | Х | - | Х | - | X | - |
| D6122 | Implant supported retainer for metal fpd -noble alloys | Х | - | Х | - | Х | - | X | - |
| D6123 | Implant supported retainer for metal fpd -titanium and titanium alloys | Х | - | Х | - | Х | - | X | - |
| | Radio/surgical implant index | Х | - | X | ı | X | - | X | ı |
| | Semi-precision abutment – placement | Х | - | X | ı | X | - | X | • |
| | Semi-precision attachment – placement | Х | - | Х | - | X | - | Х | - |
| | Abut support retainer titani | Х | - | X | ı | X | - | X | • |
| D6195 | Abutment supported retainer-porcelain fused to titanium and titanium alloys | Х | - | X | ı | X | - | X | ı |
| D6197 | Replacement of restorative material used to close an access opening of a screw-retained | X | _ | X | _ | Х | _ | X | _ |
| | implant supported prosthesis, per implant | ^ | - | ^ | - | ^ | _ | ^ | - |
| | Remove interim implant component | Х | - | Х | - | X | - | X | - |
| | Unspecified implant procedure, by report | X | - | Х | - | X | - | X | - |
| | Pontic-indirect resin based | Х | - | Х | - | Х | - | Х | - |
| | Pontic-cast high noble metal | Х | - | Х | - | Х | - | Х | - |
| | Pontic-cast predominantly base metal | Х | - | Х | - | Х | - | X | - |
| | Pontic-cast noble metal | Х | - | Х | - | Х | - | X | - |
| | Pontic titanium | Х | - | Х | - | Х | - | X | - |
| | Pontic-porcelain fused to high noble metal | Х | - | Х | - | Х | - | X | - |
| | Pontic-porcelain fused to predominantly base metal | Х | - | Х | - | Х | - | Х | - |
| | Pontic-porcelain fused to noble metal | Х | - | Х | - | Х | - | X | - |
| | Pontic-porcelain fused to titanium and titanium alloys | Х | - | Х | - | Х | - | X | - |
| | Pontic - porcelain/ceramic | Х | - | Х | - | Х | - | X | - |
| | Pontic-resin with high noble metal | Х | - | Х | - | Х | - | X | - |
| | Pontic-resin with predominantly base metal | Х | - | Х | - | Х | - | X | - |
| D6252 | Pontic-resin with noble metal | X | - | X | - | Х | - | X | - |

^{*} These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



| 9 | nealti | Trad | itional Medicaid | Tradit | tional Integrated | Non-Tradition | onal Medicaid | Non-Tradition | nal Integrated |
|-------------|--|----------------------------|--|--------------------------|--|---------------|---------------------------------|---------------|----------------------------------|
| Codes | Description | Not | Preauthorization | Not | Preauthorization | Not Covered | Preauthorization | Not Covered | Preauthorization |
| Disclaimer | Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these | Covered se coding lists | Required s do not reflect information | Covered regarding imm | Required unizations, injectable drugs | | Required ations and should be d | | Required y link option within |
| the website |). | | ī | | | T | | | |
| D6253 | Provisional pontic- further treatment or completion of diagnosis necessary prior to final | Х | - | Х | - | Х | - | Х | - |
| Desas | impression | | | V | | V | | V | |
| | Retainer-cast metal for acid etched fixed prosthesis | X | - | X | - | X | - | X | |
| | Retainer - porcelain/ceramic for resin bonded fixed prosthesis | X | - | X | - | X | - | X | |
| | Resin retainer- for resin bonded fixed prosthesis | X | - | X | - | X | - | X | |
| | Retainer inlay-porcelain/ceramic, two surfaces Retainer inlay - porcelain/ceramic, three or more surfaces | X | - | X | - | X | - | X | |
| D6602 | Retainer inlay - porceiain/ceramic, three or more surraces Retainer inlay - cast high noble metal, two surfaces | X | - | X | - | X | - | X | <u> </u> |
| D6603 | | X | - | X | - | X | - | X | <u> </u> |
| | | X | - | X | - | X | - | X | |
| | Retainer inlay - cast predominantly base metal, two surfaces | X | - | X | - | X | - | X | |
| | Retainer inlay - cast predominantly base metal, three or more surfaces | X | - | X | - | X | - | X | |
| | Retainer inlay - cast noble metal, two surfaces | X | - | X | - | X | - | X | |
| | Retainer inlay - cast noble metal, three or more surfaces Retainer onlay - porcelain/ceramic, two surfaces | X | - | X | - | X | - | X | - |
| | | X | - | X | - | X | - | X | |
| | Retainer onlay - porcelain/ceramic, three or more surfaces | X | - | X | - | X | - | X | |
| | Retainer onlay - cast high noble metal, two surfaces Retainer onlay - cast high noble metal, three or more surfaces | X | - | X | - | X | - | X | |
| | | X | - | X | - | X | - | X | |
| | Retainer onlay - cast predominantly base metal, two surfaces | X | - | X | - | X | - | X | <u> </u> |
| | Retainer onlay - cast predominantly base metal, three or more surfaces | X | - | X | - | X | - | X | |
| | Retainer onlay - cast noble metal, two surfaces | X | - | X | - | X | - | X | |
| | Retainer onlay - cast noble metal, three or more surfaces Retainer inlay titanium | X | - | X | - | X | - | X | |
| | Retainer inlay titanium Retainer onlay titanium | ^ X | - | X | - | X | - | X | - |
| | Retainer crown-indirect resin based composite | X | - | X | - | X | - | X | - |
| | Retainer crown-resin with high noble metal | X | - | X | - | X | - | X | |
| | Retainer crown-resin with high hobie metal Retainer crown-resin with predominantly base metal | X | - | X | - | X | - | X | |
| | Retainer crown-resin with predominantly base metal | X | - | X | - | X | - | X | - |
| | Retainer crown - porcelain/ceramic | X | _ | X | | X | _ | X | |
| | Retainer crown-porcelain/cerainic Retainer crown-porcelain fused to high noble metal | X | - | X | | X | _ | X | |
| | Retainer crown-porcelain fused to flight hobie flietal Retainer crown-porcelain fused to predominantly base metal | X | _ | X | - | X | _ | X | |
| | Retainer crown-porcelain fused to predominantly base metal | X | _ | X | | X | _ | X | |
| | Retainer crown-porcelain fused to titanium and titanium alloys | X | _ | X | | X | _ | X | |
| | Retainer crown-3/4 cast high noble metal | X | _ | X | | X | _ | X | |
| | Retainer crown - 3/4 cast predominately based metal | X | _ | X | | X | _ | X | |
| | Retainer crown - 3/4 cast predominately based metal | X | - | X | - | X | - | X | <u> </u> |
| | Retainer crown - 3/4 cast noble metal Retainer crown - 3/4 porcelain/ceramic | X | - | X | - | X | - | X | |
| | Retainer crown 3/4-titanium and titanium alloys | X | - | X | | X | - | X | |
| | Retainer crown-full cast high noble metal | X | - | X | | X | - | X | |
| | Retainer crown-full cast rigit hoose metal | X | - | X | | X | - | X | <u> </u> |
| | Retainer crown-full cast predominantly base metal | X | - | X | - | X | - | X | |
| | Provisional retainer crown- further treatment or completion of diagnosis necessary prior to final | | - | | - | | † | | - |
| 25,00 | impression | Χ | - | X | - | Х | - | X | - |
| D6794 | Retainer crown titanium | Х | _ | Х | _ | Х | _ | Х | |
| D6920 | Connector bar | X | - | X | | X | - | X | |
| | Re-cement or re-bond fixed partial denture | ^X | - | X | _ | X | - | X | |
| D0900 | ne-cement of re-bond fixed partial defiture | ^ | <u> </u> | ^ | | ^ | | ^ | |

^{*} These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



| V | nealui | Trad | litional Medicaid | Tradi | tional Integrated | Non-Traditio | onal Medicaid | Non-Tradition | nal Integrated |
|------------|---|----------------------------|-------------------|-----------------------|--|--------------|------------------------------------|---------------|------------------|
| Codes | Description | Not | Preauthorization | Not | Preauthorization | Not Covered | Preauthorization | Not Covered | Preauthorization |
| Disclaime | r: Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, the | Covered se coding lists | Required | Covered regarding imm | Required unizations, injectable drugs | | Required tions and should be di | | Required |
| the websit | e. | | ı | | | | 1 | 1 | , |
| | Stress breaker | X | - | X | - | X | - | X | - |
| | Precision attachment | X | - | X | - | X | - | X | - |
| | Fixed partial denture repair, necessitated by restorative material failure | X | - | X | - | X | - | X | - |
| | Pediatric partial denture, fixed | X | - | X | - | X | - | X | - |
| | Unspecified fixed prosthodontic procedure, by report | X | - | X | - | X | - | X | - |
| | Extraction, coronal remnants - primary tooth | X | - | X | - | X | - | X | - |
| | Extraction, erupted tooth or exposed root (elevation and/or forceps removal) | X | - | X | - | X | - | X | - |
| | Removal of impacted tooth-soft tissue | X | - | X | - | X | - | X | - |
| | Removal of impacted tooth-partially bony | Х | - | Х | - | Х | - | Х | - |
| | Removal of impacted tooth-completely bony | Х | - | Х | - | Х | - | Х | - |
| | Removal of impacted tooth-completely bony, with unusual surgical compl | Х | - | Х | - | Х | - | Х | - |
| | Removal of residual tooth roots (cutting procedure) | Х | - | Х | - | Х | - | Х | - |
| | Coronectomy | X | - | Х | - | Х | - | Х | - |
| | Oral antral fistula closure | X | - | Х | - | Х | - | Х | - |
| D7261 | · ···································· | X | - | Х | - | Х | - | Х | - |
| D7270 | realistic implantation and, or stabilization or according evaluation a | X | - | Х | - | Х | - | Х | - |
| D7272 | | Χ | - | Х | - | Х | - | Х | - |
| | Exposure of an unerupted tooth | Χ | - | Х | - | Х | - | Х | - |
| | Mobilization of erupted or malpositioned tooth to aid eruption | Χ | - | X | - | Х | - | Х | - |
| | Place device impacted tooth | Χ | - | X | - | Х | - | Х | - |
| | Excisional biopsy of minor salivary glands | Χ | - | Х | - | Х | - | Х | - |
| D7285 | Incisional biopsy of oral tissue-hard (bone, tooth) | Χ | - | Х | - | X | - | Х | - |
| D7286 | Incisional biopsy of oral tissue-soft | Χ | - | Х | - | Х | - | Х | - |
| | Cytology sample collection | Χ | - | Х | - | X | - | X | - |
| | Brush biopsy | Χ | - | Х | - | Х | - | X | - |
| | Surgical repositioning of teeth | Χ | - | X | - | Х | - | Х | - |
| D7291 | | Χ | - | Х | - | X | - | Х | - |
| D7292 | Placement of temporary anchorage device (screw retained plate) requiring flap; includes device removal | Х | - | Х | - | X | - | X | - |
| D7293 | Placement of temporary anchorage device requiring flap; includes device removal | Х | - | Х | - | Х | - | Х | - |
| | Placement of temporary anchorage device without flap; includes device removal | Х | - | Х | - | Х | - | Х | - |
| | Bone harvest,auto graft proc | Х | - | Х | - | Х | - | Х | - |
| D7296 | | Х | - | Х | - | Х | - | Х | - |
| D7297 | Corticotomy ¿ four or more teeth or tooth spaces, per quadrant | Х | - | Х | - | Х | - | Х | - |
| D7298 | , , , , , | Х | - | Х | - | Х | - | Х | - |
| D7299 | | Х | - | Х | - | Х | - | Х | - |
| D7300 | Removal of temporary anchorage device without flap | Х | - | Х | - | Х | - | Х | - |
| | Alveoloplasty in conjunction with extractions - per quadrant | X | - | X | - | X | - | X | - |
| | Alveoloplasty w/extract 1-3 | X | - | X | - | X | - | X | - |
| | Alveoloplasty not in conjunction with extractions - per quadrant | Х | - | Х | - | Х | - | Х | - |
| D7321 | | X | - | X | - | X | - | X | - |
| D7340 | | X | - | X | - | X | - | X | - |
| D7350 | | X | - | X | - | X | - | X | - |
| D7410 | | X | - | X | - | X | - | X | - |
| D7411 | Excision of benign lesion greater than 1.25 cm | X | - | X | _ | X | - | X | - |
| | Excision of Semplification greater than 1.23 cm | ^ | 1 | | | ^ | l | | l . |

^{*} These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



| ~ | nealui | Trac | litional Medicaid | Tradi | tional Integrated | Non-Traditio | onal Medicaid | Non-Tradition | nal Integrated |
|------------|--|---------------------------------|--|-----------------------|---|--------------|------------------|---------------|-----------------------------------|
| Codes | Description | Not | Preauthorization | Not | Preauthorization | Not Covered | Preauthorization | | Preauthorization |
| Disclaime | Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionall | Covered v. these coding list | Required s do not reflect information | Covered regarding imm | Required nunizations, injectable drugs | | Required | | Required by link option within |
| the websit | 9. | | T | | T | ı | | | |
| | Excision of benign lesion, complicated | X | - | X | - | X | - | X | - |
| | Excision of malignant lesion up to 1.25 cm | X | - | X | - | X | - | X | - |
| | Excision of malignant lesion greater than 1.25 cm | X | - | X | - | X | - | X | - |
| | Excision of malignant lesion, complicated | X | - | X | - | X | - | X | - |
| | Excision of malignant tumor-lesion diameter up to 1.25 cm | X | - | X | - | X | - | X | - |
| | Excision of malignant tumor-lesion diameter greater than 1.25 cm | X | - | Х | - | Х | - | X | - |
| | Removal of odontogenic cystor tumor-lesion diameter up to 1.25 cm | X | - | X | - | X | - | X | - |
| | Removal of odontogenic cystor tumor-lesion diameter greater than 1.25 | Х | - | Х | - | Х | - | Х | - |
| | Removal of nonodontogenic cystor tumor-lesion diameter up to 1.25 cm | Х | - | Х | - | Х | - | Х | - |
| | Removal of nonodontogenic cystor tumor-lesion diameter greater than 1. | Х | - | Х | - | Х | - | Х | - |
| | Destruction of lesion(s) by physicalor chemical methods, by report | Х | - | Х | - | Х | - | Х | - |
| | Removal of exostosis - per site | - | X | - | X | Х | - | Х | - |
| | Removal of torus palatinus | Х | - | Х | - | Х | - | Х | - |
| | Removal of torus mandibularis | Х | - | Х | - | Х | - | Х | - |
| | Reduction of osseous tuberosity | X | - | X | - | X | - | Х | - |
| | Radical resection of mandible with bone graft | X | - | Х | - | X | - | X | - |
| D7509 | Marsupialization of odontogenic cyst | X | - | Х | - | X | - | X | - |
| | Incision/drain abscess intra | X | - | Х | - | X | - | X | - |
| D7520 | Incision and drainage of abscess-extraoral soft tissue | X | - | Х | - | Х | - | X | - |
| D7521 | Incision/drain abscess extra | Х | - | Х | - | Х | - | Х | - |
| D7530 | Removal of foreign body, skin,or subcutaneous areolar tissue | Х | - | Х | - | Х | - | X | - |
| D7540 | Removal of reaction-producing foreign bodies-musculoskeletal system | Х | - | Х | - | Х | - | Х | - |
| | Sequestrectomy for osteomyelitis | Х | - | Х | - | Х | - | Х | - |
| D7560 | Maxillary sinusotomy for removal of tooth fragmentor foreign body | Х | - | Х | - | Х | - | Х | - |
| D7610 | Maxilla-open reduction (teeth immobilized if present) | Х | - | Х | - | Х | - | Х | - |
| D7620 | Maxilla-closed reduction (teeth immobilized if present) | Х | - | Х | - | Х | - | Х | - |
| | Mandible-open reduction (teeth immobilized if present) | Х | - | Х | - | Х | - | Х | - |
| | Mandible-closed reduction (teeth immobilized if present) | Х | - | Х | - | Х | - | Х | - |
| | Malar and/or zygomatic arch-open reduction | Х | - | Х | - | Х | - | Х | - |
| | Malar and/or zygomatic arch-closed reduction | Х | - | Х | - | Х | - | Х | - |
| | Alveolus-stabilization of teeth, open reduction splinting | Х | - | Х | - | Х | - | Х | - |
| D7671 | Alveolus - open reduction, may include stabilization of teeth | Х | - | Х | - | Х | - | Х | - |
| | Facial bones-complicated reduction with fixation and mul- tiple surgic | Х | - | Х | - | Х | - | Х | - |
| | Maxilla-open reduction | Х | - | Х | - | Х | - | Х | - |
| | Maxilla-closed reduction | X | - | X | - | X | - | X | - |
| | Mandible-open reduction | X | - | X | - | X | - | X | - |
| | Mandible-closed reduction | X | - | X | - | X | _ | X | - |
| | Malar and/or zygomatic arch-open reduction | X | - | X | - | X | _ | X | - |
| | Malar and/or zygomatic arch-closed reduction | X | - | X | - | X | - | X | - |
| | Alveolus-stabilization of teeth, open reduction splinting | X | - | X | - | X | _ | X | - |
| | Alveolus, closed reduction stabilization of teeth | X | _ | X | - | X | _ | X | - |
| | Facial bones - complicated reduction with fixation and multiple approaches | X | _ | X | - | X | _ | X | - |
| | Open reduction of dislocation | X | _ | X | _ | X | _ | X | - |
| | Closed reduction of dislocation | X | _ | X | _ | X | _ | X | |
| | Manipulation under anesthesia | X | _ | X | - | X | _ | X | _ |
| D1000 | Interruption under allestriesia | ^ | | _ ^ | l | ^ | | ^ | |

^{*} These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



| | | Tradi | tional Medicaid | Tradi | tional Integrated | Non-Tradition | onal Medicaid | Non-Tradition | nal Integrated |
|---------------|--|-----------------------------|-------------------------------------|--------------------------|---------------------------------------|---------------|---------------------------------|---------------|-----------------------------------|
| Codes | Description | Not | Preauthorization | Not | Preauthorization | Not Covered | Preauthorization | Not Covered | Preauthorization |
| Disclaimer: F | Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, the | Covered ese coding lists | Required do not reflect information | Covered regarding imm | Required unizations, injectable drugs | | Required ations and should be d | | Required by link option within |
| the website. | | | | | · - | 1 | T | | |
| | Condylectomy | X | - | X | - | X | - | X | - |
| | Surgical discectomy; with/without implant | X | - | X | - | X | - | X | - |
| | Disc repair | X | - | X | - | X | - | X | - |
| | Synovectomy | X | - | X | - | X | - | X | - |
| | Myotomy | X | - | X | - | X | - | X | - |
| D7860 | Joint reconstruction Arthrotomy | X | - | X | - | X | - | X | - |
| D7865 | Arthroplasty | X | - | X | - | X | - | X | - |
| D7003 / | Arthrocentesis | X | - | X | - | | - | X | - |
| | Arthrocentesis Non-arthroscopic lysis and lavage | X | - | X | - | X X | - | X | |
| | | | | | | | | | |
| | Arthroscopy-diagnosis, withor without biopsy | X | - | X | - | X | - | X | - |
| | Arthroscopy: lavage and lysis of adhesions | X | - | X | - | X | - | X | - |
| | Arthroscopy: disc repositioning and stabilizationo | X | - | X | - | X | - | X | - |
| | Arthroscopy: synovectomy | | | X | | | | | |
| | Arthroscopy: discectomy | X | - | | - | X | - | X | - |
| | Arthroscopy: debridement | X | - | X | - | X | - | X | - |
| | Occlusal orthotic appliance | X | - | X | - | X | - | X | - |
| | Oclussal orthotic device adjustment | X | - | X | - | X | - | X | - |
| | Unspecified tmd therapy, by report | X | - | | - | X | - | X | - |
| | Suture of recent small wounds up to 5 cm | X | - | X | - | X | - | X | - |
| | Complicated suture-up to 5 cm | X | - | X | - | X | - | X | - |
| | Complicated suture-greater than 5 cm | X | | X | - | X | - | X | - |
| | Skin grafts (identify defect covered, location, and type of graft) | X | - | X | - | X | - | X | - |
| | Collection and application of autologous blood concentrate product | _ ^ | - | | - | ^ | - | ^ | - |
| D7922 | Placement of intra-socket biological dressing to aid in hemostasis or clot stabilization, per site | Х | • | Х | - | Х | - | Х | - |
| | A guide is stabilized to the teeth and/or the bone to allow for virtual guidance of osteotomy. | Х | - | х | - | Х | - | х | , |
| | Osteoplasty-for orthognathic deformities | X | - | Х | - | X | - | X | - |
| D7941 | Osteotomy-ramus, closed | Χ | - | Х | - | X | - | X | - |
| | Osteotomy-ramus, open with bone graft | Χ | - | Х | - | X | - | X | - |
| | Osteotomy-segmentedor subapical-per sextantor quadrant | X | - | Х | - | X | - | X | - |
| | Osteotomy-body of mandible | X | - | Х | - | X | - | X | - |
| | Lefort i (maxilla-total) | X | - | Х | - | Χ | - | Х | - |
| | Lefort i (maxilla-segmented) | X | - | Х | - | Χ | - | Х | - |
| | Lefort iior lefort iii (osteoplasty of facial bones for midface hypopl | X | • | X | - | X | - | Х | - |
| | Lefort iior lefort iii-with bone graft | X | - | Х | - | Χ | - | Х | - |
| | Osseous, osteoperiosteal, periosteal, or cartilage graft of the mandibl | X | • | X | - | X | - | Х | - |
| | Sinus augmentation with bone or bone substitutes via a lateral open approach | X | - | Х | - | Х | - | Х | • |
| | The augmentation of the sinus to increase alveolar height by vertical access through the ridge crest by raising the floor of the sinus and grafting as necessary. this include | х | - | Х | - | Х | - | Х | - |
| D7953 | Bone replacement graft | Х | - | Х | - | Х | _ | X | _ |
| | Repair of maxillofacial soft and hard tissue defects | X | - | X | - | X | - | X | |
| D7955 | | | | | | | | | |

^{*} These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



| Traditional Medical Mot Covered Preauthorization Not Covered Preauthorization Required Required | Not Covered | eauthorization Required nk option within |
|---|---------------------------------------|--|
| Disclaimer: Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarierly. Additionally, these coding lists do not reflect information: regarding immunizations, injectable drugs, or specially medications and should be different the website. D7957 Guided tissue regeneration, edentulous area - non-resorbable barrier, per site X - X - X - X - D7961 Buccal / labial frenectomy (frenulectomy) X - X - X - X - D7962 Lingual frenectomy (frenulectomy) X - X - X - X - D7963 Frenuloplasty D7960 Excision of hyperplastic tissue-per arch X - X - X - X - D7970 Excision of pericoronal gingiva X - X - X - X - X - D7971 Excision of pericoronal gingiva X - X - X - X - X - D7972 Surgical reduction of fibrous tuberosity X - X - X - X - X - D7978 Surgical sialolithotomy X - X - X - X - X - D7980 Surgical sialolithotomy X - X - X - X - X - D7981 Excision of salivary gland X - X - X - X - X - D7982 Sialodochoplasty X - X - X - X - X - X - D7983 Closure of salivary fistula D7990 Emergency tracheotomy X - X - X - X - X - X - D7998 Surgical placement of craniofacial implant – extra oral D7991 Surgical placement: zygomatic implant X - X - X - X - X - X - D7998 Surgical placement: zygomatic implant | X X X X X X X X X X X X X X X X X X X | nk option within |
| The websile. D7957 Guided tissue regeneration, edentulous area - non-resorbable barrier, per site X | X X X X X X X X X X X X X X X X X X X | |
| D7961 Buccal / labial frenectomy (frenulectomy) X | X X X X X X X X X X X X X X X X X X X | |
| D7962 Lingual frenectomy (frenulectomy) | X X X X X X X X X X X X X X X X X X X | |
| D7963 Frenuloplasty X - X - X - X - D797 Excision of hyperplastic tissue-per arch X - X | X X X X X X X X X X X X X X X X X X X | |
| D7970 Excision of hyperplastic tissue-per arch X - X - X - D X - X | X X X X X X X X X X X X X X X X X X X | |
| D7971 Excision of pericoronal gingiva X - X - X - X - D797 Surgical reduction of fibrous tuberosity X - X | X X X X X X X X X X X X X X X X X X X | |
| D7972 Surgical reduction of fibrous tuberosity X - X </td <td>X X X X X X X X X X X X X X X X X X X</td> <td></td> | X X X X X X X X X X X X X X X X X X X | |
| D7979 Non ≥ surgical sialolithotomy X - X - X - X - D7980 Surgical sialolithotomy X - | X X X X X X X X X X X X X X X X X X X | |
| D7980 Surgical sialolithotomy X -< | X X X X X X X X X X X X X X X X X X X | |
| D7981 Excision of salivary gland X - X - X - X - D7982 Sialodochoplasty X - | X X X X X | |
| D7982 Sialodochoplasty X - X - X - X - D - X - X - X - - X - X - - X | X X X X | - - - |
| D7983 Closure of salivary fistula X - X - X - D7990 Emergency tracheotomy X - X - X - D7991 Coronoidectomy X - X - X - D7993 Surgical placement of craniofacial implant – extra oral X - X - X - D7994 Surgical placement: zygomatic implant X - X - X - | X X X X | - - - |
| D7990 Emergency tracheotomy X - X - X - D7991 Coronoidectomy X - X - X - D7993 Surgical placement of craniofacial implant – extra oral X - X - X - D7994 Surgical placement: zygomatic implant X - X - X - | X X X | <u>-</u> |
| D7991 Coronoidectomy X - X - X - D7993 Surgical placement of craniofacial implant – extra oral X - X - X - D7994 Surgical placement: zygomatic implant X - X - X - | X | |
| D7993 Surgical placement of craniofacial implant – extra oral X - X - X - D7994 Surgical placement: zygomatic implant X - X - X - X - X - X - X - X - X - X | Х | - |
| D7994 Surgical placement: zygomatic implant X - X - X - | | |
| | l X | |
| D7995 Synthetic graft - mandible or facial bones, by report. see also 21299 X - X - X - I | | |
| | X | |
| D7996 Implant - mandible for augmentation purposes see also code 21299 X - X - X - | X | |
| D7997 Appliance removal (not by dentist who placed appliance) incl removal of archbar X - X - X - | Х | - |
| D7998 Intraoral placement of a fixation device not in conjunction with a fracture X - X - X - | X | |
| D7999 Unspecified oral surgery procedure, by report X - X - X - | X | - |
| D8010 Limited orthodontic treatment of the primary dentition X - X - X - | X | - |
| D8020 Limited orthodontic treatment of the transitional dentition X - X - X - | X | - |
| D8030 Limited orthodontic treatment of the adolescent dentition X - X - X - | X | - |
| D8040 Limited orthodontic treatment of the adult dentition X - X - X - | X | - |
| D8050 Interceptive orthodontic treatment of the primary dentition X - X - X - | X | - |
| D8060 Interceptive orthodontic treatment of the transitional dentition X - X - X - | X | - |
| D8070 Comprehensive orthodontic treatment of the transitional dentition X - X - X - | X | - |
| D8080 Comprehensive orthodontic treatment of the adolescent dentition - X - X X - | X | - |
| D8090 Comprehensive orthodontic treatment of the adult dentition X - X - X - | Х | - |
| D8210 Removable appliance therapy X - X - X - | Х | - |
| D8220 Fixed appliance therapy X - X - X - | Х | - |
| D8660 Pre-orthodintic treatment examination to monitor growth and development X - X - X - | Х | - |
| D8670 Periodic orthodontic treatment visit (as part of contract) X - X - X - | Х | |
| D8680 Orthodontic retention (removal of appliances, construction and placem - X - X - | Х | - |
| D8681 Removable orthodontic retainer adjustment X - X - X - | Х | - |
| D8695 Removal of fixed orthodontic appliances for reasons other than completion of treatment X - X - X - | Х | - |
| D8696 Repair of orthodontic appliance-maxillary X - X - X - | Х | - |
| D8697 Repair of orthodontic appliance-mandibular X - X - X - | Х | - |
| D8698 Re-cement or re-bond fixed retainer-maxillary X - X - X - | Х | - |
| D8699 Re-cement or re-bond fixed retainer-mandibular X - X - X - | Х | - |
| D8701 Repair of fixed retainer, includes reattachment-maxillary X - X - X - | Х | - |
| D8702 Repair of fixed retainer, includes reattachment-mandibular X - X - X - | Х | - |
| D8703 Replacement of lost or broken retainer-maxillary X - X - X - | Х | - |

^{*} These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



| ~ | neatti | Trad | itional Medicaid | Tradi | tional Integrated | Non-Traditio | onal Medicaid | Non-Tradition | nal Integrated |
|-------------|--|-----------------------------|--|-----------------------|---------------------------------------|--------------|--|---------------|-----------------------------------|
| Codes | Description | Not | Preauthorization | Not | Preauthorization | Not Covered | Preauthorization | | Preauthorization |
| Disclaimer | Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, the | Covered ese coding lists | Required do not reflect information | Covered regarding imm | Required unizations, injectable drugs | | Required itions and should be d | | Required by link option within |
| the website |), | | I | | | ı | T | 1 | |
| | Replacement of lost or broken retainer-mandibular | X | - | X | - | X | - | X | - |
| | Unspecified orthodontic procedure, by report | X | - | X | - | X | - | X | |
| | Palliative (emergency) treatment of dental pain-minor procedures | X | - | X | - | X | - | X | - |
| | Fixed partial denture sectioning | X | - | X | - | X | - | X | - |
| | Temporomandibular joint dysfunction-non-invasive physical therapies | X | - | X | - | X | - | X | - |
| | Local anesthesia n0t in conjunction with operativeor surgical procedu | X | - | X | - | Х | - | X | - |
| | Regional block anesthesia | X | - | X | - | X | - | X | - |
| | Trigeminal division block anesthesia | Х | - | Х | - | Х | - | Х | - |
| | Lcl ansthsa w oprtv or srgcl prcdrs | Х | - | Х | - | Х | - | Х | - |
| | Evaluation for moderate sedation, deep sedation or general anesthesia | Х | - | Х | - | Х | - | Х | - |
| | Deep sedation/general anesthesia ¿ first 15 minutes | Х | - | Х | - | Х | - | Х | - |
| | Deep sedation/general anesthesia-each subsequent 15 minute increment | Х | - | X | - | Х | - | Х | - |
| | Inhitn ntrs oxd/anigsa, anxlyss | Х | - | Х | - | Х | - | Х | - |
| D9239 | | Х | - | X | - | Х | - | Х | - |
| D9243 | Intravenous moderate (conscious) sedation/analgesia-each subsequent 15 minute increment | Х | - | Х | - | X | - | х | - |
| D9248 | Non-intravenous conscious sedation | Х | - | Х | - | Х | - | Х | - |
| | Consultation (diagnostic service provided by dentistor physician other | Х | - | Х | - | Х | - | Х | - |
| | Consultation with a medical health care professional | Х | - | Х | - | Х | - | Х | - |
| | House call | Х | - | Х | - | Х | - | Х | - |
| D9420 | | Х | - | Х | - | Х | - | Х | - |
| D9430 | Office visit for observation (during regularly scheduled hours) no oth | Х | - | Х | - | Х | - | Х | - |
| D9440 | | Х | - | Х | - | Х | - | Х | - |
| D9450 | <u> </u> | Х | - | Х | - | Х | - | Х | - |
| D9610 | Therapeutic drug injection, by report | Х | - | Х | - | Х | _ | Х | - |
| | Therapeutic parenteral drugs, two or more administrations, different medications | Х | - | Х | - | Х | - | Х | - |
| D9613 | | Х | - | Х | - | Х | _ | Х | - |
| D9630 | | Х | - | Х | - | Х | _ | Х | - |
| D9910 | Application of desensitizing medicaments | Х | - | Х | - | Х | _ | Х | - |
| D9911 | Application of desensitizing resin for cervical and/or root surface per tooth | X | - | X | - | X | - | X | - |
| | Pre-visit patient screening | Х | - | Х | - | Х | _ | Х | - |
| | Behavior management, by report | X | - | X | - | X | _ | X | - |
| D9930 | | Х | - | Х | - | Х | _ | Х | - |
| D9932 | (P************************************ | X | - | X | - | X | _ | X | - |
| D9933 | Cleaning and inspection of removable complete denture, mandibular | X | - | X | - | X | _ | X | - |
| D9934 | Cleaning and inspection of removable complete deficite, mandibular | X | - | X | - | X | _ | X | - |
| D9935 | Cleaning and inspection of removable partial denture, maximary | X | _ | X | - | X | _ | X | |
| D9938 | , | X | - | X | _ | X | | X | · - |
| D9939 | Placement of a custom removable clear plastic temporary aesthetic appliance | X | - | X | | X | + - | X | - |
| D9939 | Fabrication of athletic mouthguards | X | - | X | - | X | - | X | - |
| D9942 | Repair/reline occlusal guard | X | - | X | _ | X | _ | X | - |
| | Occlusal guard adjustment | X | - | X | - | X | + - | X | - |
| D9943 | Occlusal guard adjustment Occlusal guard-hard appliance, full arch | X | - | X | - | X | - | X | - |
| D9944 | 9 11 7 | X | - | X | - | X | - | X | - |
| | | X | - | | - | | - | | - |
| D9946 | Occlusal guard-hard appliance, partial arch | Х | - | X | - | Х | _ | Х | |

^{*} These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



| ~ | nealti | Trad | itional Medicaid | Tradit | tional Integrated | Non-Traditio | onal Medicaid | Non-Tradition | nal Integrated |
|-------------|--|----------------------------|--|-----------------------|--|---------------------------------------|-------------------------------------|---------------|-----------------------------------|
| Codes | Description | Not | Preauthorization | Not | Preauthorization | Not Covered | Preauthorization | | Preauthorization |
| Disclaimer | Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, the | Covered se coding lists | Required do not reflect information | Covered regarding imm | Required unizations, injectable drugs | | Required ations and should be of | | Required by link option within |
| the website |). | X | ı | | | | | 1 | |
| D9948 | Custom sleep apnea appliance fabrication and placement | X | - | X | - | X | - | X | |
| D9949 | Adjustment of custom sleep apnea appliance | X | - | | - | | - | | - |
| D9949 | Repair of custom sleep apnea appliance | X | - | X | - | X | - | X | |
| | | Х | - | Х | - | | - | X | - |
| D9951 | Occlusal adjustment-limited | - | Х | - X | X | X | - | X | - |
| | Occlusal adjustment-complete | X | - | | - | | - | | - |
| D9953 | Reline custom sleep apnea appliance (indirect) | Х | - | Х | - | Х | - | Х | - |
| D9954 | Device for use immediately after removing a mandibular advancement device to aid in relieving | Х | - | Х | - | Х | - | X | - |
| D0055 | muscle/jaw pain and occlusal changes. | | | | | | | | |
| D9955 | Post-delivery visit for titration of a mandibular advancement device and to subsequently | | | | | | | | ı l |
| | evaluate the patient's response to treatment, integrity of the device, and management of side | Х | - | X | - | Х | - | Х | - |
| | effects. | | | | | | | | |
| D9956 | Sleep apnea test, for patients who are at risk for sleep related breathing disorders and | | | | | | | | ı |
| | appropriate candidates, as allowed by applicable laws. Also, to help the dentist in defining the | Х | - | X | - | Х | - | Х | - |
| | optimal position of the mandible. | | | | | | | | |
| D9957 | Screening activities, performed alone or in conjunction with another evaluation, to identify signs | Х | _ | x | _ | Х | _ | × | |
| | and symptoms of sleep-related breathing disorders. | | | ^ | | | | ^ | |
| | Duplicate/copy patient's records | Х | - | X | - | X | - | X | - |
| D9970 | Enamel microabrasion | Х | - | Х | - | X | - | X | - |
| D9971 | Odontoplasty 1-2 teeth; includes removal of enamel projections | Х | - | Х | - | X | - | X | - |
| D9972 | External bleaching- per arch- perfmored in offic | Χ | - | X | - | X | - | X | - |
| D9973 | External bleaching - per tooth | X | - | X | ı | X | - | X | - |
| D9974 | Internal bleaching - per tooth | X | - | X | - | Х | - | X | - |
| D9975 | External bleaching for home application, per arch; includes materials and fabrication of custom | Х | | Х | | Х | | V | |
| | trays | ^ | - | ^ | - | ^ | - | Х | - |
| D9985 | Sales tax | Х | - | Х | - | Х | - | Х | - |
| D9986 | Missed appointment | Х | - | Х | - | Х | - | Х | - |
| D9987 | Cancelled appointment | Х | - | Х | - | Х | - | Х | - |
| D9990 | Certified translation or sign-certified translation or sign-language services per visit | Х | - | Х | - | Х | - | Х | - |
| D9991 | Dental case management- addressing appointment compliance barriers | Х | - | Х | - | Х | - | Х | - |
| D9992 | Dental case management- care coordination | Х | - | Х | - | Х | - | Х | - |
| D9993 | Dental case management- motivational interviewing | Х | - | Х | - | Х | - | Х | - |
| D9994 | Dental case management- patient education to improve oral health literacy | Х | - | Х | - | Х | - | Х | - |
| D9995 | Teledentistry ¿ synchronous; real-time encounter | Х | - | Х | - | Х | - | Х | - |
| D9996 | Teledentistry asynchronous; information stored and forwarded to dentist for subsequent review | X | - | Х | - | X | - | Х | - |
| D9997 | Dental case management-patients with special health care needs | Х | - | Х | - | X | - | Х | - |
| D9999 | Unspecified adjunctive procedure, by report | Х | - | Х | - | Х | - | Х | - |
| | Crutch forearm each | - | - | - | - | Х | - | Х | - |
| E0117 | Crutch, underarm, articulating, spring assisted, each | Х | - | Х | - | Х | - | Х | - |
| E0118 | Crutch substitute, lower leg platform, with or without wheels, each | Х | - | Х | - | Х | - | Х | - |
| E0144 | Enclosed walker w rear seat | Х | - | Х | - | Х | - | Х | - |
| E0147 | Walker variable wheel resist | Х | - | Х | - | Х | - | Х | - |
| E0152 | Walker, battery powered, wheeled, folding, adjustable or fixed height | Х | - | Х | - | - | - | - | - |
| | Forearm crutch platform atta | X | - | X | - | Х | - | Х | - |
| | | | L | | | · · · · · · · · · · · · · · · · · · · | · | <u> </u> | |

^{*} These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



| Post | 9 | | Trad | itional Medicaid | Tradi | tional Integrated | Non-Traditio | onal Medicaid | Non-Traditio | nal Integrated |
|---|-------|--|-----------------|------------------------------|----------------|------------------------------|------------------------|------------------------------|-----------------------|------------------------------|
| Incestable Value platform attachment | | | Covered | Required | Not Covered | Preauthorization Required | Not Covered | Preauthorization Required | Not Covered | Preauthorization Required |
| E0156 Walker platform attachment | | | se coding lists | s do not reflect information | regarding imm | unizations, injectable drugs | s, or specialty medica | ations and should be d | irected to the Pharma | y link option within |
| E0159 Walker wheel attachment.psi | | | Х | - | Х | - | Х | - | Х | - |
| E0169 Valker result attachment | | | Х | - | Х | - | Х | - | Х | - |
| S0157 Walker crutch attachment | | | - | - | - | - | Х | - | Х | - |
| E0158 Tarke for wheeled walker | | | Х | - | Х | - | Х | - | Х | - |
| E0161 Sitz bath/equipment wyfaucet | E0158 | Walker leg extenders set of4 | Х | - | Х | - | Х | - | Х | - |
| E0161 Sitz bath/equipment wyfaucet | | | Х | - | Х | - | Х | - | Х | - |
| E0167 Commode chair wash integrated seat lift mechanism, electric, any type | | | Х | - | Х | - | Х | - | Х | - |
| Commode chair with integrated seal lift mechanism, electric, any type | E0162 | Sitz bath chair | Х | - | Х | - | Х | - | Х | - |
| Commode chair with integrated seal lift mechanism, electric, any type | E0167 | Commode chair pail or pan | Х | - | Х | - | Х | - | Х | - |
| E0171 Commode chair with integrated seat lift methanism, non-electric, any type | E0170 | Commode chair with integrated seat lift mechanism, electric, any type | Х | - | Х | - | Х | - | Х | - |
| E0172 Seat lift mechanism placed over on top of toilet, any type | | | Х | - | Х | - | Х | - | Х | - |
| E0175 Commode chair foot rest | | | Х | - | Х | - | Х | - | Х | - |
| E0181 Press pad alternating w/p pum | | | Х | - | | - | Х | - | | - |
| E0182 Pressure pad alternating pum | | | - | Х | - | Х | - | Х | - | Х |
| E0184 Dry pressure mattress | E0182 | Pressure pad alternating pum | - | Х | - | Х | - | Х | - | Х |
| E0184 Water pressure mattress | | | Х | - | Х | - | Х | - | Х | - |
| E0187 Lambswood sheepskin pad | | | Х | - | Х | - | Х | - | Х | - |
| E0198 Jambswool sheepskin pad | | | Х | - | Х | - | Х | - | | - |
| E0193 Powered air flotation bed | | | Х | - | Х | - | Х | - | Х | - |
| E0194 | | | - | Х | - | Х | - | Х | - | Х |
| E0198 Water pressure pad for mattr | | | Х | - | Х | - | Х | - | Х | - |
| E0198 Water pressure pad for mattr | E0197 | Air pressure pad for mattres | Х | - | Х | - | Х | - | Х | - |
| E0202 Phototherapy light w/ photom | | | Х | - | Х | - | Х | - | Х | - |
| E0202 Phototherapy light w/ photom | E0199 | Dry pressure pad for mattres | Х | - | Х | - | Х | - | Х | - |
| E0203 Therapeutic lightbox, minimum 10,000 lux, table top model | | | - | - | - | - | Х | - | Х | - |
| E0205 Heat lamp with stand | | | Х | - | Х | - | Х | - | Х | - |
| E0215 Electric heat pad moist | | | Х | - | Х | - | Х | - | Х | - |
| E0215 Electric heat pad moist | E0210 | Electric heat pad standard | Х | - | Х | - | Х | - | Х | - |
| E0221 Infrared heating pad system | | | Х | - | Х | - | Х | - | Х | - |
| E0221 Infrared heating pad system | E0218 | Water circ cold pad w pump | Х | - | Х | - | Х | - | Х | - |
| E0231 Non-contact wound warming device (temperature control unit, ac adapter and power cord) for use with warming card and wou E0232 Warming card for use with the non-contact wound warming device and non-contact wound warming wound cover E0235 Paraffin bath unit portable E0236 Pump for water circulating p X X X X X X X X X X X X X | | | Х | - | Х | - | Х | - | Х | - |
| E0231 Non-contact wound warming device (temperature control unit, ac adapter and power cord) for use with warming card and wou X | E0225 | Hydrocollator unit | Х | - | Х | - | Х | - | Х | - |
| Use with warming card and wou | | | V | | v | | V | | V | |
| Warming wound cover | | | X | - | × | - | X | - | \ | 1 - |
| Warming wound cover | E0232 | Warming card for use with the non-contact wound warming device and non-contact wound | V | | ., | | v | | V | |
| E0235 Paraffin bath unit portable X - X <t< td=""><td></td><td></td><td>X</td><td>-</td><td> ×</td><td>-</td><td>X</td><td>-</td><td>X</td><td>1 -</td></t<> | | | X | - | × | - | X | - | X | 1 - |
| E0236 Pump for water circulating p X - | E0235 | ŭ . | Х | - | Х | - | Х | - | Х | - |
| E0239 Hydrocollator unit portable X - X <t< td=""><td></td><td></td><td>Х</td><td>-</td><td>Х</td><td>-</td><td>Х</td><td>-</td><td>Х</td><td>-</td></t<> | | | Х | - | Х | - | Х | - | Х | - |
| E0240 Bath/shower chair, with or without wheels, any size - - - - - X - | | | Х | - | Х | - | Х | - | Х | - |
| E0241 Bath tub wall rail X - | | | - | - | - | - | Х | - | Х | - |
| E0242 Bath tub rail floor X - | E0241 | Bath tub wall rail | Х | - | Х | - | Х | - | | - |
| E0243 Toilet rail X - X - X - X - E0245 Tub stool or bench X - X - X - X - X - | | | Х | - | Х | - | Х | - | Х | - |
| E0245 Tub stool or bench X - X - X - X - | | | Х | - | Х | - | Х | - | | - |
| | E0245 | Tub stool or bench | | - | | - | | - | | - |
| | E0248 | Transfer bench, heavy duty, for tub or toilet with or without commode opening | Х | - | Х | - | Х | - | Х | - |

^{*} These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



| | ricaldi | Trad | itional Medicaid | Tradi | itional Integrated | Non-Traditio | nal Medicaid | Non-Tradition | nal Integrated |
|-------------|--|----------------------------|--|--------------------------|--|--------------|-----------------------------------|---------------|--|
| Codes | Description | Not | Preauthorization | Not | Preauthorization | Not Covered | Preauthorization | Not Covered | Preauthorization |
| Disclaimer | Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, the | Covered se coding lists | Required do not reflect information | Covered regarding imm | Required nunizations, injectable drugs | | Required tions and should be d | | Required by link option within |
| the website | | | T | | 1 | | T | • | |
| | Pad for water circulating heat unit, for replacement only | Х | - | Х | - | Х | - | Х | - |
| | Hosp bed fixed ht w/ mattres | - | Х | - | X | - | Х | - | Х |
| | Hosp bed fixd ht w/o mattres | X | - | X | - | X | - | X | - |
| | Hospital bed var ht w/ mattr | X | - | Х | - | Х | - | X | - |
| E0256 | Hospital bed var ht w/o matt | Х | - | Х | - | Х | - | Х | - |
| | Hosp bed semi-electr w/ matt | - | Х | - | X | - | Х | - | Х |
| | Hosp bed semi-electr w/o mat | X | - | X | - | X | - | X | - |
| E0265 | Hosp bed total electr w/ mat | X | - | Х | - | Х | - | X | - |
| E0266 | Hosp bed total elec w/o matt | X | - | X | - | X | - | X | - |
| | Hospital bed institutional t | Х | - | Х | - | Х | - | Х | - |
| | Bed board | - | X | - | X | - | Х | - | Х |
| | Over-bed table | X | - | X | - | X | - | X | - |
| | Bed pan standard | Х | - | Х | - | Х | - | Х | - |
| | Powered pres-redu air mattrs | - | X | - | X | - | Х | - | Х |
| | Bed cradle | Х | - | Х | - | Х | - | Х | - |
| | Hosp bed fx ht w/o rails w/m | Х | - | Х | - | Х | - | Х | - |
| | Hosp bed fx ht w/o rail w/o | Х | - | Х | - | Х | - | X | - |
| | Hosp bed var ht w/o rail w/o | Х | - | Х | - | Х | - | Х | - |
| | Hosp bed var ht w/o rail w/ | Х | - | Х | - | Х | - | Х | - |
| | Hosp bed semi-elect w/ mattr | Х | - | Х | - | Х | - | Х | - |
| | Hosp bed semi-elect w/o matt | Х | - | Х | - | Х | - | Х | - |
| E0296 | Hosp bed total elect w/ matt | Х | - | Х | - | Х | - | Х | - |
| | Hosp bed total elect w/o mat | Х | - | Х | - | Х | - | Х | - |
| | Pediatric crib, hospital grade, fully enclosed | - | X | - | X | Х | - | Х | - |
| E0301 | Hospital bed, heavy duty, extra wide, with weight capacity 350-600 lbs w/rails w/o mattress | Х | - | Х | - | Х | - | Х | - |
| E0302 | Hospital bed, extra heavy duty, extra wide, with weight capacity greater than 600 lbs w/rails w/o mattress | Х | - | Х | - | Х | - | Х | - |
| E0304 | Hospital bed, extra heavy duty, extra wide, with weight capacity greater than 600 lbs w/rails w/mattress | Х | - | Х | - | Х | - | х | - |
| E0305 | Rails bed side half length | - | Х | - | Х | - | Х | _ | Х |
| | Rails bed side full length | - | X | - | X | - | X | - | X |
| | Bed accessory brd/tbl/supprt | Х | - | Х | - | Х | - | Х | - |
| | Safety enclosure frame/canopy for use with hospital bed, any type | Х | _ | Х | _ | Х | - | Х | - |
| | Hospital bed, pediatric, manual, 360 degree side enclosures, top of headboard, footboard and side rails up to 24 inches | - | Х | - | Х | Х | - | Х | - |
| E0329 | Hospital bed, pediatric, electric or semi-electric, 360 degree side enclosures, top of headboard, | - | Х | - | Х | Х | - | Х | - |
| E0050 | footboard and side rai | | | | | | | | |
| | Control unit bowel system | X | - | X | - | X | - | X | - |
| | Disposable pack w/bowel syst | X | - | X | - | X | - | X | - |
| | Air elevator for heel | X | - | X | - | X | - | X | - |
| | Nonpower mattress overlay | X | - | X | - | X | - | X | - |
| | Powered air mattress overlay | Х | - | Х | - | Х | - | X | - |
| | Nonpowered pressure mattress | - | Х | - | X | - | Х | - | Х |
| E0430 | Oxygen system gas portable | X | - | X | - | X | - | X | - |

^{*} These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



| G | nealti | Trad | itional Medicaid | Tradi | tional Integrated | Non-Tradition | onal Medicaid | Non-Tradition | nal Integrated |
|-------------|--|----------------------------|---------------------------------------|-----------------------|---------------------------------------|------------------------|------------------------------|-------------------------|-----------------------------------|
| Codes | Description | Not | Preauthorization | Not | Preauthorization | Not Covered | Preauthorization Required | Not Covered | Preauthorization |
| | Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, the | Covered se coding lists | Required s do not reflect information | Covered regarding imm | Required unizations, injectable drugs | s, or specialty medica | | lirected to the Pharmac | Required by link option within |
| the website | Portable liquid oxygen system, rental; home liquefier used to fill portable liquid oxygen | | | | | | | | |
| 20.00 | containers, includes portable | Х | - | Х | - | X | - | X | - |
| E0435 | Oxygen system liquid portabl | Х | - | Х | _ | Х | _ | Х | _ |
| | Oxygen system liquid station | X | - | X | _ | X | _ | X | _ |
| | Topical ox deliver sys, nos | X | - | X | _ | X | _ | X | _ |
| | Portable oxygen contents, liquid, 1 month's supply = 1 unit, prescribed amount at rest or | | | | | | | | |
| | nighttime exceeds 4 liters per minute (lpm) | Х | - | Х | - | X | - | X | - |
| E0455 | Oxygen tent excl croup/ped t | Х | - | Х | - | Х | _ | Х | - |
| E0457 | Schest shell | Х | - | Х | - | Х | _ | Х | - |
| | Chest wrap | Х | - | Х | - | Х | _ | Х | - |
| | Rocking bed w/ or w/o side r | X | - | X | - | X | _ | X | - |
| | Home ventilator, any type, used with invasive interface, (e.g., tracheostomy tube) | - | Х | - | Х | X | _ | X | - |
| | Home ventilator, any type, used with non-invasive interface, (e.g., mask, chest shell) | | | | | | | | |
| | ,,,,,, | - | X | - | X | X | - | X | - |
| E0467 | Home vent multi-function | - | Х | - | Х | - | Х | - | Х |
| | Respiratory assist device, bi-level pressure capability, without backup rate | - | Х | - | Х | - | Х | - | Х |
| | Respiratory assist device, bi-level pressure capability, with back-up rate | - | Х | - | Х | - | Х | - | Х |
| | Respiratory assist device, bi-level pressure capability, with backup rate | - | Х | - | Х | - | Х | - | Х |
| | Intrapulmonary percussive ventilation system and related accessories | Х | - | Х | - | Х | - | Х | - |
| E0482 | Cough stimulating device, alternating positive and negative airway pressure | - | Х | - | X | Х | _ | Х | - |
| E0483 | <u> </u> | | | | | | | | |
| | | - | X | - | X | - | X | - | X |
| E0484 | Oscillatory positive expiratory pressure device, non-electric, any type, each | Х | - | Х | - | Х | - | Х | - |
| | Oral device/appliance used to reduce upper airway collapsibility, adjustable or non-adjustable, | | | ., | | ., | | | |
| | prefabricated, includes | Х | - | Х | - | Х | - | X | - |
| E0486 | Oral device/appliance used to reduce upper airway collapsibility, adjustable or non-adjustable, | | | | | | | | |
| | custom fabricated, inclu | Х | - | Х | - | Х | - | X | - |
| E0490 | Control unit nm hw remote | Х | - | Х | - | Х | - | Х | - |
| E0491 | Oral dv nm mouthpc hw remote | Х | - | Х | - | Х | - | Х | - |
| E0492 | Power source and control electronics unit for oral device/appliance for neuromuscular electrical | | | | | | | | |
| | stimulation of the tongue muscle, controlled by phone application | Х | - | Х | - | - | - | - | - |
| | | | | | | | | | |
| E0493 | Oral device/appliance for neuromuscular electrical stimulation of the tongue muscle, used in | | | | | | | | |
| | conjunction with the power source and control electronics unit, controlled by phone | Х | - | Х | - | - | - | - | - |
| | application, 90-day supply | | | | | | | | |
| E0530 | Electronic positional obstructive sleep apnea treatment, with sensor, includes all components | Х | | Х | | | | | |
| | and accessories, any type | ^ | - | ^ | - | - | - | - | - |
| E0560 | Humidifier supplemental w/ i | Х | - | Х | - | Х | - | Х | - |
| | Humidifier, non-heated, used with positive airway pressure device | X | - | Х | - | Х | - | Х | - |
| | Humidifier, heated, used with positive airway pressure device | - | Х | - | X | - | Х | - | X |
| E0572 | Aerosol compressor adjust pr | Х | - | Х | - | Х | - | Х | - |
| E0601 | Cont airway pressure device | - | X | - | Χ | - | Х | - | X |
| E0606 | Drainage board postural | X | - | Х | - | Х | - | Х | - |
| | Blood glucose monitor home | Х | - | Х | - | Х | - | Х | - |
| E0610 | Pacemaker monitr audible/vis | X | - | X | - | Х | - | X | - |

^{*} These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



| | Ticaldi | Trad | itional Medicaid | Tradi | tional Integrated | Non-Tradition | onal Medicaid | Non-Tradition | nal Integrated |
|-------------|--|----------------------------|--|-----------------------|---------------------------------------|---------------|------------------------------------|---------------|-----------------------------------|
| Codes | Description | Not | Preauthorization | Not | Preauthorization | Not Covered | Preauthorization | Not Covered | Preauthorization |
| Disclaimer: | Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, the | Covered se coding lists | Required do not reflect information | Covered regarding imm | Required unizations, injectable drugs | | Required ations and should be d | | Required ty link option within |
| the website | | | | | . , | 1 | 1 | | |
| | Pacemaker monitr digital/vis | Х | - | Х | - | Х | - | Х | - |
| | Automatic ext defibrillator | Х | - | Х | - | Х | - | Х | - |
| | Apnea monitor, without recording feature | Х | - | Х | - | Х | - | Х | - |
| | Apnea monitor, with recording feature | Х | - | Х | - | Х | - | Х | - |
| | Skin piercing device for collection of capillary blood, laser, each | Х | • | Х | - | Х | - | Х | - |
| | Patient lift sling or seat | - | - | - | - | Х | - | X | - |
| | Patient lift bathroom or toi | Х | - | X | - | Х | - | Х | - |
| | Seat lift incorp lift-chair | Х | • | Х | - | Х | - | Х | - |
| | Seat lift for pt furn-non-el | Х | - | X | - | Х | - | Х | - |
| | Patient lift electric | - | X | - | X | X | - | X | - |
| E0636 | Multipositional patient support system, with integrated lift, patientaccessible controls | Х | - | Х | - | х | - | Х | - |
| E0637 | Combination sit to stand frame/table system, any size including pediatric, with seat lift feature, with or without wheels | - | Х | - | Х | Х | - | Х | - |
| E0638 | Standing frame/table system, one position (e.g. upright, supine or prone stander), any size including pediatric, with or without wheels | - | - | - | - | Х | - | х | - |
| E0640 | Fixed patient lift system | Х | - | Х | _ | Х | _ | Х | _ |
| | Standing frame/table system, multi-position (e.g. three-way stander), any size including | | | | | | | | |
| | pediatric, with or without wheels | - | X | - | X | Х | - | X | - |
| E0642 | Standing frame/table system, mobile (dynamic stander), any size including pediatric | _ | Х | _ | X | Х | _ | Х | - |
| E0650 | Pneuma compresor non-segment | Х | - | Х | - | X | _ | X | _ |
| | Pneum compressor segmental | - | Х | - | Х | - | Х | - | Х |
| | Pneum compress w/cal pressure | _ | X | _ | X | - | X | _ | X |
| | Pneumatic appliance half arm | Х | - | Х | - | Х | - | Х | - |
| E0656 | Segmental pneumatic appliance for use with pneumatic compressor, trunk | X | - | X | - | X | _ | X | _ |
| | Segmental pneumatic appliance for use with pneumatic compressor, chest | X | - | X | - | X | _ | X | - |
| | Pneumatic appliance full leg | X | - | X | - | X | _ | X | - |
| | Pneumatic appliance full arm | X | _ | X | _ | X | _ | X | _ |
| E0666 | Pneumatic appliance half leg | X | - | X | _ | X | _ | X | _ |
| E0667 | Seg pneumatic appl full leg | - | X | - | Х | - | Х | - | Х |
| E0668 | Seg pneumatic appl full arm | _ | X | _ | X | - | X | _ | X |
| E0669 | Seg pneumatic appli half leg | Х | - | Х | - | Х | - | Х | - |
| E0670 | Segmental pneumatic appliance for use with pneumatic compressor, half | - | X | - | Х | - | Х | - | Х |
| | Pressure pneum appl full leg | - | X | - | X | - | X | _ | X |
| E0672 | Pressure pneum appl full arm | - | X | - | X | - | X | - | X |
| | Pressure pneum appl half leg | - | X | - | X | - | X | - | X |
| E0675 | Pneumatic compression device, high pressure, rapid inflation/deflation cycle | Х | - | Х | - | Х | - | Х | - |
| | Intermittent limb compression device (includes all accessories), not otherwise specified | X | - | X | - | X | - | X | - |
| E0677 | Non pneum seg comp trunk | _ | Х | _ | X | - | Х | - | Х |
| E0678 | Non-pneumatic sequential compression garment, full leg | _ | X | - | X | - | - | - | - |
| E0679 | Non-pneumatic sequential compression garment, half leg | _ | X | _ | X | - | _ | - | - |
| E0680 | Non-pneumatic sequential compression garment, manneg Non-pneumatic compression controller with sequential calibrated gradient pressure | - | X | - | X | - | - | - | - |
| E0681 | Non-pneumatic compression controller without calibrated gradient pressure | - | X | - | Х | - | - | - | - |

^{*} These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



| 9 | nealui | Trad | itional Medicaid | Tradit | tional Integrated | Non-Traditio | onal Medicaid | Non-Tradition | nal Integrated |
|-------------|--|----------------------------|--|--------------------------|--|--------------|---------------------------------|---------------|----------------------------------|
| Codes | Description | Not | Preauthorization | Not | Preauthorization | Not Covered | Preauthorization | | Preauthorization |
| Disclaimer: | Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, the | Covered se coding lists | Required s do not reflect information | Covered regarding imm | Required unizations, injectable drugs | | Required ations and should be d | | Required y link option within |
| the website | | | | 1 | | П | | | |
| | Non-pneumatic sequential compression garment, full arm | - | Х | - | X | - | - | - | - |
| E0691 | Ultraviolet light therapy system, includes bulbs/lamps, timer and eye protection; treatment area | Х | - | Х | - | Х | - | Х | - |
| E0602 | 2 square feet or less | | | | | | | | |
| E0092 | Ultraviolet light therapy system panel, includes bulbs/lamps, timer and eyeprotection, 4 foot panel | X | - | Х | - | Х | - | Х | - |
| F0693 | Ultraviolet light therapy system panel, includes bulbs/lamps, timer and eyeprotection, 6 foot | | | | | | | | |
| 20030 | panel | Χ | - | Х | - | X | - | Х | - |
| E0694 | Ultraviolet multidirectional light therapy system in 6 foot cabinet, includes bulbs/lamps, timer | | | | | | | | |
| | and eye protection | Х | - | Х | - | Х | - | X | - |
| E0700 | Safety equipment, device or accessory, any type | Х | - | Х | - | Х | _ | Х | _ |
| | Restraints any type | - | - | - | - | X | _ | X | _ |
| | Tens two lead | Х | - | Х | - | X | _ | X | _ |
| | Tens four lead | X | - | X | - | X | - | X | - |
| | Conductive garment for tens/ | X | - | X | - | X | _ | X | _ |
| E0732 | Cranial electrotherapy stimulation (ces) system, any type | X | - | X | - | - | _ | - | _ |
| | Transcutaneous electrical nerve stimulator for electrical stimulation of the trigeminal nerve | | | | | | | | |
| | Transcataneous electrical nerve still added for electrical still added for the tingerminal nerve | Х | - | Х | - | - | - | - | - |
| E0734 | External upper limb tremor stimulator of the peripheral nerves of the wrist | Х | - | Х | - | - | _ | _ | _ |
| E0735 | Non-invasive vagus nerve stimulator | X | - | X | - | - | - | - | - |
| E0736 | Transcutaneous tibial nerve stimulator | Х | - | Х | - | - | - | - | - |
| E0738 | Upper extremity rehabilitation system providing active assistance to facilitate muscle re- | | | | | | | | |
| | education, include microprocessor, all components and accessories | Х | - | Х | - | - | - | - | - |
| E0739 | Rehab system with interactive interface providing active assistance in rehabilitation therapy, | | | | | | | | |
| | includes all components and accessories, motors, microprocessors, sensors | Х | - | Х | - | - | - | - | - |
| E0740 | Incontinence treatment systm | Х | - | Х | - | Х | - | Х | - |
| | Neuromuscular stim for scoli | Х | - | Х | - | Х | - | Х | - |
| E0745 | Neuromuscular stim for shock | Х | - | Х | - | Х | - | Х | - |
| E0747 | Elec osteogen stim not spine | Х | - | Х | - | Х | - | Х | - |
| E0748 | Elec osteogen stim spinal | Х | - | Х | - | Х | - | Х | - |
| E0755 | Electronic salivary reflex s | Х | - | Х | - | Х | - | Х | - |
| E0760 | Osteogen ultrasound stimltor | Х | - | Х | - | Х | - | Х | - |
| E0761 | Non-thermal pulsed high frequency radiowaves, high peak power electromagneticenergy | | | · · | | | | | |
| | treatment device | Х | - | Х | - | Х | - | Х | - |
| E0762 | Transcutaneous electrical joint stimulation device system, includes all accessories | Х | - | Х | - | Х | - | Х | - |
| | Functional neuromuscular stimulator, transcutaneous stimulation of muscles of ambulation | V | | V | | V | | V | |
| | with computer control, used for | Х | - | Х | - | Х | - | Х | - |
| E0765 | Nerve stimulator for tx n&v | Х | - | Х | - | Х | - | Х | - |
| E0766 | Elec stim cancer treatment | Х | - | Х | - | Х | - | Х | |
| E0769 | Electric wound treatment dev | Х | - | Х | - | Х | - | Х | - |
| E0770 | Functional electrical stimulator, transcutaneous stimulation of nerve and/or muscle groups, any | Х | _ | Х | | Х | | Х | |
| | type, complete system, n | ^ | | ^ | | ^ | | | |
| E0782 | Non-programble infusion pump | - | Х | - | Х | - | Х | - | Х |
| | Ext amb infusn pump insulin | - | Х | - | Х | - | Х | - | Х |
| | Implantable pump replacement | - | Х | - | Х | - | Х | - | Х |
| E0787 | Cgs dose adj insulin inf pmp | Х | - | Х | - | Х | - | X | - |

^{*} These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



| | | Trad | itional Medicaid | Tradi | tional Integrated | Non-Tradition | onal Medicaid | Non-Tradition | nal Integrated |
|-------------|--|----------------------------|--|--------------------------|---------------------------------------|---------------|---------------------------------|---------------|-----------------------------------|
| Codes | Description | Not | Preauthorization | Not | Preauthorization | Not Covered | Preauthorization | Not Covered | Preauthorization |
| Disclaimer: | Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, the | Covered se coding lists | Required do not reflect information | Covered regarding imm | Required unizations, injectable drugs | | Required ations and should be d | | Required by link option within |
| the website | | | T | | T | 1 | T | | T |
| E0849 | Cervical pneum trac equip | Х | - | X | - | Х | - | X | - |
| E0850 | Traction stand free standing | Х | - | X | - | X | - | X | - |
| E0855 | Cervical traction equipment | Х | - | Х | - | Х | - | Х | - |
| E0856 | Cervical traction device, cervical collar with inflatable air bladder | Х | - | Х | - | Х | - | Х | - |
| | Trac stand free stand extrem | Х | - | Х | - | Х | - | X | - |
| | Trac stand free stand pelvic | Х | - | Х | - | Х | - | Х | - |
| E0911 | Trapeze bar, heavy duty, for patient weight capacity greater than 250 pounds, attached to bed, with grab bar | Х | - | Х | - | Х | - | Х | - |
| | Trapeze bar, heavy duty, for patient weight capacity greater than 250 pounds, free stadning, complete with grab bar | Х | - | Х | - | Х | - | Х | - |
| E0936 | Continuous passive motion exercise device for use other than knee | Х | - | X | - | X | - | X | - |
| E0940 | Trapeze bar free standing | Х | - | Х | - | Х | - | X | - |
| E0941 | Gravity assisted traction de | Χ | - | Х | - | X | - | X | - |
| E0945 | Belt/harness extremity | Х | - | Х | - | X | - | X | - |
| E0946 | Fracture frame dual w cross | Х | - | Х | - | X | - | X | - |
| E0947 | Fracture frame attachmnts pe | X | - | Х | - | X | - | X | - |
| E0948 | Fracture frame attachmnts ce | Х | - | Х | - | Х | - | Х | - |
| E0950 | Tray | - | - | - | - | Х | - | Х | - |
| E0951 | Loop heel | - | - | - | - | Х | - | Х | - |
| E0952 | Loop tie | - | - | - | - | Х | - | Х | - |
| E0953 | W/c lateral thigh/knee sup | - | - | - | - | Х | - | Х | - |
| E0954 | Foot box, any type each foot | - | - | - | - | Х | - | Х | - |
| E0955 | Wheelchair accessory, headrest, cushioned, prefabricated, including fixed mounting hardware, each | - | - | - | - | Х | - | Х | - |
| E0956 | Wheelchair accessory, lateral trunk or hip support, prefabricated, including fixed mounting hardware, each | - | - | - | - | Х | - | х | - |
| E0957 | Wheelchair accessory, medial thigh support, prefabricated, including fixed mounting hardware, each | - | - | - | - | х | - | х | - |
| E0958 | Whichr att- conv 1 arm drive | - | - | - | - | Х | - | Х | - |
| | Amputee adapter | - | - | - | - | Х | - | Х | - |
| | Wheelchair accessory, shoulder harness/straps or chest strap, including any type mounting hardware | - | - | - | - | Х | - | Х | - |
| E0961 | | | _ | _ | _ | X | | | _ |
| E0966 | Wheelchair brake extension Wheelchair head rest extensi | - | - | - | - | X | - | X | - |
| E0967 | Wheelchair hand rims | <u> </u> | - | | - | X | - | X | - |
| E0968 | | - X | - | X | - | X | - | X | - |
| E0969 | Wheelchair commode seat | | | X - | | X | - | X | - |
| | Wheelchair narrowing device | - | - | ļ | - | | - | | - |
| | Wheelchair no. 2 footplates | - | - | - | - | X | - | X | - |
| | Wheelchair anti-tipping devi | - | - | - | - | X | - | X | - |
| | Wheelchair adjustabl height | - | - | - | - | X | - | X | - |
| E0974 | Wheelchair grade-aid | - | - | - | - | X | - | X | - |
| | Wheelchair belt w/airplane b | - | - | - | - | X | - | X | - |
| E0980 | Wheelchair safety vest | - | - | - | - | X | - | X | - |
| | Wheelchair accessory, seat upholstery, replacement only, each | - | - | - | - | X | - | X | - |
| E0982 | Wheelchair accessory, back upholstery, replacement only, each | - | - | - | - | X | - | Х | - |

^{*} These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



| | Treatur | Trad | litional Medicaid | Tradi | tional Integrated | Non-Tradition | onal Medicaid | Non-Traditio | nal Integrated |
|-------------|--|----------------------------|---------------------------------------|-----------------------|---------------------------------------|------------------------|----------------------------------|------------------------|-----------------------------------|
| Codes | Description | Not | Preauthorization | Not | Preauthorization | Not Covered | Preauthorization | Not Covered | Preauthorization |
| Disclaimer: | Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, the | Covered se coding lists | Required s do not reflect information | Covered regarding imm | Required unizations, injectable drugs | s, or specialty medica | Required ations and should be of | lirected to the Pharma | Required by link option within |
| the website | | ı | 1 | 1 | | 1 | 1 | T | |
| E0903 | Manual wheelchair accessory, power add-on to convert manual wheelchair to motorized | Х | - | Х | - | Х | - | Х | - |
| E0984 | Manual wheelchair accessory, power add-on to convert manual wheelchair to motorized | - | х | - | Х | Х | - | Х | - |
| E0985 | Wheelchair accessory, seat lift mechanism | - | Х | - | X | Х | - | Х | - |
| E0986 | Manual wheelchair accessory, push-rim activated power assist, each | - | - | - | - | Х | - | Х | - |
| E0988 | Manual wheelchair accessory, lever-activated, wheel drive, pair | Х | - | Х | - | Х | - | Х | - |
| E0992 | Wheelchair solid seat insert | - | - | - | - | Х | - | Х | - |
| E0994 | Wheelchair arm rest | - | - | - | - | Х | - | Х | - |
| E0995 | Wheelchair calf rest | - | - | - | - | Х | - | Х | - |
| E1002 | Wheelchair accessory, power seating system, tilt only | - | - | - | - | Х | - | Х | - |
| E1003 | Wheelchair accessory, power seating system, recline only, without shear | - | Х | - | Х | Х | - | Х | - |
| E1004 | Wheelchair accessory, power seating system, recline only, with mechanical shear | - | Х | - | X | Х | - | Х | - |
| E1005 | Wheelchair accessory, power seatng system, recline only, with power shear | - | Х | - | Х | Х | - | Х | - |
| E1006 | Wheelchair accessory, power seating system, combination tilt and recline, w/o shear reduction | - | х | - | Х | Х | - | х | - |
| E1007 | Wheelchair accessory, power seating system, combination tilt and recline, with manual shear reduction | _ | - | - | - | Х | - | х | - |
| E1008 | Wheelchair accessory, power seating system, combination tilt and recline, with power shear reduction | - | - | - | - | Х | - | х | - |
| E1009 | Wheelchair accessory, addition to power seating system, mechanically linked leg | - | Х | - | Х | Х | - | Х | - |
| | Wheelchair accessory, addition to power seating system, power leg elevation | - | - | - | - | Х | - | Х | - |
| | Modification to pediatric wheelchair, width adjustment package (not to bedispensed with initial chair) | - | х | - | Х | - | х | - | х |
| E1012 | Wheelchair accessory, addition to power seating system, center mount power elevating leg rest/platform, complete system, any type, each | _ | х | - | Х | Х | - | х | - |
| E1014 | Reclining back, addition to pediatric wheelchair | - | - | - | - | Х | - | Х | - |
| | Shock absorber for manual wheelchair, each | - | - | - | - | Х | - | Х | - |
| | Shock absorber for power wheelchair, each | - | - | - | - | Х | - | Х | - |
| | Heavy duty shock absorber for heavy duty or extra heavy duty manual wheelchair,each | - | х | - | Х | х | - | х | - |
| E1018 | Heavy duty shock absorber for heavy duty or extra heavy duty power wheelchair,each | - | х | - | Х | Х | - | х | - |
| E1020 | Residual limb support system for wheelchair | - | - | - | - | Х | - | Х | - |
| | Wheelchair accessory, manual swingaway, retractable or removable mounting hardware | - | - | - | - | Х | - | х | - |
| E1029 | Wheelchair accessory, ventilator tray, fixed | - | - | - | - | Х | - | Х | - |
| | Wheelchair accessory, ventilator tray, gimbaled | - | - | - | - | Х | - | Х | - |
| | Rollabout chair with casters | Х | - | Х | - | Х | - | Х | - |
| E1035 | Multi-positional patient transfer system, with integrated seat, operated by care giver, patient weight capacity up to an | Х | - | Х | - | Х | - | х | - |
| E1036 | Multi-positional patient transfer system, extra-wide, with integrated seat, operated by caregiver, patient weight capaci | Х | - | Х | - | Х | - | х | - |
| E1037 | Transport chair, pediatric size | Х | - | Х | - | Х | - | Х | - |
| | Transport chair, adult size | Х | - | X | - | X | - | X | _ |

^{*} These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



| | ricaldi | Trad | itional Medicaid | Tradi | itional Integrated | Non-Traditio | nal Medicaid | Non-Tradition | nal Integrated |
|-------------|---|-----------------------------|-------------------------------------|--------------------------|--------------------|--------------|-----------------------------------|---------------|-----------------------------------|
| Codes | Description | Not | Preauthorization | Not | Preauthorization | Not Covered | Preauthorization | Not Covered | Preauthorization |
| Disclaimer: | Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, the | Covered ese coding lists | Required do not reflect information | Covered regarding imm | | | Required tions and should be d | | Required by link option within |
| the website | | V | | l v | 1 | V | 1 | l v | |
| | Transport chair pt wt>300lb | X | - | X | - | X | - | X | - |
| | Hemi-wheelchair fixed arms | X | - | | - | | - | | - |
| | Hemi-wheelchair detachable a | X | - | X | - | X | - | X | - |
| | Hemi-wheelchair fixed arms | X | | X | | X | - | X | - |
| | Hemi-wheelchair detachable a | X | - | X | - | X | - | X | - |
| | Wheelchair lightwt fixed arm | | - | | - | | - | | - |
| | Wheelchair lightwt fixed arm | X | - | X | - | X | - | X | |
| | Wheelchair wide w/ foot rest | X | | X | - | X | - | X | - |
| | Which ristriction is a second | X | - | X | - | X | - | X | - |
| | Wheelchair semi-recl detach | Х | - | Х | - | X | - | X | - |
| | Manual adult size wheelchair, includes tilt in space | - | - | - | - | X | - | X | - |
| | Whichr ampu fxd arm leg rest | Х | - | X | - | Х | - | X | - |
| | Wheelchair amputee w/o leg r | Х | - | Х | - | Х | - | Х | - |
| | Wheelchair amputee detach ar | Х | - | X | - | Х | - | Х | - |
| | Wheelchair amputee w/ foot r | Х | - | Х | - | Х | - | Х | - |
| | Wheelchair amputee w/ leg re | Х | - | Х | - | Х | - | Х | - |
| | Wheelchair amputee heavy dut | Х | - | Х | - | X | - | X | - |
| | Wheelchair amputee fixed arm | X | - | Х | - | Х | - | X | - |
| | Whlchr special size/constrc | - | X | - | X | - | X | - | Х |
| | Wheelchair spec size w foot | Х | - | Х | - | X | - | X | - |
| | Wheelchair spec size w/ leg | X | - | Х | - | Χ | - | X | - |
| E1223 | Wheelchair spec size w foot | Х | - | X | - | Χ | - | X | - |
| E1224 | Wheelchair spec size w/ leg | X | - | X | - | Х | - | Х | - |
| E1225 | Wheelchair spec sz semi-recl | - | - | - | - | Х | - | Х | - |
| E1226 | Wheelchair spec sz full-recl | - | - | - | - | Х | - | Х | - |
| E1227 | Wheelchair spec sz spec ht a | - | - | - | - | Х | - | Х | - |
| E1228 | Wheelchair spec sz spec ht b | - | - | - | - | Х | - | Х | - |
| E1229 | Pediatric wheelchair nos | Х | - | Х | - | Х | - | Х | - |
| | Power operated vehicle | Х | - | Х | - | Х | - | X | - |
| | Wheelchair, pediatric size, tilt-in-space, rigid, adjustable, with seatingsystem | - | - | - | - | Х | - | Х | - |
| | Wheelchair, pediatric size, tilt-in-space, folding, adjustable, with seatingsystem | - | - | - | - | Х | - | Х | - |
| E1233 | Wheelchair, pediatric size, tilt-in-space, rigid, adjustable, without seatingsystem | - | - | - | - | Х | - | Х | - |
| | Wheelchair, pediatric size, tilt-in-space, folding, adjustable, without seatingsystem | - | - | - | - | Х | - | Х | - |
| | Wheelchair, pediatric size, rigid, adjustable, with seating system | - | - | - | - | Х | - | Х | - |
| E1236 | Wheelchair, pediatric size, folding, adjustable, with seating system | - | - | - | - | Х | - | Х | - |
| | Wheelchair, pediatric size, rigid, adjustable, without seating system | - | - | - | - | X | - | X | - |
| | Wheelchair, pediatric size, folding, adjustable, without seating system | - | - | - | _ | X | - | X | - |
| | Ped power wheelchair nos | Х | - | Х | _ | X | - | X | - |
| | Wheelchair lightwt fixed arm | X | - | X | - | X | - | X | - |
| | Wheelchair lightweight leg r | X | - | X | - | X | - | X | - |
| | Which h-duty det arm leg res | X | _ | X | - | X | - | X | - |
| | Wheelchair heavy duty fixed | X | _ | X | _ | X | _ | X | _ |
| E1290 | Wheelchair hvy duty detach a | X | - | X | - | X | _ | X | _ |
| | Wheelchair special seat heig | - | _ | - | _ | X | _ | X | _ |
| | Wheelchair special seat dept | _ | - | _ | _ | X | _ | X | - |
| L .201 | vincelonum special seat dept | | L | | | ^ | | ^ | |

^{*} These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



| | | Trad | litional Medicaid | Tradi | tional Integrated | Non-Tradition | onal Medicaid | Non-Traditio | nal Integrated |
|----------------------------|--|-----------------|------------------------------|----------------|------------------------------|------------------------|------------------------------|------------------------|------------------------------|
| Codes | Description | Not Covered | | Not Covered | Preauthorization Required | Not Covered | Preauthorization Required | Not Covered | Preauthorization Required |
| Disclaimer: the website | Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, the | se coding lists | s do not reflect information | regarding imm | unizations, injectable drugs | s, or specialty medica | ations and should be d | lirected to the Pharma | cy link option within |
| E1298 | Wheelchair spec seat depth/w | - | - | - | - | Х | - | Х | - |
| | Whirlpool portable | Х | - | Х | - | Х | - | Х | - |
| | Whirlpool tub, walk-in, portable | Х | - | Х | - | - | - | - | - |
| | Whirlpool non-portable | Х | - | Х | - | Х | - | Х | - |
| E1354 | Oxygen accessory, wheeled cart for portable cylinder or portable concentrator, any type, replacement only, each | Х | - | Х | - | х | - | х | - |
| E1356 | Oxygen accessory, battery pack/cartridge for portable concentrator, any type, replacement only, each | Х | - | Х | - | Х | - | Х | - |
| E1357 | Oxygen accessory, battery charger for portable concentrator, any type, replacement only, each | Х | - | Х | - | Х | - | Х | - |
| E1358 | Oxygen accessory, dc power adapter for portable concentrator, any type, replacement only, each | Х | - | Х | - | Х | - | Х | - |
| E1372 | Oxy suppl heater for nebuliz | Х | - | Х | - | Х | - | Х | - |
| | Oxygen concentrator, dual delivery port, capable of delivering 85 percent or greater oxygen concentration at the prescribed flow rate, each | Х | - | Х | - | х | - | х | - |
| E1392 | Portable oxygen concentrator, rental | Х | - | Х | - | Х | _ | Х | - |
| | Durable medical equipment mi | - | Х | - | Х | - | Х | - | Х |
| | O2/water vapor enrich w/heat | Х | - | Х | - | Х | - | Х | - |
| | O2/water vapor enrich w/o he | X | - | Х | - | X | _ | X | - |
| | Tablo for dialysis service | Х | _ | Х | - | Х | - | Х | - |
| | Peritoneal dialysis clamps, each | X | _ | X | - | X | - | X | _ |
| | | - | Х | - | Х | - | Х | - | Х |
| | Jaw motion rehab system | Х | - | Х | - | Х | _ | Х | - |
| | Repl cushions for jaw motion | Х | - | Х | - | Х | _ | Х | - |
| | Repl measr scales jaw motion | Х | - | Х | - | Х | _ | Х | - |
| | Adjust elbow ext/flex device | Х | - | Х | - | Х | - | Х | - |
| | Dynamic adjustable forearm pronation/supination device, includes soft interfacematerial | Х | - | Х | - | Х | - | х | - |
| E1805 | Adjust wrist ext/flex device | Х | - | Х | - | Х | - | Х | - |
| | Adjust knee ext/flex device | Х | - | Х | - | Х | - | Х | - |
| E1812 | Dynamic knee, extension/flexion device with active resistance control | Х | - | Х | - | Х | - | Х | - |
| | Adjust ankle ext/flex device | Х | - | Х | - | Х | - | Х | - |
| E1820 | Soft interface material | Х | - | Х | - | Х | - | Х | - |
| | Replacement soft interface material/cuffs for bi-directional static progressive stretch device | Х | - | Х | - | х | - | х | - |
| E1825 | Sadjust finger ext/flex devc | Х | - | Х | - | Х | - | Х | - |
| E1830 | Adjust toe ext/flex device | X | - | X | - | X | - | X | - |
| | Static str toe dev ext/flex | X | - | X | - | X | - | X | - |
| | Dynamic adjustable shoulder flexion/abduction/rotation device, includes soft interface material | Х | - | Х | - | Х | - | X | - |
| E1902 | Communication board, non-electronic augmentative or alternative communication device | Х | - | х | - | Х | - | х | - |
| E1905 | Vr cbt therapy | Х | - | Х | - | Х | - | Х | - |
| | Gastric suction pump, home model, portable or stationary, electric | X | - | X | - | X | - | X | - |
| | Suction pump, home model, portable or stationary, electric, any type, for use with external urine | | - | X | - | - | - | - | - |

^{*} These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



| ~ | nealti | Trad | itional Medicaid | Tradi | tional Integrated | Non-Traditio | nal Medicaid | Non-Traditio | nal Integrated |
|-------------|---|-----------------------------|------------------|-----------------------|-------------------|--------------|-----------------------------------|--------------|------------------|
| Codes | Description | Not | Preauthorization | Not | Preauthorization | Not Covered | Preauthorization | | Preauthorization |
| Disclaimer | Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, the | Covered ese coding lists | Required | Covered regarding imm | | | Required tions and should be d | | Required |
| the website | e. | 1 | I | | I | | 1 | 1 | ., |
| | Blood glucose monitor with integrated voice synthesizer | X | - | Х | - | X | - | Х | - |
| | Blood glucose monitor with integrated lancing/blood sample | X | - | X | - | X | - | Х | - |
| E2102 | | X | - | X | - | X | - | Х | - |
| E2103 | | Х | - | Х | - | Х | - | Х | - |
| E2104 | Home blood glucose monitor for use with integrated lancing/blood sample testing cartridge | Х | - | Х | - | - | - | - | - |
| E2120 | Pulse generator system for tympanic treatment of inner ear endolymphatic fluid | Х | - | X | - | X | - | X | - |
| E2201 | Manual wheelchair accessory, nonstandard seat frame, width 20-24 in. | - | - | - | - | X | - | X | - |
| E2202 | Manual wheelchair accessory, nonstandard seat frame width, 24-27 inches | - | - | - | - | X | - | X | - |
| E2203 | Manual wheelchair accessory, nonstandard seat frame depth, 20-22 in. | - | - | - | - | Х | - | X | - |
| E2204 | Manual wheelchair accessory, nonstandard seat frame depth, 22 to 25 inches | - | - | - | - | Х | - | X | - |
| E2205 | Manual wc accessory, handrim | - | - | - | - | Х | - | Х | - |
| E2206 | Complete wheel lock assembly | - | - | - | - | Х | - | X | - |
| E2207 | Wheelchair accessory, crutch and cane holder, each | - | - | - | - | Х | - | Х | - |
| E2208 | | - | - | - | - | Х | - | Х | - |
| E2209 | Wheelchair accessory, arm trough, each | - | - | - | - | Х | - | Х | - |
| E2210 | | - | - | - | - | Х | - | Х | - |
| E2211 | Manual wheelchair accessory, pneumatic propulsion tire, any size, each | - | - | - | - | Х | - | Х | - |
| E2212 | | - | - | - | - | Х | - | Х | - |
| E2213 | Manual wheelchair accessory, insert for pneumatic propulsion tire (removable), any type, any | | | | | | | | |
| | size, each | - | - | - | - | X | - | Х | - |
| E2214 | , | - | - | - | - | Х | - | Х | - |
| E2215 | Manual wheelchair accessory, tube for pneumatic caster tire, any size, each | - | - | - | - | Х | - | Х | - |
| | Manual wheelchair accessory, foam filled propulsion tire, any size, each | - | - | - | - | Х | - | Х | - |
| E2217 | | - | - | - | - | Х | - | Х | - |
| E2218 | 1. 1. 1. | - | - | - | - | Х | - | Х | - |
| E2219 | | - | - | - | - | Х | - | Х | - |
| E2220 | | - | - | - | - | Х | - | Х | _ |
| E2221 | Manual wheelchair accessory, solid (rubber/plastic) caster tire (removable), any size, each | | | | | | | | |
| | interior wheeleran decessory, some (rubber) plastic, easier the (removable), any size, each | - | - | - | - | X | - | Х | - |
| E2222 | Manual wheelchair accessory, solid (rubber/plastic) caster tire with integrated wheel, any size, | | | | | | | | |
| | leach | - | - | - | - | X | - | Х | - |
| E2224 | | _ | - | _ | - | Х | - | Х | - |
| | Manual wheelchair accessory, caster fork, any size, replacement only, each | - | - | _ | - | X | - | X | _ |
| E2227 | Manual wheelchair accessory, easter long, any size, replacement only, each | _ | - | _ | _ | X | - | X | _ |
| E2228 | , , , | _ | - | _ | _ | X | - | X | _ |
| E2230 | manadi miceranan decessory, micer staning system and root, complete, each | Х | - | Х | _ | X | - | X | _ |
| | Manual wheelchair accessory, manual standing system Manual wheelchair accessory, solid seat support base (replaces sling seat), 'includes any type | | | | | | | | |
| | mounting hardware | - | - | - | - | X | - | X | - |
| E2291 | Planar back for ped size wc | _ | _ | _ | _ | X | _ | Х | _ |
| E2292 | | - | | - | - | X | - | X | _ |
| E2293 | Transaction ped size tro | - | - | - | - | X | - | X | _ |
| E2294 | contour back for pea size we | | - | - | - | X | - | X | - |
| E2294 | | - | - | <u> </u> | - | ^ | - | _ ^ | - |
| L2293 | ,, | - | - | - | - | X | - | X | - |
| | coordinated movement of multi | | | | | | | | |

^{*} These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



| Codes Description Descri | |
|--|----------------------------|
| the authorise. E2290 Complex rehabilitative power wheelchair accessory, power seat elevation system E2300 Power wheelchair accessory, power seat elevation system E2301 Power wheelchair accessory, power standing system E2301 Power wheelchair accessory, electronic connection between wheelchair controller E2301 Power wheelchair accessory, electronic connection between wheelchair controller E2301 Power wheelchair accessory, electronic connection between wheelchair controller E2301 Power wheelchair accessory, hand or chin control interface, mini-proportional remote joystick, proportional, including f E2311 Power wheelchair accessory, hand or chin control interface, mini-proportional remote joystick, proportional, including f E2312 Power wheelchair accessory, hand control interface, mini-proportional remote joystick, proportional, including f E2313 Power wheelchair accessory, hand control interface, remote joystick, proportional, including f E2321 Power wheelchair accessory, hand control interface, remote joystick, proportional, including all proportional remote joystick, proportional, including f E2322 Power wheelchair accessory, hand control interface, multiple mechanical switches E2323 Power wheelchair accessory, hand control interface, multiple mechanical switches E2324 Power wheelchair accessory, bend control interface, multiple mechanical switches E2325 Power wheelchair accessory, bend control interface, multiple mechanical switches E2326 Power wheelchair accessory, pead control interface, multiple mechanical switches E2327 Power wheelchair accessory, head control interface, multiple mechanical proportional E2328 Power wheelchair accessory, head control interface, electronic, proportional E2339 Power wheelchair accessory, head control interface, electronic, proportional E2330 Power wheelchair accessory, head control interface, electronic, proportional E2331 Power wheelchair accessory, head control interface, proximity switch mechanism, nonproportional E2331 Power wheelchair accessory, nons | Required |
| E2300 Power wheelchair accessory, power seat elevation system | narmacy link option within |
| E2301 Power wheelchair accessory, peactronic connection between wheelchair controller | - |
| E2301 Power wheelchair accessory, peactronic connection between wheelchair controller | - |
| E2310 Power wheelchair accessory, electronic connection between wheelchair controller | - |
| E2311 Power wheelchair accessory, electronic connection between wheelchair controller | - |
| E2312 Power wheelchair accessory, hand or chin control interface, mini-proportional remote joystick, proportional, including f | - |
| E2313 Power wheelchair accessory, harness for upgrade to expandable controller, including all fasteners, connectors and mounti E2321 Power wheelchair accessory, hand control interface, remote joystick, E2322 Power wheelchair accessory, hand control interface, multiple mechanical switches E2323 Power wheelchair accessory, specialty joystick handle for hand control E2324 Power wheelchair accessory, chin cup for chin control interface E2325 Power wheelchair accessory, chin cup for chin control interface E2326 Power wheelchair accessory, brin cup for chin control interface E2327 Power wheelchair accessory, brin cup for chin control interface E2328 Power wheelchair accessory, brin cup for chin control interface E2329 Power wheelchair accessory, brin cup for chin control interface E2320 Power wheelchair accessory, brin cup for chin control interface E2321 Power wheelchair accessory, brin cup for chin control interface E2322 Power wheelchair accessory, brin cup for chin control interface E2323 Power wheelchair accessory, head control interface, mechanical, proportional E2328 Power wheelchair accessory, head control or extremity control interface, electronic, proportional E2329 Power wheelchair accessory, head control interface, electronic, proportional E2330 Power wheelchair accessory, head control interface, enchanism, nonproportional E2331 Power wheelchair accessory, head control interface, proximity switch mechanism, nonproportional E2331 Power wheelchair accessory, attendant control, proportional, including all electronics and hardware E2340 Power wheelchair accessory, nonstandard seat frame width, 20-23 inches E2341 Power wheelchair accessory, nonstandard seat frame depth, 22-25 inches E2343 Power wheelchair accessory, nonstandard seat frame depth, 22-25 inches E2344 Power wheelchair accessory, nonstandard seat frame depth, 22-25 inches E2345 Power wheelchair accessory, nonstandard seat frame depth, 22-25 inches E2348 Power wheelchair accessory, nonstandard seat frame depth, 22-25 inches | - |
| E2322 Power wheelchair accessory, specialty joystick handle for hand control | - |
| E2329 Power wheelchair accessory, specialty joystick handle for hand control E2324 Power wheelchair accessory, chin cup for chin control interface E2325 Power wheelchair accessory, sip and puff interface, nonproportional E2326 Power wheelchair accessory, sip and puff interface, nonproportional E2327 Power wheelchair accessory, bread control interface, mechanical, proportional E2328 Power wheelchair accessory, head control interface, mechanical, proportional E2329 Power wheelchair accessory, head control or extremity control interface, electronic, proportional E2329 Power wheelchair accessory, head control interface, contact switch mechanism, nonproportional E2329 Power wheelchair accessory, head control interface, contact switch mechanism, nonproportional E2330 Power wheelchair accessory, head control interface, proximity switch mechanism, Nonproportional E2331 Power wheelchair accessory, attendant control, proportional, including all electronics and hardware E2331 Power wheelchair accessory, nonstandard seat frame width, 20-23 inches E2340 Power wheelchair accessory, nonstandard seat frame width, 24-27 inches E2341 Power wheelchair accessory, nonstandard seat frame depth, 22-25 inches E2343 Power wheelchair accessory, nonstandard seat frame depth, 22-25 inches E2343 Power wheelchair accessory, nonstandard seat frame depth, 22-25 inches E2344 Power wheelchair accessory, nonstandard seat frame depth, 22-25 inches E2345 Power wheelchair accessory, nonstandard seat frame depth, 22-25 inches E2346 Power wheelchair accessory, nonstandard seat frame depth, 22-25 inches E2347 Power wheelchair accessory, nonstandard seat frame depth, 22-25 inches E2348 Power wheelchair accessory, nonstandard seat frame depth, 22-25 inches E2349 Power wheelchair accessory, nonstandard seat frame depth, 22-25 inches E2340 Power wheelchair accessory, nonstandard seat frame depth, 22-25 inches E2341 Power wheelchair accessory, nonstandard seat frame depth, 22-25 inches | - |
| E2329 Power wheelchair accessory, specialty joystick handle for hand control E2324 Power wheelchair accessory, chin cup for chin control interface E2325 Power wheelchair accessory, sip and puff interface, nonproportional E2326 Power wheelchair accessory, sip and puff interface, nonproportional E2327 Power wheelchair accessory, bread control interface, mechanical, proportional E2328 Power wheelchair accessory, head control interface, mechanical, proportional E2329 Power wheelchair accessory, head control or extremity control interface, electronic, proportional E2329 Power wheelchair accessory, head control interface, contact switch mechanism, nonproportional E2329 Power wheelchair accessory, head control interface, contact switch mechanism, nonproportional E2330 Power wheelchair accessory, head control interface, proximity switch mechanism, Nonproportional E2331 Power wheelchair accessory, attendant control, proportional, including all electronics and hardware E2331 Power wheelchair accessory, nonstandard seat frame width, 20-23 inches E2340 Power wheelchair accessory, nonstandard seat frame width, 24-27 inches E2341 Power wheelchair accessory, nonstandard seat frame depth, 22-25 inches E2343 Power wheelchair accessory, nonstandard seat frame depth, 22-25 inches E2343 Power wheelchair accessory, nonstandard seat frame depth, 22-25 inches E2344 Power wheelchair accessory, nonstandard seat frame depth, 22-25 inches E2345 Power wheelchair accessory, nonstandard seat frame depth, 22-25 inches E2346 Power wheelchair accessory, nonstandard seat frame depth, 22-25 inches E2347 Power wheelchair accessory, nonstandard seat frame depth, 22-25 inches E2348 Power wheelchair accessory, nonstandard seat frame depth, 22-25 inches E2349 Power wheelchair accessory, nonstandard seat frame depth, 22-25 inches E2340 Power wheelchair accessory, nonstandard seat frame depth, 22-25 inches E2341 Power wheelchair accessory, nonstandard seat frame depth, 22-25 inches | - |
| E2324 Power wheelchair accessory, chin cup for chin control interface | - |
| E2325 Power wheelchair accessory, sip and puff interface, nonproportional E3326 Power wheelchair accessory, breath tube kit for sip and puff interface Power wheelchair accessory, head control interface, mechanical, proportional E3327 Power wheelchair accessory, head control or extremity control interface, electronic, proportional E3328 Power wheelchair accessory, head control or extremity control interface, electronic, proportional E3329 Power wheelchair accessory, head control interface, contact switch mechanism, nonproportional E2330 Power wheelchair accessory, head control interface, proximity switch mechanism, nonproportional E2331 Power wheelchair accessory, attendant control, proportional, including all electronics and hardware E3341 Power wheelchair accessory, nonstandard seat frame width, 20-23 inches Power wheelchair accessory, nonstandard seat frame width, 24-27 inches Power wheelchair accessory, nonstandard seat frame depth, 20 or 21 inches Power wheelchair accessory, nonstandard seat frame depth, 20 or 21 inches Power wheelchair accessory, nonstandard seat frame depth, 22-25 inches Power wheelchair accessory, nonstandard seat frame depth, 22-25 inches Power wheelchair accessory, nonstandard seat frame depth, 22-25 inches Power wheelchair accessory, nonstandard seat frame depth, 22-25 inches Power wheelchair accessory, nonstandard seat frame depth, 22-25 inches Power wheelchair accessory, nonstandard seat frame depth, 22-25 inches Power wheelchair accessory, nonstandard seat frame depth, 22-25 inches Power wheelchair accessory, nonstandard seat frame depth, 22-25 inches Power wheelchair accessory, nonstandard seat frame depth, 22-25 inches Power wheelchair accessory, nonstandard seat frame depth, 22-25 inches Power wheelchair accessory, nonstandard seat frame depth, 22-25 inches Power wheelchair accessory, nonstandard seat frame depth, 22-25 inches | X |
| E2326 Power wheelchair accessory, breath tube kit for sip and puff interface | Х |
| E2328 Power wheelchair accessory, head control or extremity control interface, electronic, proportional E2329 Power wheelchair accessory, head control interface, contact switch mechanism, nonproportional E2330 Power wheelchair accessory, head control interface, proximity switch mechanism, nonproportional E2331 Power wheelchair accessory, attendant control, proportional, including all electronics and hardware E2340 Power wheelchair accessory, nonstandard seat frame width, 20-23 inches E2341 Power wheelchair accessory, nonstandard seat frame width, 24-27 inches E2342 Power wheelchair accessory, nonstandard seat frame depth, 20 or 21 inches E2343 Power wheelchair accessory, nonstandard seat frame depth, 20 or 21 inches E2344 Power wheelchair accessory, nonstandard seat frame depth, 22-25 inches E2345 Power wheelchair accessory, nonstandard seat frame depth, 22-25 inches E2346 Power wheelchair accessory, nonstandard seat frame depth, 22-25 inches E2347 Power wheelchair accessory, nonstandard seat frame depth, 22-25 inches E2348 Power wheelchair accessory, nonstandard seat frame depth, 22-25 inches E2349 Power wheelchair accessory, nonstandard seat frame depth, 22-25 inches E2340 Power wheelchair accessory, nonstandard seat frame depth, 22-25 inches | - |
| proportional E2329 Power wheelchair accessory, head control interface, contact switch mechanism, nonproportional E2330 Power wheelchair accessory, head control interface, proximity switch mechanism, nonproportional E2331 Power wheelchair accessory, attendant control, proportional, including all electronics and hardware E2340 Power wheelchair accessory, nonstandard seat frame width, 20-23 inches Table 1 Power wheelchair accessory, nonstandard seat frame width, 24-27 inches Table 2 Power wheelchair accessory, nonstandard seat frame depth, 20 or 21 inches Table 2 Power wheelchair accessory, nonstandard seat frame depth, 22-25 inches Table 2 Power wheelchair accessory, nonstandard seat frame depth, 22-25 inches Table 2 Power wheelchair accessory, nonstandard seat frame depth, 22-25 inches Table 2 Power wheelchair accessory, nonstandard seat frame depth, 22-25 inches Table 2 Power wheelchair accessory, nonstandard seat frame depth, 22-25 inches Table 2 Power wheelchair accessory, nonstandard seat frame depth, 22-25 inches Table 2 Power wheelchair accessory, nonstandard seat frame depth, 22-25 inches Table 2 Power wheelchair accessory, nonstandard seat frame depth, 22-25 inches Table 2 Power wheelchair accessory, nonstandard seat frame depth, 22-25 inches | - |
| nonproportional E2330 Power wheelchair accessory, head control interface, proximity switch mechanism, nonproportional E2331 Power wheelchair accessory, attendant control, proportional, including all electronics and hardware E2340 Power wheelchair accessory, nonstandard seat frame width, 20-23 inches E2341 Power wheelchair accessory, nonstandard seat frame width, 24-27 inches E2342 Power wheelchair accessory, nonstandard seat frame depth, 20 or 21 inches E2343 Power wheelchair accessory, nonstandard seat frame depth, 22-25 inches - X - X - X - X - X - X - X - X | - |
| nonproportional E2331 Power wheelchair accessory, attendant control, proportional, including all electronics and hardware E2340 Power wheelchair accessory, nonstandard seat frame width, 20-23 inches E2341 Power wheelchair accessory, nonstandard seat frame width, 24-27 inches E2342 Power wheelchair accessory, nonstandard seat frame depth, 20 or 21 inches E2343 Power wheelchair accessory, nonstandard seat frame depth, 20 or 21 inches E2343 Power wheelchair accessory, nonstandard seat frame depth, 22-25 inches E2344 Power wheelchair accessory, nonstandard seat frame depth, 22-25 inches E2345 Power wheelchair accessory, nonstandard seat frame depth, 22-25 inches E2346 Power wheelchair accessory, nonstandard seat frame depth, 22-25 inches | - |
| hardware E2340 Power wheelchair accessory, nonstandard seat frame width, 20-23 inches E2341 Power wheelchair accessory, nonstandard seat frame width, 24-27 inches E2342 Power wheelchair accessory, nonstandard seat frame depth, 20 or 21 inches E2343 Power wheelchair accessory, nonstandard seat frame depth, 20 or 21 inches E2343 Power wheelchair accessory, nonstandard seat frame depth, 22-25 inches E2344 Power wheelchair accessory, nonstandard seat frame depth, 22-25 inches E2345 Power wheelchair accessory, nonstandard seat frame depth, 22-25 inches | - |
| E2341Power wheelchair accessory, nonstandard seat frame width, 24-27 inches-X-XXE2342Power wheelchair accessory, nonstandard seat frame depth, 20 or 21 inches-X-XX-XE2343Power wheelchair accessory, nonstandard seat frame depth, 22-25 inches-X-XX-X | - |
| E2341Power wheelchair accessory, nonstandard seat frame width, 24-27 inches-X-XX-XE2342Power wheelchair accessory, nonstandard seat frame depth, 20 or 21 inches-X-XX-XE2343Power wheelchair accessory, nonstandard seat frame depth, 22-25 inches-X-XX-X | - |
| E2343 Power wheelchair accessory, nonstandard seat frame depth, 22-25 inches - X - X - X | - |
| | - |
| E2251 Dayson the plate is a second plate as is interfered to a second property of the plate is a second plate as is interfered to the plate is a second plate as is interfered to the plate is a second plate as is interfered to the plate is a second plate as in the plate as in the plate is a second plate as in the pl | - |
| E2351 Power wheelchair accessory, electronic interface to operate speech generating device - X - X X - X | - |
| E2358 Power wheelchair accessory, group 34 non-sealed lead acid battery, each X - X - X | - |
| E2359 Power wheelchair accessory, group 34 sealed lead acid battery, each (e.g., gel cell, absorbed X - X | - |
| E2360 Power wheelchair accessory, 22 nf non-sealed lead acid battery, each X - X - X | _ |
| E2361 Power wheelchair accessory, 22nf sealed lead acid battery, each X - X | _ |
| E2362 Power wheelchair accessory, group 24 non-sealed lead acid battery, each X - X - X - X | - |
| E2363 Power wheelchair accessory, group 24 sealed lead acid battery, each | - |
| E2364 Power wheelchair accessory, u-1 non-sealed lead acid battery, each X - X - X | - |
| E2365 Power wheelchair accessory, u-1 sealed lead acid battery, each | - |
| E2366 Power wheelchair accessory, battery charger, single mode, for use with only one battery type X - X | - |
| E2367 Power wheelchair accessory, battery charger, dual mode, for use with either battery type X - X | - |
| E2368 Power wc motor replacement X - X | _ |

^{*} These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



| G | ricaldi | Trad | itional Medicaid | Tradi | tional Integrated | Non-Tradition | onal Medicaid | Non-Tradition | al Integrated |
|-------------|--|-----------------------------|--|--|---------------------------------------|---------------|---------------------------------|---------------|----------------------------------|
| Codes | Description | Not | Preauthorization | Not | Preauthorization | Not Covered | Preauthorization | Not Covered | Preauthorization |
| Disclaimer: | Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, the | Covered ese coding lists | Required s do not reflect information | Covered regarding imm | Required unizations, injectable drugs | | Required ations and should be d | | Required y link option within |
| the website | | | 1 | | - | | T | 1 | - |
| | Pwr wc gear box replacement | - | - | - | - | X | - | X | - |
| | Pwr wc motor/gear box combo | - | - | - | - | Х | - | Х | - |
| E23/1 | Power wheelchair accessory, group 27 sealed lead acid battery, (e.g. gel cell, absorbed glassmat), each | - | Х | - | Х | Х | - | Х | - |
| E2372 | Power wheelchair accessory, group 27 non-sealed lead acid battery, each | - | - | - | - | Х | - | Х | - |
| | Power wheelchair accessory, hand or chin control interface, mini-proportional, compact, or short throw remote joystick o | - | - | - | - | Х | - | Х | - |
| F2374 | Power wheelchair accessory, hand or chin control interface, standard remote joystick (not | | | | | | | | |
| | including controller), proport | - | - | - | - | Х | - | Х | - |
| E2375 | Power wheelchair accessory, non-expandable controller, including all related electronics and mounting hardware, replacem | - | - | - | - | Х | - | X | - |
| E2376 | Power wheelchair accessory, expandable controller, including all related electronics and mounting hardware, replacement | - | - | - | - | Х | - | Х | - |
| F2377 | Power wheelchair accessory, expandable controller, including all related electronics and | | | | | | | | |
| LLOTT | mounting hardware, upgrade prov | - | - | - | - | Х | - | X | - |
| E2378 | Power wheelchair component, actuator, replacement only | - | - | - | - | Х | - | Х | - |
| E2381 | Power wheelchair accessory, pneumatic drive wheel tire, any size, replacement only, each | - | Х | - | Х | Х | - | Х | - |
| E2382 | Power wheelchair accessory, tube for pneumatic drive wheel tire, any size, replacement only, each | - | Х | - | Х | Х | - | х | - |
| E2383 | Power wheelchair accessory, insert for pneumatic drive wheel tire (removable), any type, any size, replacement only, eac | - | Х | - | Х | Х | - | х | - |
| E2384 | Power wheelchair accessory, pneumatic caster tire, any size, replacement only, each | - | Х | - | Х | Х | - | Х | - |
| E2385 | Power wheelchair accessory, tube for pneumatic caster tire, any size, replacement only, each | - | - | - | - | Х | - | Х | - |
| E2386 | Power wheelchair accessory, foam filled drive wheel tire, any size, replacement only, each | - | - | - | - | Х | - | Х | - |
| E2387 | Power wheelchair accessory, foam filled caster tire, any size, replacement only, each | - | - | - | - | X | - | X | - |
| E2388 | Power wheelchair accessory, foam drive wheel tire, any size, replacement only, each | - | - | _ | - | Х | - | X | - |
| F2380 | Power wheelchair accessory, foam caster tire, any size, replacement only, each | _ | _ | _ | _ | Х | _ | X | - |
| | Power wheelchair accessory, solid (rubber/plastic) drive wheel tire, any size, replacement only, | - | X | - | X | X | - | X | - |
| E2391 | each Power wheelchair accessory, solid (rubber/plastic) caster tire (removable), any size, | - | - | - | - | Х | - | X | - |
| E2202 | replacement only, each | | | | | | | | |
| | Power wheelchair accessory, solid (rubber/plastic) caster tire with integrated wheel, any size, replacement only, each | - | - | - | - | Х | - | Х | - |
| E2394 | Power wheelchair accessory, drive wheel excludes tire, any size, replacement only, each | - | - | - | - | Х | - | X | - |
| E2395 | Power wheelchair accessory, caster wheel excludes tire, any size, replacement only, each | - | - | - | - | Х | - | х | - |
| E2396 | Power wheelchair accessory, caster fork, any size, replacement only, each | - | - | - | - | Х | - | Х | - |
| E2397 | Power wheelchair accessory, lithium-based battery, each | - | - | - | - | Х | - | Х | - |

^{*} These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



| | Ticalli | Traditional Medicaid | | Traditional Integrated | | Non-Traditional Medicaid | | Non-Traditio | nal Integrated |
|-------------|--|-----------------------------|-------------------------------------|--------------------------|---------------------------------------|--------------------------|-------------------------------------|----------------------|-----------------------------------|
| Codes | Description | Not | Preauthorization | Not | Preauthorization | Not Covered | Preauthorization | Not Covered | Preauthorization |
| | Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, the | Covered ese coding lists | Required do not reflect information | Covered regarding imm | Required unizations, injectable drugs | s, or specialty medica | Required ations and should be di | rected to the Pharma | Required by link option within |
| the website | Wc dynamic pos back hardware | Х | _ | Х | _ | Х | _ | Х | _ |
| E2402 | Negative pressure wound therapy electrical pump, stationary or portable | - | X | | X | | X | | X |
| E2500 | Speech generating device, digitized speech, using pre-recorded messages, 8 min. or less | - | | - | | - | | _ | ^ |
| LZOOO | Speech generating device, digitized speech, using pre-recorded messages, 8 min. or less | - | Х | - | Х | - | Х | 1 | Х |
| E2502 | Speech generating device, digitized speech, using pre-recorded messages, 8-20 min. | - | X | - | X | - | X | ı | X |
| E2504 | Speech generating device, digitized speech, using pre-recorded messages, 20-40 min. | - | Х | - | Х | - | Х | - | Х |
| E2506 | Speech generating device, digitized speech, using pre-recorded messages, over 40 min. | - | Х | - | X | - | Х | - | Х |
| E2508 | Speech generating device, synthesized speech, requiring message formulation by spelling | - | Х | - | Х | - | Х | - | Х |
| E2510 | Speech generating device, synthesized speech, permitting multiple methods | - | Х | - | Х | - | Х | - | Х |
| E2511 | Speech generating software program, for personal computer or personal digital assistant | - | Х | - | Х | - | Х | - | Х |
| E2512 | Accessory for speech generating device, mounting system | - | Х | - | Х | Х | - | Х | - |
| E2599 | Accessory for speech generating device, not otherwise classified | - | Х | - | Х | Х | _ | Х | - |
| E2601 | Gen w/c cushion wdth < 22 in | - | _ | - | - | Х | _ | Х | - |
| E2602 | Gen w/c cushion wdth >=22 in | - | _ | - | - | Х | _ | Х | - |
| E2603 | Skin protect wc cus wd <22in | - | - | - | - | Х | - | Х | - |
| | Skin protect wc cus wd>=22in | - | - | - | - | Х | - | Х | - |
| E2605 | Position wc cush wdth <22 in | - | - | - | - | Х | - | Х | - |
| | Position wc cush wdth>=22 in | - | - | - | - | Х | - | Х | - |
| | Skin pro/pos wc cus wd <22in | - | - | - | - | Х | - | Х | - |
| | Skin pro/pos wc cus wd>=22in | - | - | - | - | Х | - | Х | - |
| | Custom fabricate w/c cushion | - | - | - | - | Х | - | Х | - |
| | Powered w/c cushion | Х | - | Х | - | Х | - | Х | - |
| | Gen use back cush wdth <22in | - | - | - | - | Х | - | Х | - |
| E2612 | Gen use back cush wdth>=22in | - | - | - | - | Х | - | Х | - |
| E2613 | Position back cush wd <22in | - | - | - | - | Х | - | Х | - |
| | Position back cush wd>=22in | - | - | - | - | Х | - | Х | - |
| | Pos back post/lat wdth <22in | - | - | - | - | Х | - | Х | - |
| | Pos back post/lat wdth>=22in | - | - | - | - | Х | - | Х | - |
| | Custom fab w/c back cushion | - | - | - | - | Х | - | Х | - |
| | Replace cover w/c seat cush | - | - | - | - | Х | - | Х | - |
| E2620 | Wc planar back cush wd <22in | - | - | - | - | Х | - | Х | - |
| E2621 | Wc planar back cush wd>=22in | - | - | - | - | Х | - | Х | - |
| E2622 | Adj skin pro w/c cus wd<22in | - | - | - | - | X | - | X | - |
| E2623 | Adj skin pro wc cus wd>=22in | - | - | - | - | X | - | X | - |
| | Adj skin pro/pos cus<22in | - | - | - | - | X | - | X | - |
| | Adj skin pro/pos wc cus>=22 | - | - | - | - | Х | - | Х | - |
| | Wheelchair accessory, shoulder elbow, mobile arm support attached to wheelchair, balanced, | | | | | | | | |
| | adjustable | - | - | - | - | Х | - | Х | - |
| E2627 | Wheelchair accessory, shoulder elbow, mobile arm support attached to wheelchair, balanced, adjustable rancho type | - | - | - | - | Х | - | Х | - |

^{*} These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



| V | nealti | Trad | itional Medicaid | Tradit | tional Integrated | Non-Tradition | onal Medicaid | Non-Tradition | nal Integrated |
|-------------|---|----------------------------|---------------------------------------|-----------------------|--|---------------|------------------------------------|---------------|----------------------------------|
| Codes | Description | Not | Preauthorization | Not | Preauthorization | Not Covered | Preauthorization | | Preauthorization |
| Disclaimer | Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, the | Covered se coding lists | Required s do not reflect information | Covered regarding imm | Required unizations, injectable drugs | | Required ations and should be d | | Required y link option within |
| the website | Wheelchair accessory, shoulder elbow, mobile arm support attached to wheelchair, balanced, | | 1 | | | | 1 | | |
| 12020 | reclining | - | - | - | - | Х | - | X | - |
| E2629 | Wheelchair accessory, shoulder elbow, mobile arm support attached to wheelchair, balanced, | | | | | | | | |
| | friction arm support (friction dampening to proximal and distal joints) | - | - | - | - | Х | - | Х | - |
| E2630 | Wheelchair accessory, shoulder elbow, mobile arm support, monosuspension arm and hand | | | | | | | | |
| | support, overhead elbow forearm hand sling support, yoke type suspension support | - | - | - | - | X | - | X | - |
| | | | | | | | | | |
| | Wheelchair accessory, addition to mobile arm support, elevating proximal arm | - | - | - | - | Х | - | Х | - |
| E2632 | Wheelchair accessory, addition to mobile arm support, offset or lateral rocker arm with elastic | - | - | - | - | X | - | Х | - |
| E2633 | balance control Wheelchair accessory, addition to mobile arm support, supinator | | | _ | | Х | | Х | |
| | Posterior gait trainer | - | - | - | - | X | - | X | |
| | Upright gait trainer | | - | _ | - | X | - | X | |
| E8002 | Anterior gait trainer | _ | Х | _ | Х | X | _ | X | - |
| G0010 | Admin hepatitis b vaccine | Х | - | Х | - | X | _ | X | _ |
| G0011 | Individual counseling for pre-exposure prophylaxis (prep) by physician or qualified health care | | | | | | | | |
| | professional (qhp)to prevent human immunodeficiency virus (hiv), includes hiv risk assessment | V | | | | | | | |
| | (initial or continued assessment of risk), hiv risk reduction and medication adherence, 15-30 | Х | - | Х | - | - | - | - | - |
| | minutes | | | | | | | | |
| G0012 | | Х | _ | х | _ | _ | _ | _ | _ |
| | Injection of pre-exposure prophylaxis (prep) drug for hiv prevention, under skin or into muscle | ^ | - | * | - | - | - | - | - |
| G0013 | Individual counseling for pre-exposure prophylaxis (prep) by clinical staff to prevent human | | | | | | | | |
| | immunodeficiency virus (hiv), includes: hiv risk assessment (initial or continued assessment of | Х | - | х | - | - | - | - | - |
| | risk), hiv risk reduction and medication adherence | | | | | | | | |
| G0017 | Psychotherapy for crisis furnished in an applicable site of service (any place of service at which | | | | | | | | |
| | the non-facility rate for psychotherapy for crisis services applies, other than the office setting); | Х | - | Х | - | - | - | - | - |
| G0018 | first 60 minutes | | | | | | | | |
| G0018 | Develope the group of a variety function of an applicable site of comics (any place of comics at which | | | | | | | | |
| | Psychotherapy for crisis furnished in an applicable site of service (any place of service at which the non-facility rate for psychotherapy for crisis services applies, other than the office setting); | Х | - | х | - | - | - | - | - |
| | each additional 30 minutes (list separately in addition to code for primary service) | | | | | | | | |
| G0019 | Community health integration services performed by certified or trained auxiliary personnel, | | | | | | | | |
| | including a community health worker, under the direction of a physician or other practitioner; | Х | - | x | - | - | - | _ | - |
| | 60 minutes per calendar month | | | | | | | | |
| G0022 | Community health integration services, each additional 30 minutes per calendar month (list | V | | | | | | | |
| | separately in addition to g0019) | Х | - | Х | | | | | - |
| G0023 | Principal illness navigation services by certified or trained auxiliary personnel under the | _ | | | | _ | | | _ |
| | direction of a physician or other practitioner, including a patient navigator; 60 minutes per | Х | - | х | - | - | - | - | - |
| | calendar month, in the following activities | | | | | | | | |
| G0024 | Principal illness navigation services, additional 30 minutes per calendar month (list separately in | X | _ | х | _ | _ | _ | _ | _ |
| 0000 | addition to g0023) | | | | | | | | |
| | Semen analysis | X | - | X | - | X | - | X | - |
| | Doc med rsn no scr tob | X | - | X | - | X | - | X | - |
| | No tob scr/cess int | X | - | X | - | X | - | X | - |
| G0030 | Pt scr tob & cess int | X | <u>-</u> | Х | - | Х | - | Х | - |

^{*} These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



| | Ticaldi | Trad | itional Medicaid | Tradi | tional Integrated | Non-Tradition | onal Medicaid | Non-Traditio | nal Integrated |
|-------------|--|----------------------------|--|--------------------------|--|---------------|------------------------------------|--------------|-----------------------------------|
| Codes | Description | Not | Preauthorization | Not | Preauthorization | Not Covered | Preauthorization | Not Covered | Preauthorization |
| Disclaimer: | Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, the | Covered se coding lists | Required do not reflect information | Covered regarding imm | Required nunizations, injectable drugs | | Required ations and should be d | | Required by link option within |
| the website | | | T | | 1 | | | | |
| G0031 | Pall serv during meas | X | - | X | - | X | - | X | - |
| G0032 | 2+ antipsy schiz | X | - | X | - | X | - | X | - |
| | 2+ benzo seiz | X | - | X | - | X | - | X | - |
| | Pall serv during meas Pt ed pos 23 | X | - | X | - | X | - | X | - |
| | Pt/ptn decln assess | X | - | X | - | X | - | X | - |
| | Pt not able to participate | X | - | X | - | X | - | X | _ |
| G0037 | Clin pt no ref | X | - | X | - | X | _ | X | - |
| G0030 | Pt no ref, rn spec | X | | X | - | X | _ | | - |
| | | X | - | X | - | X | - | X | - |
| | Pt phys/occ therapy | | | | | | | | |
| | Pt/ptn decln referral | X | - | X | - | X | - | X | - |
| | Ref to therapy | | - | X | - | X | - | X | - |
| | Pt mech pros ht valv | X | - | X | - | X | - | X | - |
| | Pt mitral stenosis | X | - | X | | X | - | X | - |
| | Mrs 90 days post stk | X | - | X | - | X | - | X | - |
| | No mrs 90 days post stk | X | - | X | - | X | - | X | - |
| | Ped blunt hd traum | X | - | X | - | X | - | X | - |
| | Pall serv during meas | X | - | X | - | X | - | X | - |
| | Main hemo in-cntr | X | - | X | - | X | - | X | - |
| | Pt w/ Imted life expec | X | - | X | - | X | - | X | - |
| | Pt hospice mnth | X | - | X | - | X | - | X | - |
| G0052 | Pt peri dialysis dur mo | X | - | X | - | X | - | X | - |
| | Adv rheum pt care mvp | X | - | X | - | X | - | X | - |
| | Strk cr prev pos outcme mvp | X | - | X | - | X | - | X | - |
| | Adv care heart dx mvp | X | - | X | - | X | - | X | - |
| G0056 | Opt chronic dx mang mvp | X | - | X | - | X | - | X | - |
| | Best pct pt safety em mvp | X | - | X | - | X | - | X | - |
| | Imprv care le jnt repr mvp | X | - | X | - | X | - | X | - |
| | Pt sfty pos exp w aneth mvp | X | - | X | - | X | - | X | - |
| | Allergy/immunology ss | X | - | X | - | X | - | Х | - |
| | Anesthesiology ss | X | - | X | - | X | - | X | - |
| G0062 | Audiology ss | X | - | X | - | X | - | X | - |
| G0063 | Cardiology ss | X | - | X | - | X | - | X | - |
| G0064 | Cert nurse midwife ss | X | - | X | - | X | - | X | - |
| G0065 | Chiropractic ss | X | - | X | - | X | - | X | - |
| G0066 | Clinical social work ss | X | - | X | - | Х | - | X | - |
| | Dentistry ss | X | - | X | - | Х | - | Х | - |
| | Adm of infusion drug in home | Х | - | Х | - | Х | - | Х | - |
| G0069 | Professional services for the administration of subcutaneous immunotherapy for each infusion | | | | | | | | |
| | drug administration calendar day in the individual's home, each 15 minutes | Х | - | Х | - | Х | - | X | - |
| G0070 | Professional services for the administration of chemotherapy for each infusion drug | Х | _ | Х | _ | Х | _ | Х | _ |
| | administration calendar day in the individual's home, each 15 minutes | | _ | | _ | | | | - |
| | Comm svcs by rhc/fqhc 5 min | Х | - | Х | - | Х | - | X | - |
| G0076 | Care manag h vst new pt 20 m | Х | - | Х | - | X | - | X | - |

^{*} These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



| | Ticalti | Trad | itional Medicaid | Tradi | tional Integrated | Non-Traditio | onal Medicaid | Non-Tradition | nal Integrated |
|-------------|--|----------------------------|--|-----------------------|-------------------|--------------|-----------------------------------|---------------|--|
| Codes | Description | Not | Preauthorization | Not | Preauthorization | Not Covered | Preauthorization | Not Covered | Preauthorization |
| Disclaimer: | Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these | Covered se coding lists | Required do not reflect information | Covered regarding imm | Required | | Required tions and should be d | | Required by link option within |
| the website | | | Т | | | | T | | |
| G0077 | Care manag h vst new pt 30 m | Х | - | Х | - | Х | - | Х | - |
| G0078 | Care manag h vst new pt 45 m | Х | - | Х | - | Х | - | Х | - |
| G0079 | Care manag h vst new pt 60 m | Х | - | Х | - | Х | - | Х | - |
| | Care manag h vst new pt 75 m | Х | - | Х | - | Х | - | Х | - |
| | Care man h v ext pt 20 mi | Х | - | Х | - | Х | - | X | - |
| | Care man h v ext pt 30 m | Х | - | Х | - | Х | - | Х | - |
| | Care man h v ext pt 45 m | Х | - | Х | - | Х | - | Х | - |
| | Care man h v ext pt 60 m | Х | - | Х | - | Х | - | Х | - |
| | Care man h v ext pt 75 m | Х | - | Х | - | Х | - | Х | - |
| | Care man home care plan 30 m | Х | - | Х | - | Х | - | Х | - |
| | Care man home care plan 60 m | Х | - | Х | - | Х | - | Х | - |
| | Adm iv drug 1st home visit | Х | - | Х | - | Х | - | Х | - |
| | Adm subq drug 1st home visit | Х | - | Х | - | Х | - | Х | - |
| | Adm iv chemo 1st home visit | Χ | - | Х | - | Х | - | Х | - |
| | Psa, total screening | Х | - | Х | - | Х | - | Х | - |
| | Diab manage trn ind/group | Х | - | X | - | Х | - | Х | - |
| | Colon ca scrn; barium enema | X | - | Х | - | Х | - | Х | - |
| | Screen cerv/vag thin layer | Χ | - | X | - | Х | - | Х | - |
| | Screen c/v thin layer by md | Х | - | X | - | Х | - | Х | - |
| | Trim nail(s) | Х | - | Х | - | Х | - | Х | - |
| | | Χ | - | X | - | Х | - | Х | - |
| | Partial hosp prog service | - | Х | - | X | - | Х | - | Х |
| | Single energy x-ray study | X | - | Х | - | Х | - | Х | - |
| G0136 | Administration of a standardized, evidence-based social determinants of health risk assessment | Х | _ | X | _ | _ | _ | _ | _ |
| | tool, 5-15 minutes | | | ^ | | | | | |
| G0137 | | | | | | | | | İ |
| | Intensive outpatient services; weekly bundle, minimum of 9 services over a 7 contiguous day | Х | _ | Х | _ | _ | _ | _ | l - |
| | period, which can include individual and group therapy with physicians or psychologists (or | , | | ^ | | | | | İ |
| | other mental health professionals to the extent authorized under state law); | | | | | | | | |
| G0140 | Principal illness navigation - peer support by certified or trained auxiliary personnel under the | | | | | | | | İ |
| | direction of a physician or other practitioner, including a certified peer specialist; 60 minutes per | X | - | Х | - | - | - | - | - |
| | calendar month | | | | | | | | |
| | Scr c/v cyto,autosys and md | X | - | Х | - | Х | - | Х | - |
| | Scr c/v cyto,thinlayer,rescr | Х | - | Х | - | Х | - | Х | - |
| | Scr c/v cyto,thinlayer,rescr | Χ | - | Х | - | Χ | - | Х | - |
| | Scr c/v cyto,thinlayer,rescr | Χ | - | X | - | Х | - | Х | - |
| G0146 | Principal illness navigation - peer support, additional 30 minutes per calendar month (list | X | _ | X | _ | _ | _ | _ | _ |
| | separately in addition to g0140) | | | | | | | | <u> </u> |
| | Scr c/v cyto, automated sys | Χ | - | Х | - | Х | - | Х | - |
| | Scr c/v cyto, autosys, rescr | Χ | - | Х | - | Х | - | Х | - |
| | Hhcp-serv of pt,ea 15 min | - | Х | - | X | Х | - | Х | - |
| | Hhcp-serv of ot,ea 15 min | - | - | - | - | Х | - | Х | - |
| | Hhcp-svs of s/I path,ea 15mn | - | Х | - | X | - | X | - | X |
| G0156 | Services of home health/hospice aide in home health or hospice settings, each 15 minutes | Х | - | Х | - | Х | - | Х | - |
| | | | | | | | L | 1 | <u>i </u> |

^{*} These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



| | | | itional Medicaid | | tional Integrated | Non-Tradition | onal Medicaid | Non-Tradition | al Integrated |
|-------------|--|----------------|------------------------------|----------------|------------------------------|-------------------------|------------------------------|------------------------|------------------------------|
| Codes | Description | Not Covered | Preauthorization Required | Not Covered | Preauthorization Required | Not Covered | Preauthorization Required | Not Covered | Preauthorization Required |
| | Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, the | | | | | s, or specialty medical | | irected to the Pharmac | |
| the website | Hhc pt assistant ea 15 | Х | _ | Х | _ | Х | _ | Х | |
| | Hhc ot assistant ea 15 | X | - | X | - | X | _ | X | - |
| | Hhc pt maint ea 15 min | X | _ | X | - | X | - | X | _ |
| G0160 | Hhc occup therapy ea 15 | Х | - | Х | - | Х | - | Х | - |
| | Services performed by a qualified speech-language pathologist, in the home health setting, in | | | | | | | | |
| | the establishment or delivery of a safe and effective speech-language pathology m | Х | - | Х | - | Х | - | Х | - |
| G0162 | Hhc rn e&m plan svs, 15 min | Х | - | Х | - | Х | - | Х | - |
| | Extrnl counterpulse, per tx | Х | - | Х | - | Х | - | Х | - |
| | Wound closure by adhesive | Х | - | Х | - | Х | - | Х | - |
| G0179 | Md recertification hha patient | Х | - | Х | - | Х | - | Х | - |
| G0180 | Md certification hha patient | Х | - | Х | - | Х | - | Х | - |
| | Home health care supervision | Х | - | Х | - | Х | - | Х | - |
| | Hospice care supervision | Х | - | Х | - | Х | - | Х | - |
| | Dstry eye lesn,fdr vssl tech | Х | - | Х | - | Х | - | Х | - |
| G0219 | Pet img wholebody melanoma nonco | Х | - | Х | - | Х | - | Х | - |
| G0235 | Pet imaging, any site, not otherwise specified | Х | - | Х | - | Х | - | Х | - |
| G0238 | Therapeutic procedures to improve respiratory function, other than described by g0237, one | - | Х | - | Х | - | Х | - | Х |
| C0247 | on one, face to face, per | | | | | | | | |
| G0247 | Routine foot care by a physician of a diabetic patient with diabetic sensoryneuropathy resulting | Х | - | Х | - | Х | - | Х | - |
| G0240 | in a loss of protective Provision of test materials and equipment for home inr monitoring to patientwith mechanical | | | | | | | | |
| G0249 | | - | Х | - | X | - | X | - | X |
| G0250 | heart valve(s) who meets med Physician review, interpretation and patient management of home inr testing for apatient with | | | | | | | | |
| G0230 | mechanical heart valve(s) | Х | - | Х | - | Х | - | X | - |
| G0252 | Pet imaging, full and partial-ring pet scanners only, for initial diagnosis ofbreast cancer and/or | | | | | | | | |
| G0232 | surgical planning for | Х | - | Х | - | Х | - | X | - |
| G0255 | Current perception threshold/sensory nerve conduction test, (snct) per limb,any nerve | | | | | | | | |
| 00233 | current perception threshold/sensory herve conduction test, (shoct) per limb, any herve | Х | - | Х | - | Х | - | X | - |
| G0257 | Unscheduled or emergency dialysis treatment for an esrd patient in a hospitaloutpatient | Х | _ | Х | - | Х | _ | Х | |
| 00000 | department that is not certified | | | ļ | | | | | |
| G0260 | Injection procedure for sacroiliac joint; provision of anesthetic, steroidand/or other therapeutic agent and arthrograph | Х | - | Х | - | Х | - | Х | - |
| G0270 | Medical nutrition therapy; reassessment and subsequent intervention(s)following second | | | | | | | | |
| | referral in same year for change | - | Х | - | X | - | X | - | Χ |
| G0271 | Medical nutrition therapy, reassessment and subsequent intervention(s)following second | ,, | | ,, | | ,, | | ,, | |
| | referral in same year for change | Х | - | Х | - | Х | - | X | - |
| G0276 | Pild/placebo control clin tr | Х | - | Х | - | Х | - | Х | - |
| | Hbot, full body chamber, 30m | - | Х | - | Х | - | Х | - | Х |
| | Tomosynthesis, mammo screen | Х | - | Х | - | Х | - | Х | - |
| | Electrical stimulation, (unattended), to one or more areas, for chronic stageiii and stage iv | v | | ., | | V | | v | |
| | pressure ulcers, arterial | Х | - | X | - | Х | - | Х | - |
| G0282 | Electrical stimulation, (unattended), to one or more areas, for wound careother than described | Х | | V | | V | | | |
| | in g0281 | ^ | - | X | - | Х | - | Х | - |

^{*} These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



| | Ticaldi | Trad | itional Medicaid | Tradi | tional Integrated | Non-Traditio | onal Medicaid | Non-Tradition | nal Integrated |
|-------------|--|----------------------------|---------------------------------------|-----------------------|--|------------------------|----------------------------------|-----------------------|-----------------------------------|
| Codes | Description | Not | Preauthorization | Not | Preauthorization | Not Covered | Preauthorization | Not Covered | Preauthorization |
| | Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, the | Covered se coding lists | Required s do not reflect information | Covered regarding imm | Required unizations, injectable drugs | s, or specialty medica | Required ations and should be di | rected to the Pharmac | Required by link option within |
| the website | Electrical stimulation (unattended), to one or more areas for indication(s)other than wound | | | | | | | | |
| | care, as part of a therapy p | Х | - | Х | - | Х | - | Х | - |
| G0293 | Noncovered surgical procedure(s) using conscious sedation, regional, general orspinal | Х | | V | | Х | | Х | |
| | anesthesia in a medicare qualifyin | Χ | - | Х | - | | - | ^ | - |
| G0294 | Noncovered procedure(s) using either no anesthesia or local anesthesia only, ina medicare | Х | _ | Х | _ | Х | _ | Х | _ |
| | qualifying clinical trial, per | ^ | - | ^ | - | ^ | - | ^ | - |
| | Electromagnetic stimulation, to one or more areas | Χ | - | X | - | Х | - | Х | - |
| G0296 | Counseling visit to discuss need for lung cancer screening (idct) using low dose ct scan (service is | X | _ | Х | _ | Х | _ | x | _ |
| | for eligibility determination and shared decision making) | | | ,, | | | | | |
| G0299 | Direct skilled nursing services of a registered nurse (rn) in the home health or hospice setting, | - | X | - | Х | - | X | _ | × |
| 00000 | each 15 minutes | | | | | | | | |
| G0300 | Direct skilled nursing services of a license practical nurse (lpn) in the home health or hospice | - | X | - | X | - | Х | - | Х |
| COSOS | setting, each 15 minutes | | | | | | | | |
| G0306 | Complete cbc, automated (hgb, hct, rbc, wbc, without platelet count) and automated wbc diff | Χ | - | Х | - | Х | - | Х | - |
| G0307 | count | X | | Х | - | X | | Х | |
| | Complete (cbc), automated (hgb, hct, rbc, wbc; without platelet count) 180 d implant glucose sensor | X | - | X | - | X | - | X | - |
| | Rem/inser glu sensor dif sit | X | - | X | - | X | - | X | - |
| | Immunize counsel 5-15 min | X | - | X | - | X | | X | _ |
| | Immunize counsel 16-30 mins | X | _ | X | - | X | _ | X | _ |
| | Prolong inpt eval add15 m | X | _ | X | | X | _ | X | _ |
| | Prolong mpt eval add 15 m | X | - | X | - | X | - | X | _ |
| | Prolong home eval add 15m | X | _ | X | _ | X | _ | X | _ |
| | Two-way audio and video hhs | X | _ | X | _ | X | _ | X | _ |
| | Audio-only hhs | X | _ | X | _ | X | _ | X | _ |
| | Home h physio data collec tr | X | _ | X | - | X | - | X | - |
| | Care manage beh svs 20mins | X | _ | X | - | X | _ | X | - |
| | Colon ca scrn;bld-bsd biomrk | X | - | X | - | X | _ | X | - |
| | Fecal blood screening immunassay | X | - | X | - | X | _ | X | - |
| | Therapy plan of care | X | - | X | - | X | _ | X | - |
| | Facility svs dental rehab | Х | - | Х | - | Х | - | Х | - |
| | Pharmacy dispensing fee for inhalation drug; initial 30 day supply as a beneficiary | Х | - | Х | - | Х | - | Х | - |
| | Hospice evaluation and counseling services, pre-election | Х | - | Х | - | Х | - | Х | - |
| | Image guided robotic linear accelerator base sterotactic radiosurgery, complete course therapy | | | , , , | | | | | |
| | in one session, or first | Χ | - | Х | - | Х | - | Х | - |
| G0340 | Image guided robotic linear accelerator based stereotactic radiosurgery, delivery including | V | | V | | V | | V | |
| | collimator changes and custo | Χ | - | X | - | Х | - | Х | - |
| G0341 | Percutaneous islet cell transplant, includes portal vein catherization and infusion | Χ | - | Х | - | Х | - | Х | - |
| | Laparascopy for iselt cell transplant, includes portal vein catherization and infusion | Χ | - | Х | - | Х | - | Х | - |
| | Laparaotomy for iselt cell transplant, includes vein catherization and infusion | Χ | - | Х | - | X | - | X | - |
| G0372 | Physician service required to establish and document the need for a power mobility device (use | Х | | Х | _ | Х | | Х | _ |
| | in addition to primary ev | ^ | - | ^ | - | ^ | | ^ | _ |
| G0398 | Home sleep study test (hst) with type ii portable monitor, unattended, minimum of 7 channels: | Х | | Х | | Х | | Х | |
| | eeg, eog, emg, ecg/heart r | ^ | - | ^ | = | Λ | _ | ^ | _ |

^{*} These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



| Ü | | Trad | litional Medicaid | Tradi | tional Integrated | Non-Tradition | onal Medicaid | Non-Traditio | nal Integrated |
|-------------|---|----------------|------------------------------|----------------|-------------------------------|------------------------|------------------------------|-----------------------|------------------------------|
| Codes | Description | Not Covered | Preauthorization Required | Not Covered | Preauthorization Required | Not Covered | Preauthorization Required | Not Covered | Preauthorization Required |
| the website | Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, the . | se coding list | s do not reflect information | regarding imm | iunizations, injectable drugs | s, or specialty medica | ations and should be d | irected to the Pharma | y link option within |
| G0399 | Home sleep study test (hst) with type iii portable monitor, unattended, minimum of 4 channels: 2 respiratory movement/ai | Х | - | Х | - | Х | - | Х | - |
| G0400 | Home sleep test (hst) with type iv portable monitor, unattended; minimum of 3 channels | Х | - | Х | - | Х | - | Х | - |
| G0403 | Electrocardiogram, routine ecg with 12 leads; performed as a screening for the nitial preventive physical examination wi | Х | - | Х | - | Х | - | Х | - |
| G0405 | Electrocardiogram, routine ecg with 12 leads; interpretation and report only, performed as a screening for the initial p | Х | - | Х | - | Х | - | Х | - |
| G0406 | Follow-up inpatient consultation, limited, physicians typically spend 15 minutes communicating with the patient via telehealth | Х | - | х | - | Х | - | Х | - |
| G0407 | Follow-up inpatient consultation, intermediate, physicians typically spend 25 minutes communicating with the patient via telehealth | Х | - | Х | - | Х | - | Х | - |
| G0408 | Follow-up inpatient consultation, complex, physicians typically spend 35 minutes communicating with the patient via telehealth | Х | - | Х | - | Х | - | Х | - |
| | Social work and psychological services, directly relating to and/or furthering the patient's rehabilitation goals, each | Х | - | Х | - | Х | - | х | - |
| G0412 | Open treatment of iliac spine(s), tuberosity avulsion, or iliac wing fracture(s), unilateral or bilateral for pelvic bon | Х | - | Х | - | Х | - | Х | - |
| G0413 | Percutaneous skeletal fixation of posterior pelvic bone fracture and/or dislocation, for fracture patterns which disrupt | Х | - | Х | - | Х | - | Х | - |
| G0414 | Open treatment of anterior pelvic bone fracture and/or dislocation for fracture patterns which disrupt the pelvic ring, | Х | - | Х | - | Х | - | х | - |
| | Open treatment of posterior pelvic bone fracture and/or dislocation, for fracture patterns which disrupt the pelvic ring | Х | - | х | - | Х | - | х | - |
| | Surgical pathology, gross and microscopic examination for prostate needle saturation biopsy sampling, 1-20 specimens | Х | - | Х | - | Х | - | х | - |
| | Face-to-face educational services related to the care of chronic kidney disease; individual, per session, per one hour | Х | - | Х | - | Х | - | х | - |
| | Face-to-face educational services related to the care of chronic kidney disease; group, per session, per one hour | Х | - | Х | - | Х | - | Х | - |
| | Telehealth consultation, emergency department or initial inpatient, typically 30 minutes communicating with the patient via telehealth | Х | - | Х | - | Х | - | Х | - |
| | Telehealth consultation, emergency department or initial inpatient, typically 50 minutes communicating with the patient via telehealth | Х | - | Х | - | Х | - | Х | - |
| | Telehealth consultation, emergency department or initial inpatient, typically 70 minutes or more communicating with the patient via telehealth | Х | - | Х | - | Х | - | х | - |
| | Collagen meniscus implant procedure for filling meniscal defects (e.g., cmi, collagen scaffold, menaflex) | Х | - | х | - | Х | - | Х | - |
| | Dermal filler injection(s) for the treatment of facial lipodystrophy syndrome (lds) (e.g., as a result of highly active antiretroviral therapy) | Х | - | Х | - | Х | - | Х | - |
| | Infectious agent antigen detection by enzyme immunoassay (eia) technique, qualitative or semi-quantitative, multiple-step method, hiv-1 or hiv-2, screening | Х | - | х | - | Х | - | Х | - |
| G0433 | Infectious agent antigen detection by enzyme-linked immunosorbent assay (elisa) technique, antibody, hiv-1 or hiv-2, screening | Х | - | х | - | Х | - | х | - |

^{*} These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



| | | Trad | itional Medicaid | Tradit | tional Integrated | Non-Tradition | onal Medicaid | Non-Tradition | nal Integrated |
|-------------|--|----------------------------|--|--------------------------|--|---------------|---------------------------------|---------------|-----------------------------------|
| Codes | Description | Not | Preauthorization | Not | Preauthorization | Not Covered | Preauthorization | Not Covered | Preauthorization |
| Disclaimer: | Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, the | Covered se coding lists | Required do not reflect information | Covered regarding imm | Required unizations, injectable drugs | | Required ations and should be d | | Required by link option within |
| the website | | | I | | | | 1 | 1 | |
| G0435 | Infectious agent antigen detection by rapid antibody test of oral mucosa transudate, hiv-1 or hiv- | Х | - | Х | - | Х | - | X | - |
| C0420 | 2, screening). | | | | | | | | |
| | Ppps, initial visit | X | - | X | - | X | - | X | - |
| | Ppps, subseq visit | X | - | X | - | X | - | X | - |
| | Annual alcohol misue screening 15 mins | X | - | X | - | X | - | X | - |
| | Brief face-toface behavioral counseling for alcohol misue , 15 minutes | X | - | X | - | X | - | X | - |
| | Annual depression screening 15 minutes | Х | - | Х | - | Х | - | Х | - |
| G0445 | High intensity behavioral counseling to prevent sexually transmitted infection; face-to-face, | ., | | ., | | ., | | ., | |
| | individual, includes: education, skills training and guidance on how to change se | Х | - | Х | - | Х | - | X | - |
| G0446 | Intensive behavioral therapy to reduce cardiovascular disease risk, individual, face-to-face, bi- | Х | _ | Х | _ | Х | _ | Х | - |
| | annual, 15 minutes | | | | | | | | |
| | Face-to-face behavioral counseling for obesity, 15 minutes | Х | - | Х | - | Х | - | Х | - |
| G0448 | Insertion or replacement of a permanent pacing cardioverter-defibrillator system with | | | | | | | | |
| | transvenous lead(s), single or dual chamber with insertion of pacing electode, cardiac ve | Х | - | Х | - | Х | - | X | - |
| G0451 | Development testing, with interpretation and report, per standardized instrument form | Х | | | | V | | | |
| | | | - | Х | - | Х | - | Х | - |
| | Molecular pathology procedure; physician interpretation and report | Х | - | Х | - | Х | - | Х | - |
| G0453 | Continuous intraoperative neurophysiology monitoring, from outside the operating room | | | | | | | | |
| | (remote or nearby), per patient, (attention directed exclusively to one patient) each 15 | Х | - | Х | - | Х | - | X | - |
| G0454 | Physician documentation of face-to-face visit for durable medical equipment determination | | | | | | | | |
| | performed by nurse practitioner, physician assistant or clinical nurse specialist | Х | - | Х | - | Х | - | X | - |
| G0458 | Low dose rate (ldr) prostate brachytherapy services, composite rate | Х | - | Х | - | Х | - | X | - |
| G0459 | Inpatient telehealth pharmacologic management, including prescription, use, and review of | ., | | | | ., | | ., | |
| | medication with no more than minimal medical psychotherapy | Х | - | X | - | Х | - | X | - |
| G0460 | Autolog prp not diab ulcer | Х | - | Х | - | Х | - | Х | - |
| | Autolog prp diab wound ulcer | Х | - | Х | - | Х | - | Х | - |
| | Fqhc visit, new patient | Х | - | Х | - | Х | - | Х | - |
| | Fqhc visit, estab pt | Х | - | Х | - | Х | - | Х | - |
| | Fqhc visit, ippe or awv | Х | - | Х | - | Х | - | Х | - |
| G0469 | Fqhc visit, mh new pt | Х | - | Х | - | Х | - | Х | - |
| | Fqhc visit, mh estab pt | Х | - | Х | - | Х | - | Х | - |
| | Ven blood coll snf/hha | Х | - | Х | - | Х | - | Х | - |
| G0472 | Hep c screen high risk/other | Х | - | Х | - | Х | - | Х | - |
| G0473 | Group behave couns 2-10 | Х | - | Х | - | Х | - | Х | - |
| | Hiv antigen/antibody, combination assay, screening | Х | - | Х | | Χ | - | Х | - |
| | Hpv combo assay ca screen | Х | - | Х | - | Χ | - | X | - |
| G0490 | Home visit rn, lpn by rhc/fq | X | - | X | - | Х | - | Х | - |
| G0491 | Dialysis acu kidney no esrd | X | - | X | - | Х | - | Х | - |
| G0492 | Md/oth eval acut kid no esrd | Х | - | Х | - | Χ | - | X | - |
| | Rn care ea 15 min hh/hospice | X | - | X | - | X | - | X | - |
| G0494 | Lpn care ea 15min hh/hospice | Х | - | Х | - | X | - | Х | - |

^{*} These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



| | Ticalti | Trad | itional Medicaid | Tradi | tional Integrated | Non-Tradition | onal Medicaid | Non-Tradition | nal Integrated |
|---------------|--|------------------------------|--|--------------------------|---------------------------------------|---------------|------------------------------------|---------------|-----------------------------------|
| Codes | Description | Not | Preauthorization | Not | Preauthorization | Not Covered | Preauthorization | Not Covered | Preauthorization |
| Disclaimer: F | Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, the | Covered nese coding lists | Required do not reflect information | Covered regarding imm | Required unizations, injectable drugs | | Required ations and should be d | | Required by link option within |
| the website. | | | Т | | T | | T | | T |
| _ | Rn care train/edu in hh | X | - | X | - | X | - | X | - |
| _ | Lpn care train/edu in hh | X | - | X | - | X | - | X | - |
| | chemo extended iv infusion w/pump | X | - | X | - | X | - | X | - |
| | Resource-inten svc during ov | X | - | X | - | X | - | X | - |
| | Comp asses care plan ccm svc | X | - | X | - | X | - | X | - |
| | Crit care telehea consult 60 Crit care telehea consult 50 | X | | | - | X | - | | - |
| | | | - | X | - | | - | X | - |
| 1 1 | Ccm/bhi by rhc/fqhc 20min mo | X | - | X | - | X | - | X | - |
| | Cocm by rhc/fqhc 60 min mo | | - | | | | | X | |
| | Prolong prev svcs, first 30m | X | | X | - | X | - | X | - |
| | Prolong prev svcs, addl 30m | X | - | Х | - | Х | - | Х | - |
| | Insert drug del implant, >4 | - | Х | - | X | - | X | - | Х |
| | Drug test presump not opt | X | - | X | - | X | - | X | - |
| | Improvement in visual function achieved within 90 days following cataract surgery | X | - | X | - | X | - | X | - |
| | patient care survey was not completed by patient | X | - | Х | - | Х | - | Х | - |
| | Improvement in visual function not achieved within 90 days following cataract surgery | Х | - | Х | - | Х | - | Х | - |
| G0916 | Satisfaction with care achieved within 90 days following cataract surgery | Х | - | Х | - | X | - | X | - |
| | Patient satisfaction survey was not completed by patient | Х | - | Х | - | X | - | X | - |
| G0918 | Satisfaction with care not achieved within 90 days following cataract surgery | Х | - | X | - | Х | - | Х | - |
| G1001 | Cdsm evicore | Х | - | X | - | Х | - | Х | - |
| G1002 | Cdsm medcurrent | Х | - | X | - | X | - | Х | - |
| | Cdsm medicalis | Х | - | X | - | X | - | Х | - |
| G1004 | Cdsm ndsc | Х | - | X | - | Х | - | Х | - |
| | Cdsm aim | Х | - | X | - | X | - | Х | - |
| | Cdsm cranberry pk | X | - | X | - | X | - | X | - |
| G1010 | Cdsm stanson | Х | - | X | - | X | - | Х | - |
| G1011 | Cdsm qualified nos | Х | - | X | - | X | - | Х | - |
| | Cdsm agilemd | Х | - | X | - | X | - | Х | - |
| G1013 | Cdsm evidencecare | Х | - | X | - | X | - | Х | - |
| G1014 | Cdsm inveniqa | Х | - | X | - | X | - | Х | - |
| G1015 | Cdsm reliant | Х | - | Х | - | X | - | X | - |
| G1016 | Cdsm speed of care | Х | - | X | - | Х | - | Х | - |
| | Cdsm healthhelp | Х | - | Х | - | Х | - | Х | - |
| | Cdsm infinx | Х | - | Х | - | Х | - | Х | - |
| G1019 | Cdsm logicnets | Х | - | Х | - | Х | - | Х | - |
| | Cdsm curbside | Х | - | Х | - | Х | - | Х | - |
| G1021 | Cdsm ehealthline | Х | - | Х | - | Х | - | Х | - |
| | Cdsm intermountain | Х | - | Х | - | Х | - | Х | - |
| G1023 | Cdsm persivia | Х | - | Х | - | Х | - | Х | - |
| G1024 | Cdsm radrite | Х | - | Х | - | Х | - | Х | - |
| G1025 | Pt mnth 1 mcp prov | Х | - | Х | - | Х | - | Х | - |
| G1026 | Pt hemo > 3mo | Х | - | Х | - | Х | - | Х | - |
| | Pt hemo < 3mo | Х | - | Х | - | Х | - | Х | - |
| | Take home supply 8mg per 0.1 | Х | - | Х | - | Х | - | Х | - |

^{*} These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



| | Ticaldi | Trad | itional Medicaid | Tradi | tional Integrated | Non-Tradition | onal Medicaid | Non-Tradition | nal Integrated |
|-------------|--|-----------------------------|--|--------------------------|---------------------------------------|---------------|---------------------------------|---------------|-----------------------------------|
| Codes | Description | Not | Preauthorization | Not | Preauthorization | Not Covered | Preauthorization | Not Covered | Preauthorization |
| Disclaimer | Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, the | Covered ese coding lists | Required do not reflect information | Covered regarding imm | Required unizations, injectable drugs | | Required ations and should be d | | Required by link option within |
| the website | | | ī | 1 | - | | T | Т | |
| G2000 | Blinded administration of convulsive therapy procedure, either electroconvulsive therapy (ect, | Х | - | Х | - | Х | - | Х | - |
| 00004 | current covered gold standard) or magnetic seizure therapy | | | ., | | ., | | | |
| | Post d/c h vst new pt 20 m | X | - | X | - | Х | - | X | - |
| | Post-d/c h vst new pt 30 m | X | - | X | - | X | - | X | - |
| | Post-d/c h vst new pt 45 m | X | - | X | - | X | - | X | - |
| G2004 | Post-d/c h vst new pt 60 m | Х | - | Х | - | Х | - | Х | - |
| G2005 | Post-d/c h vst new pt 75 m | X | - | X | - | X | - | X | - |
| | Post-d/c h vst ext pt 20 m | X | - | X | - | X | - | X | - |
| | Post-d/c h vst ext pt 30 m | X | - | X | - | X | - | X | - |
| G2008 | Post-d/c h vst ext pt 45 m | Х | - | Х | - | Х | - | Х | - |
| | Post-d/c h vst ext pt 60 m | Х | - | Х | - | Х | - | Х | - |
| | Remot image submit by pt | Х | - | Х | - | Х | - | Х | - |
| G2011 | Alcohol and/or substance (other than tobacco) abuse structured assessment (e.g., audit, dast), | Х | - | Х | _ | Х | _ | х | _ |
| | and brief intervention, 5-14 minutes | | | | | | | | |
| | Brief check in by md/qhp | Х | - | Х | - | Х | - | Х | - |
| | Post-d/c h vst ext pt 75 m | Х | - | Х | - | Х | - | Х | - |
| | Post-d/c care plan overs 30m | Х | - | Х | - | Х | - | Х | - |
| | Post-d/c care plan overs 60m | Х | - | Х | - | Х | - | Х | - |
| G2020 | Services for high intensity clinical services associated with the initial engagement and outreach | | | | | | | | |
| | of beneficiaries assigned to the sip component of the pcf model (do not bill with chronic care | Х | - | Х | - | X | - | X | - |
| | management codes) | | | | | | | | |
| G2021 | Hea care pract tx in place | Х | - | Х | - | Х | - | Х | - |
| | Benef refuses service, mod | Х | - | Х | - | Х | - | Х | - |
| | Dis site tele svcs rhc/fqhc | Х | - | Х | - | Х | - | Х | - |
| | Med assist tx meth wk | Х | - | Х | - | Х | - | Х | - |
| | Med assist tx bupre oral | Х | - | Х | - | Х | - | Х | - |
| G2069 | Med assist tx inject | Х | - | Х | - | Х | - | Х | - |
| | Med assist tx implant | Х | - | Х | - | Х | - | Х | - |
| G2071 | Med tx remove implant | Х | - | Х | - | Х | - | Х | - |
| | Med tx insert/remove imp | Х | - | Х | - | Х | - | Х | - |
| | Med tx naltrexone | Х | - | Х | - | Х | - | Х | - |
| | Med assist tx no drug | Х | - | Х | - | Х | - | Х | - |
| G2075 | Med tx meds nos | Х | - | Х | - | Х | - | Х | - |
| | Intake act w/med exam | Х | - | Х | - | Х | - | Х | - |
| G2077 | Periodic assessment | Х | - | Х | - | Х | - | Х | - |
| G2078 | | Х | - | Х | - | Х | - | Х | - |
| G2079 | | Х | - | Х | - | Х | - | Х | - |
| | Add 30 mins counsel | Х | - | Х | - | Х | - | Х | - |
| | Pt 66+ snp or ltc pos > 90d | Х | - | Х | - | Х | - | Х | - |
| G2082 | Visit conceaning som of less | Х | - | Х | - | Х | - | Х | - |
| G2083 | Visit esketamine, > 56m | Х | - | Х | - | Х | - | Х | - |
| | Off base opioid tx 70min | Х | - | Х | - | Х | - | Х | - |
| G2087 | Off base opioid tx, 60 m | Х | - | Х | - | Х | - | Х | - |
| | Off base opioid tx, add30 | Х | - | Х | - | Х | - | Х | - |
| G2090 | Pt 66+ frailty and med dem | X | - | X | - | Х | - | X | - |

^{*} These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



| G | ricaldi | Trad | tional Medicaid | Tradi | tional Integrated | Non-Tradition | onal Medicaid | Non-Tradition | al Integrated |
|-------------|--|----------------------------|--|-----------------------|---------------------------------------|---------------|-------------------------------------|---------------|----------------------------------|
| Codes | Description | Not | Preauthorization | Not | Preauthorization | Not Covered | Preauthorization | Not Covered | Preauthorization |
| Disclaimer | Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, the | Covered se coding lists | Required do not reflect information | Covered regarding imm | Required unizations, injectable drugs | | Required ations and should be di | | Required v link option within |
| the website | | | | | Τ | 1 | П | , | |
| G2091 | Pt 66+ frailty and adv ill | Х | - | Х | - | Х | - | X | - |
| G2092 | Ace arb arni | Х | - | Х | - | Х | - | Х | - |
| G2093 | Med doc rsn no ace arn arni | Х | - | Х | - | Х | - | Х | - |
| | Pt rsn no ace arn arni | Х | - | Х | - | Х | - | Х | - |
| | Sys rsn no ace arn arni | Х | - | Х | - | Х | - | Х | - |
| | No rsn ace arb arni | Х | - | Х | - | Х | - | X | - |
| | Child dx uri 3d of other dx | Х | - | Х | - | Х | - | X | - |
| | Pt 66+ frailty and med dem | Х | - | Х | - | Х | - | X | - |
| | Pt 66+ frailty and adv ill | Х | - | Х | - | Х | - | Х | - |
| | Pt 66+ frailty and med dem | Х | - | Х | - | Х | - | Х | - |
| | Pt 66+ frailty and adv ill | X | - | X | - | X | - | X | - |
| | Pt 66+ lt ints > 90 | Х | - | Х | - | X | - | X | - |
| | Pt 66+ lt ints > 90 | X | - | X | - | X | - | X | - |
| | Pt 66+ frailty and adv ill | Х | - | Х | - | Х | - | X | - |
| | Pt 66+ It ints > 90 | X | - | X | - | X | - | X | - |
| | Pt 66+ frailty and med dem | Х | - | Х | - | Х | - | Х | - |
| | Pt 66+ frailty and adv ill | Х | - | Х | - | Х | - | X | - |
| | Pred<=5 mg ra glu <6m | Х | - | Х | - | Х | - | Х | - |
| | Pred>5 mg >6m, no chg da | Х | - | Х | - | Х | - | Х | - |
| | Pt 66+ frailty and med dem | Х | - | Х | - | Х | - | X | - |
| | Pt 66+ frailty and adv ill | Х | - | Х | - | Х | - | Х | - |
| | Pt 81+ frailty | Х | - | Х | - | Х | - | Х | - |
| | Psy dep anx ap and icd asse | Х | - | Х | - | Х | - | Х | - |
| | Psy/dep/anx/apandicd noasse | Х | - | Х | - | Х | - | Х | - |
| | Pt 81+ frailty | Х | - | Х | - | Х | - | X | - |
| | Pt 66+ frailty adv ill | Х | - | Х | - | Х | - | X | - |
| | Pt 66+ frailty med dem | Х | - | Х | - | Х | - | Х | - |
| G2128 | No aspirin med rsn | Х | - | Х | - | Х | - | Х | - |
| | No bp outpt | Х | - | Х | - | Х | - | Х | - |
| | Bk pain vas 6-20wk = 3 | Х | - | Х | - | Х | - | Х | - |
| | Bk pain vas 6-20wk > 3 | Х | - | Х | - | X | - | X | - |
| | Bk pain vas 9-15mo = 3 | X | - | Х | - | Х | - | X | - |
| | Bk pain vas 9-20mo > 3 | X | - | X | - | X | - | X | - |
| | Leg pain vas 6-20wk = 3 | X | - | X | - | X | - | X | - |
| | Leg pain vas 6-20wk > 3 | X | - | X | - | X | - | X | - |
| | Fs odi 9-15mo postop<= 22 | X | - | X | - | X | - | X | - |
| | Fs odi 9-15mo > 22 | X | - | X | - | X | - | X | - |
| | Fs odi 6-20wk postop > 22 | X | - | X | - | X | - | X | - |
| | Fsodi 6-20wk >22 or chg 30pt | X | - | X | - | X | - | X | - |
| | Leg pain vas 9-15mo <= 3 | X | - | X | - | X | - | X | - |
| | Leg pain vas 9-15mo > 3 | X | - | X | - | X | - | X | - |
| | Mpm used | X | - | X | - | X | - | X | - |
| | No mpm med rsn | X | - | X | - | X | - | X | - |
| | No mpm | X | - | X | - | X | - | X | - |
| G2151 | Dx degen neuro | Х | - | Х | - | Х | - | X | - |

^{*} These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



| Description Not Covered Preauthorization Covered Required Required Covered Covered Required Covered Covered Required Covered Covered Covered Required Covered Cover | Not Covered , or specialty medica X X X X X X | Required | Not Covered | Preauthorization Required cy link option within |
|--|---|--|-------------|---|
| Disclaimer: Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect information regarding immunizations, injectable drugs, the website. G2152 Res change sc = 0 | , or specialty medica X X X X X | Required attions and should be of the control of th | X X X | cy link option within |
| Substitute Sub | X X X X | | X X X | - |
| G2167 Res change sc < 0 | X X X | - | X | |
| G2168 Svs by pt in home health X - X - G2169 Svs by ot in home health X - X - | X X X | - | Х | |
| G2169 Svs by ot in home health X - X - | X | | | - |
| | Х | | Ι λ | _ |
| G2171 Avfuse magnetic/art/ven | | - | | |
| G2171 Avf use magnetic/art/ven X - X - G2172 All inclusive payment for services related to highly coordinated and integrated opioid use | X | | Х | - |
| disorder (oud) treatment services furnished for the demonstration project X - X - | | | Х | |
| uisorder (odd) treatment services runnished for the demonstration project | ^ | | ^ | _ |
| G2173 Uri w comorb 12m oth dx X - X - | Х | | Х | _ |
| G2174 Uri new rx antibiotic 30d | X | | X | |
| G2175 Pt comorb dx 12m of epi X - X - | X | _ | X | _ |
| G2176 Outpt ed obs w inpt admit X - X - | X | _ | X | _ |
| G2177 Bronch w rx antibx 30d X - X - | X | | X | _ |
| G2178 Pt not elig low neuro ex X - X - | X | _ | X | _ |
| G2179 Med doc rsn no low ex X - X - | X | _ | X | _ |
| G2180 Inelig footwr eval X - X - | X | _ | X | _ |
| G2181 Bmi not doc medrsn ptref X - X - | X | _ | X | _ |
| G2182 Pt 1st biolog antirheum X - X - | X | _ | X | _ |
| G2183 Doc pt unable comm X - X - | X | - | X | - |
| G2184 No caregiver X - X - | X | - | X | - |
| G2185 Caregiver dem trained X - X - | X | - | X | - |
| G2186 Pt ref app rsrcs X - X - | X | - | X | _ |
| G2187 Clin ind img hd trauma X - X - | X | - | Х | - |
| G2188 Pt 50 yrs w/clin ind hd X - X - | Х | - | Х | - |
| G2189 Img hd abnml neuro exam X - X - | Х | - | Х | - |
| G2190 Ind img hd rad neck X - X - | Х | - | Х | - |
| G2191 Ind img hd pos hd ache X - X - | Х | - | Х | - |
| G2192 >55 yrs temp hd ache X - X - | Х | - | Х | - |
| G2193 <6yr new onset hd ache X - X - | Х | - | Х | - |
| G2194 New hdache ped pt dis X - X - | Х | - | Х | - |
| G2195 Occip hdache child X - X - | Х | - | Х | - |
| G2196 Screen unhithy etoh use X - X - | Х | - | Х | - |
| G2197 Screen hithy etoh use X - X - | Х | - | Х | - |
| G2198 Med rsn no unhlthy etoh X - X - | Χ | - | Х | - |
| G2199 Not scrn etoh no rsn X - X - | Х | - | Х | - |
| G2200 Unhlthy etoh rcvd couns X - X - | Х | - | Х | - |
| G2201 Med rsn no brief couns X - X - | Χ | - | X | - |
| G2202 No rsn no brief couns X - X - | Χ | - | X | - |
| G2203 Med rsn no etoh couns X - X - | Χ | - | Х | - |
| G2204 Pt 50-85 w/ scope X - X - | Χ | - | X | - |
| G2205 Preg drng adjy trtmt X - X - | Χ | - | Х | - |
| G2206 Adjv trtmt chemo her2 X - X - | Х | - | Х | - |
| G2207 Rsn no trtmt chem her2 X - X - | Χ | - | Х | - |
| G2208 No trtmt chemo and her2 X - X - | Χ | - | Х | - |
| G2209 Refused to participate X - X - | Х | - | Х | - |

^{*} These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



| Contact Cont | | Tiediti | Trad | itional Medicaid | Tradi | tional Integrated | Non-Traditio | onal Medicaid | Non-Tradition | nal Integrated |
|--|-------------|--|-----------------|--|---------------|--|--------------|-----------------------------------|---------------|------------------|
| Column C | Codes | Description | | | | | Not Covered | | Not Covered | Preauthorization |
| Transmission | Disclaimer: | Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated guarterly. Additionally, the | se coding lists | Required do not reflect information | regarding imm | Required nunizations, injectable drugs | | Required tions and should be d | | |
| S2212 minut methods assist tim re | the website | | | | | I | | T | | |
| S2273 Injust prod assist xis in er | G2210 | No neck fs prom no rsn | | | | | | - | | - |
| S2216 Imme supply nasel nalosone | G2212 | Prolong outpt/office vis | | | | | | | | |
| S2215 Home supply nastal nalescene | G2213 | Initiat med assist tx in er | | | | | | | | |
| S2216 Home supply inject nalown X | G2214 | Init/sub psych care m 1st 30 | | | | | | | | |
| S2250 Remott imag sub by pt, non e/m | G2215 | Home supply nasal naloxone | | | | | | | | |
| G2251 Brief childry, 5-10, non-e/m | G2216 | Home supply inject naloxon | | | | | | | | |
| G2252 Brief chief by mrd dynp, 11-10 X | | | | | | | | | | |
| Casonal Chronic pain mgmt 30 mlns | | | | | | | | | | |
| Canada Chronic pain mgmt adul 15m | G2252 | Brief chkin by md/qhp, 11-20 | | | | | | | | |
| G4000 Dermatology ss | | | | - | | - | | - | | - |
| G4001 Diagnostic rat ss X | | | | - | | | | - | | - |
| G4002 Brardio ss | | | | | | | | | | |
| G4003 Emergency med ss | G4001 | Diagnostic rad ss | | | | | | | | |
| G4004 Endocrinology ss | G4002 | Ep cardio ss | | - | | - | | - | | - |
| G4005 Family medicine s | G4003 | Emergency med ss | | - | | - | | - | | - |
| GA006 Gastroenterology ss | G4004 | Endocrinology ss | | - | | - | | - | | |
| General surgery ss X | | | | - | | - | | - | | - |
| G4009 Hospitalists ss | G4006 | Gastroenterology ss | | - | | - | | - | | - |
| G4009 Hospitalists ss | G4007 | General surgery ss | | - | | - | | - | | - |
| C4010 Infectious diseases s | G4008 | Geriatrics ss | | - | | - | | - | | - |
| G4011 Internal medicine ss | | | | - | | - | | - | | - |
| G4012 Interventional rad ss | G4010 | Infectious disease ss | | - | | - | | - | | - |
| G4013 Mentl/behav health ss | | | Х | - | Х | - | Χ | - | X | - |
| G4014 Nephrology ss | | | Х | - | Х | - | Χ | - | X | - |
| G4015 Neurology ss | | | Х | - | X | - | Χ | - | X | |
| G4016 Neurosurgical ss | G4014 | Nephrology ss | Х | - | X | - | Χ | - | X | - |
| G4017 Nutrition/dietician ss X | G4015 | Neurology ss | Х | - | Х | - | | - | X | - |
| G4018 Ob/gyn ss | G4016 | Neurosurgical ss | Х | • | Х | - | X | - | Х | - |
| G4019 Oncology/hema ss X | | Nutrition/dietician ss | Х | • | Х | - | X | - | Х | - |
| G4020 Ophthalmology ss X - X <td>G4018</td> <td>Ob/gyn ss</td> <td>Х</td> <td>-</td> <td>X</td> <td>-</td> <td>Х</td> <td>-</td> <td>Х</td> <td>-</td> | G4018 | Ob/gyn ss | Х | - | X | - | Х | - | Х | - |
| G4021 Orthopedic surgery ss X | G4019 | Oncology/hema ss | Х | - | Х | - | Х | - | Х | - |
| G4022 Otolaryngology ss X - | G4020 | Ophthalmology ss | Х | - | Х | - | Х | - | Х | - |
| G4023 Pathology ss X - X | | | Х | - | Х | - | Х | - | Х | - |
| G4023 Pathology ss X - X | G4022 | Otolaryngology ss | | - | | - | | - | | - |
| G4025 Physical medicine ss X - <td>G4023</td> <td>Pathology ss</td> <td>Х</td> <td>-</td> <td>Х</td> <td>-</td> <td>Х</td> <td>-</td> <td>Х</td> <td>-</td> | G4023 | Pathology ss | Х | - | Х | - | Х | - | Х | - |
| G4025 Physical medicine ss X - <td>G4024</td> <td>Pediatric ss</td> <td>Х</td> <td>-</td> <td>Х</td> <td>-</td> <td>Χ</td> <td>-</td> <td>Х</td> <td>-</td> | G4024 | Pediatric ss | Х | - | Х | - | Χ | - | Х | - |
| G4026 Phys/occ therapy ss X - X <td>G4025</td> <td>Physical medicine ss</td> <td>Х</td> <td>-</td> <td>Х</td> <td>-</td> <td>Х</td> <td>-</td> <td>Х</td> <td>-</td> | G4025 | Physical medicine ss | Х | - | Х | - | Х | - | Х | - |
| G4027 Plastic surgery ss X - X <td>G4026</td> <td>Phys/occ therapy ss</td> <td>Х</td> <td>-</td> <td>Х</td> <td>-</td> <td>Х</td> <td>-</td> <td>Х</td> <td>-</td> | G4026 | Phys/occ therapy ss | Х | - | Х | - | Х | - | Х | - |
| G4028 Podiatry ss X - X | G4027 | Plastic surgery ss | Х | - | Х | - | Х | - | Х | - |
| G4029 Preventive medicine ss X - X | G4028 | Podiatry ss | Х | - | Х | - | Χ | - | Х | - |
| G4030 Pulmonology ss X - | G4029 | Preventive medicine ss | | - | | - | Х | - | | - |
| G4031 Radiation oncology ss X - <td>G4030</td> <td>Pulmonology ss</td> <td>Х</td> <td></td> <td></td> <td>-</td> <td>Х</td> <td>-</td> <td></td> <td>-</td> | G4030 | Pulmonology ss | Х | | | - | Х | - | | - |
| G4032 Rheumatology ss X - X - X - X - | G4031 | Radiation oncology ss | | - | | - | | - | | - |
| G4033 Skilled pursing facility ss | | | | - | | - | | - | | - |
| | G4033 | Skilled nursing facility ss | Х | - | Х | - | Х | - | Х | - |

^{*} These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



| | Treatt | Trad | itional Medicaid | Tradi | tional Integrated | Non-Tradition | onal Medicaid | Non-Tradition | nal Integrated |
|----------------|--|----------------------------|-------------------------------------|--|---------------------------------------|------------------------|---------------------------------|------------------------|-----------------------------------|
| Codes | Description | Not | Preauthorization | Not | Preauthorization | Not Covered | Preauthorization | Not Covered | Preauthorization |
| Disclaimer: | Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, the | Covered se coding lists | Required do not reflect information | Covered regarding imm | Required unizations, injectable drugs | s, or specialty medica | Required ations and should be d | irected to the Pharmac | Required by link option within |
| the website | | | | l v | | V | 1 | I v | |
| G4034 G4035 | Speech language path ss | X | - | X | - | X | - | X | - |
| G4035 | Thoracic surgery ss | X | - | X | - | X | - | X | - |
| | Urgent care ss | X | - | X | - | X | - | X | |
| | Urology ss Vascular surgery ss | | - | X | - | | - | X | - |
| | Echo guidance radiotherapy | X | - | X | - | X | - | X | - |
| | Stereoscopic x-ray guidance | X | - | X | - | X | - | X | - |
| | Radiation treatment delivery | X | - | X | - | X | - | X | - |
| | | X | - | X | - | X | - | X | - |
| | Radiation treatment delivery Radiation treatment delivery | X | - | X | - | X | - | X | - |
| | Radiation treatment delivery | X | | X | | X | | X | |
| | , | X | - | | - | X | - | | - |
| | Radiation treatment delivery | X | - | X | - | X | - | X | - |
| | Radiation treatment delivery Radiation treatment delivery | X | - | X | - | X | - | X | - |
| | | X | | X | | X | - | | |
| G6010 | Radiation treatment delivery | X | - | X | - | X | | X | - |
| | Radiation treatment delivery Radiation treatment delivery | X | - | X | - | X | - | X | - |
| | | X | - | X | - | X | - | X | - |
| | Radiation treatment delivery Radiation treatment delivery | X | - | X | - | X | - | X | <u> </u> |
| | Intrafraction track motion | X | - | X | - | X | - | X | - |
| | | ^ | - | ^ | - | ^ | - | ^ | <u> </u> |
| G0393 | Left ventricular ejection fraction (lvef) >= 40% or documentation as normal or mildly depressed | Х | - | Х | - | Х | - | X | - |
| C8306 | left ventricular systoli | Х | - | Х | _ | Х | | Х | |
| | Left ventricular ejection fraction (lvef) not performed or documented | ^ | - | ^ | - | ^ | - | ^ | <u> </u> |
| G0391 | Dilated macular or fundus exam performed, including documentation of the presence or absence of macular edema and level | Х | - | Х | - | Х | - | X | - |
| C8300 | Patient with central dual-energy x-ray absorptiometry (dxa) results documented or ordered or | | | | | | | | |
| G0399 | | Х | - | Х | - | Х | - | X | - |
| G8400 | pharmacologic therapy (othe Patient with central dual-energy x-ray absorptiometry (dxa) results not documented or not | | | | | | | | |
| 00400 | ordered or pharmacologic thera | Х | - | X | - | Х | - | X | - |
| G8404 | Lower extremity neurological exam performed and documented | Х | - | Х | _ | X | _ | Х | _ |
| G8405 | Lower extremity neurological exam not performed | X | - | X | - | X | - | X | - |
| | Footwear evaluation performed and documented | X | | X | _ | X | | X | |
| G8415 | Footwear evaluation performed and documented | X | - | X | - | X | _ | X | - |
| | Clinician documented that patient was not an eligible candidate for footwear evaluation | | - | _ ^ | | ^ | 1 | ^ | <u>-</u> |
| 30410 | measure | Х | - | Х | - | X | - | Х | - |
| G8417 | Bmi >= 30 was calculated and a follow-up plan was documented in the medical record | | | | | | | 1 | |
| 00417 | Bill >= 50 was calculated and a follow-up plan was documented in the medical record | Х | - | X | - | X | - | X | - |
| G8418 | Bmi < 22 was calculated and a follow-up plan was documented in the medical record | Х | _ | Х | _ | Х | _ | Х | _ |
| | Bmi >= 30 or < 22 was calculated, but no follow-up plan was documented in the medical record | ^ | - | | - | ^ | - | ^ | - |
| 00419 | Dini >= 30 or > 22 was calculated, but no follow-up plan was documented in the medical record | Х | - | Х | - | Х | - | Х | - |
| G8420 | Bmi < 30 and >= 22 was calculated and documented | Х | - | Х | - | Х | - | Х | - |
| | Bmi not calculated | Х | - | Х | - | Х | - | Х | - |
| G8427 | Doc cur meds by prov | Х | - | Х | - | Х | - | Х | - |
| | Cur meds not document | Х | - | Х | - | Х | - | Х | - |
| | Documentation that patient is not eligible for medication assessment | Х | - | Х | - | Х | - | Х | - |

^{*} These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



| | | Trad | itional Medicaid | Tradit | tional Integrated | Non-Tradition | onal Medicaid | Non-Tradition | nal Integrated |
|-------|--|----------------|------------------------------|----------------|------------------------------|-----------------------|------------------------------|------------------------|------------------------------|
| Codes | Description | Not Covered | Preauthorization Required | Not Covered | Preauthorization Required | Not Covered | Preauthorization Required | Not Covered | Preauthorization Required |
| | Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, the | | | | | , or specialty medica | | irected to the Pharmac | |
| G8431 | Positive screen for clinical depression using an age appropriate standardized tool and a follow- | | | | | | | | |
| | up plan documented | Х | - | X | - | Χ | - | X | - |
| G8432 | No documentation of clinical depression screening using an age appropriate standardized tool | Х | - | Х | - | Х | - | Х | - |
| G8433 | Screening for clinical depression using an age appropriate standardized tool not documented, patient not eligible/appropriate | Х | - | Х | - | Х | - | Х | - |
| G8450 | Beta-blocker therapy prescribed for patients with left ventricular ejection fraction (lvef) <40% or documentation as mod | Х | - | х | - | Х | - | Х | - |
| G8451 | Clinician documented patient with left ventricular ejection fraction (Ivef) <40% or documentation as moderately or sever | Х | - | х | - | Х | - | х | |
| G8452 | Beta-blocker therapy not prescribed for patients with left ventricular ejection fraction (lvef) <40% or documentation as | Х | - | х | - | Х | - | х | - |
| | High risk of recurrence of prostate cancer | Х | - | X | - | Χ | - | Х | • |
| | Angiotensin converting enzyme (ace) inhibitor or angiotensin receptor blocker (arb) therapy prescribed | Х | - | Х | - | Х | - | Х | - |
| G8474 | Angiotensin converting enzyme (ace) inhibitor or angiotensin receptor blocker (arb) therapy not prescribed for reasons d | Х | - | х | - | Х | - | x | - |
| G8475 | Angiotensin converting enzyme (ace) inhibitor or angiotensin receptor blocker (arb) therapy not prescribed, reason not s | Х | - | Х | - | Х | - | Х | - |
| G8476 | Most recent blood pressure has a systolic measurement of <130 mm/hg and a diastolic measurement of <80 mm/hg | Х | - | Х | - | Х | - | Х | - |
| G8477 | Most recent blood pressure has a systolic measurement of >=130 mm/hg and/or a diastolic measurement of >=80 mm/hg | Х | - | Х | - | Х | - | х | |
| G8478 | Blood pressure measurement not performed or documented, reason not specified | Х | - | Х | - | Χ | - | Х | - |
| | Influenza immunization administered or previously received | Х | - | Х | - | Х | - | Х | - |
| G8483 | Influenza immunization was not ordered or administered for reasons documented by clinician | Х | - | Х | - | Х | - | Х | - |
| G8484 | Influenza immunization was not ordered or administered, reason not specified | Х | - | Х | - | Х | - | Х | - |
| G8506 | Patient receiving angiotensin converting enzyme (ace) inhibitor or angiotensin receptor blocker (arb) therapy | Х | - | Х | - | Х | - | х | - |
| G8510 | Negative screen for clinical depression using an age appropriate standardized tool, follow-up not required | Х | - | Х | - | Х | - | х | - |
| G8511 | Positive screen for clinical depression using an age appropriate standardized tool documented, follow up plan not documented, reason not specified | Х | - | х | - | Х | - | Х | - |
| G8535 | No documentation of an elder maltreatment screen, patient not eligible | Х | - | Х | - | X | - | Х | - |
| | No documentation of an elder maltreatment screen, reason not specified | X | - | X | - | X | - | X | - |
| | Documentation of a current functional outcome assessment using a standardized tool and documentation of a care plan based on identified deficiencies | Х | - | х | - | Х | - | х | - |
| G8540 | Documentation that the patient is not eligible for a functional outcome assessment using a standardized tool | Х | - | Х | - | Х | - | х | - |
| G8541 | No documentation of a current functional outcome assessment using a standardized tool, reason not specified | Х | - | х | - | Х | - | х | - |
| G8542 | Documentation of a current functional outcome assessment using a standardized tool; no functional deficiencies identified, care plan not required | Х | - | Х | - | Х | - | х | - |

^{*} These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



| | | Trad | itional Medicaid | Tradit | tional Integrated | Non-Traditio | onal Medicaid | Non-Tradition | nal Integrated |
|-------------|--|----------------------------|---------------------------------------|--------------------------|---------------------------------------|--------------|------------------------------------|---------------|--|
| Codes | Description | Not | Preauthorization | Not | Preauthorization | Not Covered | Preauthorization | Not Covered | Preauthorization |
| Disclaimer: | Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, the | Covered se coding lists | Required s do not reflect information | Covered regarding imm | Required unizations, injectable drugs | | Required ations and should be d | | Required by link option within |
| the website | | ı | I | | | | T | 1 | <u> </u> |
| G8543 | Documentation of a current functional outcome assessment using a standardized tool; no | Х | - | Х | - | X | - | X | - ' |
| COFFO | documentation of a care plan, reas | | | | | | | | |
| G8559 | Patient referred to a physician (preferably a physician with training in disorders of the ear) for | Х | - | Х | - | X | - | X | - |
| COECO | an otologic evaluatio | | | | | | | | |
| | Patient has a history of active drainage from the ear within the previous 90 days | Х | - | Х | - | X | - | Х | - |
| G6561 | Patient is not eligible for the referral for otologic evaluation for patients with a history of active | Х | - | Х | - | X | - | X | - |
| COEGO | drainage measure | | | | | | | | |
| G0302 | Patient does not have a history of active drainage from the ear within the previous 90 days | Х | - | Х | - | Χ | - | Х | - |
| G8563 | Patient not referred to a physician (preferably a physician with training in disorders of the ear) | · · | | ., | | | | ν, | |
| | for an otologic evalu | Х | - | X | - | Х | - | Х | · - |
| G8564 | Patient was referred to a physician (preferably a physician with training in disorders of the ear) | | | ., | | | | | |
| | for an otologic evalu | Х | - | Х | - | Х | - | Х | - |
| G8565 | Verification and documentation of sudden or rapidly progressive hearing loss | Х | - | Х | - | Х | - | Х | - |
| G8566 | Patient is not eligible for the "referral for otologic evaluation for sudden or rapidly progressive | Х | | Х | | Х | | V | |
| | hearing loss" measur | ^ | - | ^ | - | Χ. | - | Х | - |
| G8567 | Patient does not have verification and documentation of sudden or rapidly progressive hearing | Х | | V | | V | | V | |
| | loss | ^ | - | X | - | Χ | - | Х | - |
| G8568 | Patient was not referred to a physician (preferably a physician with training in disorders of the | Х | | Х | | Х | | Х | |
| | ear) for an otologic e | ^ | - | ^ | - | Χ. | - | ^ | - |
| | Prolonged intubation (>24 hrs) required | Х | - | X | - | Х | - | Х | - |
| G8570 | Prolonged intubation (>24 hrs) not required | Х | - | X | - | Χ | - | Х | - |
| G8575 | Developed postoperative renal failure or required dialysis | Х | - | X | - | Χ | - | X | - |
| | No postoperative renal failure/dialysis not required | Х | - | Х | - | Χ | - | X | - |
| G8577 | Reexploration required due to mediastinal bleeding with or without tamponade, graft occlusion, | X | _ | x | _ | Х | | Х | _ |
| | valve dysfunction or other cardiac reason | ^ | _ | ^ | _ | Λ | | Α | |
| G8578 | Reexploration not required due to mediastinal bleeding with or without tamponade, graft | X | _ | X | _ | Χ | _ | × | _ |
| | occlusion, valve dysfunction or other cardiac reason | | | | | | | | |
| | Aspirin or another antithrombotic therapy used | Х | - | X | - | X | - | Х | - |
| G8599 | Aspirin or another antithrombotic therapy not used, reason not otherwise specified | Х | - | X | - | Х | - | Х | - |
| G8600 | Iv t-pa initiated within three hours (<= 180 minutes) of time last known well | Х | - | Х | - | Х | - | Х | - |
| G8601 | Iv t-pa not initiated within three hours (<= 180 minutes) of time last known well for reasons | Х | - | х | _ | Χ | _ | × | - |
| 00000 | documented by clinician | | | | | ••• | | | |
| G8602 | Iv t-pa not initiated within three hours (<= 180 minutes) of time last known well, reason not | Х | - | Х | _ | Χ | _ | X | - |
| 00000 | specified | | | | | | | | |
| | Pharm ther osteo rx | X | - | X | - | X | - | X | - |
| G8635 | No pharm ther osteo rx | X | - | X | - | X | - | X | - |
| | Fun stat score knee >= 0 | X | - | X | - | X | - | X | - |
| G8648 | Fun stat score knee < 0 | X | - | X | - | X | - | X | - |
| | Rafs crs ki no scor no surv | X | - | X | - | X | - | X | - |
| G8651 | Fun stat score hip >= 0 | X | - | X | - | X | - | X | - |
| | Fun stat score hip < 0 | X | - | X | - | X | - | X | - |
| G8654 | Rafs crs hi no scor no surv | X | - | X | - | X | - | X | - |
| | Fun stat score le >= 0 | X | - | X | - | X | - | X | - |
| G8056 | Fun stat score le < 0 | X | - | X | - | Х | - | Х | - |

^{*} These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



| | nealth | Trad | itional Medicaid | Tradit | tional Integrated | Non-Tradition | onal Medicaid | Non-Tradition | nal Integrated |
|-------------|--|----------------------------|---------------------------------------|--------------------------|--|---------------|---------------------------------|---------------|-----------------------------------|
| Codes | Description | Not | Preauthorization | Not | Preauthorization | Not Covered | Preauthorization | Not Covered | Preauthorization |
| Disclaimer: | Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, the | Covered se coding lists | Required s do not reflect information | Covered regarding imm | Required unizations, injectable drugs | | Required ations and should be d | | Required by link option within |
| the website | | | 1 | | | | ı | | |
| | Fun stat score le not done | X | - | X | - | X | - | X | - |
| | Fun stat score ls >= 0 | X | - | X | - | X | - | X | - |
| | Fun stat score ls < 0 | X | - | X | - | X | - | X | - |
| | Fun stat score is pt no eig | X | - | X | - | X | - | X | - |
| | Rafs crs lbi no scor no surv | X | - | X | - | X | - | X | - |
| | Fun stat score shdl >=0 | X | - | X | - | X | - | X | - |
| | Fun stat score shdl < 0 | X | - | X | - | X | - | X | - |
| | Rafs crs si no scor no surv | X | - | X | - | X | - | X | - |
| | Fun stat score ue >=0 | X | - | X | - | X | - | X | - |
| | Fun stat score ue < 0 | X | - | X | - | X | - | X | - |
| | Rafs crs ewh no scor no surv | X | - | X | - | X | - | X | - |
| | Left ventricular ejection fraction (lvef) < 40% | X | - | X | - | X | - | X | - |
| | Patient not prescribed or dispensed antibiotic | X | - | X | - | X | - | X | - |
| | Patient prescribed or dispensed antibiotic for documented medical reason(s) | X | - | X | - | X | - | X | - |
| | Patient prescribed or dispensed antibiotic | X | - | X | - | X | - | X | - |
| | Prescribed or dispensed antibiotic | X | - | X | - | X | - | X | - |
| | Antibiotic not prescribed or dispensed | Х | - | Х | - | Х | - | Х | - |
| G8721 | Pt category (primary tumor), pn category (regional lymph nodes), and histologic grade were | X | - | Х | - | Х | - | X | - |
| C0700 | documented in pathology report | | | | | | | | |
| G0/22 | Medical reason(s) documented for not including pt category, pn category and histologic grade in | Х | - | Х | - | Х | - | X | - |
| C9723 | the pathology report | Х | | Х | | Х | _ | Х | |
| | Specimen site is other than anatomic location of primary tumor | Α | - | | - | ^ | - | ^ | - |
| G0124 | Pt category, pn category and histologic grade were not documented in the pathology report, | X | - | X | - | Х | - | Х | - |
| C9733 | reason not otherwise specified Documentation of a positive elder maltreatment screen and documented follow-up plan | | | | | | | | |
| G6/33 | Documentation of a positive eiger mattreatment screen and documented follow-up plan | Χ | - | X | - | X | - | Х | - |
| G8734 | Elder maltreatment screen documented as negative, no follow-up required | Х | _ | Х | _ | Х | _ | Х | _ |
| | Elder maltreatment screen documented as negative, no follow-up plan not documented, reason not | ^ | - | _ ^ | - | ^ | - | ^ | - |
| 00700 | specified | Χ | - | X | - | X | - | X | - |
| G8749 | Absence of signs of melanoma (cough, dyspnea, tenderness, localized neurologic signs such as | | | | | | | | |
| 33, 13 | weakness, jaundice or any other sign suggesting systemic spread) or absence of syp | Х | _ | X | _ | Х | _ | Х | _ |
| | weakiness, jauniaise of any other sign suggesting systemic spready of absence of syp | ^ | | | | | | | |
| G8752 | Most recent systolic blood pressure < 140 mmhg | Х | _ | Х | _ | Х | _ | Х | _ |
| | Most recent systolic blood pressure >= 140 mmhg | X | - | X | - | X | _ | X | _ |
| | Most recent diastolic blood pressure < 90 mmhg | X | - | X | - | X | _ | X | _ |
| | Most recent diastolic blood pressure >= 90 mmhg | X | - | X | - | X | _ | X | _ |
| | No documentation of blood pressure measurement, reason not otherwise specified | X | - | X | - | X | _ | X | _ |
| | Blood pressure screening performed as recommended by the defined screening interval | | | | | | | | |
| | Sissa pressure servering performed as recommended by the defined servering interval | Χ | - | X | - | Х | - | Х | - |
| G8785 | Blood pressure screening not performed as recommended by screening interval, reason not | | | | | v | | ., | |
| | otherwise specified | Х | - | Х | - | Х | - | Х | - |
| G8797 | Specimen site other than anatomic location of esophagus | - | - | - | - | Х | - | Х | - |
| G8798 | Specimen site other than anatomic location of prostate | Х | - | Х | - | Х | - | Х | - |
| 00000 | Performance of transabdominal or transvaginal ultrasound | Х | † | Х | | Х | 1 | Х | _ |

^{*} These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



| | Don't d | Traditional Medicaid | | Traditional Integrated | | Non-Traditional Medicaid | | Non-Tradition | nal Integrated |
|---------------------------|--|----------------------|------------------------------|------------------------|------------------------------|--------------------------|--|------------------------|------------------------------|
| Codes | Description | Not Covered | Preauthorization Required | Not Covered | Preauthorization Required | Not Covered | Preauthorization Required | Not Covered | Preauthorization Required |
| Disclaimer the website | Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, the | ese coding lists | do not reflect information | | unizations, injectable drugs | , or specialty medica | ations and should be d | irected to the Pharmac | y link option within |
| | Transabdominal or transvaginal ultrasound not performed for reasons documented by clinician | Х | - | х | - | Х | - | × | - |
| G8808 | Performance of transabdominal or transvaginal ultrasound not ordered, reason not specified | х | - | х | - | Х | - | × | - |
| G8815 | Statin therapy not prescribed for documented reasons | Х | - | Х | - | Х | - | Х | - |
| | Statin medication prescribed at discharge | Х | - | Х | - | Х | - | Х | - |
| G8817 | Statin therapy not prescribed at discharge, reason not specified | Х | - | Х | - | Х | - | Х | - |
| G8818 | Patient discharge to home no later than postoperative day #7 | Х | - | Х | - | Х | - | Х | - |
| G8825 | Patient not discharged to home by postoperative day #7 | Х | - | Х | - | Х | - | Х | - |
| G8826 | Patient discharge to home no later than postoperative day #2 following evar | Х | - | Х | - | Х | - | Х | - |
| G8833 | | Х | - | Х | - | Х | - | Х | - |
| G8834 | Patient discharged to home no later than postoperative day #2 following cea | Х | - | Х | - | Х | - | Х | - |
| | Patient not discharged to home by postoperative day #2 | Х | - | Х | - | Х | - | Х | - |
| | Sleep apnea symptoms assessed, including presence or absence of snoring and daytime sleepiness | Х | - | Х | - | Х | - | Х | - |
| G8840 | Documentation of reason(s) for not performing an assessment of sleep symptoms (e.g., patient | | | | | | | | |
| 000.0 | didn't have initial daytime sleepiness, patient visits between initial testing and | Х | - | х | - | Х | - | х | - |
| G8841 | Sleep apnea symptoms not assessed, reason not otherwise specified | Х | - | Х | - | Х | _ | Х | - |
| | Apnea hypopnea index (ahi) or respiratory disturbance index (rdi) measured at the time of | | | | | | | | |
| | initial diagnosis | Х | - | X | - | Х | - | X | - |
| G8843 | Documentation of reason(s) for not measuring an apnea hypopnea index (ahi) or a respiratory | | | | | | | | |
| | disturbance index (rdi) at the time of initial diagnosis | Х | - | X | - | Х | - | X | - |
| G8844 | Apnea hypopnea index (ahi) or respiratory disturbance index (rdi) not measured at the time of | | | | | | | | |
| 000 | initial diagnosis, reason not specified | Х | - | X | - | Х | - | X | - |
| G8845 | Positive airway pressure therapy prescribed | Х | _ | Х | - | Х | _ | Х | _ |
| | Moderate or severe obstructive sleep apnea (apnea hypopnea index (ahi) or respiratory | | | | | | | | |
| | disturbance index (rdi) of 15 or greater) | X | - | X | - | Х | - | X | - |
| G8849 | Documentation of reason(s) for not prescribing positive airway pressure therapy | Х | _ | Х | _ | Х | _ | Х | _ |
| | Positive airway pressure therapy not prescribed, reason not otherwise specified | X | _ | X | _ | X | _ | X | _ |
| G8851 | Objective measurement of adherence to positive airway pressure therapy, documented | X | - | X | - | X | - | X | - |
| G8852 | Positive airway pressure therapy prescribed | Х | - | Х | - | Х | - | X | _ |
| | Documentation of reason(s) for not objectively measuring adherence to positive airway | _ ^ | - | _ ^ | - | ^ | | ^ | - |
| | pressure therapy | Х | - | Х | - | Х | - | Х | - |
| G8855 | Objective measurement of adherence to positive airway pressure therapy not performed, reason not otherwise specified | Х | - | Х | - | Х | - | х | - |
| G8856 | Referral to a physician for an otologic evaluation performed | Х | - | Х | - | Х | - | Х | - |
| | Patient is not eligible for the referral for otologic evaluation measure (e.g., patients who are | | | | | | | | |
| | already under the care of a physician for acute or chronic dizziness) | Х | - | X | - | Х | - | X | - |
| G8858 | Referral to a physician for an otologic evaluation not performed, reason not specified | Х | - | х | - | Х | - | Х | - |
| G8863 | Patients not assessed for risk of bone loss, reason not otherwise specified | Х | - | Х | - | Х | - | Х | - |
| | Pneumococcal vaccine administered or previously received | X | _ | X | _ | X | _ | X | - |

^{*} These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



| 0 | Door Late | Traditional Medicaid | | | tional Integrated | Non-Traditional Medicaid | | Non-Tradition | nal Integrated | |
|----------------------------|--|----------------------|------------------------------|----------------|------------------------------|--------------------------|------------------------------|------------------------|------------------------------|--|
| Codes | Description | Not Covered | Preauthorization Required | Not Covered | Preauthorization Required | Not Covered | Preauthorization Required | Not Covered | Preauthorization Required | |
| Disclaimer: the website | Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, the | | do not reflect information | regarding imm | | s, or specialty medica | | irected to the Pharmac | | |
| | Documentation of medical reason(s) for not administering or previously receiving | | | | | | | | | |
| | pneumococcal vaccine (e.g., patient allergic reaction, potential adverse drug reaction) | Х | _ | Х | _ | X | _ | X | _ | |
| | F | | | | | | | | | |
| G8866 | Documentation of patient reason(s) for not administering or previously receiving pneumococcal | ., | | ., | | ., | | ., | | |
| | vaccine (e.g., patient refusal) | Х | - | Х | - | Х | - | Х | - | |
| G8867 | Pneumococcal vaccine not administered or previously received, reason not otherwise specified | | | ., | | | | | | |
| | | Χ | - | Х | - | Х | - | Х | - | |
| G8869 | Patient has documented immunity to hepatitis b and is receiving a first course of anti-tnf | ~ | _ | V | | V | | V | | |
| | therapy | Χ | - | Х | - | Х | - | Х | - | |
| G8875 | Clinician diagnosed breast cancer preoperatively by a minimally invasive biopsy method | Х | | V | | V | | V | | |
| | | Α | - | Х | - | Х | - | Х | - | |
| G8876 | Documentation of reason(s) for not performing minimally invasive biopsy to diagnose breast | V | | V | | V | | V | | |
| | cancer preoperatively | Χ | - | Х | - | Х | - | Х | - | |
| G8877 | Clinician did not attempt to achieve the diagnosis of breast cancer preoperatively by a minimally | Х | | Х | | Х | | Х | | |
| | invasive biopsy method, reason not otherwise specified | ^ | - | ^ | - | ^ | - | ^ | - | |
| G8878 | Sentinel lymph node biopsy procedure performed | Х | - | Х | - | Х | - | Х | - | |
| G8880 | Documentation of reason(s) sentinel lymph node biopsy not performed | Х | - | Х | - | Х | - | Х | - | |
| G8881 | Stage of breast cancer is greater than t1n0m0 or t2n0m0 | Х | - | Х | - | Х | - | Х | - | |
| G8882 | Sentinel lymph node biopsy procedure not performed | Х | - | Х | - | Х | - | Х | - | |
| G8883 | Biopsy results reviewed, communicated, tracked and documented | Х | - | Х | - | Х | - | Х | - | |
| G8884 | Clinician documented reason that patient's biopsy results were not reviewed | X | - | Х | - | X | - | X | - | |
| G8885 | Biopsy results not reviewed, communicated, tracked or documented | X | - | Х | - | X | - | X | - | |
| G8907 | Patient documented not to have experienced any of the following events: a burn prior to | | | | | | | | | |
| | discharge; a fall within the facility; wrong site/side/patient/procedure/implant event; | X | - | X | - | Х | - | X | - | |
| | | | | | | | | | | |
| G8908 | Patient documented to have received a burn prior to discharge | Χ | - | Х | - | X | - | X | - | |
| | Patient documented not to have received a burn prior to discharge | Х | - | Х | - | X | - | X | - | |
| G8910 | Patient documented to have experienced a fall within asc | Х | - | Х | - | X | - | X | - | |
| G8911 | Patient documented not to have experienced a fall within ambulatory surgical center | Х | _ | X | _ | Х | | Х | _ | |
| | | ^ | - | ^ | - | ^ | - | ^ | - | |
| G8912 | Patient documented to have experienced a wrong site, wrong side, wrong patient, wrong | Х | _ | Х | _ | Х | | Х | _ | |
| | procedure or wrong implant event | ^ | - | ^ | _ | ^ | _ | ^ | | |
| G8913 | Patient documented not to have experienced a wrong site, wrong side, wrong patient, wrong | Х | _ | Х | _ | Х | _ | Х | _ | |
| | procedure or wrong implant event | ^ | _ | ^ | _ | Λ | | Λ | | |
| G8914 | Patient documented to have experienced a hospital transfer or hospital admission upon | Х | _ | Х | _ | Х | _ | Х | _ | |
| | discharge from asc | ^ | - | ^ | - | ^ | _ | ^ | - | |
| G8915 | Patient documented not to have experienced a hospital transfer or hospital admission upon | Х | _ | Х | _ | Х | _ | Х | _ | |
| | discharge from asc | ^ | - | ^ | - | ^ | _ | ^ | - | |
| G8916 | Patient with preoperative order for iv antibiotic surgical site infection (ssi) prophylaxis, | Χ | _ | Х | _ | Х | _ | Х | _ | |
| | antibiotic initiated on time | ^ | - | ^ | - | ^ | _ | ^ | | |
| G8917 | Patient with preoperative order for iv antibiotic surgical site infection (ssi) prophylaxis, | Х | _ | Х | | Х | _ | Х | _ | |
| | antibiotic not initiated on time | ^ | - | ^ | - | ^ | _ | ^ | - | |
| G8918 | Patient without preoperative order for iv antibiotic surgical site infection (ssi) prophylaxis | Х | _ | X | _ | Х | _ | Х | _ | |
| | | ^ | _ | _ ^ | - | ^ | 1 | ^ | - | |

^{*} These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



| _ | | | itional Medicaid | Traditional Integrated | | Non-Traditional Medicaid | | | nal Integrated |
|----------------------------|---|----------------|------------------------------|------------------------|------------------------------|--------------------------|------------------------------|------------------------|------------------------------|
| Codes | Description | Not Covered | Preauthorization Required | Not Covered | Preauthorization Required | Not Covered | Preauthorization Required | Not Covered | Preauthorization Required |
| Disclaimer: the website | Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, the | | | | | , or specialty medica | | lirected to the Pharma | |
| | Left ventricular ejection fraction (lvef) < 40% or documentation of moderately or severely | | | | | | | | |
| | depressed left ventricular systolic function | Х | - | Х | - | Х | - | Х | - |
| G8924 | Spirometry test results demonstrate fev1/fvc <60% with copd symptoms (e.g, dyspnea, | | | | | | | | |
| | cough/sputum, wheezing) | Χ | - | X | - | Х | - | X | - |
| G8934 | Left ventricular ejection fraction (lvef) <40% or documentation of moderately or severely | | | V | | | | V | |
| | depressed left ventricular systolic function | Χ | - | X | - | Х | - | X | - |
| G8935 | Clinician prescribed angiotensin converting enzyme (ace) inhibitor or angiotensin receptor | Х | | Х | | Х | | Х | |
| | blocker (arb) therapy | ^ | - | ^ | | ^ | - | ^ | - |
| G8936 | Clinician documented that patient was not an eligible candidate for angiotensin converting | X | _ | X | _ | Х | _ | X | _ |
| | enzyme (ace) inhibitor or angiotensin receptor blocker (arb) therapy | ^ | - | ^ | | ^ | _ | ^ | _ |
| G8937 | Clinician did not prescribe angiotensin converting enzyme (ace) inhibitor or angiotensin receptor $% \left(1\right) =\left(1\right) \left(1$ | X | _ | Х | _ | Х | _ | Х | _ |
| | blocker (arb) therapy, reason not given | | | | | | | | |
| | Elder maltreatment screen documented, patient not eligible for follow-up | Х | - | Х | - | Х | - | Х | - |
| G8942 | Documented functional outcomes assessment and care plan within the previous 30 days | Χ | - | Х | - | Χ | - | Х | - |
| G8944 | Ajcc melanoma cancer stage 0 through iic melanoma | Х | - | Х | - | Х | - | Х | - |
| | Minimally invasive biopsy method attempted but not diagnostic of breast cancer (e.g., high risk | | | | | | | | |
| | lesion of breast such as atypical ductal hyperplasia, lobular neoplasia, atypic | X | - | Х | - | X | - | X | - |
| | | | | | | | | | |
| G8950 | Pre-hypertensive or hypertensive blood pressure reading documented, indicated follow-up | Х | _ | V | | V | | V | |
| | documented | Χ | - | X | - | Χ | - | Х | - |
| G8952 | Pre-hypertensive or hypertensive blood pressure reading documented, indicated follow-up not | Х | _ | Х | | Х | _ | Х | _ |
| | documented, reason not given | ^ | - | ^ | - | ^ | - | ^ | - |
| G8955 | Most recent assessment of adequacy of volume management | Χ | - | Х | - | X | - | X | - |
| | Patient receiving maintenance hemodialysis in an outpatient dialysis facility | Χ | - | X | - | Х | - | X | - |
| G8958 | Assessment of adequacy of volume management not documented, reason not given | Х | - | Х | - | Х | - | Х | - |
| G8961 | Cardiac stress imaging test primarily performed on low-risk surgery patient for preoperative | Х | - | X | _ | Х | _ | X | _ |
| | evaluation within 30 days preceding this surgery | | | ,, | | | | | |
| G8962 | Cardiac stress imaging test performed on patient for any reason including those who did not | | | | | | | | |
| | have low risk surgery or test that was performed more than 30 days preceding low ri | Х | - | X | - | X | - | Х | - |
| 00000 | | | | | | | | | |
| G8963 | Cardiac stress imaging performed primarily for monitoring of asymptomatic patient who had pci | X | - | Х | - | X | - | X | - |
| C9064 | wihin 2 years | | | 1 | | | | | |
| G0904 | Cardiac stress imaging test performed primarily for any other reason than monitoring of | Х | | | | V | | X | |
| | asymptomatic patient who had pci wthin 2 years (e.g., symptomatic patient, patient grea | ^ | - | X | - | Х | - | ^ | - |
| G8965 | Cardiac stress imaging test primarily performed on low chd risk patient for initial detection and | | | | | | | | |
| 20000 | risk assessment | Χ | - | Х | - | Χ | - | X | - |
| G8966 | Cardiac stress imaging test performed on symptomatic or higher than low chd risk patient or for | | | + | | | | | |
| | any reason other than initial detection and risk assessment | Χ | - | Х | - | Х | - | X | - |
| G8967 | Warfarin or another oral anticoagulant that is fda approved prescribed | Х | - | Х | - | Х | - | Х | - |
| | Documentation of medical reason(s) for not prescribing warfarin or another oral anticoagulant | | | | | • | | | |
| l | that is fda approved not prescribed (e.g., allergy, risk of bleeding, transient o | X | - | Х | - | Χ | - | X | - |
| | , , , , , , , , , , , , , , , , , , | | | | | | 1 | | |

^{*} These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



| | | Traditional Medicaid | | Traditional Integrated | | Non-Traditional Medicaid | | Non-Tradition | |
|-------------|---|----------------------|------------------------------|------------------------|------------------------------|--------------------------|------------------------------|-----------------------|------------------------------|
| Codes | Description | Not Covered | Preauthorization Required | Not Covered | Preauthorization Required | Not Covered | Preauthorization Required | Not Covered | Preauthorization Required |
| the website | | ese coding lists | s do not reflect information | regarding imm | unizations, injectable drugs | , or specialty medica | ations and should be d | rected to the Pharmac | y link option within |
| G8969 | Documentation of patient reason(s) for not prescribing warfarin or another oral anticoagulant | | | | | | | | |
| | that is fda approved (e.g., economic, social, and/or religious impediments, nonco | Х | - | X | - | Х | - | X | - |
| G8970 | No risk factors or one moderate risk factor for thromboembolism | Х | - | Х | - | Х | - | Х | - |
| G9001 | Mccd, initial rate | Х | - | Х | - | Х | - | X | - |
| G9002 | Mccd,maintenance rate | Х | - | Х | - | Х | - | Х | - |
| G9003 | Mccd, risk adj hi, initial | Х | - | Х | - | Х | - | Х | - |
| G9004 | Mccd, risk adj lo, initial | Х | - | Х | - | Х | - | Х | - |
| | Mccd, risk adj, maintenance | Х | - | Х | - | Х | - | Х | - |
| | Mccd, home monitoring | Х | - | Х | - | Х | - | Х | - |
| | Mccd, sch team conf | Х | - | Х | - | Х | - | Х | - |
| G9008 | Mccd,phys coor-care ovrsght | Х | - | Х | - | Х | - | Х | - |
| | Coordinated care fee, risk adjusted maintenance, level 3 | Х | - | Х | - | Х | - | Х | - |
| | Coordinated care fee, risk adjusted maintenance, level 4 | Х | - | Х | - | Х | - | Х | - |
| G9011 | Coordinated care fee, risk adjusted maintenance , level 5 | Х | - | Х | - | Х | - | Х | - |
| G9012 | Other specified case mgmt | Х | _ | X | - | X | - | X | - |
| | Esrd demo basic bundle level i | Х | _ | X | - | X | - | X | - |
| G9014 | Esrd demo expanded bundle including venous access and related services | X | _ | X | - | X | _ | X | - |
| | Oncology; primary focus of visit; work up, evaluation, or staging at the time of cancer diagnosis | | | | | | | | |
| 00000 | or recurrence | Х | - | Х | - | Х | - | Х | - |
| G9051 | Oncology; primary focus of visit; treatment decision making after disease is staged or restaged, | Х | | V | | V | | V | |
| | discussion of treatment | ^ | - | Х | - | Х | - | X | - |
| G9052 | Oncology; primary focus of visit; surveillance for disease recurrence for patient who has | ., | | ., | | | | ., | |
| | completed definitive cancer | Х | - | Х | - | Х | - | X | - |
| G9053 | Oncology; primary focus of visit; expectant management of patient with evidence of cancer | V | | V | | V | | V | |
| | | X | - | Х | - | Х | - | Х | - |
| G9054 | Oncology; primary focus of visit; supervising, coordinating or managing care of patient with | ., | | ., | | | | ., | |
| | terminal cancer | X | - | Х | - | Х | - | X | - |
| G9055 | Oncology; primary focus of visit; other, unspecified service not otherwise listed | Х | - | Х | - | Х | - | Х | - |
| | Oncology; practice guidelines; management adheres to guidelines | Х | - | Х | - | Х | - | Х | - |
| | Oncology; practice guidelines; management differs from guidelines as a result of patient | | | | | | | | |
| | enrollment in an institutional | Х | - | Х | - | Х | - | X | - |
| G9058 | Oncology; practice guidelines; management differs from guidelines because the treating | | | | | | | | |
| | physician disagrees with guidelin | Х | - | Х | - | Х | - | X | - |
| G9059 | Oncology; practice guidelines; management differs from guidelines because the patient, after | | | | | | | 1 | |
| | being offered treatment | Х | - | Х | - | Х | - | X | - |
| G9060 | Oncology; practice guidelines; management differs from guidelines associated with patient | | | | | | | | |
| | comorbid illness | Х | - | Х | - | Х | - | Х | - |
| G9061 | Oncology; practice guidelines; patients condition not addressed by available guidelines | | | | | | | | |
| 20001 | Sincology, practice guidelines, patients condition not addressed by available guidelines | X | - | Х | - | Х | - | X | - |
| G9062 | Oncology; practice guidelines; management differs from guidelines for other reasons not listed | | | | | | | | |
| 30002 | | X | - | Х | - | X | - | Х | - |
| Gaues | Oncology; disease status; limited to non small cell lung cancer; extent of disease initially | | | | | | | | |
| 55005 | | Х | - | Х | - | X | - | X | - |
| | established as stage 1 | ^ | - | ^ | - | , | | | |

^{*} These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



| 9 | nealti | Trad | itional Medicaid | Tradit | tional Integrated | Non-Tradition | onal Medicaid | Non-Tradition | nal Integrated |
|-------|--|----------------|------------------------------|----------------|------------------------------|------------------------|------------------------------|------------------------|-----------------------------------|
| Codes | Description | Not Covered | Preauthorization Required | Not Covered | Preauthorization Required | Not Covered | Preauthorization Required | Not Covered | Preauthorization |
| | Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, the | | | | | s, or specialty medica | | irected to the Pharmac | Required by link option within |
| G9064 | Oncology; disease status; limited to non small cell lung cancer; extent of disease initially | | | | | | | | |
| | established as stage ii | Х | - | Х | - | Х | - | Х | - |
| G9065 | Oncology; disease status; limited to non small cell lung cancer; extent of disease initially | Х | _ | Х | _ | Х | _ | Х | _ |
| | established as stage iii | ^ | _ | ^ | | ^ | | ^ | |
| G9066 | Oncology; disease status; limited to non small cell lung cancer; stage iii b-iv at diagnosis, metastatic | Х | - | Х | - | Х | - | Х | - |
| G9067 | Oncology; disease status; limited to non small cell lung cancer; extent of disease unknown, under evaluation | Х | - | Х | - | х | - | Х | - |
| G9068 | Oncology; disease status; limited to small cell and combined small cell/non small cell | Х | - | Х | - | Х | - | х | - |
| G9069 | Oncoloyg; disease status; small cell lung cancer, limited to small cell and combined small cell/non small cell | Х | - | Х | - | Х | - | Х | - |
| G9070 | Oncology; disease status; small cell lung cancer, limited to small cell and combined small cell/non small | Х | - | Х | - | х | - | х | - |
| G9071 | Oncology; disease status; invasive female breast cancer; adenocarcinoma as predominant cell type | х | - | Х | - | х | - | х | - |
| G9072 | Oncology; disease status; invasive female breast cancer; adenocarcinoma as predominant cell type | Х | - | х | - | Х | - | х | - |
| G9073 | Oncology; disease status; invasive female breast cancer; adenocarcinoma as predominant cell type | х | - | Х | - | х | - | х | - |
| G9074 | Oncology; disease status; invasive female breast cancer; adenocarcinoma as predominant cell type | х | - | Х | - | Х | - | х | - |
| G9075 | Oncology; disease status; invasive female breast cancer; adenocarcinoma as predominant cell type | х | - | х | - | Х | - | х | - |
| G9077 | Oncology; disease status; prostate cancer, limited to adenocarcinoma as predominant cell type | Х | - | Х | - | х | - | х | - |
| G9078 | Oncology; disease status; prostate cancer, limited to adenocarcinoma as predominant cell type | х | - | Х | - | х | - | х | - |
| G9079 | Oncology; disease status; prostate cancer, limited to adenocarcinoma as predominant cell type | Х | - | Х | - | х | - | х | - |
| G9080 | Oncology; disease status; prostate cancer, limited to adenocarcinoma | Х | - | Х | - | Х | - | Х | - |
| G9083 | Oncoloyg; disease status; prostate cancer limited to adenocarcinoma; extent of disease unknown | Х | - | Х | - | х | - | х | - |
| G9084 | Oncology; disease status; colon cancer, limited to invasive cancer, adenocarcinoma as predominant cell type | Х | - | Х | - | Х | - | х | - |
| G9085 | Oncology; disease status; colon cancer, limited to invasive cancer, adenocarcinoma as predominant cell type | Х | - | х | - | Х | - | х | - |
| G9086 | Oncology; disease status; colon cancer, limited to invasive cancer, adenocarcinoma as predominant cell type | Х | - | х | - | Х | - | х | - |
| G9087 | Oncology; disease status; colon cancer, limited to invasive cancer, adenocarcinoma as predominant cell type | Х | - | х | - | Х | - | х | - |
| G9088 | Oncology; disease status; colon cancer, limited to invasive cancer, adenocarcinoma as predominant cell type | Х | - | х | - | Х | - | х | - |
| G9089 | Oncology; disease status; colon cancer, limited to invasive cancer, adenocarcinoma as predominant cell type | Х | - | Х | - | х | - | х | - |

^{*} These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



| | | Trad | itional Medicaid | Tradi | tional Integrated | Non-Traditio | onal Medicaid | Non-Tradition | nal Integrated |
|----------------------------|--|-----------------|------------------------------|----------------|-------------------------------|-----------------------|------------------------------|-----------------------|------------------------------|
| Codes | Description | Not Covered | Preauthorization Required | Not Covered | Preauthorization Required | Not Covered | Preauthorization Required | Not Covered | Preauthorization Required |
| Disclaimer: the website | Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, the | se coding lists | do not reflect information | regarding imm | nunizations, injectable drugs | , or specialty medica | tions and should be di | rected to the Pharmac | y link option within |
| tile website | Oncology; disease status; rectal cancer, limited to invasive cancer, adenocarcinoma as | Х | - | Х | - | Х | - | Х | - |
| G9091 | predominant cell type | | | | | | | | |
| G9091 | Oncology; disease status; rectal cancer, limited to invasive cancer, adenocarcinoma as predominant cell type | Х | - | Х | - | Х | - | Х | - |
| G9092 | Oncoloyg; disease status; rectal cancer, limited to invasive cancer, adenocarcinoma as predominant cell type | Х | - | х | - | Х | - | х | - |
| G9093 | Oncology; disease status; rectal cancer, limited to invasive cancer, adenocarcinoma as predominant cell type | Х | - | Х | - | Х | - | х | - |
| G9094 | Oncology; disease status; rectal cancer, limited to invasive cancer, adenocarcinoma as predominant cell type | Х | - | Х | - | Х | - | х | - |
| G9095 | Oncology; disease status; rectal cancer, limited to invasive cancer, adenocarcinoma as predominant cell type | Х | - | х | - | Х | - | х | - |
| G9096 | Oncology; disease status; esophageal cancer, limited to adenocarcinoma or squamous cell carcinoma | Х | - | х | - | Х | - | х | - |
| G9097 | Oncology; disease status; esophageal cancer, limited to adenocarcinoma or squamous cell carcinoma | х | - | х | - | Х | - | х | - |
| G9098 | Oncology; disease status; esophageal cancer, limited to adenocarcinoma or squamous cell carcinoma as predominant cell ty | х | - | х | - | Х | - | х | - |
| G9099 | Oncology; disease status; esophageal cancer, limited to adenocarcinoma or squamous cell carcinoma | х | - | х | - | Х | - | Х | - |
| G9100 | Oncology; disease status; gastric cancer, limited to adenocarcinoma as predominant cell type | Х | - | х | - | Х | - | х | - |
| G9101 | Oncology; disease status; gastric cancer, limited to adenocarcinoma as predominant cell type | Х | - | х | - | Х | - | х | - |
| G9102 | Oncology; disease status; gastric cancer, limited to adenocarcinoma as predominant cell type | х | - | х | - | Х | - | Х | - |
| G9103 | Oncology; disease status; gastric cancer, limited to adenocarcinoma as predominant cell type | х | - | х | - | Х | - | х | - |
| G9104 | Oncology; disease status; gastric cancer, limited to adenocarcinoma as predominant cell type | х | - | х | - | Х | - | Х | - |
| G9105 | Oncology; disease status, pancreatic cancer, limited to adenocarcinoma as predominant cell type | Х | - | х | - | X | - | х | - |
| G9106 | Oncology; disease status; pancreatic cancer, limited to adenocarcinoma | Х | - | Х | _ | Х | - | Х | - |
| | Oncology; disease status; pancreatic cancer, limited to adenocarcinoma; u nresectable at diagnosis | Х | - | Х | - | Х | - | х | - |
| G9108 | Oncology; disease status; pancreatic cancer, limited to adenocarcinoma; extent of disease unknown | Х | - | Х | - | Х | - | Х | - |
| G9109 | Oncoloyg; disease status; head and neck cancer, limited to cancers of oral cavity, pharynx and larynx with squamous cell | Х | - | Х | - | Х | - | Х | - |
| G9110 | Oncology; disease status; head and neck cancer, limited to cancers of oral cavity, pharynx and larynx with squamous cell | Х | - | Х | - | Х | - | Х | - |
| G9111 | Oncology; disease status; head and neck cancer, limited to cancers of oral cavity, pharynx and larynx with squamous cell | Х | - | Х | - | Х | - | Х | - |
| l . | Oncology; disease status; head and neck cancer, limited to cancers of oral cavity, pharynx and larynx with squamous cell | х | - | х | - | Х | - | х | - |

^{*} These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



| | | Trad | itional Medicaid | Tradi | tional Integrated | Non-Tradition | onal Medicaid | Non-Traditio | nal Integrated |
|----------------------------|--|-----------------|------------------------------|----------------|------------------------------|------------------------|------------------------------|-----------------------|------------------------------|
| Codes | Description | Not Covered | Preauthorization Required | Not Covered | Preauthorization Required | Not Covered | Preauthorization Required | Not Covered | Preauthorization Required |
| Disclaimer: the website | Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, the | se coding lists | do not reflect information | regarding imm | unizations, injectable drugs | s, or specialty medica | ations and should be d | irected to the Pharma | cy link option within |
| | Oncology; disease status, ovarian cancer, limited to epithelial cancer, pathologic stage ia-b | Х | - | Х | - | Х | - | х | - |
| G9114 | Oncology; disease status; ovarian cancer, limited to epithelial cancer; pathologic stage ia-b | Х | - | Х | - | Х | - | х | - |
| G9115 | Oncology; disease status; ovarian cancer, limited to epithelial cancer; pathologic stage iii-iv | Х | - | х | - | Х | - | х | - |
| G9116 | Oncology; disease status; ovarian cancer, limited to epithelial cancer; evidence of disease progression | Х | - | х | - | Х | - | х | - |
| G9117 | Oncology; disease status; ovarian cancer, limited to epithelial cancer; extent of disease unknown | Х | - | Х | - | Х | - | Х | - |
| G9123 | Oncology; disease status; non hodgkins lymphoma, limited to follicular lymphoma, mantle cell lymphoma | Х | - | Х | - | Х | - | Х | - |
| | Oncology; disease status; non hodgkins lymphoma, limited to follicular lymphoma, mantle cell lymphoma | Х | - | Х | - | Х | - | Х | - |
| | Oncology; disease status; non hodgkins lymphoma, limited to follicular lymphoma, mantle cell lymphoma | Х | - | Х | - | Х | - | х | - |
| | Oncology; disease statu; ovarian cancer, limited to pathologically stage patients with epithelial cancer, stage ia/ib | Х | - | Х | - | Х | - | х | - |
| G9128 | Oncology; disease status; limited to multiple myeloma, systemic disease; stage ii or higher | Х | - | Х | - | Х | - | х | - |
| | Oncology; disease status; chronic myelogenous leukemia, limited to philadelphia chromosome positive and/or bcr-abl posit | Х | - | х | - | Х | - | х | - |
| G9130 | Oncoloyg; disease status; limited to multiple myeloma, systemic disease; extent of disease unknown | Х | - | х | - | Х | - | х | - |
| | Oncology; disease status; invasive female breast cancer (does not include ductal carcinoma in situ); adenocarcinoma as p | Х | - | Х | - | Х | - | х | - |
| | Oncology; disease status; prostate cancer, limited to adenocarcinoma; hormone-refractory/androgen-independent (e.g., ris | Х | - | Х | - | Х | - | Х | - |
| | Oncology; disease status; prostate cancer, limited to adenocarcinoma; hormone-responsive; clinical metastases or m1 at d | Х | - | Х | - | Х | - | Х | - |
| | Oncology; disease status; non-hodgkin's lymphoma, any cellular classification; stage i, ii at diagnosis, not relapsed, n | Х | - | Х | - | Х | - | Х | - |
| | Oncology; disease status; non-hodgkin's lymphoma, any cellular classification; stage iii, iv, not relapsed, not refracto | Х | - | Х | - | Х | - | Х | - |
| | Oncology; disease status; non-hodgkin's lymphoma, transformed from original cellular diagnosis to a second cellular clas | Х | - | Х | - | Х | - | Х | - |
| | Oncology; disease status; non-hodgkin's lymphoma, any cellular classification; relapsed/refractory (for use in a medicar | Х | - | Х | - | Х | - | Х | - |
| | Oncology; disease status; non-hodgkin's lymphoma, any cellular classification; diagnostic evaluation, stage not determin | Х | - | Х | - | Х | - | Х | - |
| | Oncology; disease status; chronic myelogenous leukemia, limited to philadelphia chromosome positive and/or bcr-abl posit | Х | - | Х | - | Х | - | Х | - |
| | Equal to or greater than 4 hours; weather or other conditions must prevent transfer or the case falls into a category of | Х | - | Х | - | Х | - | х | - |

^{*} These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



| 9 | Ticaldi | Tradi | tional Medicaid | Tradit | ional Integrated | Non-Traditio | onal Medicaid | Non-Tradition | nal Integrated |
|-------------|--|-----------------------------|--|-----------------------|---------------------------------------|--------------|-------------------------------------|---------------|-----------------------------------|
| Codes | Description | Not | Preauthorization | Not | Preauthorization | Not Covered | Preauthorization | Not Covered | Preauthorization |
| Disclaimer: | Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, the | Covered ese coding lists | Required do not reflect information | Covered regarding imm | Required unizations, injectable drugs | | Required ations and should be di | | Required by link option within |
| the website | | 1 | | · · · | ., . | | | | |
| G9143 | Wayfarin responsiveness testing by genetic technique using any method, any number of | Х | - | Х | - | X | - | X | - |
| C01.47 | specimen(s) | | | | | | | | |
| G9147 | Outpatient intravenous insulin treatment (oivit) either pulsatile or continuous, by any means, | V | | . v | | V | | V | |
| | guided by the results of measurements for: respiratory quotient; and/or, urine | Х | - | X | - | Х | - | Х | - |
| G9148 | National committee for quality assurance - level 1 medical home | X | - | Х | - | Х | _ | X | _ |
| | National committee for quality assurance - level 2 medical home | X | - | X | - | X | _ | X | _ |
| | National committee for quality assurance - level 3 medical home | Х | - | Х | - | Х | - | Х | - |
| | Mapcp demonstration - state provided services | Х | - | Х | - | Х | - | Х | - |
| | Mapcp demonstration - community health teams | Х | - | Х | - | Х | _ | Х | - |
| | Mapcp demonstration - physician incentive pool | Х | - | Х | - | Х | - | Х | - |
| | Evaluation for wheelchair requiring face to face visit with physician | Х | - | Х | - | Х | - | Х | - |
| | Transesophageal doppler used for cardiac monitoring | Х | - | Х | - | Х | - | Х | - |
| | Bpci home visit | Х | - | Х | - | Х | - | Х | - |
| | Beta not given no reason | Х | - | Х | - | Х | - | Х | - |
| | Beta pres or already taking | Х | - | Х | - | Х | - | Х | - |
| | Medical reason for no beta | Х | - | Х | - | Х | - | Х | - |
| G9191 | Pt reason for no beta | Х | - | Х | - | Х | - | Х | - |
| G9192 | System reason for no beta | Х | - | Х | - | Х | - | Х | - |
| G9196 | Med reason for no ceph | Х | - | Х | - | Х | - | Х | - |
| | Order for ceph | Х | - | Х | - | Х | - | Х | - |
| G9198 | No order for ceph no reason | Х | - | Х | - | Х | - | Х | - |
| | Doc of dsm-iv init eval | Х | - | Х | - | Х | - | Х | - |
| | No doc of dsm-iv | Х | - | Х | - | Х | - | Х | - |
| G9223 | Pjp proph ordered cd4 low | Х | - | Х | - | Х | - | Х | - |
| | Norsn no foot exam | Х | - | Х | - | Х | - | Х | - |
| G9226 | 3 comp foot exam completed | Х | - | Х | - | Х | - | Х | - |
| G9227 | Docrsn no care plan | Х | - | Х | - | Х | - | Х | - |
| G9228 | Gc chl syp documented | Х | - | Х | - | Х | - | Х | - |
| | Ptrsn no gc chl syp test | Х | - | Х | | Х | - | Х | - |
| G9230 | Norsn for gc chl syp test | Х | - | Х | | Х | - | Х | - |
| G9231 | Doc esrd dia trans preg | Х | - | Х | - | Х | - | Х | - |
| | Doc viral load >=200 | Х | • | Х | - | Х | - | X | |
| G9243 | Doc viral load <200 | Х | • | Х | - | Х | - | X | |
| G9246 | No med visit in 24mo | Х | • | Х | - | Х | - | Х | - |
| G9247 | 1 med visit in 24mo | Х | - | Х | - | Х | - | Х | - |
| | Doc of pain comfort 48hr | Х | - | Х | - | X | - | X | - |
| | Doc no pain comfort 48hr | Х | - | Х | - | Х | - | X | - |
| | Doc pt dischg >2d | Х | - | Х | - | X | - | X | - |
| G9255 | Doc pt dischg <=2d | Х | - | Х | - | Х | - | X | - |
| | Sys<140 and dia<90 | Х | - | Х | - | Х | - | X | - |
| G9274 | Bp out of nrml limits | Х | - | Х | - | Х | - | X | - |
| | Doc of non tobacco user | Х | - | Х | - | X | - | X | - |
| | Doc of tobacco user | Х | - | Х | - | Х | - | X | - |
| G9277 | Doc daily aspirin or contra | Х | i | X | - | X | - | X | - |

^{*} These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



| Company Comp | | Tieda | Trad | tional Medicaid | Tradi | tional Integrated | Non-Traditio | nal Medicaid | Non-Tradition | nal Integrated |
|--|-------------|--|------|-----------------|-------|-------------------|--------------|--------------|---------------|------------------|
| Company Comp | Codes | Description | | | | | Not Covered | | Not Covered | Preauthorization |
| New | Disclaimer: | Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, the | | | | | | | | |
| Section Peace of the decision of the decision Section Sect | the website | | , | | | T | | 1 | | |
| Season Person and more decented | G9278 | Doc no daily aspirin | | | | | | - | | - |
| See Park | G9279 | Pne scrn done doc vac done | | | | | | | | |
| See282 Dec medina no histolatype | | | | | | | | | | |
| Se283 Mist type doe on report | | | | | | | | | | |
| Seed No hist type doc on report | G9282 | Doc medrsn no histo type | | | | | | | | |
| See | G9283 | Hist type doc on report | | | | | | | | |
| See See Dec antible order win 7d | | | | | | | | | | |
| Seepart No doe antible order win 7d X | | | | | | | | | | |
| Season Documents no hist type rpt | G9286 | Doc antibio order w in 7d | | | | | | | | |
| Second Dec type nam lung ca X | | | | - | | - | | - | | - |
| Segon No doc type name lung ca | | | | - | | - | | - | | - |
| Mot same lung ca X | G9289 | Doc type nsm lung ca | | | | | | | | |
| See282 Medran no pt category X | | | | | | | | | | |
| Separate Personal | | | | • | | - | | - | | |
| Separate Pact and thick on report | | | | - | | - | | - | | - |
| Second S | | | | - | | - | | - | | - |
| G9296 Doc share dee prior proc | | | | - | | - | | - | | - |
| C9297 No does have dee prior proc X | | | | - | | - | | - | | - |
| Segonary | | | | - | | - | | - | | - |
| G9299 No eval riskk vte card prior | | | | - | | - | | - | | - |
| G9306 No interv reg for leak | | | | - | | - | | - | | - |
| G9306 Intervient for leak | | | | - | | - | | - | | - |
| G9307 No ret for surg w in 30d | | | Х | - | X | - | | - | | - |
| G9308 Unplind ret to surg w in 30d | | | Х | - | X | - | Χ | - | X | - |
| G9309 No unplind hosp readm in 30d X - | | | Х | - | | - | | - | | - |
| Company Comp | | Unplnd ret to surg w in 30d | Х | - | X | - | | - | X | - |
| G9311 No surg site infection X - X | | | Х | - | Х | - | | - | X | - |
| Surgical site infection X | | Unplnd hosp readm in 30d | Х | - | Х | - | Χ | - | X | - |
| G9313 Docrsn not first line amox X - X <th< td=""><td></td><td></td><td>Х</td><td>•</td><td>X</td><td>-</td><td>Χ</td><td>-</td><td>X</td><td></td></th<> | | | Х | • | X | - | Χ | - | X | |
| G9314 Norsn not first line amox | G9312 | Surgical site infection | Х | ī | Х | - | X | - | X | ı |
| G9315 Doc first line amox X | G9313 | Docrsn not first line amox | Х | ī | Х | - | X | - | X | ı |
| G9316 Doc comm risk calc X | G9314 | Norsn not first line amox | Х | • | Х | - | X | - | X | |
| G9317 No doc comm risk calc X - <td></td> <td></td> <td>Х</td> <td>•</td> <td>X</td> <td>-</td> <td>Χ</td> <td>-</td> <td>X</td> <td>•</td> | | | Х | • | X | - | Χ | - | X | • |
| G9317 No doc comm risk calc X - <td></td> <td>Doc comm risk calc</td> <td></td> <td>-</td> <td></td> <td>-</td> <td></td> <td>-</td> <td></td> <td>-</td> | | Doc comm risk calc | | - | | - | | - | | - |
| G9319 Image not std nomenclature X - X <th< td=""><td></td><td></td><td>X</td><td>-</td><td></td><td>-</td><td>Х</td><td>-</td><td></td><td>-</td></th<> | | | X | - | | - | Х | - | | - |
| G9321 Doc count of ct in 12mo X -< | G9318 | Image std nomenclature | Х | - | X | - | Х | - | X | - |
| G9322 No doc count of ct in 12mo X - X <th< td=""><td>G9319</td><td>Image not std nomenclature</td><td>Х</td><td>-</td><td>X</td><td>-</td><td>Х</td><td>-</td><td>X</td><td>-</td></th<> | G9319 | Image not std nomenclature | Х | - | X | - | Х | - | X | - |
| G9322 No doc count of ct in 12mo X - X <th< td=""><td>G9321</td><td>Doc count of ct in 12mo</td><td>Х</td><td>-</td><td>Х</td><td>-</td><td>Х</td><td>-</td><td>Х</td><td>-</td></th<> | G9321 | Doc count of ct in 12mo | Х | - | Х | - | Х | - | Х | - |
| G9342 No srch for ct in 12mo norsn X - X < | G9322 | No doc count of ct in 12mo | Х | - | Х | - | Х | - | Х | - |
| G9344 Sysrsn no dicom srch X - <td>G9341</td> <td>Srch for ct w in 12 mos</td> <td>Х</td> <td>-</td> <td>Х</td> <td>-</td> <td>Χ</td> <td>-</td> <td>Х</td> <td>-</td> | G9341 | Srch for ct w in 12 mos | Х | - | Х | - | Χ | - | Х | - |
| G9344 Sysrsn no dicom srch X - <td>G9342</td> <td></td> <td>Х</td> <td>-</td> <td></td> <td>-</td> <td>Х</td> <td>-</td> <td></td> <td>-</td> | G9342 | | Х | - | | - | Х | - | | - |
| G9345 Follow up pulm nod X - | G9344 | | Х | - | Х | - | Х | - | Х | - |
| G9347 No follow up pulm nod norsn | G9345 | , | | - | | - | | - | | - |
| | | | | - | | - | | - | | - |
| | | | | - | | - | | - | | - |

^{*} These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



| | Ticalui | Trad | itional Medicaid | Tradi | tional Integrated | Non-Traditio | onal Medicaid | Non-Tradition | nal Integrated |
|-------------|--|----------------------------|--|-----------------------|---|--------------|-----------------------------------|---------------|-----------------------------------|
| Codes | Description | Not | Preauthorization | Not | Preauthorization | Not Covered | Preauthorization | Not Covered | Preauthorization |
| Disclaimer: | Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, the | Covered se coding lists | Required do not reflect information | Covered regarding imm | Required nunizations, injectable drugs | | Required tions and should be d | | Required by link option within |
| the website | | | | | 1 | | 1 | | |
| | Not >1 sinus ct w 90d dx | X | - | X | - | X | - | X | - |
| | Medrsn >1 sinus ct w 90d dx | X | - | X | - | X | - | X | - |
| | Norsn >1 sinus ct w 90d dx | X | - | Х | - | X | - | X | - |
| | No early ind/delivery | Х | - | Х | - | Х | - | Х | - |
| | Early ind/delivery | X | - | Х | - | X | - | Х | - |
| | Pp eval/edu perf | Х | - | Х | - | Х | - | Х | - |
| | Pp eval/edu not perf | Х | - | Х | - | Х | - | Х | - |
| | Neg mgd pos tb notact | Х | - | Х | - | Х | - | Х | - |
| | No doc of neg or man pos tb | Х | - | Х | - | Х | - | Х | - |
| | Medical indication for elective delivery or early induction | Х | - | X | - | Χ | - | Х | - |
| | Sinus caus bac inx | Х | - | X | - | Χ | - | Х | - |
| | 2high risk med ord | Х | - | Х | - | Х | - | Х | - |
| | 2high risk no ord | Х | - | Х | - | Х | - | Х | - |
| | Off assis eol iss | Х | - | X | - | Χ | - | Х | - |
| | No off assis eol | Х | - | Х | - | Х | - | Х | - |
| | Recd scrn hcv infec | X | - | X | - | Х | - | Х | - |
| | Doc med reas no offer eol | X | - | Х | - | Х | - | Х | - |
| | Doc pt reas not rec hcv srn | X | - | Х | - | X | - | X | - |
| | Scrn hcv infec not recd | X | - | X | - | Х | - | Х | - |
| | Ini phq9 >9 remiss <5 | X | - | Х | - | Х | - | Х | - |
| | Dx bipol, death, nhres, hosp | Х | - | Х | - | X | - | X | - |
| | Ini phq9 >9 no remiss >=5 | Х | - | Х | - | X | - | X | - |
| G9396 | Ini phq9 >9 not assess | Х | - | Х | - | Χ | - | X | - |
| | Recd f/u w/in 30d disch | Х | - | Х | - | Χ | - | X | - |
| | Doc reas no 30 day f/u | X | - | X | - | Χ | - | X | - |
| | No 30 day f/u | Х | - | Х | - | Χ | - | X | - |
| | Recd f/u w/in 7d dc | Х | - | Х | - | Χ | - | X | - |
| | Doc reas no 7d f/u | Х | - | Х | - | Χ | - | X | - |
| G9407 | No 7d f/u | X | - | X | - | Χ | - | X | - |
| | Card tamp w/in 30d | X | ī | X | - | Χ | - | X | - |
| G9409 | No card tamp e/in 30d | X | ī | X | - | Χ | - | X | - |
| G9410 | Admit w/in 180d req remov | Х | ı | X | - | Χ | - | X | - |
| | No admit w/in 180d req remov | X | • | X | - | Χ | - | X | - |
| | Admit w/in 180d req surg rev | Х | - | X | - | Χ | - | X | - |
| | No admit req surg rev | Х | - | Х | - | Х | - | Х | - |
| G9414 | 1dose menig vac btwn 11 & 13 | Х | - | Х | - | Х | - | Х | - |
| | No 1dose meni vac btwn 11&13 | Х | - | Х | - | Х | - | Х | - |
| | Tdap or td or 1tet/dipth | Х | - | Х | - | Χ | - | Х | - |
| G9417 | No tdap or td or 1tet/dipth | Х | - | Х | - | Х | - | Х | - |
| G9418 | Lungcx bx rpt docs class | Х | - | Х | - | Х | - | Х | - |
| G9419 | Med reas no rpt histo type | Х | - | Х | - | Х | - | Х | - |
| | Spec site no lung | Х | - | Х | - | Х | - | Х | - |
| G9421 | Lung cx bx rpt no doc class | Х | - | Х | - | Х | - | Х | - |
| G9422 | Rpt doc class histo type | Х | - | Х | - | Х | - | Х | - |
| G9423 | Med reas rpt no histo type | Х | - | Х | - | Х | - | Х | - |
| | | | | | | | | | |

^{*} These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



| | | Trad | itional Medicaid | Tradi | tional Integrated | Non-Tradition | onal Medicaid | Non-Tradition | al Integrated |
|-------|--|--------------------|---------------------------------------|--------------------------|--|------------------------|----------------------------------|------------------------|----------------------------------|
| Codes | Description | Not | Preauthorization | Not | Preauthorization | Not Covered | Preauthorization | Not Covered | Preauthorization |
| | Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, | these coding lists | Required s do not reflect information | Covered regarding imm | Required nunizations, injectable drugs | s, or specialty medica | Required ations and should be di | irected to the Pharmac | Required y link option within |
| G9424 | Site no lung or lung cx | X | _ | Х | _ | Х | | Х | _ |
| | Spec rpt no doc class histo | X | - | X | - | X | - | X | - |
| | Impr med time edarr pain med | X | - | X | - | X | _ | X | |
| G9427 | No impro med time pain med | X | - | X | - | X | _ | X | |
| | Rpt pt cat and pt1 | X | - | X | - | X | - | X | - |
| | Doc med reas no pt cat | X | _ | X | _ | X | _ | X | - |
| | Spec site no cutaneous | X | - | X | - | X | _ | X | _ |
| | No pt cat and pt1 | X | - | X | _ | X | _ | X | - |
| | Asth controlled | X | - | X | _ | X | _ | X | - |
| | Asth not controlled | X | _ | X | _ | X | _ | X | - |
| | 1x scrn hcv infect | X | _ | X | _ | X | _ | X | - |
| | Doc med reas no scrn hcv | X | - | X | _ | X | _ | X | - |
| | Pt reas no hcv infect | X | - | X | - | X | _ | X | - |
| | No hov infect srn | X | - | X | - | X | _ | X | - |
| | Abd imag w/us, ct or mri | X | - | X | - | X | _ | X | - |
| | Doc med pt reas no hcc scrn | X | - | X | - | X | _ | X | - |
| | No abd imag w/o reason | X | - | X | - | X | - | X | - |
| | Tob user recd cess interv | X | - | X | - | X | - | X | - |
| | Tob non-user | X | - | X | - | X | - | X | - |
| G9460 | No tob assess or cess inter | Х | - | Х | - | Х | - | Х | - |
| | No recd cortico>=10mg/d >60d | Х | - | Х | - | Х | - | Х | - |
| | No rec cortico>60d 1rx 600mg | Х | - | Х | - | Х | - | Х | - |
| | W/in 2yr dxa not order | Х | - | Х | - | Х | - | Х | - |
| | Services performed by chaplain in the hospice setting, each 15 minutes | Х | - | Х | - | Х | - | Х | - |
| | Services performed by dietary counselor in the hospice setting, each 15 minutes | Х | - | Х | - | Х | - | Х | - |
| | Services performed by other counselor in the hospice setting, each 15 minutes | Х | - | Х | - | Х | - | Х | - |
| | Services performed by volunteer in the hospice setting, each 15 minutes | Х | - | Х | - | Х | - | Х | - |
| G9477 | Services performed by care coordinator in the hospice setting, each 15 minutes | Х | - | Х | - | Х | - | Х | - |
| | Services performed by other qualified therapist in the hospice setting, each 15 minutes | Х | - | Х | - | Х | - | Х | - |
| G9479 | Services performed by qualified pharmacist in the hospice setting, each 15 minutes | Х | - | Х | - | Х | - | Х | - |
| | Admission to medicare care choice model program (mccm) | Х | - | Х | - | Х | - | Х | - |
| | Remote e/m new pt 10mins | Х | - | Х | - | Х | - | Х | - |
| | Remote e/m new pt 20mins | Х | - | Х | - | Х | - | Х | - |
| | Remote e/m new pt 30mins | Х | - | Х | - | Х | - | Х | - |
| | Remote e/m new pt 45mins | Х | - | Х | - | Х | - | Х | - |
| | Remote e/m new pt 60mins | X | - | X | - | X | - | X | - |
| | Remote e/m est. pt 10mins | X | - | X | - | X | - | X | - |
| | Remote e/m est. pt 15mins | Х | - | Х | - | Х | - | Х | - |
| | Remote e/m est. pt 25mins | Х | - | Х | - | Х | - | Х | - |
| | Remote e/m est. pt 40mins | Х | - | Х | - | Х | - | Х | - |
| G9490 | Joint replac mod home visit | Х | - | Х | - | Х | - | Х | - |
| G9497 | Seen pre-operatively by anesthesiologist or proxy prior to the day of surgery | Х | - | Х | - | Х | - | Х | - |
| G9498 | Antibiotic regimen prescribed | Х | - | Х | - | Х | - | Х | - |

^{*} These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



| | | Trad | litional Medicaid | Tradi | tional Integrated | Non-Tradition | onal Medicaid | Non-Tradition | nal Integrated |
|----------------------------|---|----------------|------------------------------|----------------|------------------------------|------------------------|------------------------------|------------------------|------------------------------|
| Codes | Description | Not Covered | Preauthorization Required | Not Covered | Preauthorization Required | Not Covered | Preauthorization Required | Not Covered | Preauthorization Required |
| Disclaimer: the website | Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, the | se coding list | s do not reflect information | regarding imm | unizations, injectable drugs | s, or specialty medica | ations and should be d | irected to the Pharmac | cy link option within |
| tilo Wobolto | Radiation exposure indices, exposure time or number of fluorographic images in final report for | Х | _ | Х | - | Х | _ | Х | _ |
| | procedures using fluoroscopy, documented | , , | | , | | | | | |
| G9501 | Radiation exposure indices, exposure time or number of fluorographic images not documented | Х | _ | х | - | Х | _ | Х | - |
| | in final report for procedure using fluoroscopy, reason not given | | | | | | | | |
| | Med reas no perf foot exam | Х | - | X | - | Х | - | X | - |
| | Doc reas no hbv status | Х | - | Х | - | Х | - | Х | - |
| G9505 | Antibiotic regimen prescribed within 10 days after onset of symptoms for documented medical reason | Х | - | Х | - | Х | - | Х | - |
| G9506 | Biologic immune response modifier prescribed | Х | - | Х | - | Х | - | Х | - |
| | Doc reas on statin or contra | Х | - | Х | - | Х | - | Х | - |
| G9508 | Documentation that the patient is not on a statin medication | Х | - | Х | - | Х | - | Х | - |
| | Remission at twelve months as demonstrated by a twelve month (+/-30 days) phq-9 score of less than 5 | Х | - | Х | - | Х | - | Х | - |
| G9510 | Remis12m not phq-9 score <5 | X | - | Х | _ | Х | _ | Х | _ |
| | Index date phq-9 score greater than 9 documented during the twelve month denominator | | | | | | | | |
| | identification period | Х | - | X | - | Х | - | Х | - |
| G9512 | Individual had a pdc of 0.8 or greater | Х | - | X | - | Х | - | Х | - |
| G9513 | Individual did not have a pdc of 0.8 or greater | Х | - | Х | - | Х | - | Х | - |
| G9514 | Patient required a return to the operating room within 90 days of surgery | Х | - | Х | - | Х | - | Х | - |
| G9515 | Patient did not require a return to the operating room within 90 days of surgery | Х | - | Х | - | Х | - | Х | - |
| | Patient achieved an improvement in visual acuity, from their preoperative level, within 90 days of surgery | Х | - | Х | - | Х | - | х | - |
| G9517 | Patient did not achieve an improvement in visual acuity, from their preoperative level, within 90 days of surgery, reason not given | Х | - | Х | - | Х | - | Х | - |
| G9518 | Documentation of active injection drug use | Х | - | Х | - | Х | - | Х | - |
| | Final ref +/- 1.0 w/in 90d | Х | - | Х | - | Х | - | Х | - |
| G9520 | Refract not +/- 1.0 w/in 90d | Х | - | Х | - | Х | - | Х | - |
| | Total number of emergency department visits and inpatient hospitalizations less than two in the past 12 months | Х | - | Х | - | Х | - | Х | - |
| G9522 | Total number of emergency department visits and inpatient hospitalizations equal to or greater than two in the past 12 months or patient not screened, reason not given | Х | - | х | - | х | - | х | - |
| G9529 | Patient with minor blunt head trauma had an appropriate indication(s) for a head ct | Х | - | Х | - | Х | - | Х | - |
| | Patient presented within 24 hours of a minor blunt head trauma with a gcs score of 15 and had | Х | - | Х | - | X | - | X | - |
| G9531 | a head ct ordered for trauma by an emergency care provider Pt doc | X | _ | X | _ | X | _ | Х | _ |
| | Patient with minor blunt head trauma did not have an appropriate indication(s) for a head ct | X | - | X | - | X | - | X | - |
| G9537 | Documentation of system reason(s) for ordering an advanced brain imaging study (i.e., needed as part of a clinical trial; other clinician ordered the study) | Х | - | Х | - | Х | - | Х | - |
| G9539 | Intent for potential removal at time of placement | Х | - | Х | - | Х | - | Х | - |
| | Patient alive 3 months post procedure | X | - | X | - | X | - | X | - |
| | Filter removed within 3 months of placement | X | - | X | - | X | - | X | - |
| | Documented re-assessment for the appropriateness of filter removal within 3 months of placement | Х | - | Х | - | Х | - | х | - |

^{*} These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



| | | | itional Medicaid | | tional Integrated | Non-Tradition | onal Medicaid | Non-Tradition | • |
|-------------|--|----------------|------------------------------|----------------|------------------------------|-----------------------|------------------------------|------------------------|------------------------------|
| Codes | Description | Not Covered | Preauthorization Required | Not Covered | Preauthorization Required | Not Covered | Preauthorization Required | Not Covered | Preauthorization Required |
| | Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, the | | | | | , or specialty medica | | irected to the Pharmac | |
| the website | Documentation of at least two attempts to reach the patient to arrange a clinical re-assessment | | | | | | | | |
| | for the appropriateness of filter removal within 3 months of placement | Х | - | Х | - | Х | - | X | - |
| G9544 | No filt remov w/in 3mos plcm | Х | - | Х | - | Х | - | Х | - |
| G9547 | Cys ren les or adren | Х | - | Х | - | Х | - | Х | - |
| G9548 | No f/u rec image study | Х | - | Х | - | Х | - | Х | - |
| | Doc med rsn for f/u imag | Х | - | Х | - | Х | - | Х | - |
| G9550 | Imag rec | Х | - | Х | - | Х | - | Х | - |
| G9551 | Imag no les | Х | - | Х | - | Х | - | Х | - |
| G9552 | Incidental thyroid nodule < 1.0 cm noted in report | Х | - | Х | - | Х | - | Х | - |
| | Prior thyroid disease diagnosis | Х | - | Х | - | Х | - | Х | - |
| G9554 | Final reports for ct or mri of the chest or neck or ultrasound of the neck with follow-up imaging recommended | Х | - | Х | - | Х | - | Х | - |
| G9555 | Doc med reas no follow imag | Х | - | Х | - | Х | - | Х | - |
| | Final reports for ct or mri of the chest or neck or ultrasound of the neck with follow-up imaging not recommended | Х | - | Х | - | Х | - | Х | - |
| G9557 | Final reports for ct or mri studies of the chest or neck or ultrasound of the neck without a | | | | | | | | |
| 00001 | thyroid nodule < 1.0 cm noted | Х | - | X | - | X | - | Х | - |
| G9580 | Door to puncture time of less than 2 hours | Х | _ | Х | _ | X | _ | Х | |
| | Door to puncture time of greater than 2 hours, no reason given | X | - | X | - | X | _ | X | |
| | Pediatric patient with minor blunt head trauma classified as low risk according to the pecarn | | | | | | | | |
| | prediction rules | Х | - | X | - | Х | - | X | - |
| G9594 | Patient presented within 24 hours of a minor blunt head trauma with a gcs score of 15 and had | | | | | | | | |
| | a head ct ordered for trauma by an emergency care provider | Х | - | X | - | Х | - | Х | - |
| G9595 | Doc shnt/tum/coag | Х | - | Х | - | Х | - | Х | - |
| | Hd inj >24h/gcs >15/no res | X | - | X | - | X | - | X | - |
| | Pediatric patient with minor blunt head trauma not classified as low risk according to the pecarn | | | | | | | | |
| | prediction rules | Х | - | Х | - | Х | - | X | - |
| G9598 | Aortic aneurysm 5.5 - 5.9 cm maximum diameter on centerline formatted ct or minor diameter | | | | | | | | |
| | on axial formatted ct | Х | - | Х | - | Х | - | X | - |
| G9599 | Aortic aneurysm 6.0 cm or greater maximum diameter on centerline formatted ct or minor | ., | | | | ., | | ., | |
| | diameter on axial formatted ct | Х | - | Х | - | Х | - | X | - |
| G9603 | Patient survey score improved from baseline following treatment | Х | - | Х | - | Х | - | Х | - |
| | Patient survey results not available | Х | - | Х | - | Х | - | Х | - |
| G9605 | Patient survey score did not improve from baseline following treatment | Х | - | Х | - | Х | - | Х | - |
| G9606 | Intraoperative cystoscopy performed to evaluate for lower tract injury | Х | - | Х | - | Х | - | Х | - |
| G9607 | Patient is not eligible (e.g., patient death during procedure, absent urethra or an otherwise | Х | | х | | V | | | |
| | inaccessible bladder) | _ ^ | _ | ^ | | Х | | Х | <u> </u> |
| G9608 | Intraoperative cystoscopy not performed to evaluate for lower tract injury | Х | - | Х | - | Х | - | Х | - |
| G9609 | Documentation of an order for anti-platelet agents or p2y12 antagonists | Х | - | Х | - | Χ | - | Х | - |
| | Doc md rsn no antipla/p2y12 | Х | - | Х | - | Χ | - | X | - |
| G9611 | Order for anti-platelet agents or p2y12 antagonists was not documented, reason not otherwise | Х | _ | Х | | Х | | Х | |
| | specified | ^ | - | ^ | - | ^ | _ | ^ | |
| G9612 | Photodocumentation of one or more cecal landmarks to establish a complete examination | Х | - | Х | - | Х | - | Х | - |

^{*} These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



| | | Trad | itional Medicaid | Tradi | tional Integrated | Non-Tradition | onal Medicaid | Non-Tradition | nal Integrated |
|-------|--|----------------------------|---------------------------------------|-----------------------|---------------------------------------|------------------------|---------------------------------|-------------------------|-----------------------------------|
| Codes | Description | Not | Preauthorization | Not | Preauthorization | Not Covered | Preauthorization | Not Covered | Preauthorization |
| | Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, the | Covered se coding lists | Required s do not reflect information | Covered regarding imm | Required unizations, injectable drugs | s, or specialty medica | Required ations and should be d | lirected to the Pharmac | Required by link option within |
| G9613 | Documentation of post-surgical anatomy (e.g., right hemicolectomy, ileocecal resection, etc.) | Х | - | х | - | Х | - | Х | - |
| G9614 | No photodocumentation of cecal landmarks to establish a complete examination | Х | - | Х | - | Х | _ | Х | - |
| | Documentation of screening for uterine malignancy or those that had an ultrasound and/or | ., | | | | | | | |
| | endometrial sampling of any kind | Х | - | Х | - | Х | - | X | - |
| G9620 | Patient not screened for uterine malignancy, or those that have not had an ultrasound and/or | ., | | ., | | | | | |
| | endometrial sampling of any kind, reason not given | Х | - | Х | - | Х | - | Х | - |
| G9621 | Patient identified as an unhealthy alcohol user when screened for unhealthy alcohol use using a | V | | V | | V | | V | |
| | systematic screening method and received brief counseling | Х | - | Х | - | Х | - | X | - |
| G9622 | Patient not identified as an unhealthy alcohol user when screened for unhealthy alcohol use | Х | _ | Х | | Х | | Х | |
| | using a systematic screening method | ^ | - | ^ | - | ^ | - | ^ | - |
| G9623 | Documentation of medical reason(s) for not screening for unhealthy alcohol use (e.g., limited | Х | _ | Х | | Х | | Х | |
| | life expectancy, other medical reasons) | ^ | - | ^ | • | ^ | - | ^ | - |
| G9624 | Patient not screened for unhealthy alcohol screening using a systematic screening method or | Х | _ | Х | | Х | _ | Х | _ |
| | patient did not receive brief counseling, reason not given | ^ | - | ^ | | ^ | | ^ | |
| G9625 | Patient sustained bladder injury at the time of surgery or subsequently up to 1 month post- | X | _ | x | _ | Х | _ | Х | _ |
| | surgery | | _ | | _ | | _ | | _ |
| | Pt not elig | Х | - | X | - | X | - | X | - |
| G9627 | Patient did not sustained bladder injury at the time of surgery or subsequently up to 1 month | X | _ | X | _ | Х | _ | X | _ |
| | post-surgery | ^ | | ^ | | | | ^ | |
| G9628 | Patient sustained major viscus injury at the time of surgery or subsequently up to 1 month post- | Х | _ | Х | _ | Х | _ | × | _ |
| | surgery | | | | | | | | |
| | Pt not elig | Х | - | Х | - | Х | - | Х | - |
| | Patient did not sustain major viscus injury at the time of surgery or subsequently up to 1 month post-surgery | Х | - | Х | - | Х | - | Х | - |
| | Patient sustained ureter injury at the time of surgery or discovered subsequently up to 1 month post-surgery | Х | - | Х | - | Х | - | Х | - |
| | Pt not elig | Х | - | Х | - | Х | _ | Х | - |
| G9633 | Patient did not sustain ureter injury at the time of surgery or subsequently up to 1 month post- | Х | - | Х | - | Х | _ | Х | _ |
| | surgery | | | | | | | | |
| | Doc >1 dose reduc tech | X | - | X | - | X | - | X | - |
| | No doc >1 dose reduc tech | X | - | X | - | X | - | X | - |
| | Current cigarette smokers | X | - | X | - | X | - | X | - |
| | Elective surgery | Х | - | Х | - | Х | - | Х | - |
| G9644 | Patients who abstained from smoking prior to anesthesia on the day of surgery or procedure | Х | - | Х | - | Х | - | Х | - |
| | Patients who did not abstain from smoking prior to anesthesia on the day of surgery or procedure | Х | - | Х | - | Х | - | Х | - |
| | Patients with 90 day mrs score of 0 to 2 | Х | _ | X | _ | Х | _ | X | _ |
| | Patients with 90 day mrs score greater than 2 | X | - | X | - | X | | X | - |
| | Psori tool doc w/benchmk | X | - | X | - | X | - | X | |
| | Psori tool doc/no bnchmk met | X | - | X | - | X | _ | X | - |
| | Monitored anesthesia care (mac) | X | - | X | - | X | _ | X | _ |
| | A transfer of care protocol or handoff tool/checklist that includes the required key handoff | | | | | | | | |
| | elements is used | Х | - | X | - | X | - | X | - |

^{*} These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



| He website | note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these that transferred directly from an esthetizing location to pacurus for care protocol or handoff tool/checklist that includes the required key handoff tents is not used from his colo ca/rsn scope for med rsn scope pt >85y for scope other rsn for iously diagnosed or have an active diagnosis of clinical ascvod for idl <= 190 mg/dl for idl <= 190 mg/dl for idl <= 190 mg/dl for idl <= 190 mg/dl for idl Not Covered | itional Medicaid Preauthorization Required s do not reflect information | Not Covered regarding imm X X X X X X X X X X X X | reauthorization Required unizations, injectable drug | Not Covered X X X X X X X X X X X X X | onal Medicaid Preauthorization Required titions and should be di | Non-Tradition Not Covered Irected to the Pharmace X X X X X X X X X X X X X X X X X X X | Preauthorization Required |
|--|--|--|--|---|--|--|--|---|------------------------------|
| He website | ent transferred directly from anesthetizing location to pacu insfer of care protocol or handoff tool/checklist that includes the required key handoff itents is not used into hx colo ca/rsn scope med rsn scope pt >85y scope othr rsn iously diagnosed or have an active diagnosis of clinical ascvd (dir ldl <= 190 mg/dl ents who are currently statin therapy users or received an order (prescription) for statin apy ents who are not currently statin therapy users or did not receive an order (prescription) for in therapy ents with clinical ascvd diagnosis ents who have ever had a fasting or direct laboratory result of ldl-c = 190 mg/dl 5y w/type 1/2 w/ldl-c rs e care pneumonia e care congestive heart e care chronic obstruct | X X X X X X X X X X X X X X X X X X X | s do not reflect information | x x x x x x x x x x x x x x x x x x x | unizations, injectable drug | s, or specialty medical | tions and should be di | X X X X X X X X X X X X X X X X X X X | y link option within |
| The website G9656 Patien | ent transferred directly from anesthetizing location to pacu insfer of care protocol or handoff tool/checklist that includes the required key handoff itents is not used into hx colo ca/rsn scope med rsn scope pt >85y scope othr rsn iously diagnosed or have an active diagnosis of clinical ascvd (dir ldl <= 190 mg/dl ents who are currently statin therapy users or received an order (prescription) for statin apy ents who are not currently statin therapy users or did not receive an order (prescription) for in therapy ents with clinical ascvd diagnosis ents who have ever had a fasting or direct laboratory result of ldl-c = 190 mg/dl 5y w/type 1/2 w/ldl-c rs e care pneumonia e care congestive heart e care chronic obstruct | X X X X X X X X X X X X X X | - | X | - | X X X X X X X X X X X X X X X X X X X | - | X X X X X X X X X X X X X X X X X X X | |
| G9658 A tran eleme G9659 >85y r G9660 Doc m G9661 >85y s G9662 Previor G9663 Fast/d G9664 Patien statin G9674 Patien G9675 Patien G9676 40-75 G9679 Acute G9680 Acute G9681 Acute | Insfer of care protocol or handoff tool/checklist that includes the required key handoff tents is not used Into hx colo ca/rsn scope Imed rsn scope pt >85y Inscope other rsn Identify diagnosed or have an active diagnosis of clinical ascvd Identify diagnosed or have an active diagnosis of clinical ascvd Identify diagnosed or have an active diagnosis of clinical ascvd Identify diagnosed or have an active diagnosis of clinical ascvd Identify diagnosed or have an active diagnosis of clinical ascvd Identify diagnosed or have an active diagnosis of clinical ascvd diagnosis Insternational diagnos | X X X X X X X X X X X X X X X X X X X | - | x x x x x x x x x x x x x x x x x x x | - - - - - - | X X X X X X X X X X X X X X X X X X X | - | X X X X X X X X X X X X X X X X X X X | - |
| eleme G9659 >85y r G9660 Doc m G9661 >85y s G9662 Previo G9663 Fast/d G9664 Patien statin G9674 Patien G9675 Patien G9676 40-75 G9679 Acute G9680 Acute G9681 Acute | tents is not used Tho hx colo ca/rsn scope The draw scope pt >85y The scope other rsn The | X X X X X X X X X X X X X X X X X X X | - | X | - - - - - | X X X X X X X X X X X X X X X X X X X | - | X X X X X X X X X X X X X X X X X X X | - |
| G9659 >85y r G9660 Doc m G9661 >85y s G9662 Previor G9663 Fast/d G9664 Patien statin G9674 Patien G9675 Patien G9676 40-75 G9679 Acute G9680 Acute G9681 Acute | med rsn scope pt >85y scope othr rsn iously diagnosed or have an active diagnosis of clinical ascvd (dir ldl <= 190 mg/dl ents who are currently statin therapy users or received an order (prescription) for statin apy ents who are not currently statin therapy users or did not receive an order (prescription) for an therapy ents with clinical ascvd diagnosis ents who have ever had a fasting or direct laboratory result of ldl-c = 190 mg/dl 5y w/type 1/2 w/ldl-c rs e care pneumonia e care congestive heart e care chronic obstruct | X X X X X X X X X X X X X X X X X X X | - | X | - - - - - | X X X X X X X X X X X X X X X X X X X | - | X X X X X X X X X X X X X X X X X X X | - |
| G9660 Doc m G9661 >85y s G9662 Previo G9663 Fast/d G9664 Patien therap G9665 Patien G9674 Patien G9675 Patien G9676 40-75 G9679 Acute G9680 Acute G9681 Acute | med rsn scope pt >85y scope othr rsn iously diagnosed or have an active diagnosis of clinical ascvd (dir Idl <= 190 mg/dl ents who are currently statin therapy users or received an order (prescription) for statin apy ents who are not currently statin therapy users or did not receive an order (prescription) for an therapy ents with clinical ascvd diagnosis ents who have ever had a fasting or direct laboratory result of Idl-c = 190 mg/dl 5y w/type 1/2 w/Idl-c rs e care pneumonia e care congestive heart e care chronic obstruct | X X X X X X X X X X X X X X X X X X X | - | X | - - - - - | X X X X X X X X X X X | - | X X X X X X X X | - |
| Section | scope othr rsn iously diagnosed or have an active diagnosis of clinical ascvd (dir IdI <= 190 mg/dI ents who are currently statin therapy users or received an order (prescription) for statin apy ents who are not currently statin therapy users or did not receive an order (prescription) for an therapy ents with clinical ascvd diagnosis ents who have ever had a fasting or direct laboratory result of IdI-c = 190 mg/dI Ents with clinical ascvd diagnosis ents who have ever had a fasting or direct laboratory result of IdI-c = 190 mg/dI Ents with clinical ascvd diagnosis ents who have ever had a fasting or direct laboratory result of IdI-c = 190 mg/dI Ents with clinical ascvd diagnosis ents who have ever had a fasting or direct laboratory result of IdI-c = 190 mg/dI Ents with clinical ascvd diagnosis ents who have ever had a fasting or direct laboratory result of IdI-c = 190 mg/dI Ents with clinical ascvd diagnosis ents who have ever had a fasting or direct laboratory result of IdI-c = 190 mg/dI Ents with clinical ascvd diagnosis ents who have ever had a fasting or direct laboratory result of IdI-c = 190 mg/dI Ents with clinical ascvd diagnosis ents who have ever had a fasting or direct laboratory result of IdI-c = 190 mg/dI Ents with clinical ascvd diagnosis ents who have ever had a fasting or direct laboratory result of IdI-c = 190 mg/dI Ents with clinical ascvd diagnosis ents who have ever had a fasting or direct laboratory result of IdI-c = 190 mg/dI Ents with clinical ascvd diagnosis ents who have ever had a fasting or direct laboratory result of IdI-c = 190 mg/dI Ents who have ever had a fasting or direct laboratory result of IdI-c = 190 mg/dI Ents who have ever had a fasting or direct laboratory result of IdI-c = 190 mg/dI Ents who have ever had a fasting or direct laboratory result of IdI-c = 190 mg/dI Ents who have ever had a fasting or direct laboratory result of IdI-c = 190 mg/dI Ents who have ever had a fasting or direct laboratory result of IdI-c = 190 mg/dI Ents who have ever had a fasting or direct labo | X X X X X X X X X X X X X X X X X X X | | X | - - - - | X X X X X X | - | X X X X X | - |
| G9662 Previor G9663 Fast/d G9664 Patien therap G9665 Patien statin G9674 Patien G9675 Patien G9676 40-75 G9679 Acute G9680 Acute G9681 Acute | iously diagnosed or have an active diagnosis of clinical ascvd (dir IdI <= 190 mg/dI ents who are currently statin therapy users or received an order (prescription) for statin apy ents who are not currently statin therapy users or did not receive an order (prescription) for an therapy ents with clinical ascvd diagnosis ents who have ever had a fasting or direct laboratory result of IdI-c = 190 mg/dI Sy w/type 1/2 w/IdI-c rs e care pneumonia e care congestive heart e care chronic obstruct | X X X X X X X X | | x x x x x x x x x x x x x x x x x x x | - - - - | x x x x x x | - | X X X X | - |
| G9663 Fast/d G9664 Patien therag G9665 Patien G9674 Patien G9675 Patien G9676 40-75 G9679 Acute G9680 Acute G9681 Acute | Idir Idi <= 190 mg/di Pents who are currently statin therapy users or received an order (prescription) for statin appy Pents who are not currently statin therapy users or did not receive an order (prescription) for an therapy Pents with clinical ascvd diagnosis Pents with clinical ascvd diagnosis Pents who have ever had a fasting or direct laboratory result of Idl-c = 190 mg/dl Pents with clinical ascvd diagnosis Pents who have ever had a fasting or direct laboratory result of Idl-c = 190 mg/dl Pents with clinical ascvd diagnosis Pents who have ever had a fasting or direct laboratory result of Idl-c = 190 mg/dl Pents with clinical ascvd diagnosis Pents who are not currently statin therapy users or received an order (prescription) for statin appy. Pents who are not currently statin therapy users or received an order (prescription) for statin appy. | X X X X X X X | | X X X X X X X X X X X X X X X X X X X | | X X X X X X X | - | X X X X | - |
| G9664 Patien G9665 Patien statin G9674 Patien G9675 Patien G9676 40-75 G9679 Acute G9680 Acute G9681 Acute | ents who are currently statin therapy users or received an order (prescription) for statin appy ents who are not currently statin therapy users or did not receive an order (prescription) for an therapy ents with clinical ascvd diagnosis ents who have ever had a fasting or direct laboratory result of Idl-c = 190 mg/dl 5y w/type 1/2 w/ldl-c rs e care pneumonia e care congestive heart e care chronic obstruct | x x x x x x | | X X X X X X X | | X X X X X | - | X X X | - |
| G9665 Patien statin G9674 Patien G9675 Patien G9676 40-75 G9679 Acute G9680 Acute G9681 Acute | ents who are not currently statin therapy users or did not receive an order (prescription) for in therapy ents with clinical ascvd diagnosis ents who have ever had a fasting or direct laboratory result of IdI-c = 190 mg/dl 5y w/type 1/2 w/IdI-c rs e care pneumonia e care congestive heart e care chronic obstruct | X X X X | | X X X X | - | X X X | | X X X | |
| G9665 Patien statin G9674 Patien G9675 Patien G9676 40-75 G9679 Acute G9680 Acute G9681 Acute | ents who are not currently statin therapy users or did not receive an order (prescription) for in therapy ents with clinical ascvd diagnosis ents who have ever had a fasting or direct laboratory result of IdI-c = 190 mg/dl 5y w/type 1/2 w/IdI-c rs e care pneumonia e care congestive heart e care chronic obstruct | X X X X | | X X X | - | X X X | - - - | X X | |
| Statin G9674 Patien G9675 Patien G9676 40-75 G9679 Acute G9681 Acute G9681 Acute G9681 Acute G9681 Acute G9681 G | n therapy ents with clinical ascvd diagnosis ents who have ever had a fasting or direct laboratory result of ldl-c = 190 mg/dl 5y w/type 1/2 w/ldl-c rs e care pneumonia e care congestive heart e care chronic obstruct | X X X X | - | X X X | - | X X X | - - - | X X | |
| G9674 Patien G9675 Patien G9676 40-75 G9679 Acute G9680 Acute G9681 Acute | ents with clinical ascvd diagnosis ents with clinical ascvd diagnosis ents who have ever had a fasting or direct laboratory result of ldl-c = 190 mg/dl 5y w/type 1/2 w/ldl-c rs e care pneumonia e care congestive heart e care chronic obstruct | X X X X | - - - - | X X X | - | X X X | - | X X | |
| G9675 Patien G9676 40-75 G9679 Acute G9680 Acute G9681 Acute | ents who have ever had a fasting or direct laboratory result of ldl-c = 190 mg/dl 5y w/type 1/2 w/ldl-c rs e care pneumonia e care congestive heart e care chronic obstruct | X X X X | - | X X X | - | X | | Х | |
| G9676 40-750 G9679 Acute G9680 Acute G9681 Acute | 5y w/type 1/2 w/ldl-c rs e care pneumonia e care congestive heart e care chronic obstruct | X X X | | X | - | Х | - | | - |
| G9679 Acute G9680 Acute G9681 Acute | e care pneumonia e care congestive heart e care chronic obstruct | X | | Х | | 1 | - | · · | |
| G9680 Acute G9681 Acute | e care congestive heart e care chronic obstruct | Χ | - | | | | | | - |
| G9681 Acute | e care chronic obstruct | | - | | - | X | - | Х | - |
| | | Χ | | Х | - | X | - | Х | - |
| G9682 Acute | e care skin infection | | - | Х | - | X | - | Х | - |
| | | Х | - | Х | - | X | - | Х | - |
| | e care fluid or electrol | Χ | - | Х | - | X | - | Х | - |
| | e care urinary tract inf | Χ | - | Х | - | X | - | X | - |
| G9685 Acute | e nursing facility care | Χ | - | Χ | - | X | - | X | - |
| | sice anytime msmt per | Χ | - | Χ | - | X | - | X | - |
| G9688 Pt w/h | /hosp anytime msmt per | Χ | - | Х | - | X | - | X | - |
| G9689 Inpt e | elect carotid intervent | Χ | - | Х | - | X | - | X | - |
| G9690 Pt rec | c hospice dur msmt per | Χ | - | Х | - | X | - | X | - |
| G9691 Pt hos | osp dur msmt period | Χ | - | Х | - | X | - | X | - |
| G9692 Hosp | recd by pt dur msmt per | Χ | - | Х | - | Х | - | Х | - |
| G9693 Pt use | e hosp during msmt per | Χ | - | Х | - | Х | - | Х | - |
| G9694 Hosp : | srv used pt in msmt per | Х | - | Х | - | Х | - | Х | - |
| G9695 Long a | act inhal bronchdil pre | Х | - | Х | - | Х | - | Х | - |
| G9696 Med r | rsn no presc bronchdil | Х | - | Х | - | Х | - | Х | - |
| G9697 Pt rsn | n no presc bronchdil | Х | - | Х | - | Х | - | Х | - |
| G9698 Sys rsi | sn no presc bronchdil | Х | - | Х | - | Х | - | Х | - |
| G9699 Long i | inhal bronchdil no pres | Х | - | Х | - | Х | - | Х | - |
| | w/hosp during msmt per | Х | - | Х | - | Х | - | Х | - |
| | e hosp during msmt per | Х | - | Х | - | Х | - | Х | - |
| | l anbx 30 prior dx phary | Х | - | Х | - | Х | - | Х | - |
| | br ca stg i: t1 mic/t1a | Х | - | Х | - | Х | - | Х | - |
| G9705 Ajcc b | | Х | - | Х | - | Х | - | Х | - |
| G9706 Low re | | Х | - | Х | - | Х | - | Х | - |
| | nd hosp dur msmt per | Х | - | Х | - | Х | - | Х | - |
| | mast/hx bi /unilat mas | X | - | X | - | X | - | X | - |
| | o srv used pt in msmt per | X | - | X | - | X | - | X | - |
| | ov hosp srv msmt per | X | - | X | - | X | - | X | - |

^{*} These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



| | | Trad | itional Medicaid | Tradit | tional Integrated | Non-Traditio | onal Medicaid | Non-Traditio | nal Integrated |
|--------------|--|----------------------------|--|--------------------------|--|--------------|------------------------------------|--------------|-----------------------------------|
| Codes | Description | Not | Preauthorization | Not | Preauthorization | Not Covered | Preauthorization | Not Covered | Preauthorization |
| Disclaimer: | Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, the | Covered se coding lists | Required do not reflect information i | Covered regarding imm | Required unizations, injectable drugs | | Required tions and should be di | | Required by link option within |
| the website. | | - v | | | - | | 1 | | |
| | Pt hx tot col or colon ca | X | - | X | - | X | - | X | - |
| | Doc med rsn presc anbx | X | - | X | - | X | - | X | • |
| | Pt use hosp during msmt per | X | - | X | - | X | - | X | - |
| | Pt is w/hosp during msmt per | X | - | | - | X | - | X | - |
| | Pt w/hosp anytime msmt per Bmi not norm, no follow, doc | X | - | X | - | X | - | X | - |
| | Doc dx depr/dx bipol, no scr | X | - | X | - | X | - | X | - |
| | Hospice anytime msmt per | X | - | X | - | X | - | X | - |
| | Pt not ambul/immob/wc | X | - | X | - | X | - | X | - |
| | Hospice anytime msmt per | X | - | X | - | X | - | X | - |
| | Pt not ambul/immob/wc | X | - | X | - | X | - | X | - |
| | Pt not ambulyimmobywc Doc hx renal fail or cr+ >4 | X | - | X | - | X | - | X | - |
| | Hosp recd by pt dur msmt per | X | - | X | - | X | - | X | - |
| G9724 | Pt w/doc use anticoag mst yr | X | - | X | - | X | _ | X | - |
| | Pt w/hosp anytime msmt per | X | | X | - | X | - | X | _ |
| | Refused to participate | X | - | X | - | X | - | X | - |
| | Pt unable cmplt knee fs prom | X | | X | - | X | - | X | - |
| | Refused to participate | X | - | X | - | X | - | X | - |
| | Pt unbl cmplt hip fs prom | X | - | X | - | X | - | X | - |
| | Refused to participate | X | - | X | - | X | - | X | - |
| | Pt unbl cmplt ft/ank fs prom | X | | X | - | X | - | X | - |
| | Refused to participate | X | - | X | - | X | - | X | - |
| | Pt unbl cmplt lb fs prom | X | | X | - | X | _ | X | |
| | Refused to participate | X | | X | - | X | _ | X | _ |
| | Pt unbl cmplt shid fs prom | X | | X | - | X | _ | X | _ |
| | Refused to participate | X | - | X | - | X | - | X | - |
| | Pt unbl cmplt ewh fs prom | X | _ | X | - | X | _ | X | _ |
| | Hosp srv to pt dur msmt per | X | - | X | - | X | _ | X | - |
| | Pt w/hosp anytime msmt per | X | - | X | - | X | _ | X | - |
| | Pt not elig, dx htn | X | - | X | - | X | _ | X | - |
| | Doc rsn no scr high bp | X | - | X | - | X | _ | X | - |
| | Mit sten, valve or trans af | X | - | Х | - | X | - | X | - |
| | Pt died w/in 24 mos rpt time | Х | - | Х | - | Х | - | Х | - |
| G9752 | Urgent surgery | X | - | X | - | X | - | X | - |
| G9753 | Doc no dicom, ct other fac | X | - | X | - | X | - | X | - |
| | Incid pulm nodule | Х | - | Х | - | Х | - | Х | - |
| G9755 | Doc med rsn for imaging | Х | - | Х | - | Х | - | Х | - |
| G9756 | Surg proc w/silicone oil | Х | - | Х | - | Х | - | Х | - |
| | Surg proc w/silicone oil | Х | - | Х | - | Х | - | Х | - |
| | Hospice or term phase | Х | - | Х | - | Х | - | Х | - |
| G9760 | Pt w/hosp anytime msmt per | Х | - | Х | - | X | - | Х | - |
| | Pt w/hosp anytime msmt per | Х | - | Х | - | X | - | Х | - |
| | Pt had hpv b/t 9-13 yr | Х | - | Х | - | Х | - | Х | - |
| | Pt no hpv b/t 9-13 yr | Х | - | Х | - | X | - | Х | - |
| | Pt tx oral syst/bio med psor | Х | - | Х | - | X | - | Х | - |

^{*} These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



| Code Peauthor/Zation Covered Peauthor/Zation Covered Peauthor/Zation Covered Peauthor/Zation Covered Peauthor/Zation |
|---|---|
| Processing Pr | Description |
| | coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. A |
| G9766 Cva stroke dx tx transf fac | |
| G9767 Hosp new dx voa conside vst | /conind or <6m |
| G9768 Pt w/hosp anytine msmt per | lx tx transf fac |
| G8769 Bilden 2yr/got ost med/ther | |
| G9770 Perip nerve block | |
| G9771 Ans. end, 1 temp > 35.5 (95.9) X | |
| G9772 Doc med rsn no temp >= 35.5 X | block |
| G9773 No temp > 35.5(95.9), anes | temp >35.5(95.9) |
| G9774 Pt had hyst | n no temp >= 35.5 |
| G9775 Recd 2 anti-emet pre/intraop X | 5.5(95.9), anes |
| G9776 Doc med rsn no proph antiem | |
| G9777 Pt no antiemet pre/intraop | |
| G9778 Pts dx w/pregn | • • |
| G9779 Pts breastfeeding X - X - X G9780 Pts dx w/rhabdomyolysis X - X - X G9781 Doc rsn no statin X - X - X - X G9782 Hx dx fam/pure hypercholes X - X - X - X G9784 Path/derm 2nd opin bx X - X - X - X G9785 Path report sent X - X - X - X G9786 Path report not sent X - X - X - X G9787 Pt alive lst day msmt yr X - X - X - X G9788 Most rct bp - 140/90 X - X - X - X G9790 Most rct bp >/= 140/90 X - X - X - X - X - X G9791 Most r | |
| G9780 Pts dx w/rhabdomyolysis X | |
| G9781 Doc rsn no statin X - | |
| G9782 Hx dx fam/pure hypercholes X - < | |
| G9784 Path/derm 2nd opin bx X - X - X - X G9785 Path report sent X - X - X - X - X G9786 Path report not sent X - | |
| G9785 Path report sent X - X - X - X G9786 Path report not sent X - X - X - X G9787 Pt alive lst day msmt yr X - X - X - X G9788 Most rct bp - X - X - X - X G9789 Record bp ip, er, urg/self X - X - X - X - X G9790 Most rct bp >/= 140/90 X - X - X - X - X G9791 Most rct tob stat free X - X - X - X - X | |
| G9786 Path report not sent X - X - X - X G9787 Pt alive lst day msmt yr X - X - X - X - X G9788 Most rct bp = 140/90</td X - X - X - X - X G9790 Most rct bp >/= 140/90 X - X - X - X - X G9791 Most rct tob stat free X - X - X - X - X | |
| G9787 Pt alive lst day msmt yr X - X - X - X G9788 Most rct bp - X - <td></td> | |
| G9788 Most rct bp = 140/90</th X - X - X - X G9789 Record bp ip, er, urg/self X - X - X - X - X G9790 Most rct bp >/= 140/90 X - X - X - X - X G9791 Most rct tob stat free X - X - X - X - X | |
| G9789 Record bp ip, er, urg/self X - X - X G9790 Most rct bp >/= 140/90 X - X - X - X G9791 Most rct tob stat free X - X - X - X | ay msmt yr |
| G9790 Most rct bp >/= 140/90 X - X - X G9791 Most rct tob stat free X - X - X - X | |
| G9791 Most rct tob stat free | |
| | |
| | |
| G9792 Most rct tob stat not free X - X - X | |
| G9793 Pt on daily asa/antiplat X - X - X | sa/antiplat |
| G9794 Doc med rsn no asa/antiplat X - X - X - X | n no asa/antiplat |
| G9795 Pt no daily asa/antiplat X - X - X - X | |
| G9796 Pt not currently on statin X - X - X | |
| G9797 Pt currently on statin | |
| G9805 Pt w/hosp anytime msmt per X - X - X | |
| G9806 Pt recd cerv cyto/hpv | |
| G9807 Pt no recd cerv cyto/hpv X - X - X | |
| G9808 Pt no asthm cont med mst per X - X - X | cont med mst per |
| G9809 Pt w/hosp anytime msmt per X - X - X | |
| G9810 Pdc 75% w/asth cont med X - X - X - X | |
| G9811 No pdc 75% w/asth cont med X - X - X - X | w/asth cont med |
| G9812 Pt died during inpt/30d aft X - X - X | ng inpt/30d aft |
| G9813 Pt not died w/in 30d of proc X - X - X | |
| G9818 Doc sex activity X - X - X | vity |
| G9819 Pt w/hosp anytime msmt per X - X - X - X | |
| G9820 Doc chlam scr test w/follow X - X - X | |
| G9821 No doc chlam scr ts w/follow X - X - X | m scr ts w/follow |

^{*} These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



| | Ticaldi | Tradi | itional Medicaid | Tradi | tional Integrated | Non-Traditio | nal Medicaid | Non-Tradition | nal Integrated |
|-------------|--|----------------------------|-------------------------------------|--------------------------|--|-----------------------|-----------------------------------|------------------------|-----------------------------------|
| Codes | Description | Not | Preauthorization | Not | Preauthorization | Not Covered | Preauthorization | Not Covered | Preauthorization |
| Disclaimer: | Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, the | Covered se coding lists | Required do not reflect information | Covered regarding imm | Required nunizations, injectable drugs | , or specialty medica | Required tions and should be d | irected to the Pharmac | Required by link option within |
| the website | | | | V | 1 | V | 1 | l v | |
| G9823 | Endo abl proc yr prev ind dt | X | - | X | - | X | - | X | - |
| G9824 | Endo smpl/hyst bx res doc | X | - | X | - | | - | | - |
| | Endo smpl/hyst bx res no doc Her-2 pos | X | - | X | - | X | - | X | - |
| | Ajcc stg brt ca dx ii or iii | X | - | X | - | X | - | X | - |
| | Brt ca dx i, no t1/t1a/t1b | X | - | X | - | X | - | X | - |
| | Pt met dis at dx | X | - | X | - | X | | X | _ |
| | Anti-egfr mon anti ther | X | | X | _ | X | _ | X | |
| G9840 | Kras tst bfr beg anti moab | X | | X | _ | X | _ | X | |
| | No kras tst bfr beg ant moab | X | _ | X | _ | X | _ | X | |
| | Pt met dis at dx | X | | X | _ | X | _ | X | |
| G9843 | | X | - | X | - | X | - | X | - |
| | Pt no recd anti-egfr ther | X | - | X | - | X | - | X | - |
| G9845 | Pt recd anti-egir ther | X | - | X | _ | X | _ | X | - |
| G9846 | Pt died from cancer | X | - | X | _ | X | _ | X | _ |
| | Pt recd chemo last 14d life | X | - | X | _ | X | _ | X | _ |
| | Pt no chemo last 14d life | X | - | X | _ | X | _ | X | _ |
| | Pt died from cancer | X | - | X | _ | X | _ | X | _ |
| | Icu stay last 30d life | X | _ | X | _ | X | - | X | - |
| | No icu stay last 30d life | Х | _ | Х | _ | Х | - | Х | - |
| | Pt enroll hospice | Х | - | Х | - | Х | - | Х | - |
| | Pt died from cancer | Х | - | Х | - | Х | - | Х | - |
| | Pt less 3d hospice | Х | - | Х | - | Х | - | Х | - |
| | Pt more than 3d hospice | Х | - | Х | - | Х | - | Х | - |
| | Doc rsn no 10 yr follow | Х | - | Х | - | Х | - | Х | - |
| G9868 | Receipt and analysis of remote, asynchronous images for dermatologic and/or ophthalmologic | | | | | | | | |
| | evaluation, for use under the next generation aco model, less than 10 minutes | Х | - | Х | - | X | - | X | - |
| | | | | | | | | | |
| G9869 | Receipt and analysis of remote, asynchronous images for dermatologic and/or ophthalmologic | | | | | | | | |
| | evaluation, for use under the next generation aco model, 10-20 minutes | X | - | Х | - | X | - | X | - |
| | | | | | | | | | |
| G9870 | Receipt and analysis of remote, asynchronous images for dermatologic and/or ophthalmologic | | | | | | | | |
| | evaluation, for use under the next generation aco model, 20 or more minutes | Х | - | Х | - | X | - | X | - |
| | | | | | | | | | |
| | | X | | Х | - | Χ | - | X | - |
| | | X | | Х | - | Χ | - | X | - |
| | 9 em core sessions | X | | Х | - | Χ | - | X | - |
| | 2 em core ms mo 7-9 no wl | X | | Х | - | Χ | - | X | - |
| G9877 | 2 em core ms mo 10-12 no wl | Х | - | Х | - | Χ | - | Х | - |
| G9878 | 2 em core ms mo 7-9 wl | Х | - | Х | - | Х | - | Х | - |
| G9879 | 2 em core ms mo 10-12 wl | Х | - | Х | - | Х | - | Х | - |
| | Em 5 percent wl | Х | - | Х | - | Х | - | Х | - |
| G9881 | Em 9 percent wl | Х | - | Х | - | Χ | - | Х | - |
| | | Х | - | Х | - | Х | - | Х | - |
| G9883 | 2 em ongoing ms mo 16-18 wl | X | - | X | - | X | - | X | - |

^{*} These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



| | ricaldi | Trad | tional Medicaid | Tradit | tional Integrated | Non-Tradition | onal Medicaid | Non-Traditio | nal Integrated |
|-------------|--|-----------------------------|--|-------------------------|---------------------------------------|---------------|-------------------------------------|--------------|-----------------------------------|
| Codes | Description | Not | Preauthorization | Not | Preauthorization | Not Covered | Preauthorization | Not Covered | Preauthorization |
| Disclaimer: | Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, the | Covered ese coding lists | Required do not reflect information r | Covered egarding imm | Required unizations, injectable drugs | | Required ations and should be di | | Required cy link option within |
| the website | | | | | Τ | 1 | | • | T . |
| | 2 em ongoing ms mo 19-21 wl | X | - | X | - | X | - | X | - |
| | 2 em ongoing ms mo 22-24 wl | X | - | X | - | Х | - | Х | - |
| | Behavioral counseling for diabetes prevention, in-person, group, 60 minutes | X | - | X | - | - | - | - | - |
| G9887 | Behavioral counseling for diabetes prevention, distance learning, 60 minutes | Х | - | Х | - | - | - | - | - |
| G9888 | Maintenance 5% WL from baseline weight in months 7-12 | X | - | Х | - | - | - | - | - |
| | Em bridge payment | Х | - | Х | - | Х | - | Х | - |
| | Em session reporting | Х | - | Х | - | Х | - | Х | - |
| G9892 | Doc pt rsn no dil mac exam | Х | - | Х | - | Х | - | Х | - |
| | No mac exam | Х | - | Х | - | Х | - | Χ | - |
| | Adr dep thrpy prescribed | Х | - | Χ | - | Х | - | Χ | - |
| | Doc med rsn no adr dep thrpy | Х | - | Χ | - | Х | - | Х | - |
| | Doc pt rsn no adr dep thrpy | Х | - | Х | - | Х | - | Х | - |
| | Pt nt prsc adr dep thrpy rng | Х | - | Х | - | Х | - | X | - |
| | Pt 66+ snp or ltc pos | Х | - | Χ | - | Х | - | X | - |
| | Scrn mam perf rslts doc | Х | - | Χ | - | X | - | Х | - |
| G9900 | Scrn mam perf rslts not doc | Х | - | Χ | - | X | - | X | - |
| | Pt 66+ snp or ltc pos | Х | - | Χ | - | X | - | X | - |
| G9902 | Pt scrn tbco and id as user | Х | - | Χ | - | X | - | X | - |
| | Pt scrn tbco id as non user | Х | - | Χ | - | X | - | X | - |
| | Doc med rsn no tbco scrn | Х | - | Χ | - | X | - | X | - |
| G9905 | No pt tbco scrn rng | Х | - | Χ | - | X | - | X | - |
| G9906 | Pt recv tbco cess interv | Х | - | Χ | - | Х | - | Χ | - |
| G9907 | Doc med rsn no tbco interv | Х | - | Χ | - | Х | - | Χ | - |
| G9908 | No pt tbco cess interv rng | Х | | Х | - | Х | - | X | - |
| G9909 | Doc med rsn no tbco interv | Х | - | Χ | - | Х | - | X | - |
| G9910 | Pt 66+ snp or ltc pos | Х | - | Х | - | Х | - | Х | - |
| G9911 | Node neg pre/post syst ther | Х | | Х | - | Х | - | X | - |
| G9912 | Hbv status assesed and int | Х | | Х | - | Х | - | X | - |
| G9913 | No hby status assesd and int | Х | - | Χ | - | Х | - | X | - |
| G9914 | Pt receiving anti-tnf agent | Х | - | Х | - | Х | - | Х | - |
| | No documntd hbv results rcd | Х | - | Х | - | Х | - | Х | - |
| G9916 | Funct status past 12 months | Х | - | Х | - | Х | - | Х | - |
| G9917 | Adv dem crgvr limited | Х | - | Х | - | Х | - | Х | - |
| G9918 | No funct stat perf, rsn nos | Х | - | Х | - | Х | - | Х | - |
| G9919 | Scrn nd pos nd prov of rec | Х | - | Х | - | Х | - | Х | - |
| G9920 | Scrning perf and negative | Х | - | Х | - | Х | - | Х | - |
| G9921 | No or part scrn nd rng or os | Х | - | Х | - | Х | - | Х | - |
| G9922 | Sfty cncrns scrn nd mit recs | Х | - | Х | - | Х | - | Х | - |
| | Safty cncrns scrn and neg | Х | - | Х | - | Х | - | Х | - |
| | No scrn prov rsn nos | Х | - | Х | - | Х | - | Х | - |
| | Sfty cncrns scrn but no recs | Х | - | Х | - | Х | - | Х | - |
| G9927 | Doc no warf /fda pt trial | Х | - | Х | - | Х | - | Х | - |
| G9928 | No warf or fda drug presc | X | - | X | - | X | - | X | - |
| | Trs/rev af | X | - | X | - | X | - | X | - |
| | Com care | X | - | X | - | X | - | X | - |
| | | <u> </u> | | | l | | <u> </u> | | |

^{*} These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



| G | 1.00111 | Trad | itional Medicaid | Tradi | tional Integrated | Non-Traditio | onal Medicaid | Non-Traditio | nal Integrated |
|----------------------------|--|-----------------|------------------------------|----------------|------------------------------|-----------------------|------------------------------|-----------------------|------------------------------|
| Codes | Description | Not Covered | Preauthorization Required | Not Covered | Preauthorization Required | Not Covered | Preauthorization Required | Not Covered | Preauthorization Required |
| Disclaimer: the website | Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, the | ese coding list | s do not reflect information | regarding imm | unizations, injectable drugs | , or specialty medica | tions and should be d | irected to the Pharma | cy link option within |
| | No chad or chad scr 0 or 1 | Х | - | Х | - | Х | - | Х | - |
| G9932 | Doc pt rsn no tb scrn recrds | Х | - | Х | - | Х | - | Х | - |
| G9938 | Pt 66+ snp or ltc pos | Х | - | Х | - | Х | - | Х | - |
| | Same path/derm perf biopsy | Х | - | Х | - | Х | - | Х | - |
| G9940 | Doc reas no statin therapy | Х | - | Х | - | Х | - | Х | - |
| | Adtl spine proc on same date | Х | - | Х | - | Х | - | Х | - |
| G9943 | Bk pn nt msr vas scl pre/pst | Х | - | X | - | Х | - | X | - |
| | Pt w/cancer scoliosis | Х | - | Х | - | X | - | X | - |
| | Bk pain no vas | Х | - | Х | - | X | - | X | - |
| | Adtl spine proc on same date | Х | - | Х | - | X | - | X | - |
| G9949 | Leg pain no vas | Х | - | Х | - | Χ | - | X | - |
| | Pt >2 rsk fac post-op vomit | Х | - | Х | - | Χ | - | X | - |
| | InhInt anesth only for induc | Х | - | X | - | X | - | X | - |
| G9956 | Combo thrpy of >= 2 prophly | Х | - | Х | - | Х | - | X | - |
| | Doc med rsn no combo thrpy | Х | - | X | - | Х | - | Х | - |
| | No combo prohpyl thrp for pt | Х | - | X | - | Х | - | Х | - |
| | Systemic antimicro not presc | Х | - | Х | - | Х | - | Х | - |
| G9960 | Med rsn sys antimi nt rx | Х | - | Х | - | Х | - | Х | - |
| G9961 | Systemic antimicro presc | Х | - | Х | - | Х | - | Х | - |
| G9962 | Embolization doc separatly | Х | - | Х | - | Х | - | Х | - |
| G9963 | Embolization not doc separat | Х | - | Х | - | Х | - | Х | - |
| | Pt recv >=1 well-chld visit | Х | - | Х | - | Х | - | Х | - |
| | No well-chld vist recv by pt | Х | - | Х | - | Х | - | Х | - |
| | Pt refrd 2 pvdr/spclst in pp | Х | - | Х | - | Х | - | Х | - |
| | Pvdr rfrd pt rprt rcvd | X | - | Х | - | Х | - | Х | - |
| | Pvdr rfrd pt no rprt rcvd | X | - | X | - | X | - | X | - |
| G9974 | Dil mac exam performed | X | - | X | - | X | - | X | - |
| G9975 | Doc med rsn no mac exm perf | X | - | X | - | X | - | X | - |
| | Doc pat rsn no mac exm perf | X | - | X | - | X | - | X | - |
| | Dil mac exam no perf rsn nos | X | - | X | - | X | - | X | - |
| | Remote e/m new pt 10 mins | X | - | X | - | X | - | X | - |
| G9979 | Remote e/m new pt 20 mins | X | - | X | - | X | - | X | - |
| | Remote e/m new pt 30 mins | X | - | X | - | X | - | X | - |
| | Remote e/m new pt 45 mins | X | | | - | X | - | | - |
| | Remote e/m new pt 60 mins Remote e/m est. pt 10 mins | X | - | X | - | X | - | X | - |
| | Remote e/m est. pt 10 mins Remote e/m est. pt 15 mins | X | - | X | - | X | - | X | - |
| | Remote e/m est. pt 15 mins Remote e/m est. pt 25 mins | X | - | X | - | X | - | X | - |
| | Remote e/m est. pt 25 mins Remote e/m est. pt 40 mins | X | - | X | - | X | - | X | - |
| | | X | - | X | - | X | - | X | - |
| | Bpci advanced in home visit Pall serv during meas | X | - | X | - | X | - | X | - |
| G9989 | Med rsn no pneum vax | X | - | X | - | X | - | X | - |
| | No pneum vax admin 60+ | X | - | X | - | X | - | X | - |
| | No pneum vax admin 60+ Pneum vax admin 60+ | X | - | X | - | X | - | X | - |
| | Pall serv during meas | X | - | X | - | X | - | X | - |
| CJJJJZ | raii seiv uuring ilieas | _ ^ | <u> </u> | _ ^ | | ^ | | _ ^ | |

^{*} These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



| ~ | nealui | Trad | itional Medicaid | Tradi | tional Integrated | Non-Traditio | onal Medicaid | Non-Traditio | nal Integrated |
|--------------|--|-----------------------------|---------------------------------------|--------------------------|---------------------------------------|--------------|------------------------------------|--------------|-----------------------------------|
| Codes | Description | Not | Preauthorization | Not | Preauthorization | Not Covered | Preauthorization | Not Covered | Preauthorization |
| Disclaimer: | Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, the | Covered ese coding lists | Required s do not reflect information | Covered regarding imm | Required unizations, injectable drugs | | Required ations and should be d | | Required by link option within |
| the website. | Pall serv during meas | X | <u> </u> | X | T | Х | - | Х | |
| | Pall serv during meas Pall serv during meas | X | - | X | - | X | - | X | - |
| | Pall serv during meas Pall serv during meas | X | - | X | - | X | - | X | - |
| | Doc pt pal or hospice | X | - | X | - | X | _ | X | |
| | Doc pt preg dur msrmt pd | X | _ | X | | X | _ | X | _ |
| | Doc med rsn <3 colon | X | _ | X | _ | X | _ | X | _ |
| | Doc sys rsn <3 colon | X | _ | X | _ | X | _ | X | _ |
| | Alcohol and/or drug assess | X | _ | X | - | X | _ | X | _ |
| | Alcohol and/or drug screenin | X | _ | X | _ | X | _ | X | _ |
| | Alcohol and/or drug screenin | X | _ | X | _ | X | _ | X | _ |
| | Alcohol and/or drug services | X | _ | - | _ | X | _ | - | _ |
| | Alcohol and/or drug services | X | _ | Х | - | X | - | Х | - |
| | Alcohol and/or drug services | X | - | - | - | X | - | - | - |
| | Alcohol and/or drug services | X | _ | Х | - | X | - | Х | - |
| | Alcohol and/or drug services | X | _ | X | _ | X | _ | X | - |
| | Alcohol and/or drug services | X | - | X | - | X | _ | X | - |
| | Alcohol and/or drug services | X | _ | X | - | X | _ | X | _ |
| | Alcohol and/or drug services | X | _ | X | _ | X | _ | X | - |
| | Alcohol and/or drug services | X | _ | - | _ | X | _ | - | - |
| | Alcohol and/or drug services | X | - | Х | - | X | _ | Х | - |
| | Alcohol and/or drug services | Х | - | Х | - | Х | - | Х | - |
| | Alcohol and/or drug services | Х | - | Х | - | Х | - | Х | - |
| | Alcohol and/or drug services | Х | - | Х | - | Х | - | Х | - |
| | Alcohol and/or drug services | Х | - | - | Х | Х | - | - | Х |
| | Alcohol and/or drug services | Х | - | - | Х | Х | - | - | Х |
| | Alcohol and/or drug services | Х | - | Х | - | Х | - | Х | - |
| | Alcohol and/or drug services | Х | - | Х | - | Х | - | Х | - |
| | Alcohol and/or drug training | Х | - | Х | - | Х | - | Х | - |
| | Alcohol and/or drug interven | Х | - | Х | - | Х | - | Х | - |
| | Alcohol and/or drug outreach | Х | - | - | - | Х | - | - | - |
| H0024 | Alcohol and/or drug preventi | Х | - | Х | - | Х | - | Х | - |
| | Alcohol and/or drug preventi | Х | - | Х | - | Х | - | Х | - |
| | Alcohol and/or drug preventi | Х | - | Х | - | Х | - | X | - |
| H0027 | Alcohol and/or drug preventi | Х | - | Х | - | Х | - | Х | - |
| H0028 | Alcohol and/or drug preventi | Х | - | Х | - | Х | - | Х | - |
| | Alcohol and/or drug preventi | Х | - | Х | - | X | - | X | - |
| H0030 | Alcohol and/or drug hotline | Х | - | Х | - | Х | - | Х | - |
| | Mental health assessment, by non-physician | Х | - | | - | Х | - | - | - |
| | Mental health service plan development by non-physician | Х | - | Х | - | Х | - | X | - |
| | Oral medication administration, direct observation | Х | - | - | - | Х | - | - | - |
| H0034 | Medication training and support, per 15 minutes | Х | - | - | - | Х | - | - | - |
| | Mental health partial hospitalization, treatment, less than 24 hours | Х | - | Х | - | Х | - | Х | - |
| | Community psychiatric supportive treatment, face-to-face, per 15 minutes | Х | - | Х | - | Х | - | Х | - |
| | Community psychiatric supportive treatment program, per diem | Х | - | Х | - | Х | - | Х | - |
| H0039 | Assertive community treatment, face-to-face, per 15 minutes | Х | - | Х | - | X | - | X | - |

^{*} These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



| 9 | nealti | Trad | itional Medicaid | Tradi | tional Integrated | Non-Traditio | onal Medicaid | Non-Tradition | nal Integrated |
|-------------|--|---------|------------------|--------------|------------------------------|--------------|-------------------------|---------------|----------------------|
| Codes | Description | Not | Preauthorization | Not | Preauthorization | Not Covered | Preauthorization | Not Covered | Preauthorization |
| Disclaimer: | Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, the | Covered | Required | Covered | Required | | Required | | Required |
| the website | | • | T | Tegarang min | unizations, injectable drug. | • | alloris and should be d | T | r in it opaon within |
| | Assertive community treatment program, per diem | Х | - | - | - | Х | - | - | - |
| | Foster care, child, non-therapeutic, per diem | Х | - | Х | - | Х | - | Х | - |
| | Foster care, child, non-therapeutic, per month | Х | - | Х | - | Х | - | Х | - |
| | Supported housing, per diem | Х | - | Х | - | Х | - | Х | - |
| | Supported housing, per month | Х | - | Х | - | Х | - | Х | - |
| | Respite care services, not in the home, per diem | Х | - | Х | - | Х | - | Х | - |
| | Alcohol and/or other drug abuse services, not otherwise specified | Х | - | Х | - | Х | - | Х | - |
| H0048 | Alcohol and/or other drug testing: collection and handling only, specimensother than blood | Х | - | Х | - | Х | - | Х | - |
| H0049 | Alcohol/drug screening | Х | - | Х | • | Х | - | Х | - |
| H0050 | Alcohol/drug service 15 min | Х | - | X | - | Х | - | X | - |
| | Traditional healing service | Х | - | Х | - | - | - | - | - |
| | Prenatal care, at-risk enhanced service; care coordination | Х | - | Х | - | Х | - | Х | - |
| | Prenatal care, at-risk enhanced service; education | Х | - | Х | - | Х | - | Х | - |
| H1005 | Prenatal care, at-risk enhanced service package (includes h1001-h1004) | Х | - | Х | - | Х | - | Х | - |
| H1010 | Non-medical family planning education, per session | Х | - | Х | - | Х | - | Х | - |
| H1011 | Family assessment by licensed behavioral health professional for state definedpurposes | Х | - | Х | - | Х | - | Х | - |
| H2000 | Comprehensive multidisciplinary evaluation | Х | - | - | - | Х | - | - | - |
| | Rehabilitation program, per 1/2 day | Х | - | Х | - | Х | - | Х | - |
| | Comprehensive medication services, per 15 minutes | Х | - | - | - | Х | - | - | - |
| | Crisis intervention service, per 15 minutes | Х | - | Х | - | Х | - | Х | - |
| | Behavioral health day treatment, per hour | Х | - | Х | - | Х | - | Х | - |
| | Psychiatric health facility service, per diem | Х | - | - | Х | Х | - | - | Х |
| | Skills training and development, per 15 minutes | Х | - | - | - | Х | - | - | - |
| | Comprehensive community support services, per 15 minutes | Х | - | Х | - | Х | - | Х | - |
| | Comprehensive community support services, per diem | Х | - | - | - | Х | - | - | - |
| | Psychosocial rehabilitation services, per 15 minutes | Х | - | - | - | Х | - | - | - |
| | Psychosocial rehabilitation services, per diem | Х | - | Х | - | Х | - | Х | - |
| H2019 | Therapeutic behavioral services, per 15 minutes | Х | - | - | - | Х | - | - | - |
| | Therapeutic behavioral services, per diem | Х | - | Х | - | Х | - | Х | - |
| | Community-based wrap-around services, per 15 minutes | Х | - | Х | - | Х | - | Х | - |
| | Community-based wrap-around services, per diem | Х | - | Х | - | Х | - | Х | - |
| H2023 | Supported employment, per 15 minutes | Х | - | Х | - | Х | - | Х | - |
| | Supported employment, per diem | Х | - | Х | - | Х | - | Х | - |
| | Ongoing support to maintain employment, per 15 minutes | Х | - | Х | - | Х | - | Х | - |
| | Ongoing support to maintain employment, per diem | Х | - | Х | - | Х | - | Х | - |
| | Psychoeducational service, per 15 minutes | Х | - | - | - | Х | - | - | - |
| | Sexual offender treatment service, per 15 minutes | Х | - | Х | - | Х | - | Х | - |
| H2029 | Sexual offender treatment service, per diem | Х | - | Х | - | Х | - | Х | - |
| | Mental health clubhouse services, per 15 minutes | Х | - | Х | - | Х | - | Х | - |
| | Mental health clubhouse services, per diem | Х | - | Х | - | Х | - | Х | - |
| | Activity therapy, per 15 minutes | Х | - | Х | - | Х | - | Х | - |
| H2033 | Multisystemic therapy for juveniles, per 15 minutes | Х | - | Х | - | Х | - | Х | - |
| | Alcohol and/or drug abuse halfway house services, per diem | Х | - | Х | - | Х | - | Х | - |

^{*} These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



| \vee | nealti | Trad | litional Medicaid | Tradi | tional Integrated | Non-Traditio | onal Medicaid | Non-Traditio | nal Integrated |
|-------------|--|-------------------------------|--|-----------------------|-------------------|--------------|-------------------------------------|--------------|-----------------------------------|
| Codes | Description | Not | Preauthorization | Not | Preauthorization | Not Covered | Preauthorization | Not Covered | Preauthorization |
| Disclaimer: | Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, | Covered these coding lists | Required s do not reflect information | Covered regarding imm | Required | | Required ations and should be di | | Required by link option within |
| the website | | | 1 | | ī | | | 1 | , ., |
| | Alcohol and/or other drug treatment program, per hour | X | - | Х | - | X | - | Х | - |
| | Alcohol and/or other drug treatment program, per diem | Х | - | - | Х | Х | - | - | Х |
| H2037 | Developmental delay prevention activities, dependent child of client, per 15 minutes | Х | - | Х | - | Х | - | Х | - |
| H2038 | Skill train and dev/diem | Х | - | Х | - | X | - | X | - |
| H2040 | Coord specialty care, month | Х | - | Х | - | X | - | X | - |
| H2041 | Coord special care encounter | Х | - | X | - | X | - | X | - |
| K0005 | Ultralightweight wheelchair | Х | - | Х | - | X | - | X | - |
| K0008 | Custom manual wheelchair/bas | X | - | X | - | Х | - | X | - |
| K0009 | Other manual wheelchair/base | X | - | Х | - | Х | - | Х | - |
| K0010 | Stnd wt frame power whichr | Х | - | Х | - | Х | - | Х | - |
| K0011 | Stnd wt pwr whichr w control | Х | - | Х | - | Х | - | Х | - |
| K0012 | Ltwt portbl power whichr | Х | - | Х | - | Х | - | Х | - |
| K0013 | Custom power whichr base | Х | - | Х | - | Х | - | Х | - |
| | Other power whichr base | Х | - | Х | - | Х | - | Х | - |
| | Detach non-adjus hght armrst | Х | - | Х | - | Х | - | Х | - |
| | Detach adjust armrest base | Х | - | Х | - | Х | - | Х | - |
| | Detach adjust armrst upper | Х | - | Х | - | Х | - | Х | - |
| | Arm pad each | Х | - | Х | - | Х | - | Х | - |
| | Fixed adjust armrest pair | Х | - | Х | - | Х | - | Х | _ |
| | High mount flip-up footrest | Х | _ | Х | - | Х | _ | Х | _ |
| | Leg strap each | X | _ | Х | - | X | _ | X | _ |
| | Leg strap h style each | X | _ | X | _ | X | _ | X | _ |
| | Adjustable angle footplate | X | _ | X | _ | X | _ | X | _ |
| | Large size footplate each | X | _ | X | _ | X | _ | X | _ |
| | Standard size footplate each | X | _ | X | _ | X | _ | X | _ |
| | Ftrst lower extension tube | X | _ | X | _ | X | _ | X | _ |
| | Ftrst upper hanger bracket | X | _ | X | _ | X | _ | X | _ |
| K0045 | Footrest complete assembly | X | _ | X | _ | X | _ | X | _ |
| | Elevat legrst low extension | X | _ | X | - | X | _ | X | _ |
| | Elevat legrst up hangr brack | X | _ | X | - | X | _ | X | _ |
| | Ratchet assembly | X | _ | X | _ | X | | X | |
| | Cam relese assem ftrst/lgrst | X | _ | X | _ | X | _ | X | _ |
| | Swingaway detach footrest | X | _ | X | - | X | _ | X | |
| | Elevate footrest articulate | X | - | X | - | X | <u> </u> | X | |
| | Seat ht <17 or >=21 ltwt wc | X | - | X | - | X | - | X | - |
| | Spoke protectors | X | - | X | - | X | | X | - |
| | Rear whl complete solid tire | X | - | X | - | X | - | X | - |
| | | X | - | X | - | X | - | X | - |
| | Rear whi compl pneum tire | X | - | X | | X | - | X | - |
| | Front castr compl pneum tire | X | | | - | X | - | | - |
| | Frnt cstr cmpl sem-pneum tir | | - | X | - | | - | X | - |
| | Caster pin lock each | X | - | X | - | X | - | X | - |
| | Front caster assem complete | X | - | X | - | X | - | X | - |
| | Drive belt power wheelchair | X | - | X | - | X | - | X | - |
| KU108 | W/c component-accessory nos | X | - | X | - | Х | - | Х | - |

^{*} These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



| Page | S | Ticalti | Trad | itional Medicaid | Tradi | tional Integrated | Non-Traditio | onal Medicaid | Non-Traditio | nal Integrated |
|--|-------------|--|-----------------------------|--|-------|---------------------------------------|--------------|---------------|--------------|----------------|
| Company Comp | Codes | Description | | | | | Not Covered | | Not Covered | |
| Note Selevating whichair lieg rests | Disclaimer: | Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated guarterly. Additionally, the | Covered ese coding lists | Required do not reflect information | | Required unizations, injectable drugs | | | | |
| Modes Jump uninterrupted inhistor | the website | | | T | | | 1 | | 1 | I |
| Keepage Immorary reglacement experient | | | | - | | | | - | | - |
| Köss53 Supplies for external influsion pump, syringe type carridge, sterile, each X - X | | | | | | | | | | |
| K66551 Ther grm supply allowance X < | | | | | | | | | | |
| K6050 Replacement battery for external infusion pump owned by patient, alkaline, 1.5 volt, each X | | | | | | | | | | |
| K80803 Replacement battery for external infusion pump owned by patient, alkaline, 1.5 volt, each X | | | | | | | | | | |
| K60605 Replacement battery for external infusion pump owned by patient, lithium, 4.5 volt, each | | | Α . | - | ^ | - | | - | ^ | - |
| Commonstrate cuternal defibrillator, with integrated electrocardiogram analysis, garment type | | | Х | - | Х | - | Х | - | Х | - |
| K0607 Replacement battery for automated external defibrillator, garment type only, each | K0605 | Replacement battery for external infusion pump owned by patient, lithium, 4.5 volt, each | Х | - | Х | - | X | - | X | - |
| Replacement garment for use with automated external defibrillator, each X | K0606 | Automatic external defibrillator, with integrated electrocardiogram analysis, garment type | Х | - | Х | - | Х | - | Х | - |
| K0699 Replacement electrodes for use with automated external defibrillator, garment type | | | | - | | - | | - | | - |
| K0669 Wheelchair accessory, wheelchair seat or back cushion, does not meet specific code criteria or no written coding verification from drine pdac X | | | Х | - | Х | - | Х | - | Х | - |
| no written coding verification from dme pdac | K0609 | Replacement electrodes for use with automated external defibrillator, garment type | Х | - | Х | - | X | - | X | - |
| RO872 Addition to lower extremity orthosis, removable soft interface, all components, replacement only, each each each each each each each each | K0669 | · | Х | - | Х | - | Х | - | Х | - |
| Only, each Power wheelchair accessory, 12 to 24 amp hour sealed lead acid battery, each (e.g. gel cell, absorbed glassmat) X | 140070 | | | | | | | | | |
| Only, each Nor33 | K0672 | | Х | - | Х | - | Х | - | х | - |
| absorbed glassmatt | 140700 | | | | | | | | | |
| K0743 Portable pass oxygen system | K0733 | | Х | - | Х | - | Х | - | Х | - |
| K07743 Portable home suction pump X | 1/0700 | | | | | | | | | |
| K0744 Absorp drg <= 16 suc pump | | | | - | | | | - | | - |
| K0745 Absorp drg > 16 < | | | | - | | | | - | | - |
| KO746 Absorp drg >48 suc pump | | | | - | | | | - | | - |
| K0800 Pov group 1 std up to 300 lbs X - X | | | | - | | | | - | | - |
| R0801 Pov group 1 hd 301-450 lbs X | | | | - | | | | - | | - |
| K0802 Pov group 1 vhd 451-600 lbs X - | | | | - | | | | - | | - |
| K0806 Pov group 2 std up to 300lbs X - X | | | | - | | | | - | | |
| K0807 Pov group 2 hd 301-450 lbs X - X <th< td=""><td></td><td><u> </u></td><td></td><td>-</td><td></td><td></td><td></td><td>-</td><td></td><td></td></th<> | | <u> </u> | | - | | | | - | | |
| K0808 Pov group 2 vhd 451-600 lbs X - X <t< td=""><td></td><td><u> </u></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></t<> | | <u> </u> | | | | | | | | |
| K0812 Power operated vehicle noc X - X <th< td=""><td></td><td><u> </u></td><td></td><td></td><td></td><td></td><td></td><td><u> </u></td><td></td><td></td></th<> | | <u> </u> | | | | | | <u> </u> | | |
| K0813 Pwc gp 1 std port seat/back X - X | | | | _ | | | | _ | | _ |
| K0814 Pwc gp 1 std port cap chair X - X <t< td=""><td>K0813</td><td>Pive an 1 std nort seat /hack</td><td></td><td>-</td><td></td><td></td><td></td><td>-</td><td></td><td>-</td></t<> | K0813 | Pive an 1 std nort seat /hack | | - | | | | - | | - |
| K0815 Pwc gp 1 std seat/back X - | | | | _ | | | | - | | |
| K0816 Pwc gp 1 std cap chair X - </td <td></td> <td></td> <td></td> <td>_</td> <td></td> <td></td> <td></td> <td>-</td> <td></td> <td></td> | | | | _ | | | | - | | |
| K0820 Pwc gp 2 std port seat/back X - X <t< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></t<> | | | | | | | | | | |
| K0821 Pwc gp 2 std port cap chair X - X <t< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></t<> | | | | | | | | | | |
| K0822 Pwc gp 2 std seat/back X - </td <td></td> <td></td> <td></td> <td>_</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> | | | | _ | | | | | | |
| K0823 Pwc gp 2 std cap chair X - K0825 Pwc gp 2 hd cap chair X - X <t< td=""><td>K0822</td><td>Divician 2 std soat/hack</td><td></td><td>_</td><td></td><td></td><td></td><td></td><td></td><td></td></t<> | K0822 | Divician 2 std soat/hack | | _ | | | | | | |
| K0824 Pwc gp 2 hd seat/back X - <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> | | | | | | | | | | |
| K0825 Pwc gp 2 hd cap chair X - X - X - X - | | | | | | | | | | |
| | | | | | | | | | | |
| | | | X | - | X | - | X | - | X | - |

^{*} These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



| Passage Pass | al Integrated |
|--|--------------------------------|
| The content of the | Preauthorization |
| Percentage Per | Required link option within |
| K0829 Pwc.gp 2 xtra in dat journal profiles X | |
| NOB30 Pive gp 2 xtd and cap chair | |
| NOB30 Pwc.gp2 xtd state elevate x | - |
| NOB35 Pwc gp2 xtd sing pow opt xb X | - |
| K0835 Pwc gp 2 std sing pow opt s/p | - |
| KOB36 Pwc gp2 std sing pow opt cap | - |
| KOB37 Pivc gp 2 hd sing pow opt sph | - |
| KO839 Pwc gp 2 hd sing pow opt cap X | - |
| K0839 Pwc gp2 vhd sing pow opt s/b | - |
| KR0840 Pwc gp2 xtd mult pow opt s/b | - |
| No. | - |
| K0842 Pwc gp2 thd mult pow opt s/b | - |
| KO843 Pwc gp 3 std seat/back | - |
| K0848 Pwc gp 3 std seat/back X - </td <td>-</td> | - |
| K0849 Pwc gp 3 std cap chair X | - |
| K0850 Pwc gp 3 hd seat/back X | - |
| K0851 Pwc gp 3 hd cap chair X - X - X - X K0852 Pwc gp 3 vhd seat/back X - X - X - X K0853 Pwc gp 3 vhd cap chair X - <td< td=""><td>-</td></td<> | - |
| K0852 Pwc gp 3 vhd seat/back X - X - X - X K0853 Pwc gp 3 vhd cap chair X - X - X - X K0854 Pwc gp 3 xhd seat/back X - <t< td=""><td>-</td></t<> | - |
| K0853 Pwc gp 3 vhd cap chair X - X - X - X K0854 Pwc gp 3 xhd seat/back X - X - X - X K0855 Pwc gp 3 xhd cap chair X - X - X - X - X K0856 Pwc gp 3 std sing pow opt s/b X - X - X - X - X K0857 Pwc gp3 std sing pow opt cap X - X - X - X K0858 Pwc gp3 hd sing pow opt s/b X - X - X - X K0859 Pwc gp3 hd sing pow opt s/b X - X - X - X - X - X - X - X - X - X - X - X - X - X - X - X | - |
| K0854 Pwc gp 3 xhd seat/back X - X - X K0855 Pwc gp 3 xhd cap chair X - X - X K0856 Pwc gp 3 std sing pow opt s/b X - X - X K0857 Pwc gp 3 std sing pow opt cap X - X - X K0858 Pwc gp 3 hd sing pow opt s/b X - X - X K0859 Pwc gp 3 hd sing pow opt s/b X - X - X K0860 Pwc gp 3 vhd sing pow opt s/b X - X - X K0861 Pwc gp 3 vhd sing pow opt s/b X - X - X K0862 Pwc gp 3 vhd sing pow opt s/b X - X - X K0863 Pwc gp 3 vhd mult pow opt s/b X - X - X K0862 Pwc gp 3 vhd mult pow opt s/b X - X - X - X <td>-</td> | - |
| K0855 Pwc gp 3 xhd cap chair X - X - X - X K0856 Pwc gp3 std sing pow opt s/b X - X - X - X K0857 Pwc gp3 std sing pow opt cap X - X - X - X K0858 Pwc gp3 hd sing pow opt s/b X - X - X - X K0859 Pwc gp3 hd sing pow opt s/b X - X - X - X K0860 Pwc gp3 vhd sing pow opt s/b X - X - X - X K0861 Pwc gp3 std mult pow opt s/b X - X - X - X K0862 Pwc gp3 std mult pow opt s/b X - X - X - X K0863 Pwc gp3 hd mult pow opt s/b X - X - X - X K0864 Pwc gp3 vhd mult pow | - |
| K0856 Pwc gp3 std sing pow opt s/b X - X - X K0857 Pwc gp3 std sing pow opt cap X - X - X - X K0858 Pwc gp3 hd sing pow opt s/b X - X - X - X K0859 Pwc gp3 hd sing pow opt cap X - X - X - X K0860 Pwc gp3 vhd sing pow opt s/b X - X - X - X K0861 Pwc gp3 std mult pow opt s/b X - X - X - X K0862 Pwc gp3 hd mult pow opt s/b X - X - X - X K0863 Pwc gp3 vhd mult pow opt s/b X - X - X - X K0864 Pwc gp3 xhd mult pow opt s/b X - X - X - X K0868 Pwc gp4 std seat/back X - X - X - X K0869 Pwc gp 4 | - |
| K0857 Pwc gp3 std sing pow opt cap X - X - X - X K0858 Pwc gp3 hd sing pow opt s/b X - X - X - X K0869 Pwc gp3 hd sing pow opt cap X - X - X - X K0860 Pwc gp3 vhd sing pow opt s/b X - X - X - X K0861 Pwc gp3 std mult pow opt s/b X - X - X - X K0862 Pwc gp3 hd mult pow opt s/b X - X - X - X K0863 Pwc gp3 vhd mult pow opt s/b X - X - X - X K0864 Pwc gp3 xhd mult pow opt s/b X - X - X - X K0868 Pwc gp4 std seat/back X - X - X - X - X K0869 Pwc gp 4 hd seat/back X - X - X - X <td>-</td> | - |
| K0858 Pwc gp3 hd sing pow opt s/b X - X - X - X K0859 Pwc gp3 hd sing pow opt cap X - X - X - X K0860 Pwc gp3 vhd sing pow opt s/b X - X - X - X K0861 Pwc gp3 std mult pow opt s/b X - X - X - X K0862 Pwc gp3 hd mult pow opt s/b X - X - X - X K0863 Pwc gp3 vhd mult pow opt s/b X - X - X - X K0864 Pwc gp3 xhd mult pow opt s/b X - X - X - X K0864 Pwc gp3 xhd mult pow opt s/b X - X - X - X K0869 Pwc gp 4 std seat/back X - X - X - X K0870 Pwc gp 4 hd seat/back X - X - X - X - X </td <td>-</td> | - |
| K0859 Pwc gp3 hd sing pow opt cap X - X - X - X K0860 Pwc gp3 vhd sing pow opt s/b X - X - X - X K0861 Pwc gp3 std mult pow opt s/b X - X - X - X K0862 Pwc gp3 hd mult pow opt s/b X - X - X - X K0863 Pwc gp3 vhd mult pow opt s/b X - X - X - X K0864 Pwc gp3 xhd mult pow opt s/b X - X - X - X K0868 Pwc gp3 xhd mult pow opt s/b X - X - X - X K0869 Pwc gp 4 std seat/back X - X - X - X K0870 Pwc gp 4 hd seat/back X - X - X - X - X K0870 Pwc gp 4 hd seat/back X - X - X - X | - |
| K0860 Pwc gp3 vhd sing pow opt s/b X - X - X - X K0861 Pwc gp3 std mult pow opt s/b X - X - X - X K0862 Pwc gp3 hd mult pow opt s/b X - X - X - X K0863 Pwc gp3 vhd mult pow opt s/b X - X - X - X K0864 Pwc gp3 xhd mult pow opt s/b X - X - X - X K0869 Pwc gp4 std seat/back X - X - X - X K0870 Pwc gp 4 hd seat/back X - X - X - X K0870 Pwc gp 4 hd seat/back X - X - X - X | - |
| K0861 Pwc gp3 std mult pow opt s/b X - X - X K0862 Pwc gp3 hd mult pow opt s/b X - X - X - X K0863 Pwc gp3 vhd mult pow opt s/b X - X - X - X K0864 Pwc gp3 xhd mult pow opt s/b X - X - X - X K0868 Pwc gp 4 std seat/back X - X - X - X K0869 Pwc gp 4 std cap chair X - X - X - X K0870 Pwc gp 4 hd seat/back X - X - X - X | - |
| K0862 Pwc gp3 hd mult pow opt s/b X - X - X - X K0863 Pwc gp3 vhd mult pow opt s/b X - X - X - X K0864 Pwc gp3 xhd mult pow opt s/b X - X - X - X K0868 Pwc gp 4 std seat/back X - X - X - X K0869 Pwc gp 4 std cap chair X - X - X - X K0870 Pwc gp 4 hd seat/back X - X - X - X | - |
| K0863 Pwc gp3 vhd mult pow opt s/b X - X - X - X K0864 Pwc gp3 xhd mult pow opt s/b X - X - X - X K0868 Pwc gp 4 std seat/back X - X - X - X K0869 Pwc gp 4 std cap chair X - X - X - X K0870 Pwc gp 4 hd seat/back X - X - X - X | - |
| K0864 Pwc gp 3 xhd mult pow opt s/b X - X - X K0868 Pwc gp 4 std seat/back X - X - X - X K0869 Pwc gp 4 std cap chair X - X - X - X K0870 Pwc gp 4 hd seat/back X - X - X - X | - |
| K0868 Pwc gp 4 std seat/back X - X - X K0869 Pwc gp 4 std cap chair X - X - X - X K0870 Pwc gp 4 hd seat/back X - X - X - X | - |
| K0869 Pwc gp 4 std cap chair X - X - X - X K0870 Pwc gp 4 hd seat/back X - X - X - X | - |
| K0870 Pwc gp 4 hd seat/back X - X - X | - |
| K0870 Pwc gp 4 hd seat/back X - X - X - X K0871 Pwc gp 4 vhd seat/back X - X - X - X | - |
| K0871 Pwc gp 4 vhd seat/back | - |
| | - |
| K0877 Pwc gp4 std sing pow opt s/b X - X - X | - |
| K0878 Pwc gp4 std sing pow opt cap X - X - X | - |
| K0879 Pwc gp4 hd sing pow opt s/b X - X - X | - |
| K0880 Pwc gp4 vhd sing pow opt s/b | - |
| K0884 Pwc gp4 std mult pow opt s/b | - |
| K0885 Pwc gp4 std mult pow opt cap | - |
| K0886 Pwc gp4 hd mult pow s/b | - |
| K0890 Pwc gp5 ped sing pow opt s/b X - X - X | - |
| K0891 Pwc gp5 ped mult pow opt s/b | - |
| K0898 Power wheelchair noc X - X - X | - |

^{*} These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



| G | Ticalti | Traditional Medicaid Traditional Integrated | | | Non-Traditional Medicaid Non-Traditional Integra | | | | | |
|-------------|--|---|--|--|--|-------------|-----------------------------------|-------------|-----------------------------------|--|
| Codes | Description | Not | Preauthorization | Not | Preauthorization | Not Covered | Preauthorization | Not Covered | Preauthorization | |
| Disclaimer | Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, the | Covered se coding lists | Required do not reflect information | Covered regarding imm | Required unizations, injectable drugs | | Required tions and should be d | | Required by link option within | |
| the website | | | | | T | | T | | | |
| | Power mobility device, not coded by dme pdac or does not meet criteria | X | - | X | - | X | - | X | | |
| K0900 | Cstm dme other than wheelchr | X | - | X | - | X | - | X | - | |
| | Electronic posa treatment | Х | - | Х | - | Х | - | Х | - | |
| K1002 | Ces system w/supplies access | Х | - | Х | - | Х | - | Х | - | |
| | Whirlpool tub walkin portabl | Х | - | X | - | Х | - | X | - | |
| | Lo freq us diathermy device | Х | - | Х | - | Х | - | Х | - | |
| | Disp col sto bag breast milk | Х | - | Х | - | Х | - | Х | - | |
| K1006 | Suct pum ext urine mgmt sys | Х | - | Х | - | Х | - | Х | - | |
| K1009 | Speech volume modulation sys | Х | - | Х | - | Х | - | Х | - | |
| K1016 | Transcutaneous electrical nerve stimulator for electrical stimulation of the trigeminal nerve | Х | - | Х | - | Х | - | Х | - | |
| K1017 | Monthly supplies for use of device coded at k1016 | Х | - | Х | - | Х | - | Х | | |
| | External upper limb tremor stimulator of the peripheral nerves of the wrist | Х | - | Х | - | Х | - | Х | - | |
| K1019 | Monthly supplies for use of device coded at k1018 | Χ | • | X | - | X | - | X | ı | |
| K1020 | Non-invasive vagus nerve stimulator | Χ | - | Х | - | Х | - | X | - | |
| K1021 | Exsuff belt incl all sup acc | Х | - | Х | - | Х | - | Х | - | |
| K1023 | Trans elec nerv periph nerv | Х | - | Х | - | Х | - | Х | - | |
| K1024 | Non pneum comp control cal | Χ | - | Х | - | Х | - | Х | - | |
| K1025 | Non pneum compress full arm | Х | - | Х | - | Х | - | Х | - | |
| K1026 | Mech allergen parti barrier | Х | - | Х | - | Х | - | Х | - | |
| K1027 | Oral dev without fix mech | Χ | - | Х | - | Х | - | Х | - | |
| K1028 | Power source and control electronics unit for oral device/appliance for neuromuscular electrical | | | | | | | | | |
| | stimulation of the tongue muscle for the reduction of snoring and obstructive sleep apnea, | X | - | Х | - | X | - | X | - | |
| | controlled by phone application | | | | | | | | 1 | |
| K1029 | Oral device/appliance for neuromuscular electrical stimulation of the tongue muscle, used in | | | | | | | | | |
| | conjunction with the power source and control electronics unit, controlled by phone | X | - | X | - | X | - | X | - | |
| | application, 90-day supply | | | | | | | | 1 | |
| K1030 | External recharging system for battery (internal) for use with implanted cardiac contractility | Х | _ | V | | V | | V | , | |
| | modulation generator, replacement only | ^ | - | Х | - | Х | - | Х | | |
| K1031 | Non-pneumatic compression controller without calibrated gradient pressure | Х | - | Х | - | Х | - | Х | - | |
| K1032 | Non-pneumatic sequential compression garment, full leg | Х | - | Х | - | Х | - | Х | - | |
| K1033 | Non-pneumatic sequential compression garment, half leg | Х | - | Х | - | Х | - | Х | - | |
| K1035 | Mol diag reader self-admn | Х | - | Х | - | Х | - | Х | - | |
| K1036 | Supplies for ultra diatherm | Χ | - | Х | - | Х | - | Х | | |
| K1037 | Docking station for use with oral device/appliance used to reduce upper airway collapsibility | Х | - | Х | - | - | - | - | - | |
| L0480 | Tiso, triplanar control, one piece rigid plastic shell without interface liner, with multiple straps | - | Х | - | Х | - | Х | - | Х | |
| 10492 | and closures, poster | | | | | | - | - | | |
| | Tlso, triplanar control, one piece rigid plastic shell with interface liner,multiple straps and closures, posterior exte | - | Х | - | Х | - | Х | - | Х | |
| L0484 | Tiso, triplanar control, two piece rigid plastic shell without interface liner, with multiple straps and closures, poster | - | Х | - | Х | - | Х | - | X | |
| L0486 | Tlso, triplanar control, two piece rigid plastic shell with interface liner,multiple straps and closures, posterior exte | - | Х | - | Х | - | Х | - | Х | |
| 1.0700 | Ctiso a-p-l control molded | _ | Х | _ | X | | X | _ | X | |
| 20700 | Cuso a-p-1 control molucu | | ^ | | ^ | | ^ | | ^ | |

^{*} These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



| | Traditional Medicaid Traditional Integrated | | | | | | onal Medicaid | Non-Tradition | nal Integrated |
|-------------|--|---------------------------|--|-----------------------|--|-------------|---------------------------------|---------------|-----------------------------------|
| Codes | Description | Not | Preauthorization | Not | Preauthorization | Not Covered | Preauthorization | | Preauthorization |
| Disclaimer | Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, the | Covered se coding list | Required s do not reflect information | Covered regarding imm | Required nunizations, injectable drugs | | Required ations and should be d | | Required by link option within |
| the website | s. | 1 | • | 1 | 1 | ı | | | |
| | Ctlso a-p-l control w/ inter | - | X | - | X | - | X | - | X |
| L0820 | Halo cervical into jckt vest | - | X | - | X | - | X | - | X |
| | Halo cervical into body jack Halo cerv into milwaukee typ | - | X | - | X | - | X | - | X |
| | Addition to halo procedure, magnetic resonance image compatible systems, rings abd pins, any | - | ^ | - | ^ | - | ^ | - | _ ^ |
| L0039 | material | - | Х | - | Х | - | Х | - | Х |
| L0999 | Add to spinal orthosis nos | - | X | - | X | - | Х | - | X |
| L1000 | Ctlso milwauke initial model | - | X | - | X | - | X | - | X |
| L1005 | Tension based scoliosis orthosis and accessory pads, includes fitting and adjustment | - | X | - | X | - | X | - | X |
| L1200 | Furnsh initial orthosis only | - | X | - | X | - | X | - | X |
| L1300 | Body jacket mold to patient | - | X | - | X | - | X | - | X |
| L1310 | Post-operative body jacket | - | X | - | X | - | X | - | X |
| L1499 | Spinal orthosis nos | - | Х | - | X | - | Х | - | X |
| L1681 | Ho bilateral hip abduction | - | Х | - | X | - | Х | - | X |
| L1690 | Combination bilateral ho | - | Х | - | Х | - | X | - | X |
| L1844 | Ko w/adj jt rot cntrl molded | - | Х | - | Х | - | X | - | X |
| L2005 | Knee ankle foot orthosis, any material, single or double upright, stance control, automatic lock | | | | | | | | |
| | and swing phase release, any type activation, includes ankle joint, any type, | - | Х | - | Х | - | Х | - | Х |
| L2006 | Kaf sng/dbl swg/stn mcpr cus | Х | - | Х | - | Х | - | Х | - |
| | Knee ankle foot orthosis, full plastic, single upright, with or without free motion knee, medial | | | | | | | | |
| | lateral rotation contro | - | X | - | X | - | X | - | X |
| L2036 | Kafo plas doub free knee mol | - | Х | - | Х | - | Х | _ | Х |
| | Kafo plas sing free knee mol | - | Х | - | Х | - | Х | _ | Х |
| L2038 | Kafo w/o joint multi-axis an | - | Х | - | Х | - | Х | _ | Х |
| L2128 | Kafo fem fx cast molded to p | - | Х | - | Х | - | Х | - | Х |
| L2627 | Plastic mold recipro hip & c | - | Х | - | Х | - | Х | - | Х |
| L2628 | Metal frame recipro hip & ca | - | Х | - | Х | - | Х | - | Х |
| L2999 | Lower extremity orthosis nos | - | Х | - | Х | - | Х | - | Х |
| L3000 | Ft insert ucb berkeley shell | Х | - | Х | - | Х | - | Х | - |
| L3001 | Foot insert remov molded spe | Х | - | Х | - | Х | - | Х | - |
| L3002 | Foot insert plastazote or eq | Х | - | Х | - | Х | - | Х | - |
| L3003 | Foot insert silicone gel eac | Х | - | Х | - | Х | - | Х | - |
| L3010 | Foot longitudinal arch suppo | Х | - | Х | - | Х | - | Х | - |
| L3020 | Foot longitud/metatarsal sup | Х | - | Х | - | Х | - | Х | - |
| L3030 | Foot arch support remov prem | Х | - | Х | - | Х | - | Х | - |
| L3031 | Foot,insert/plate,add to ortho,lamin/preg comp,ea | Х | - | Х | - | Х | - | Х | - |
| L3040 | Ft arch suprt premold longit | Х | - | Х | - | Х | - | Х | - |
| | Foot arch supp premold metat | Х | - | Х | - | Х | - | Х | - |
| L3060 | Foot arch supp longitud/meta | Х | - | Х | - | Х | - | Х | - |
| L3070 | Arch suprt att to sho longit | Х | - | Х | - | Х | - | Х | - |
| L3080 | Arch supp att to shoe metata | Х | - | Х | - | Х | - | Х | - |
| L3090 | Arch supp att to shoe long/m | Х | - | Х | - | Х | - | Х | - |
| L3100 | Hallus-valgus nght dynamic s | Х | - | Х | - | Х | - | Х | - |
| | Oxford w supinat/pronat inf | - | - | - | - | Х | - | Х | - |
| L | 1 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 | 1 | t . | 1 | 1 | L | 1 | 1 | |

^{*} These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



| | ricaldi | Traditional Medicaid Traditional Integrated | | | | | Non-Traditional Medicaid Non-Traditional Integra | | | | | |
|-------------|--|---|--|--------------------------|--|-------------|--|-------------|----------------------------------|--|--|--|
| Codes | Description | Not | Preauthorization | Not | Preauthorization | Not Covered | Preauthorization | Not Covered | Preauthorization | | | |
| Disclaimer: | Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, the | Covered se coding lists | Required do not reflect information | Covered regarding imm | Required nunizations, injectable drugs | | Required tions and should be d | | Required y link option within | | | |
| the website | | | T | | | | T | | | | | |
| | Oxford w/ supinat/pronator c | - | - | - | - | Х | - | Х | - | | | |
| | Oxford w/ supinator/pronator | - | - | - | - | Х | - | Х | - | | | |
| | Hightop w/ supp/pronator inf | - | - | - | - | Х | - | X | - | | | |
| | Hightop w/ supp/pronator chi | - | - | - | - | Х | - | Х | - | | | |
| | Hightop w/ supp/pronator jun | - | - | - | - | Х | - | Х | - | | | |
| | Surgical boot each child | Χ | - | X | - | Χ | - | X | - | | | |
| | Benesch boot pair child | Χ | - | X | - | Х | - | Х | - | | | |
| | Orthopedic ftwear ladies oxf | Χ | - | Х | - | X | - | X | - | | | |
| L3216 | Orthoped ladies shoes dpth i | Χ | - | Х | - | X | - | X | - | | | |
| L3217 | Ladies shoes hightop depth i | Χ | - | Х | - | Χ | - | X | - | | | |
| L3219 | Orthopedic mens shoes oxford | Χ | - | X | - | Х | - | X | - | | | |
| L3221 | Orthopedic mens shoes dpth i | Х | - | Х | - | Х | - | X | - | | | |
| L3222 | Mens shoes hightop depth inl | Х | - | Х | - | Х | - | Х | - | | | |
| L3224 | Woman's shoe oxford brace | - | Х | - | Х | - | Х | - | Х | | | |
| L3230 | Custom shoes depth inlay | Х | - | Х | - | Х | - | Х | - | | | |
| L3310 | Shoe lift elev heel/sole neo | Х | - | Х | - | Х | - | Х | - | | | |
| L3620 | Trans shoe solid stirrup exi | _ | Х | - | Х | - | Х | - | Х | | | |
| L3640 | Shoe dennis browne splint bo | - | Х | - | Х | - | Х | - | Х | | | |
| L3649 | Orthopedic shoe modifica nos | Х | - | Х | - | Х | - | Х | - | | | |
| L3660 | Abduct restrainer canvas&web | Х | _ | Х | - | Х | - | Х | - | | | |
| L3891 | Addition to upper extremity joint, wrist or elbow, concentric adjustable torsion style mechanism | | | | | | | | | | | |
| | for custom fabricated o | X | - | Х | - | X | - | X | - | | | |
| L3901 | Hinge ext/flex wrist finger | _ | Х | _ | Х | - | Х | _ | Х | | | |
| | Whfo electric custom fitted | _ | X | _ | X | _ | X | _ | X | | | |
| | Shoulder elbow wrist hand orthosis, shoulder cap design, without joints, may include soft | | | | | | | | | | | |
| 2000. | interface, straps, custom fabr | - | X | - | X | - | X | - | X | | | |
| 1.3967 | Shoulder elbow wrist hand orthosis, abduction positioning (airplane design), thoracic | | | | | | | | | | | |
| 20007 | component and support bar, without | - | X | - | X | - | X | - | X | | | |
| L3971 | | | | | | | | | | | | |
| L337 1 | Shoulder elbow wrist hand orthosis, shoulder cap design, includes one or more nontorsion | - | X | - | X | - | X | - | X | | | |
| 1 2072 | joints, elastic bands, turnbuck Shoulder elbow wrist hand orthosis, abduction positioning (airplane design), thoracic | | | | | | | | | | | |
| L3913 | | - | X | - | X | - | X | - | X | | | |
| L3975 | component and support bar, include | | | | | | | | | | | |
| L39/3 | Shoulder elbow wrist hand finger orthosis, shoulder cap design, without joints, may include soft | - | Х | - | X | - | X | - | Χ | | | |
| 1.0070 | interface, straps, cust | | | | | | | | | | | |
| L3976 | Shoulder elbow wrist hand finger orthosis, abduction positioning (airplane design), thoracic | - | X | _ | Х | - | Х | - | X | | | |
| 1.0077 | component and support bar, | | | | | | | | | | | |
| L3977 | Shoulder elbow wrist hand finger orthosis, shoulder cap design, includes one or more | - | Х | - | Х | - | X | _ | X | | | |
| | nontorsion joints, elastic bands, t | | - | | · | | | | <u>-</u> | | | |
| L3978 | Shoulder elbow wrist hand finger orthosis, abduction positioning (airplane design), thoracic | _ | X | _ | X | - | X | _ | X | | | |
| | component and support bar, | | | | | | | | | | | |
| L3999 | Upper limb orthosis nos | - | X | - | X | - | Х | - | X | | | |
| | Mold socket ank hgt w/ toe f | - | X | - | X | Х | - | Х | - | | | |
| L5020 | Tibial tubercle hgt w/ toe f | - | X | - | X | - | X | - | X | | | |
| L5050 | Ank symes mold sckt sach ft | - | X | - | X | - | X | - | X | | | |
| L5060 | Symes met fr leath socket ar | - | X | - | X | | X | - | Χ | | | |

^{*} These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



| V | nealth | Trad | itional Medicaid | Tradi | tional Integrated | Non-Traditio | onal Medicaid | Non-Tradition | nal Integrated |
|-------------|--|----------------------------|--|-----------------------|--|--------------|-------------------------------------|---------------|-----------------------------------|
| Codes | Description | Not | Preauthorization | Not | Preauthorization | Not Covered | Preauthorization | Not Covered | Preauthorization |
| Disclaimer | Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, the | Covered se coding lists | Required do not reflect information | Covered regarding imm | Required unizations, injectable drugs | | Required ations and should be di | | Required by link option within |
| the website |). | 1 | T | | | | 1 | 1 | 1 |
| L5100 | molecu booket siiii suuri toot | - | X | - | X | - | Х | - | Х |
| | Plast socket jts/thgh lacer | - | X | - | X | - | Х | - | Х |
| | Mold sckt ext knee shin sach | - | X | - | X | - | Х | - | Х |
| | Mold socket bent knee shin s | - | X | - | X | - | Х | - | Х |
| L5200 | | - | X | - | X | - | Х | - | Х |
| L5210 | No knee/ankle joints w/ ft b | - | X | - | X | - | Х | - | Х |
| | No knee joint with artic ali | - | X | - | X | - | X | - | X |
| | | - | X | - | X | - | X | - | X |
| | Hip canad sing axi cons fric | - | X | - | X | - | X | - | X |
| L5270 | | - | X | - | X | - | X | - | X |
| | Hemipelvect canad sing axis | - | X | - | X | - | X | - | X |
| L5301 | Below knee, molded socket, shin, sach foot, endoskeletal system | - | Х | - | Х | - | Х | - | Х |
| L5312 | | - | X | - | X | - | Х | - | Х |
| 1.5004 | endoskeletal system | | | | | | | | |
| L5321 | Above knee, molded socket, open end, sach foot, endoskeletal system, single axis knee | - | X | - | X | - | Х | - | Х |
| L5331 | Hip disarticulation, canadian type, molded socket, endoskeletal system, hip joint, single axis | | | | | | | | |
| | knee, sach foot | - | X | - | X | - | X | - | X |
| L5341 | Hemipelvectomy, canadian type, molded socket, endoskeletal system, hip joint, single axis knee, | | | | | | | | |
| | sach foot | - | X | - | X | Х | - | X | - |
| L5500 | Init bk ptb plaster direct | - | Х | - | Х | - | Х | - | Х |
| L5505 | · · | - | Х | - | Х | - | Х | - | Х |
| L5510 | Prep bk ptb plaster molded | - | Х | - | Х | - | Х | - | Х |
| L5520 | Perp bk ptb thermopls direct | - | Х | - | Х | - | Х | - | Х |
| L5530 | Prep bk ptb thermopls molded | - | Х | - | Х | - | Х | - | Х |
| | Prep bk ptb open end socket | - | Х | - | X | - | Х | - | Х |
| L5540 | | - | Х | - | Х | - | Х | - | Х |
| L5560 | Prep ak ischial plast molded | - | Х | - | Х | - | Х | - | Х |
| L5570 | | - | Х | - | Х | - | Х | - | Х |
| L5580 | Prep ak ischial thermo mold | - | Х | - | Х | - | Х | - | Х |
| L5585 | Prep ak ischial open end | - | Х | - | X | - | Х | - | Х |
| | Prep ak ischial laminated | - | Х | - | Х | - | Х | - | Х |
| L5595 | Hip disartic sach thermopls | - | Х | - | Х | - | Х | - | Х |
| L5600 | Hip disart sach laminat mold | - | Х | - | Х | - | Х | - | Х |
| L5610 | Above knee hydracadence | - | Х | - | Х | - | Х | - | Х |
| L5611 | Ak 4 bar link w/fric swing | - | Х | - | Х | - | Х | - | Х |
| L5613 | Ak 4 bar ling w/hydraul swig | - | Х | - | Х | - | Х | - | Х |
| L5614 | | - | Х | - | Х | - | Х | - | Х |
| L5616 | Ak univ multiplex sys frict | - | Х | - | Х | - | Х | - | Х |
| L5639 | Below knee wood socket | - | Х | - | Х | - | Х | - | Х |
| L5643 | Hip flex inner socket ext fr | - | Х | - | Х | - | Х | - | Х |
| L5649 | Isch containmt/narrow m-l so | - | Х | - | Х | - | Х | - | Х |
| L5681 | Addition to lower extremity, below knee/above knee, custom fabricated socket insert | - | Х | - | Х | - | Х | - | Х |
| | | | | | - | | | | - |

^{*} These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



| | | Traditional Medicaid | | Traditional Integrated | | Non-Traditional Medicaid | | Non-Tradition | nal Integrated |
|--------------|--|----------------------------|--|--------------------------|--|--------------------------|---------------------------------|---------------|-----------------------------------|
| Codes | Description | Not | Preauthorization | Not | Preauthorization | Not Covered | Preauthorization | Not Covered | Preauthorization |
| Disclaimer: | Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, the | Covered se coding lists | Required do not reflect information | Covered regarding imm | Required unizations, injectable drugs | | Required ations and should be d | | Required cy link option within |
| the website. | | | T | 1 | - | | 1 | | T |
| L5683 | Addition to lower extremity, below knee/above knee, custom fabricated socket insert | - | Х | - | Х | - | Х | - | Х |
| L5700 | Replace socket below knee | - | Х | - | Х | - | Х | - | Х |
| L5701 | Replace socket above knee | - | Х | - | Х | - | Х | - | Х |
| L5702 | Replace socket hip | - | Х | - | Х | - | Х | - | Х |
| L5703 | Ankle, symes, molded to patient model, socket without solid ankle cushion heel (sach) fott, | | V | | V | | V | | V |
| | replacement only | - | Х | - | Х | - | Х | - | Х |
| L5707 | Custm shape cover hip disart | - | Х | - | Х | - | Х | - | Х |
| L5724 | Knee-shin exo fluid swing ph | - | Х | - | Х | - | Х | - | Х |
| | Knee-shin ext jnts fld swg e | - | Х | - | Х | - | Х | - | Х |
| L5728 | Knee-shin fluid swg & stance | - | Х | - | Х | - | Х | - | Х |
| | Knee-shin pneum/hydra pneum | - | Х | - | Х | - | Х | _ | Х |
| | Addition to lower limb prosthesis, vacuum pump, residual limb volume managementand | | | | | | | | |
| | moisture evacuation system | - | X | - | X | - | X | - | Х |
| | Addition to lower limb prosthesis, vacuum pump, residual limb volume managementand | | | | | | | | |
| | moisture evacuation system, heavy dut | - | Х | - | X | - | X | - | Х |
| | Addition to lower extremity, user adjustable, mechanical, residual limb volume management | | | | | | | | |
| | system | - | X | - | X | - | - | - | - |
| | Exoskel hip ultra-light mate | _ | Х | _ | X | _ | X | _ | Х |
| | Endo knee-shin hydral swg ph | _ | X | _ | X | | X | _ | X |
| | Endo knee-shin polyc mch sta | _ | X | | X | _ | X | _ | X |
| | Endo knee-shin frct swg & st | | X | - | X | - | X | - | X |
| | Endo knee-shin pneum swg frc | - | X | - | X | - | X | - | X |
| | Endo knee-shin fluid swing p | - | X | - | X | - | X | - | X |
| | | - | X | - | X | - | X | - | X |
| | Miniature knee joint | - | X | - | X | - | X | - | X |
| | Endo knee-shin fluid swg/sta | | X | - | X | - | | - | X |
| | Endo knee-shin pneum/swg pha | - | | - | | - | X | - | |
| | Multi-axial knee/shin system | - | Х | - | Х | - | X | - | Х |
| | Addition, endoskeletal knee-shin system, polycentric, pneumatic swing, and stance phase control | - | X | - | X | - | - | - | - |
| | Knee-shin sys stance flexion | _ | Х | _ | Х | | Х | - | Х |
| | Addition to endoskeletal, knee-shin system, hydraulic stance extension,dampening feature, | - | ^ | - | ^ | - | | - | ^ |
| | adjustable | - | Х | - | X | - | Х | - | Х |
| | Elec knee-shin swing/stance | - | Х | - | Х | - | Х | _ | Х |
| | Elec knee-shin swing stated | _ | X | _ | X | - | X | - | X |
| | Addition to lower extremity prosthesis, endoskeletal knee shin system, microprocessor control | | | | | | | | |
| | feature, stance phase only | - | X | - | Х | - | Х | - | Х |
| L5859 | Addition to lower extremity prosthesis, endoskeletal knee-shin system, powered and | | V | | V | | V | | V |
| | programmable flexion/extension assist control, includes any type motor(s) | - | Х | - | Х | - | Х | - | Х |
| L5926 | Addition to lower extremity prosthesis, endoskeletal, knee disarticulation, above knee, hip | | v | | V | | | | |
| | disarticulation, positional rotation unit, any type | - | Х | - | Х | - | - | - | 1 - |
| | High activity knee frame | - | Х | - | Х | - | Х | - | Х |
| | Endo hip ultra-light materia | - | Х | - | Х | - | Х | - | Х |
| | Endo poly hip, pneu/hyd/rot | - | Х | - | Х | - | Х | - | Х |
| | Above knee flex cover system | | X | _ | X | _ | X | _ | X |

^{*} These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



| G | realti | Trad | litional Medicaid | Tradi | tional Integrated | Non-Tradition | onal Medicaid | Non-Tradition | al Integrated |
|-------------|--|-----------------------------|--|-----------------------|--|---|-------------------------------------|---------------|----------------------------------|
| Codes | Description | Not | Preauthorization | Not | Preauthorization | Not Covered | Preauthorization | Not Covered | Preauthorization |
| Disclaimer | Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, the | Covered ese coding lists | Required s do not reflect information | Covered regarding imm | Required unizations, injectable drugs | | Required ations and should be di | | Required v link option within |
| the website | 3. | | | 1 | , | , | | 1 | |
| | Hip flexible cover system | - | X | - | X | - | Х | - | X |
| | Multiaxial ankle w dorsiflex | - | Х | - | X | - | Х | - | Х |
| L5973 | Endoskeletal ankle foot system, microprocessor controlled feature, dorsiflexion and/or plantar flexion control, includes | - | x | - | X | - | Х | - | X |
| L5979 | Multi-axial ankle/ft prosth | | X | _ | Х | _ | Х | _ | X |
| | Flex foot system | - | X | - | X | - | X | - | X |
| | Flex-walk sys low ext prosth | - | X | _ | X | - | X | - | X |
| L5987 | | X | - | X | - | X | - | X | - |
| | Shank ft w vert load pylon | | X | 1 | X | | | | X |
| | Vertical shock reducing pylo | - | | - | | - | X | - | |
| L5990 | Addition to lower extremity prosthesis, user adjustable heel height | - | X | - | X | - | X | - | X |
| L5991 | Low pros ext osseo connector | - | X | - | X | - | X | - | X |
| L5999 | Lowr extremity prosthes nos | - | X | - | X | - | X | - | X |
| | Part hand myo exclu term dev | - | X | - | X | - | X | - | X |
| L6050 | Wrst mld sck flx hng tri pad | - | X | - | X | - | X | - | X |
| L6055 | The state of the s | - | Х | - | X | - | Х | - | Х |
| L6100 | Elb mold sock flex hinge pad | - | X | - | X | - | Х | - | Х |
| | Elbow mold sock suspension t | - | X | - | X | - | Х | - | Х |
| L6120 | Elbow mold doub splt soc ste | - | Х | - | X | - | Х | - | X |
| | | - | Х | - | Х | - | X | - | X |
| L6200 | Elbow mold outsid lock hinge | - | X | - | X | - | Х | - | Χ |
| | Elbow molded w/ expand inter | - | X | - | X | - | X | - | X |
| L6250 | Elbow inter loc elbow forarm | - | X | - | X | - | X | - | X |
| L6300 | Shider disart int lock elbow | - | X | - | X | - | X | - | X |
| L6310 | Shoulder passive restor comp | - | X | - | X | - | X | - | Χ |
| L6320 | Shoulder passive restor cap | - | X | - | X | - | X | - | Χ |
| L6350 | Thoracic intern lock elbow | - | X | - | X | • | X | - | Χ |
| L6360 | Thoracic passive restor comp | - | X | - | X | - | X | - | Χ |
| L6370 | Thoracic passive restor cap | - | Х | - | X | - | Х | - | Х |
| L6400 | Below elbow prosth tiss shap | - | Х | - | Х | - | Х | - | Х |
| L6450 | Elb disart prosth tiss shap | - | Х | - | Х | - | Х | - | Х |
| L6500 | Above elbow prosth tiss shap | - | Х | - | X | - | Х | - | Х |
| L6550 | Shldr disar prosth tiss shap | - | Х | - | X | - | Х | - | X |
| L6570 | | - | Х | - | X | - | Х | - | Х |
| L6580 | Wrist/elbow bowden cable mol | - | Х | - | Х | - | Х | - | Х |
| L6582 | Wrist/elbow bowden cbl dir f | - | Х | - | Х | - | Х | - | Х |
| L6584 | Elbow fair lead cable molded | - | Х | - | Х | - | Х | - | Х |
| L6586 | Elbow fair lead cable dir fo | - | X | - | X | - | X | - | X |
| L6588 | Shdr fair lead cable molded | - | X | - | X | _ | X | _ | X |
| L6590 | Shdr fair lead cable direct | - | X | - | X | - | X | - | X |
| L6624 | Upper extremt add,flex/exten & rotatio wrist unit | _ | X | _ | X | - | X | - | X |
| L6638 | Upper extremity addition to prosthesis, electric locking feature, only for usewith manually | | | | | | | | |
| | powered elbow | - | Х | - | Х | - | Х | - | X |
| L6646 | Upper extremity addition, shoulder joint, multipositional locking, flexion, adjustable abduction friction control, for us | - | Х | - | Х | - | Х | - | Х |
| L6648 | Upper extremity addition, shoulder lock mechanism, external powered actuator | - | X | - | X | - | X | _ | X |
| 20010 | opper extremity addition, shoulder lock mechanism, external powered actuator | | Λ | | Λ. | | | | |

^{*} These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



| | | Trad | Traditional Medicaid Traditional Integrated Non-Traditional Medicaid Non-Tr | | | | | | | |
|----------------------------|---|--|---|----------------|-------------------------------|------------------------|------------------------------|------------------------|------------------------------|--|
| Codes | Description | Not Covered | Preauthorization Required | Not Covered | Preauthorization Required | Not Covered | Preauthorization Required | Not Covered | Preauthorization Required | |
| Disclaimer: the website | Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, the | ese coding list | s do not reflect information | regarding imm | nunizations, injectable drugs | s, or specialty medica | ations and should be d | irected to the Pharmac | y link option within | |
| L6708 | Terminal device, hand, mechanical, voluntary opening, any material, any size | Х | - | Х | - | Х | - | Х | - | |
| | Terminal device, hook, mechanical, voluntary closing, any material, any size, lined or unlined, | | | | ., | | ,, | | ., | |
| | pediatric | - | X | - | X | - | Х | - | Х | |
| L6713 | Terminal device, hand, mechanical, voluntary opening, any material, any size, pediatric | - | Х | - | Х | - | Х | - | Х | |
| L6714 | Terminal device, hand, mechanical, voluntary closing, any material, any size, pediatric | - | х | - | Х | - | Х | - | Х | |
| L6715 | Terminal device model #5xa | Х | - | Х | - | Х | - | Х | - | |
| | Terminal device, hook or hand, heavy duty, mechanical, voluntary opening, any 'material, any size, lined or unlined | - | Х | - | X | - | х | - | × | |
| L6722 | Terminal device, hook or hand, heavy duty, mechanical, voluntary closing, any 'material, any size, lined or unlined | - | х | - | Х | - | Х | - | Х | |
| L6880 | Electric hand, switch or myoelectric controlled, independently articulating digits, any grasp pattern or combination of grasp patterns, includes motor(s) | Х | - | Х | - | Х | - | х | - | |
| L6881 | Automatic grasp feature, additional to upper limb prosthetic terminal device. | - | Х | - | Х | - | Х | - | Х | |
| | Microprocessor control feature, addition to upper limb prosthesis terminal device | - | Х | - | Х | - | Х | - | Х | |
| L6883 | Replacement socket, below elbow/wrist disarticulation, molded to patient model, for use with or without external power | - | Х | - | Х | - | Х | - | Х | |
| L6884 | Replacement socket, above elbow disarticulation, molded to patient model, for use with or without external power | - | Х | - | Х | - | Х | - | Х | |
| L6885 | Replacement socket, shoulder disarticulation/interscapular thoracic, molded to patient model, for use with or without ex | - | Х | - | Х | - | Х | - | Х | |
| L6920 | Wrist disarticul switch ctrl | _ | X | <u> </u> | X | | Х | _ | X | |
| | Wrist disart myoelectronic c | - | X | - | X | | X | - | X | |
| | Below elbow switch control | - | X | | X | | X | <u> </u> | X | |
| L6935 | Below elbow myoelectronic ct | <u> </u> | X | - | X | | X | _ | X | |
| L6940 | Elbow disarticulation switch | | X | | X | | X | _ | X | |
| L6945 | Elbow disart myoelectronic c | _ | X | | X | - | X | _ | X | |
| L6950 | Above elbow switch control | _ | X | _ | X | _ | X | _ | X | |
| L6955 | Above elbow myoelectronic ct | _ | X | _ | X | _ | X | _ | X | |
| L6960 | ShIdr disartic switch contro | _ | X | _ | X | - | X | _ | X | |
| L6965 | Shldr disartic myoelectronic | _ | X | _ | X | - | X | _ | X | |
| L6970 | Interscapular-thor switch ct | _ | X | - | X | _ | X | _ | X | |
| L6975 | Interscap-thor myoelectronic | _ | Х | - | Х | - | Х | _ | Х | |
| L7007 | Electric hand, switch or myoelectric controlled, adult | Х | - | Х | - | Х | - | Х | - | |
| L7008 | Electric hand, switch or myoelectric, controlled, pediatric | - | Х | - | Х | - | Х | - | Х | |
| L7009 | Electric hook, switch or myoelectric controlled, adult | - | X | - | X | - | X | - | X | |
| L7040 | Prehensile actuator hosmer s | - | X | - | X | - | X | - | X | |
| | Electron hook child michigan | Х | - | Х | - | Х | - | Х | - | |
| L7170 | Electronic elbow hosmer swit | - | Х | - | Х | - | Х | - | Х | |
| L7180 | Electronic elbow utah myoele | - | Х | - | Х | - | Х | - | Х | |
| L7181 | Electronic elbo simultaneous | - | Х | - | Х | - | Х | - | Х | |
| L7185 | Electron elbow adolescent sw | - | Х | - | Х | - | Х | - | Х | |
| L7186 | Electron elbow child switch | Х | - | Х | - | Х | - | Х | - | |
| L7190 | Elbow adolescent myoelectron | - | Х | - | Х | - | Х | - | Х | |

^{*} These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



| Content | | Ticaldi | Traditional Medicaid Traditional Integrated | | | | Non-Traditional Medicaid Non-Traditional Integr | | | | |
|--|-------------|--|---|----------------------------|---------------|---|---|---|-------------|---|--|
| Table Development Development Table Development Developm | Codes | Description | | | | | Not Covered | | Not Covered | | |
| The content of the | Disclaimer: | Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, the | Covered lese coding lists | do not reflect information | regarding imm | Required nunizations, injectable drugs | | | | | |
| Letzon L | | | | | | 1 | | 1 | | | |
| 1.7490 Oppore extremel morp recitors in size | | | | | | | | - | | - | |
| 1890 Postuberic domining selever, any materials each | - | | | | | | | | | | |
| 1990 Vacuum erection system | | '' '' | | | | | | | | | |
| Ligo22 Treasforting, for vacuum erection device, any type, replacement only, each | | | _ | | | | | | | | |
| 1,8033 Myple prosthesis custom, ea | | • | | | | | | | | | |
| LB035 Custom breast prosthesis | | | | | | | | | | | |
| LB040 Masal prosthesis | | | - | | | | | | | | |
| Midfacial prosthesis | | • | | | | | | | | | |
| LB042 Contral prosthesis | | | | | | | | | | | |
| LB094 Upper facial prosthesis | | · · · · · · · · · · · · · · · · · · · | | | | | | | | | |
| | | · | + | | | | | | | | |
| LB046 Auricular prosthesis | | | ļ | | | | | | | | |
| Book Partial facial prosthesis - | | | | | | | | | | | |
| Nasal septal prosthesis | | ' | - | | | | | | | | |
| Unspec maxillofacial prosth | | - | - | | 1 | | | | | | |
| L8049 Repair maxillofacial prosth - | | | | | | | | | | | |
| LB410 Sheth above knee | | <u> </u> | | | | | - | | - | | |
| L8498 Unlisted misc prosthetic ser | | <u> </u> | - | | - | | - | | - | | |
| L8499 Unlisted misc prosthetic ser | | | - | | - | | - | | - | | |
| L8500 Artificial larynx - - X - X - X - | | 11 | + | | | | | | | | |
| L8501 Tracheostomy speaking valve | | | | | - | | | | | | |
| L8505 Artificial larymx replacement battery/accessory, any type | | | - | | 1 | | | | | - | |
| L8507 Tracheo-esophageal voice prosthesis, patient inserted, any type, each L8509 Tracheo-esophageal voice prosthesis, inserted by a licensed health care provider, any type L8510 Voice amplifier L8511 Insert for indwelling tracheo-esophageal prosthesis, with or without valve, replacement only L8512 Gelatin capsules or equivalent, for use with tracheoesophageal voice prosthesis L8513 Cleaning device used with tracheoesophageal voice prosthesis, pipet, brush, or equal L8514 Tracheo-esophageal puncture dilator, replacement only, each L8515 Gel cap app device for trach L8516 Gel cap app device for trach L8600 Implant breast silicone/eq - X - X - X - X - X L8601 Tissue expander implant L8605 Tissue expander implant L8606 Miscellaneous external component, supply or accessory for use with the argus ii retinal prosthesis system L8606 Artificial cornea - X - X - X - X - X - X - X - X - X - X | | | - | - | - | - | | - | | - | |
| L8509 Tracheo-esophageal voice prosthesis, inserted by a licensed health care provider, any type | | | - | - | - | - | | - | | - | |
| L8510 Voice amplifier | | | - | - | - | - | Х | - | Х | - | |
| L8511 Insert for indwelling tracheoesophageal prosthesis, with or without valve, replacement only L8512 Gelatin capsules or equivalent, for use with tracheoesophageal voice prosthesis L8513 Cleaning device used with tracheoesophageal voice prosthesis, pipet, brush, or equal L8514 Tracheoesophageal puncture dilator, replacement only, each L8515 Gel cap app device for trach L8516 Gel cap app device for trach L8600 Implant breast silicone/eq Tissue expander implant L8607 Tissue expander implant L8607 Injectable bulking agent for vocal cord medialization, 0.1 ml, includes shipping and necessary supplies L8608 Miscellaneous external component, supply or accessory for use with the argus ii retinal prosthesis system L8609 Artificial cornea L8601 Cochiera device/system - X - X - X - X - X - X - X - X - X - | | | - | - | - | - | X | - | Х | - | |
| L8512 Gelatin capsules or equivalent, for use with tracheoesophageal voice prosthesis - - - X - | | Voice amplifier | - | - | - | - | X | - | X | - | |
| L8513 Cleaning device used with tracheoesophageal voice prosthesis, pipet, brush, or equal | L8511 | Insert for indwelling tracheoesophageal prosthesis, with or without valve, replacement only | - | X | - | Х | X | - | X | - | |
| L8514 Tracheoesophageal puncture dilator, replacement only, each - - - - - - X - | L8512 | Gelatin capsules or equivalent, for use with tracheoesophageal voice prosthesis | - | - | - | - | Х | - | Х | - | |
| L8515 Gel cap app device for trach - | L8513 | Cleaning device used with tracheoesophageal voice prosthesis, pipet, brush, or equal | - | - | - | - | Х | - | Х | - | |
| L8515 Gel cap app device for trach - X - < | L8514 | Tracheoesophageal puncture dilator, replacement only, each | - | - | - | - | Х | - | Х | - | |
| L8600 Implant breast silicone/eq - X - X - X - X - X L8605 Tissue expander implant - X - X - X - X - X L8607 Injectable bulking agent for vocal cord medialization, 0.1 ml, includes shipping and necessary supplies - X | | | - | Х | - | Х | | - | | - | |
| L8605 Tissue expander implant - X - X - X Injectable bulking agent for vocal cord medialization, 0.1 ml, includes shipping and necessary supplies - X - X - X | | | - | | - | | | Х | | Х | |
| L8607 Injectable bulking agent for vocal cord medialization, 0.1 ml, includes shipping and necessary supplies - X - X - X - X - X L8608 Miscellaneous external component, supply or accessory for use with the argus ii retinal prosthesis system - X - X - X - X - X - X L8609 Artificial cornea - X - X - X - X - X L8614 Cochlear device/system - X - X - X - X - X L8615 Coch implant headset replace | L8605 | | - | | - | | - | | - | | |
| L8608 Miscellaneous external component, supply or accessory for use with the argus ii retinal prosthesis system X - X | L8607 | Injectable bulking agent for vocal cord medialization, 0.1 ml, includes shipping and necessary | - | | - | | - | | - | | |
| L8609 Artificial cornea - X - X - X - X L8614 Cochlear device/system - X - X - X - X - X L8615 Coch implant headset replace - - - - - X - X - X - | L8608 | Miscellaneous external component, supply or accessory for use with the argus ii retinal | Х | - | Х | - | Х | - | х | - | |
| L8614 Cochlear device/system - X - X - X - X L8615 Coch implant headset replace - - - - X - X - X - | L8609 | | - | Х | - | Х | - | Х | - | Х | |
| L8615 Coch implant headset replace - - - X - X - | | | - | | - | | - | | - | | |
| | | • • | - | | 1 | | | | | | |
| | | | - | - | - | - | | - | | - | |

^{*} These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



| G | readi | Trad | itional Medicaid | Tradi | tional Integrated | Non-Tradition | onal Medicaid | Non-Tradition | nal Integrated |
|-------------|--|----------------------------|---------------------------------------|--------------------------|---------------------------------------|-----------------------|------------------------------------|------------------------|-----------------------------------|
| Codes | Description | Not | Preauthorization | Not | Preauthorization | Not Covered | Preauthorization | Not Covered | Preauthorization |
| Disclaimer | Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, the | Covered se coding lists | Required s do not reflect information | Covered regarding imm | Required unizations, injectable drugs | , or specialty medica | Required itions and should be d | irected to the Pharmac | Required by link option within |
| the website | | | l v | | V 1 | | | l v | |
| L8618 | Coch implant trans coil repl | - | X | - | X | X | - | X | - |
| | Coch implant tran cable repl | - | ^ | - | Α | Χ | - | | - |
| L0019 | Cochlear implant, external speech processor and controller, integrated system, replacement | • | - | - | - | X | - | Х | _ |
| | Repl zinc air battery | - | X | - | X | X | - | X | - |
| L8623 | Lithium ion battery for use with cochlear implant device speech processor, other than ear level, replacement, each | - | х | - | Х | X | - | х | - |
| L8624 | Lithium ion battery for use with cochlear implant device speech processor, ear level, replacement, each | - | Х | - | Х | Х | - | Х | - |
| L8627 | Cochlear implant, external speech processor, component, replacement | _ | _ | _ | - | Х | _ | Х | _ |
| L8628 | Cochlear implant, external speech processor, component, replacement | - | - | - | - | X | - | X | - |
| | | - | - | - | - | X | - | ^ | - |
| L0029 | Transmitting coil and cable, integrated, for use with cochlear implant device, replacement | - | Х | - | Х | Χ | - | Х | - |
| L8630 | Metacarpophalangeal implant | - | X | - | X | - | X | - | Χ |
| L8631 | Metacarpal phalangeal joint replacement, two or more pieces, metal | - | X | - | X | - | X | - | X |
| L8658 | Interphalangeal joint implnt | - | X | - | X | - | Х | - | Χ |
| L8659 | Interphalangeal finger joint replacement, 2 or more pieces, metal | - | Х | - | X | - | Х | - | Х |
| L8670 | Vascular graft, synthetic | - | Х | - | X | - | Х | - | Х |
| L8679 | Imp neurosti pls gn any type | - | Х | - | Х | - | Х | - | Х |
| L8680 | Implantable neurostimulator electrode (with any number of contact points), each | Х | - | Х | - | Х | - | Х | - |
| L8681 | Patient programmer (external) for use with implantable programmable neurostimulator pulse generator | - | Х | - | Х | - | Х | - | Х |
| L8682 | Implantable neurostimulator radiofrequency receiver | - | Х | - | Х | - | Х | _ | Х |
| L8683 | Radiofrequency transmitter (external) for use with implantable neurostimulator radiofrequency receiver | _ | Х | - | Х | - | х | - | Х |
| L8684 | Radiofrequency transmitter (external) for use with implantable sacral root neurostimulator receiver for bowel and bladde | - | х | - | Х | - | Х | - | Х |
| L8685 | Implantable neurostimulator pulse generator, single array, rechargeable, includes extension | Х | - | Х | - | Х | - | х | - |
| L8686 | Implantable neurostimulator pulse generator, single array, non-rechargeable, includes extension | Х | - | х | - | Х | - | х | - |
| L8687 | Implantable neurostimulator pulse generator, dual array, rechargeable, includes extension | Х | - | х | - | Х | - | х | - |
| L8688 | Implantable neurostimulator pulse generator, dual array, non-rechargeable, includes extension | Х | - | х | - | Х | - | х | - |
| L8689 | External recharging system for implanted neurostimulator, replacement only prosthetic implant, not otherwise specified | - | Х | - | Х | - | Х | - | Х |
| L8690 | Auditory osseointegrated device, includes all internal and external components | - | Х | - | Х | Х | - | Х | - |
| L8691 | Auditory osseointegrated device, external sound processor, replacement | - | Х | - | X | Х | - | Х | - |
| L8692 | Auditory osseointedgrated device, external sound processor, used without osseiontegration, body worn, includes headband | - | Х | - | Х | Х | - | Х | - |
| L8693 | Aud osseo dev, abutment | _ | Х | _ | Х | Х | - | Х | _ |
| | Miscellaneous component, supply or accessory for use with total artificial heart system | Х | - | Х | - | X | - | X | - |
| 1 8600 | Prosthetic implant nos | _ | X | _ | X | | Х | _ | Х |
| L0033 | priostrietic impiant nos | _ | ^ | | ^ | | ^ | _ | ^ |

^{*} These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



| Codes | Description | | itional Medicaid | | tional Integrated | TO THE RELIEF | onal Medicaid | NON-Traditio | nal Integrated |
|--------------|--|----------------------------|-------------------------------------|--------------------------|--|---------------|---------------------------------|--------------|-----------------------------------|
| Disclaimer: | Description | Not | Preauthorization | Not | Preauthorization | Not Covered | Preauthorization | Not Covered | Preauthorization |
| | Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these | Covered se coding lists | Required do not reflect information | Covered regarding imm | Required nunizations, injectable drugs | | Required ations and should be d | | Required cy link option within |
| the website. | | | | 1 | | • | | T | 1 |
| L8701 | Pow ue rom dev ewh uprt cust | - | X | - | X | - | X | - | X |
| | Pow ue rom dev ewhf uprt cus | - | X | - | X | - | X | - | X |
| | O&p supply/accessory/service | - | Х | - | X | - | Х | - | Х |
| | Advancing cancer care mvp | X | - | X | - | X | - | X | - |
| | Opt care kidney hith mvp | X | - | X | - | X | - | X | - |
| | Opt care episod neuro mvp | | - | | - | | - | | - |
| | Support care neur cond mvp | X | | X | | X | + | X | - |
| | Promot wellness mvp | X | - | X | - | X | - | X | - |
| | Eom meos payment | X | - | X | - | X | - | X | - |
| | Cellular therapy | X | - | X | - | X | - | X | - |
| | Prolotherapy | X | - | X | - | X | - | X | - |
| | Intragastric hypothermia | X | - | X | - | X | - | X | - |
| | Covid-19 vaccine home admin | X | - | X | - | X | - | X | - |
| | lv chelationtherapy | X | - | X | - | X | - | X | - |
| | Fabric wrapping of aneurysm | Х | - | Х | - | Х | - | Х | - |
| | Tb screening performed and results interpreted within twelve months prior to initiation of first- | Х | _ | Х | - | Х | _ | X | _ |
| | time biologic disease modifying anti-rheumatic drug therapy for ra | | | | | | | | ļ |
| | Doc med rsn no srn tb | X | - | X | - | X | - | X | <u> </u> |
| | Tb screening not performed or results not interpreted, reason not given | Х | - | Х | - | Х | - | Х | |
| | Disease activity not assessed, reason not given | Х | - | Х | - | Х | - | Х | <u> </u> |
| | >=50% of total number of a patient's outpatient ra encounters assessed | Х | - | Х | - | Х | - | Х | <u> </u> |
| | <50% of total number of a patient's outpatient ra encounters assessed | Х | - | Х | - | Х | - | Х | <u> </u> |
| | Dc eoc doc med rec | Х | - | Х | - | Х | - | Х | |
| | Dc eoc doc med rec | Х | - | Х | - | Х | - | Х | |
| | Dc eoc doc med rec | Х | - | Х | - | Х | - | Х | |
| | Dc eoc doc med rec | Х | - | Х | - | Х | - | Х | <u> </u> |
| | Dc eoc doc med rec | Х | - | Х | - | Х | - | Х | |
| | Dc epi care doc medrec | Х | - | Х | - | Х | - | Х | |
| | Female patients unable to bear children | Х | - | Х | - | Х | - | Х | |
| | Patient admitted to palliative care services | Х | - | Х | - | Х | - | Х | |
| | Pt dx hst cr pt sk lg cr scr | X | - | Х | - | Х | - | Х | - |
| M1019 | Adl pt mj dep ds rs 12 phq<5 | Х | - | Х | - | Х | - | Х | <u> </u> |
| | Adl pt mj dep ds no rs 12 mo | Х | - | Х | - | Х | - | Х | - |
| | Patient had only urgent care visits during the performance period | Х | - | Х | - | Х | - | Х | - |
| | Imaging of the head (ct or mri) was obtained | Х | - | Х | - | Х | - | Х | - |
| | Documentation of patients with primary headache diagnosis and imaging other than ct or mri obtained | Х | - | Х | - | Х | - | х | - |
| M1029 | Imaging of the head (ct or mri) was not obtained, reason not given | Х | - | Х | - | Х | - | Х | - |
| M1032 | Adults currently taking pharmacotherapy for oud | Χ | - | Х | - | Х | - | Х | - |
| | Adults who have at least 180 days of continuous pharmacotherapy with a medication prescribed for oud without a gap of more than seven days | Х | - | Х | - | Х | - | Х | - |
| M1035 | Adults who are deliberately phased out of medication assisted treatment (mat) prior to 180 days of continuous treatment | Х | - | Х | - | Х | - | Х | - |
| M1036 | Adults who have not had at least 180 days of continuous pharmacotherapy with a medication prescribed for oud without a gap of more than seven days | Х | - | Х | - | Х | - | Х | - |

^{*} These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



| M1037 Pa M1038 Pa M1039 Pa M1040 Pa M1041 Pa | Description asse note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these attents with a diagnosis of lumbar spine region cancer at the time of the procedure attents with a diagnosis of lumbar spine region fracture at the time of the procedure | Not Covered se coding lists | Preauthorization Required do not reflect information | Not Covered | Preauthorization Required | Not Covered | Preauthorization | Not Covered | Preauthorization |
|--|---|-----------------------------------|--|----------------|------------------------------|-----------------------|-------------------------------------|-------------|-----------------------------------|
| M1037 Pa M1038 Pa M1039 Pa M1040 Pa M1041 Pa | atients with a diagnosis of lumbar spine region cancer at the time of the procedure | se coding lists | | | Required | | | | |
| M1037 Pa M1038 Pa M1039 Pa M1040 Pa M1041 Pa | atients with a diagnosis of lumbar spine region cancer at the time of the procedure | | | regarding imm | | . or specialty medica | Required ations and should be di | | Required ty link option within |
| M1038 Pa M1039 Pa M1040 Pa M1041 Pa | | X | | | | | | | |
| M1039 Pa M1040 Pa M1041 Pa | atients with a diagnosis of lumbar spine region fracture at the time of the procedure | | - | Х | - | Х | - | Х | <u> </u> |
| M1040 Pa M1041 Pa | | Х | - | Х | - | Χ | - | Х | - |
| M1041 Pa | atients with a diagnosis of lumbar spine region infection at the time of the procedure | Х | - | Х | - | Х | - | Х | - |
| M1041 Pa | atients with a diagnosis of lumbar idiopathic or congenital scoliosis | Х | - | Х | - | Х | - | Х | - |
| cc | atient had cancer, fracture or infection related to the lumbar spine or patient had idiopathic or ongenital scoliosis | Х | - | Х | - | Х | - | Х | - |
| | s no odi 9-15mo | Х | | Х | _ | X | _ | Х | |
| | s oks 9-15mo = 37 | X | - | X | - | X | - | X | - |
| | s oks 9-15mo = 37 | X | - | X | - | X | - | X | |
| | s wth scr no odi pre and p | X | - | X | - | X | - | X | - |
| | | Λ | - | Α | - | | - | | <u> </u> |
| со | atient had cancer, fracture or infection related to the lumbar spine or patient had idiopathic or ongenital scoliosis | Х | - | Х | - | Х | - | Х | - |
| | g pn not meas w/ vas 1yr po | Χ | - | X | - | X | - | X | - |
| M1054 Pa | atient had only urgent care visits during the performance period | Χ | - | Χ | - | X | - | X | - |
| M1055 As | spirin or another antiplatelet therapy used | Χ | • | Х | - | Χ | - | X | - |
| M1056 Pr | resc antico med in pp | Χ | ī | Х | - | Χ | - | X | ı |
| | spirin or another antiplatelet therapy not used, reason not given | Χ | | Х | - | Χ | - | X | - |
| M1058 Pa | atient was a permanent nursing home resident at any time during the performance period | Х | - | Х | - | Х | - | Х | - |
| | atient was in hospice or receiving palliative care at any time during the performance period | Χ | - | Х | - | Х | - | Х | - |
| | atient died prior to the end of the performance period | Χ | - | Х | - | Х | - | Х | - |
| M1067 Ho | ospice services for patient provided any time during the measurement period | Χ | - | Х | - | Х | - | Х | - |
| | dults who are not ambulatory | Χ | - | Х | - | Х | - | Х | - |
| M1069 Pa | atient screened for future fall risk | Х | - | Х | - | Х | - | Х | - |
| M1070 Pa | atient not screened for future fall risk, reason not given | Χ | - | Х | - | Х | - | Х | - |
| | atient had any additional spine procedures performed on the same date as the lumbar | | | ., | | | | V | |
| | scectomy/laminotomy | Х | - | Х | - | Х | - | Х | - |
| M1072 Rc | om rad therapy anal, pc | Х | - | Х | - | Х | - | Х | - |
| | om rad therapy anal, tc | Х | - | Х | - | Х | - | Х | - |
| | om rad therapy bladder, pc | Х | - | Х | - | Х | - | Х | - |
| M1075 Rc | om rad therapy bladder, tc | Х | - | Х | - | Х | - | Х | - |
| | om rad ther bone mets, pc | Х | - | Х | - | Х | - | Х | - |
| | om rad ther bone mets, to | Х | - | Х | - | Х | - | Х | - |
| | om rad ther brain mets, pc | Х | - | X | - | X | - | X | - |
| | om rad ther brain mets, tc | X | - | X | - | X | - | X | - |
| | om rad ther bruin friets, to | X | - | X | - | X | - | X | - |
| | om rad therapy breast, to | X | - | X | - | X | - | X | - |
| | om rad therapy cervical, pc | X | - | X | - | X | - | X | - |
| | om rad therapy cervical, to | X | - | X | - | X | _ | X | |
| | om rad therapy cns, pc | X | | X | - | X | - | X | |
| | om rad therapy cns, to | X | - | X | - | X | - | X | - |
| | om rad ther colorectal, pc | X | - | X | - | X | - | X | |

^{*} These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



| | The auti | Trad | itional Medicaid | Tradit | tional Integrated | Non-Tradition | onal Medicaid | Non-Traditio | nal Integrated |
|-------------|--|-----------------------------|--|--------------------------|--|---------------|-------------------------------------|--------------|-----------------------------------|
| Codes | Description | Not | Preauthorization | Not | Preauthorization | Not Covered | Preauthorization | Not Covered | Preauthorization |
| Disclaimer | Elease note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, the | Covered ese coding lists | Required do not reflect information i | Covered regarding imm | Required unizations, injectable drugs | | Required ations and should be di | | Required by link option within |
| the website | s. | - | T | | - | | ı | | |
| | Rom rad ther colorectal, tc | X | - | X | - | X | - | X | - |
| M1088 | | X | - | X | - | X | - | X | - |
| M1089 | Rom rad ther head/neck, to | X | - | X | - | X | - | X | - |
| | Rom rad therapy lung, pc | X | - | X | - | X | - | X | - |
| M1095 | Rom rad therapy lung, to | X | - | X | - | X | - | X | - |
| M1096 | Rom rad therapy lymphoma, pc Rom rad therapy lymphoma, tc | X | - | X | - | X | - | X | - |
| M1008 | Rom rad therapy lymphoma, to Rom rad therapy pancreas, pc | X | | X | | X | - | X | - |
| M1000 | Rom rad therapy pancreas, pc Rom rad therapy pancreas, pc | X | - | X | - | X | - | | - |
| | Rom rad therapy pancreas, pc Rom rad therapy prostate, pc | | - | | | | - | X | - |
| M1100 | Rom rad therapy prostate, pc Rom rad therapy prostate, tc | X | | X | - | X | | X | |
| | Rom rad therapy prostate, to Rom rad therapy gi, pc | | - | X | - | X | - | X | - |
| | Rom rad therapy gi, pc Rom rad therapy gi, tc | X | - | X | - | X | - | X | - |
| M1103 | Rom rad therapy gi, tc Rom rad therapy uterus, pc | X | - | X | - | X | - | X | - |
| M1104 | Rom rad therapy uterus, pc Rom rad therapy uterus, tc | X | - | X | - | X | - | X | - |
| M1106 | | X | - | X | - | X | - | X | - |
| | | X | - | X | - | X | - | X | - |
| | Oc ni pt 1-2 vis | X | - | X | - | X | - | X | - |
| | Oc ni pt dc 1-2 vis | X | - | X | - | X | - | X | - |
| | Oc ni pt selfdc 1-2 vis | X | - | X | - | X | - | X | - |
| | Start eoc doc med rec | X | - | X | - | X | | X | - |
| | Docu dx degen neuro | X | - | X | - | X | | X | - |
| | Oc ni pt 1-2 vis | X | - | X | - | X | | X | - |
| | Oc ni pt dc 1-2 vis | X | - | X | - | X | <u> </u> | X | - |
| | Oc ni pt selfdc 1-2 vis | X | _ | X | - | X | <u> </u> | X | - |
| | Start eoc doc med rec | X | - | X | - | X | | X | - |
| | Docu dx degen neuro | X | _ | X | - | X | - | X | - |
| | Oc ni pt 1-2 vis | X | - | X | - | X | _ | X | _ |
| | Oc ni pt dc 1-2 vis | X | _ | X | _ | X | _ | X | _ |
| | Oc ni pt selfdc 1-2 vis | X | _ | X | - | X | _ | X | _ |
| | Start eoc doc med rec | X | _ | X | - | X | _ | X | _ |
| | Docu dx degen neuro | X | - | X | - | X | - | X | - |
| | Oc ni pt 1-2 vis | X | - | X | - | X | _ | X | - |
| | Oc ni pt dc 1-2 vis | X | - | X | - | X | _ | X | - |
| | Oc ni pt selfdc 1-2 vis | X | - | X | - | X | _ | X | - |
| M1126 | | X | - | X | - | X | - | X | - |
| | Docu dx degen neuro | X | - | X | - | X | - | X | - |
| | Oc ni pt 1-2 vis | X | - | X | - | X | _ | X | - |
| | Oc ni pt dc 1-2 vis | X | - | X | - | X | - | X | - |
| | Oc ni pt self do 1-2 vis | X | - | X | - | X | - | X | - |
| M1131 | · · | X | - | X | - | X | - | X | - |
| M1132 | | X | - | X | - | X | _ | X | - |
| | Oc ni pt dc 1-2 vis | X | - | X | - | X | _ | X | - |
| | Oc ni pt self do 1-2 vis | X | - | X | - | X | _ | X | - |
| | Start eoc doc med rec | X | - | X | - | X | - | X | - |
| WI 1 1 35 | Israir eor nor mea tec | X | - | ٨ | - | Λ | - | ۸ | |

^{*} These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



| | | Trad | itional Medicaid | Tradi | tional Integrated | Non-Tradition | onal Medicaid | Non-Tradition | nal Integrated |
|---------------------------|--|-----------------|------------------------------|----------------|------------------------------|------------------------|------------------------------|------------------------|------------------------------|
| Codes | Description | Not Covered | Preauthorization Required | Not Covered | Preauthorization Required | Not Covered | Preauthorization Required | Not Covered | Preauthorization Required |
| Disclaimer the website | Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, the | se coding lists | s do not reflect information | regarding imm | unizations, injectable drugs | s, or specialty medica | ations and should be d | irected to the Pharmac | y link option within |
| M1141 | Fs no oks | Х | - | Х | - | Х | - | Х | - |
| M1142 | Emerge cases | Х | - | Х | - | Х | - | Х | - |
| M1143 | Ni rehab med chiro | Х | - | Х | - | Х | - | Х | - |
| | Ongoing care not ind | Х | - | Х | - | Х | - | Х | - |
| M1147 | Care not poss med rsn | Х | - | Х | - | Х | - | Х | - |
| | Pt self dschg | Х | - | Х | - | Х | - | Х | - |
| M1149 | No neck fs prom incap | Х | - | Х | - | Х | - | Х | - |
| M1150 | Lvef <=40% or mod/sev vsf | Х | - | Х | - | Х | - | Х | - |
| M1151 | Pt w/ hx trnsplt or lvad | Х | - | Х | - | Х | - | Х | - |
| M1152 | Pt w/ hx trnsplt or lvad | Х | - | Х | - | Х | - | Х | - |
| M1153 | Pt w/ dx osteo doe | Х | - | Х | - | Х | - | Х | - |
| | Hospc serv dur meas pd | Х | - | Х | - | Х | - | Х | - |
| | Pt anphx due to pneum | Х | - | Х | - | Х | - | Х | - |
| M1156 | Pt recd actv chemo any time | Х | - | X | - | X | - | X | - |
| M1157 | Pt recd bone mar trnsplt | Х | - | X | - | X | - | X | - |
| M1158 | Pt hx immcomp prior/dur pd | Х | - | X | - | X | - | X | - |
| | Hospc serv dur meas pd | Х | - | X | - | X | - | X | - |
| | Pt anphx due to mengb bef 13 | Х | - | X | - | X | - | X | - |
| | Pt anphx due to dtp bef 13 | Х | - | X | - | X | - | X | - |
| M1162 | Pt enceph due to dtp bef 13 | X | - | X | - | X | - | X | - |
| M1163 | Pt anphx due to hpv bef 13 | Х | - | Х | - | X | - | X | - |
| | Pt w/ dementia any time | X | - | Х | - | X | - | X | - |
| M1165 | Pt use hspc dur meas pd | X | - | Х | - | X | - | X | - |
| | Path rpt tis spec wle/reexc | X | - | X | - | X | - | X | - |
| | Hspc dur meas pd | X | - | Х | - | X | - | X | - |
| | Pt recd flu vax 7/1-6/30 | Х | - | X | - | X | - | X | - |
| | Doc med rsn no flu vax | Х | - | X | - | Х | - | Х | - |
| | Pt w/o flu vax 7/1-6/30 | Х | - | X | - | Х | - | X | - |
| | Pt recd 1 td/tdap 9yrs prior | Х | - | Х | - | Х | - | Х | - |
| | Doc med rsn no td/tdap | Х | - | Х | - | Х | - | X | - |
| | Pt no rec td/tdap 9yrs prior | Х | - | Х | - | Х | - | X | - |
| | Pt w/ 1 hzv lv or 2 hzv recm | Х | - | Х | - | Х | - | Х | - |
| | Doc med rsn no hzv | Х | - | Х | - | Х | - | Х | - |
| | Pt w/o hzv on/aft age 50 | X | - | X | - | X | - | X | - |
| | Pt recd pcv on/aft 60 | Х | - | X | - | X | - | X | - |
| | Doc med rsn no pcv | Х | - | X | - | X | - | X | - |
| | No pcv recd | X | - | X | - | X | - | X | - |
| | Pt imm ckpt inhib therapy | X | - | X | - | X | - | X | - |
| | Gr 2 or> dia or gr2 or> col | X | - | X | - | X | - | X | - |
| | Not elg pre ex ibd/uc/crohn | X | - | X | - | X | - | X | - |
| | Doc imm ckpt inhib hld | X | - | X | - | X | - | X | - |
| | Doc med rsn no cst/ist rx | X | - | X | - | X | - | X | - |
| | Imm ckpt inhib not hld no rx | X | - | X | - | X | - | X | - |
| | Pt w/ rx for hspc/plltv care | X | - | X | - | X | - | X | - |
| W118/ | Pt w/ esrd | X | - | Х | - | Х | - | Х | <u> </u> |

^{*} These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



| | Ticalui | Trad | itional Medicaid | Tradi | tional Integrated | Non-Tradition | onal Medicaid | Non-Tradition | nal Integrated |
|-------------|---|----------------------------|--|--------------------------|---------------------------------------|---------------|------------------------------------|---------------|-----------------------------------|
| Codes | Description | Not | Preauthorization | Not | Preauthorization | Not Covered | Preauthorization | Not Covered | Preauthorization |
| Disclaimer: | Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, the | Covered se coding lists | Required do not reflect information | Covered regarding imm | Required unizations, injectable drugs | | Required ations and should be d | | Required by link option within |
| the website | | | I | | | | T | | |
| | Pt w/ ckd stg 5 | X | - | X | - | X | - | X | - |
| | Doc khe pef w/efgr/uacr | X | - | X | - | X | - | X | - |
| | Doc khe not pef w/efgr/uacr | X | - | X | - | X | - | X | - |
| | Hspc svc any time in meas pd | | - | X | - | | - | X | - |
| | Pt w/ dx sq cell ca of esoph | X | - | X | - | X | - | X | - |
| | Rpts w/ imp/con mmr/msi Med rsn no imp/con mmr/msi | X | - | X | - | X | - | X | - |
| | Rpt wo imp/con mmr/msi | X | - | X | - | X | - | X | - |
| | lxv nrs vrs iqa >=4 | X | - | X | - | X | - | X | - |
| | | | | | | | | | |
| | Isa red >=2 fr ixv | X | - | X | - | X | - | X | - |
| | Isa not red 2pts fr ixv | X | - | X | - | X | - | X | - |
| | Pt rec'g rrt | X | - | X | - | X | - | X | - |
| | Ace-i/arb rx | X | - | X | - | X | - | X | - |
| | Med rsn no ace-i/arb rx | X | - | X | - | X | - | X | - |
| | Pt rsn no ace-i/arb rx | Х | - | X | - | X | - | X | - |
| | No rsn ace-i/arb rx | Х | - | Х | - | Х | - | Х | - |
| | lxv nrs vrs iqa >=4 | Х | - | Х | - | Х | - | Х | - |
| | Isa red >=2 fr ixv | Х | - | Х | - | Х | - | X | - |
| | Isa not red 2pts fr ixv | Х | - | Х | - | Х | - | Х | - |
| | #pts scrn sdoh | Х | - | Х | - | Х | - | Х | - |
| | #pts no scrn sdoh | Х | - | Х | - | Х | - | Х | - |
| | >=2 same hi-rsk med w/o diag | Х | - | Х | - | Х | - | Х | - |
| | >=2 same meds tbl4 not ord | Х | - | Х | - | Х | - | Х | - |
| | most recent hemoglobin a1c level > 9.0% | Х | - | Х | - | - | - | - | - |
| | Hemoglobin a1c level is missing, or was not performed during the measurement period (12 months) | Х | - | Х | - | - | - | - | - |
| M1213 | No history of spirometry results with confirmed airflow obstruction (fev1/fvc < 70%) and present spirometry is >= 70% | Х | - | Х | - | - | - | - | - |
| M1214 | Spirometry results with confirmed airflow obstruction (fev1/fvc < 70%) documented and reviewed | Х | - | Х | - | - | - | - | - |
| M1215 | Documentation of medical reason(s) for not documenting and reviewing spirometry results (e.g., patients with dementia or tracheostomy) | Х | - | х | - | - | - | - | - |
| M1216 | No spirometry results with confirmed airflow obstruction (fev1/fvc < 70%) documented and/or no spirometry performed with results documented during the encounter | х | - | х | - | - | - | - | - |
| | Documentation of system reason(s) for not documenting and reviewing spirometry results (e.g., spirometry equipment not available at the time of the encounter) | Х | - | Х | - | - | - | - | - |
| M1218 | Patient has copd symptoms (e.g., dyspnea, cough/sputum, wheezing) | Χ | - | Х | - | - | - | - | - |
| | Anaphylaxis due to the vaccine on or before the date of the encounter | Χ | - | Х | - | - | - | - | - |
| M1220 | Dilated retinal eye exam with interpretation by an ophthalmologist or optometrist or artificial intelligence (ai) interpretation documented and reviewed; with evidence of retinopathy | Х | - | х | - | - | - | - | - |
| M1221 | Dilated retinal eye exam with interpretation by an ophthalmologist or optometrist or artificial intelligence (ai) interpretation documented and reviewed; without evidence of retinopathy | Х | - | Х | - | - | - | - | - |

^{*} These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



| | | Trad | itional Medicaid | Tradit | tional Integrated | Non-Tradition | onal Medicaid | Non-Tradition | nal Integrated |
|-------------|--|----------------|------------------------------|--------------------------|------------------------------|-----------------------|------------------------------|------------------------|------------------------------|
| Codes | Description | Not Covered | Preauthorization Required | Not | Preauthorization Required | Not Covered | Preauthorization Required | Not Covered | Preauthorization Required |
| | Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, the | | | Covered regarding imm | | , or specialty medica | | irected to the Pharmac | |
| the website | Glaucoma plan of care not documented, reason not otherwise specified | Х | _ | Х | _ | | _ | | _ |
| | Glaucoma plan of care documented | X | _ | X | _ | | _ | _ | |
| | Intraocular pressure (iop) reduced by a value less than 20% from the pre-intervention level | | | | | | | | |
| | introduction pressure (top) reduced by a value less than 2010 from the pre-intervention level | Х | - | Х | - | - | - | - | - |
| M1225 | Intraocular pressure (iop) reduced by a value of greater than or equal to 20% from the pre- | | | ., | | | | | |
| | intervention level | Х | - | Х | - | - | - | - | - |
| | lop measurement not documented, reason not otherwise specified | Χ | - | Х | - | - | - | - | - |
| M1227 | Evidence-based therapy was prescribed | Х | - | Х | - | - | - | - | - |
| M1228 | Patient, who has a reactive hcv antibody test, and has a follow up hcv viral test that detected | | | | | | | | |
| | hcv viremia, has hcv treatment initiated within 3 months of the reactive hcv antibody test | X | - | Х | - | - | - | - | - |
| | | | | | | | | | |
| M1229 | Patient, who has a reactive hcv antibody test, and has a follow up hcv viral test that detected | | | | | | | | |
| | hcv viremia, is referred within 1 month of the reactive hcv antibody test to a clinician who treats | X | - | X | - | - | - | - | - |
| | hcv infection | | | | | | | | |
| M1230 | Patient has a reactive hcv antibody test and does not have a follow up hcv viral test, or patient | | | | | | | | |
| | has a reactive hcv antibody test and has a follow up hcv viral test that detects hcv viremia and is | | | | | | | | |
| | not referred to a clinician who treats hcv infection within 1 month and does not have hcv | Х | - | Х | - | - | - | - | - |
| | treatment initiated within 3 months of the reactive hcv antibody test, reason not given | | | | | | | | |
| M1231 | Bellevit and the best of the state of the st | | | | | | | | |
| | Patient receives how antibody test with nonreactive result | X | - | X | - | <u> </u> | - | - | - |
| | Patient receives hcv antibody test with reactive result Patient does not receive hcv antibody test or patient does receive hcv antibody test but results | ^ | - | ^ | - | | - | - | - |
| 1011233 | not documented, reason not given | X | - | Х | - | - | - | - | - |
| M1234 | Patient has a reactive hcv antibody test, and has a follow up hcv viral test that does not detect | | | | | | | | |
| WIIZOI | hcv viremia | X | - | Х | - | - | - | - | - |
| M1235 | Documentation or patient report of hcv antibody test or hcv rna test which occurred prior to the | | | | | | | | |
| 200 | performance period | X | - | X | - | - | - | - | - |
| M1236 | Baseline mrs > 2 | Х | - | Х | - | - | _ | _ | - |
| | Patient reason for not screening for food insecurity, housing instability, transportation needs, | | | | | | | | |
| | utility difficulties, and interpersonal safety (e.g., patient declined or other patient reasons) | Х | - | Х | - | - | - | - | - |
| | , , , , , , , , , , , , , , , , , , , | | | | | | | | |
| M1238 | Documentation that administration of second recombinant zoster vaccine could not occur | | | | | | | | |
| | during the performance period due to the recommended 2-6 month interval between doses (i.e, | X | - | Х | - | - | - | - | - |
| | first dose received after october 31) | | | | | | | | |
| M1239 | Patient did not respond to the question of patient felt heard and understood by this provider | Х | | Х | | | | | |
| | and team | ^ | - | ^ | - | - | - | - | , |
| M1240 | Patient did not respond to the question of patient felt this provider and team put my best | Х | | Х | | | | | _ |
| | interests first when making recommendations about my care | ^ | - | ^ | - | - | _ | | - |
| M1241 | Patient did not respond to the question of patient felt this provider and team saw me as a | X | _ | х | _ | _ | _ | _ | _ |
| | person, not just someone with a medical problem | ^ | - | _ ^ | - | - | | | - |
| M1242 | Patient did not respond to the question of patient felt this provider and team understood what | Х | _ | X | _ | _ | _ | _ | - |
| | is important to me in my life | | | | | | | | |
| M1243 | Patient provided a response other than "completely true" for the question of patient felt heard | Х | _ | X | _ | - | _ | _ | _ |
| | and understood by this provider and team | | | | | | | | |

^{*} These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



| | | | itional Medicaid | Tradit | tional Integrated | Non-Tradition | onal Medicaid | Non-Traditio | nal Integrated |
|-------------|--|----------------|------------------------------|----------------|------------------------------|-------------------------|------------------------------|-------------------------|------------------------------|
| Codes | Description | Not Covered | Preauthorization Required | Not Covered | Preauthorization Required | Not Covered | Preauthorization Required | Not Covered | Preauthorization Required |
| | Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, the | | | | | s, or specialty medical | | lirected to the Pharmac | |
| the website | Patient provided a response other than "completely true" for the question of patient felt this | | | | | | | | |
| | provider and team put my best interests first when making recommendations about my care | Х | _ | X | _ | _ | _ | _ | _ |
| | provider and team put my best interests inst when making recommendations about my care | ^ | | | | | | | |
| M1245 | Patient provided a response other than "completely true" for the guestion of patient felt this | | | | | | | | |
| | provider and team saw me as a person, not just someone with a medical problem | Х | - | Х | - | - | - | - | - |
| | | | | | | | | | |
| M1246 | Patient provided a response other than "completely true" for the question of patient felt this | Х | | Х | | | | | |
| | provider and team understood what is important to me in my life | ^ | - | ^ | • | • | - | - | , |
| M1247 | Patient responded "completely true" for the question of patient felt this provider and team put | Х | | Х | | | | | |
| | my best interests first when making recommendations about my care | ^ | - | ^ | , | - | - | - | , |
| M1248 | Patient responded "completely true" for the question of patient felt this provider and team saw | Х | _ | x | _ | _ | _ | _ | _ |
| | me as a person, not just someone with a medical problem | ^ | _ | ^ | | | _ | _ | |
| M1249 | Patient responded "completely true" for the question of patient felt this provider and team | Х | _ | х | _ | _ | _ | _ | _ |
| | understood what is important to me in my life | Λ. | | ^ | | | | | |
| M1250 | Patient responded as "completely true" for the question of patient felt heard and understood | Х | _ | Х | - | - | _ | _ | - |
| | by this provider and team | ,, | | ,, | | | | | |
| M1251 | Patients for whom a proxy completed the entire hu survey on their behalf for any reason (no | Х | _ | Х | - | - | _ | _ | - |
| | patient involvement) | ,, | | ,, | | | | | |
| M1252 | Patients who did not complete at least one of the four patient experience hu survey items and | Х | _ | Х | - | _ | _ | _ | - |
| 144050 | return the hu survey within 60 days of the ambulatory palliative care visit | | | | | | | | |
| M1253 | Patients who respond on the patient experience hu survey that they did not receive care by the | Х | - | Х | - | - | - | - | - |
| 14054 | listed ambulatory palliative care provider in the last 60 days (disavowal) | | | | | | | | |
| | Patients who were deceased when the hu survey reached them | Х | - | Х | - | - | - | - | - |
| W1255 | Patients who have another reason for visiting the clinic [not prenatal or postpartum care] and | | | | | | | | |
| | have a positive pregnancy test but have not established the clinic as an ob provider (e.g., plan to | Х | - | Х | - | - | - | - | - |
| | terminate the pregnancy or seek prenatal services elsewhere) | | | | | | | | |
| M1256 | Prior history of known cvd | Х | - | Х | _ | - | _ | _ | - |
| | Cvd risk assessment not performed or incomplete (e.g., cvd risk assessment was not | | | | | | | | |
| | documented), reason not otherwise specified | Х | - | Х | - | - | - | - | - |
| M1258 | Cvd risk assessment performed, have a documented calculated risk score | Х | - | Х | - | - | - | - | - |
| | Patients listed on the kidney-pancreas transplant waitlist or who received a living donor | | | | | | | | |
| | transplant within the first year following initiation of dialysis | Х | - | Х | - | - | - | - | - |
| M1260 | Patients who were not listed on the kidney-pancreas transplant waitlist or patients who did not | | | | | | | | |
| | receive a living donor transplant within the first year following initiation of dialysis | Х | - | Х | - | - | - | - | - |
| | | | | | | | | | |
| M1261 | Patients that were on the kidney or kidney-pancreas waitlist prior to initiation of dialysis | V | | V | | | | | |
| | | Х | - | Х | - | - | - | - | - |
| | Patients who had a transplant prior to initiation of dialysis | Х | - | Х | - | - | - | - | |
| M1263 | Patients in hospice on their initiation of dialysis date or during the month of evaluation | Х | _ | Х | _ | | | | |
| | | ^ | - | ^ | | - | _ | _ | - |
| | Patients age 75 or older on their initiation of dialysis date | X | - | X | - | - | - | - | - |
| M1265 | Cms medical evidence form 2728 for dialysis patients: initial form completed | Х | - | Х | - | - | - | - | • |
| M1266 | Patients admitted to a skilled nursing facility (snf) | X | - | X | - | - | - | - | - |

^{*} These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



| Codes Description Not Propulhorization Not Propulhorization Propulhorization | raditional Integrated Preauthorization Required Pharmacy link option within |
|--|---|
| recording reactions are control to consider the wateries. MISSP 3 patients not on any kidney or kidney-pancreas transplant waltilist or is not in active status on any kidney or kidney-pancreas transplant waltilist as of the last day of each month during the measurement period MISSP 8 Receiving eard month during the measurement period of each month during the month during the measurement period of each month during the measurement period of each month during the measurement period of each month during the measurement period of each month during the measurement period of each month during the measurement period of each month during the measurement period of each month during the measurement period of each month during the measurement period of each with definition at any time prior to or during the month of the last day of each month during the measurement period of each with definition at any time prior to or during the month of during the measurement period of during the measurement period of during the measurement period of during the measurement period of during the measurement period of during the measurement period of during the measurement period of during the measurement period of during the measurement period of during the measurement period of during the measurement period of the constitution of | Requirea |
| Braiding for the measurement period and the month during the month of evaluation according to the cms-2728 form M1279 Patients who were admitted to a skilled nursing facility (snf) during the month of evaluation and the remainder of reporting period documented of reporting period documented of reporting period documented of reporting period documented of reporting period documented of reporting period documented or reporting period documented or reporting period documented or reporting period documented or reporting period documented or reporting period documented or reporting period documented or reporting period or reporting period documented or reporting period or reporting period or reporting period or reporting period or reporting period or reporting period or reporting period or reporting period or repor | |
| any kidney or kidney-pancreas transplant waitlist as of the last day of each month during the measurement period M1288 Patients on active status on any kidney-pancreas transplant waitlist as of the last day of each month during the measurement period M1289 Receiving esrd mcp dialysis services by the provider on the last day of the reporting month M1270 Patients not on any kidney or kidney-pancreas transplant waitlist as of the last day of each month during the measurement period M1270 Patients not on any kidney or kidney-pancreas transplant waitlist as of the last day of each month during the measurement period M1271 Patients with dementia at any time prior to or during the month M1272 Patients on any kidney or kidney-pancreas transplant waitlist as of the last day of each month during the measurement period M1273 Patients with dementia at any time prior to or during the month M1274 Patients on any kidney or kidney-pancreas transplant waitlist as of the last day of each month during the measurement period M1275 Patients who were admitted to a skilled nursing facility (snf) within one year of dialysis initiation according to the cms-2728 form M1274 Patients who were admitted to a skilled nursing facility (snf) during the month of evaluation were excluded from that month M1275 Patients determined to be in hospice were excluded from month of evaluation and the remainder of reporting period M1276 Patients determined to be in hospice were excluded from month of evaluation and the remainder of reporting period M1277 Colorectal cancer screening results documented, and the indicated follow-up is documented. M1278 Elevated or hypertensive blood pressure reading documented, and the indicated follow-up is documented. M1279 Elevated or hypertensive blood pressure reading documented, and the indicated follow-up not documented. Such as a scheme of a right and a left unliateral mastectomy or who who had a bilateral mastectomy or who have a history of a bilateral mastectomy or who who had a bilateral mastectomy | , , namao, ma opuon wumi |
| measurement period M1269 Patients on active status on any kidney or kidney-pancreas transplant waitlist as of the last day of each month during the measurement period M1269 Receiving esrd mcp dialysis services by the provider on the last day of the reporting month X | |
| M1268 Patients on active status on any kidney or kidney-pancreas transplant waitlist as of the last day of each month during the measurement period of each month during the measurement period of each month during the measurement period of month during the measurement period of month during the measurement period of the last day of each month during the measurement period of month during the measurement period of month during the measurement period of during the measurement period of the month during the measurement period of during the measurement period of during the measurement period of during the measurement period of during the measurement period of during the measurement period of during the measurement period of during the measurement period of during the measurement period of during the measurement period of during the measurement period of during the measurement period of during the measurement period of during the measurement period of during the measurement period of during the measurement period of during the measurement period of during the measurement period of during the measurement period of during the month of dialysis initiation as according to the cms-2728 form of during the month of evaluation of during the month of evaluation of during the month of evaluation of during the month of evaluation of the excluded from that month of the valuation of the excluded from that month of the valuation of the excluded from that month of the particle of the period of th | - |
| of each month during the measurement period M1269 Receiving esrd mcp dialysis services by the provider on the last day of the reporting month M1270 Patients not on any kidney-pancreas transplant waitlist as of the last day of each month during the measurement period M1271 Patients with dementia at any time prior to or during the month M1272 Patients on any kidney or kidney-pancreas transplant waitlist as of the last day of each month during the measurement period M1273 Patients on any kidney or kidney-pancreas transplant waitlist as of the last day of each month during the measurement period M1273 Patients who were admitted to a skilled nursing facility (snf) within one year of dialysis initiation according to the cms-2728 form M1274 Patients who were admitted to a skilled nursing facility (snf) during the month of evaluation were excluded from that month M1275 Patients who were admitted to a skilled nursing facility (snf) during the month of evaluation were excluded from that month M1276 Bini documented outside normal parameters, no follow-up plan documented, no reason given M1277 Colorectal cancer screening results documented and reviewed M1278 Elevated or hypertensive blood pressure reading documented, and the indicated follow-up is documented M1279 Elevated or hypertensive blood pressure reading documented, indicated follow-up not documented, reason not given M1280 Wennew hoh ad a bilateral mastectomy or who have a history of a bilateral mastectomy or for whom there is evidence of a right and a left unilateral mastectomy or for whom there is evidence of a right and a left unilateral mastectomy or for whom there is evidence of a right and a left unilateral mastectomy or for whom there is evidence of a right and a left unilateral mastectomy or for whom there is evidence of a right and a left unilateral mastectomy or who have a history of a bilateral mastectomy or for whom there is evidence of a right and a left unilateral mastectomy or who have a bilateral mastectomy or who have a bilateral maste | |
| of each month during the measurement period M1270 Patients not on any kidney-pancreas transplant waitlist as of the last day of each month during the measurement period M1271 Patients not on any kidney-pancreas transplant waitlist as of the last day of each month during the measurement period M1271 Patients on any kidney or kidney-pancreas transplant waitlist as of the last day of each month during the measurement period M1272 Patients on any kidney or kidney-pancreas transplant waitlist as of the last day of each month during the measurement period M1273 Patients who were admitted to a skilled nursing facility (snf) within one year of dialysis initiation according to the cms-2728 form M1274 Patients who were admitted to a skilled nursing facility (snf) during the month of evaluation were excluded from that month M1275 Patients determined to be in hospice were excluded from month of evaluation and the remainder of reporting period M1276 Bmi documented outside normal parameters, no follow-up plan documented, no reason given M1277 Colorectal cancer screening results documented and reviewed M1278 Elevated or hypertensive blood pressure reading documented, and the indicated follow-up is documented Elevated or hypertensive blood pressure reading documented, indicated follow-up not documented, reason not given M1280 M1280 Biolod pressure reading not documented, reason not given M1280 M1281 Blood pressure reading not documented, reason not given M1284 Patients screened for tobacco use and identified as a tobacco user M1284 Patients screened for lobacco use and identified as a tobacco user M1284 Patients screened for older in institutional special needs plans (snp) or residing in long term care | _ |
| M1270 Patients not on any kidney or kidney-pancreas transplant waitlist as of the last day of each month during the measurement period M1271 Patients with dementia at any time prior to or during the month M1272 Patients on any kidney-pancreas transplant waitlist as of the last day of each month during the measurement period M1273 Patients on any kidney-pancreas transplant waitlist as of the last day of each month during the measurement period M1273 Patients who were admitted to a skilled nursing facility (snf) within one year of dialysis initiation according to the cms-2728 form M1274 Patients who were admitted to a skilled nursing facility (snf) during the month of evaluation were excluded from that month M1275 Patients determined to be in hospice were excluded from month of evaluation and the remainder of reporting period M1276 Bini documented outside normal parameters, no follow-up plan documented, no reason given M1277 Colorectal cancer screening results documented and reviewed M1278 Elevated or hypertensive blood pressure reading documented, and the indicated follow-up is documented M1279 Elevated or hypertensive blood pressure reading documented, indicated follow-up not documented, reason not given M1280 Wennew who had a bilateral mastectomy or who have a history of a bilateral mastectomy or for whom whom there is evidence of a right and a left unilateral mastectomy M1280 Blood pressure reading not documented, reason not given M1281 Blood pressure reading not documented, reason not given M1284 Patients screened for tobacco use and identified as a tobacco on-user X - X | _ |
| month during the measurement period M1271 Patients with dementia at any time prior to or during the month M1272 Patients on any kidney or kidney-pancreas transplant waitlist as of the last day of each month during the measurement period M1273 Patients who were admitted to a skilled nursing facility (snf) within one year of dialysis initiation according to the cms-2728 form M1274 Patients who were admitted to a skilled nursing facility (snf) during the month of evaluation were excluded from that month M1275 Patients determined to be in hospice were excluded from month of evaluation and the remainder of reporting period M1276 Bmi documented outside normal parameters, no follow-up plan documented, no reason given M1277 Colorectal cancer screening results documented and reviewed M1277 Colorectal cancer screening results documented and reviewed M1278 Elevated or hypertensive blood pressure reading documented, and the indicated follow-up is documented M1279 Elevated or hypertensive blood pressure reading documented, indicated follow-up not documented, reason not given M1280 Women who had a bilateral mastectomy or who have a history of a bilateral mastectomy or for whom there is evidence of a right and a left unilateral mastectomy M1280 Patients sege 66 or older in institutional special needs plans (snp) or residing in long term care | - |
| month during the measurement period M1271 Patients with dementia at any time prior to or during the month M1272 Patients on any kidney or kidney-pancreas transplant waitlist as of the last day of each month during the measurement period M1273 Patients who were admitted to a skilled nursing facility (snf) within one year of dialysis initiation according to the cms-2728 form M1274 Patients who were admitted to a skilled nursing facility (snf) during the month of evaluation were excluded from that month M1275 Patients determined to be in hospice were excluded from month of evaluation and the remainder of reporting period M1276 Bmi documented outside normal parameters, no follow-up plan documented, no reason given M1277 Colorectal cancer screening results documented and reviewed M1277 Colorectal cancer screening results documented, and the indicated follow-up is documented Elevated or hypertensive blood pressure reading documented, and the indicated follow-up is documented M1279 Elevated or hypertensive blood pressure reading documented, indicated follow-up not documented, reason not given M1280 Women who had a bilateral mastectomy or who have a history of a bilateral mastectomy or for whom there is evidence of a right and a left unilateral mastectomy M1280 Patients screened for tobaccouse and identified as a tobacco non-user M1280 Patients screened for tobaccouse and identified as a tobaccouser M1280 Patients sage 66 or older in institutional special needs plans (snp) or residing in long term care | |
| M1271 Patients with dementia at any time prior to or during the month X | - |
| M1272 Patients on any kidney or kidney-pancreas transplant waitlist as of the last day of each month during the measurement period M1273 Patients who were admitted to a skilled nursing facility (snf) within one year of dialysis initiation according to the cms-2728 form M1274 Patients who were admitted to a skilled nursing facility (snf) during the month of evaluation were excluded from that month M1275 Patients determined to be in hospice were excluded from month of evaluation and the remainder of reporting period M1276 Bmil documented outside normal parameters, no follow-up plan documented, no reason given M1277 Colorectal cancer screening results documented and reviewed M1278 Elevated or hypertensive blood pressure reading documented, and the indicated follow-up is documented M1279 Elevated or hypertensive blood pressure reading documented, indicated follow-up not documented, reason not given M1280 Women who had a bilateral mastectomy or who have a history of a bilateral mastectomy or for whom there is evidence of a right and a left unilateral mastectomy M1280 Patients screened for tobacco use and identified as a tobacco non-user M1280 Patients age 66 or older in institutional special needs plans (snp) or residing in long term care | _ |
| during the measurement period M1273 Patients who were admitted to a skilled nursing facility (snf) within one year of dialysis initiation according to the cms-2728 form M1274 Patients who were admitted to a skilled nursing facility (snf) during the month of evaluation were excluded from that month M1275 Patients determined to be in hospice were excluded from month of evaluation and the remainder of reporting period M1276 Bmi documented outside normal parameters, no follow-up plan documented, no reason given M1277 Colorectal cancer screening results documented and reviewed M1278 Elevated or hypertensive blood pressure reading documented, and the indicated follow-up is documented M1279 Elevated or hypertensive blood pressure reading documented, indicated follow-up not documented, reason not given M1280 Women who had a bilateral mastectomy or who have a history of a bilateral mastectomy or for whom there is evidence of a right and a left unilateral mastectomy M1281 Blood pressure reading not documented, reason not given X - X | |
| M1273 Patients who were admitted to a skilled nursing facility (snf) within one year of dialysis initiation according to the cms-2728 form M1274 Patients who were admitted to a skilled nursing facility (snf) during the month of evaluation were excluded from that month M1275 Patients determined to be in hospice were excluded from month of evaluation and the remainder of reporting period M1276 Bmi documented outside normal parameters, no follow-up plan documented, no reason given M1277 Colorectal cancer screening results documented and reviewed M1278 Elevated or hypertensive blood pressure reading documented, and the indicated follow-up is documented M1279 Elevated or hypertensive blood pressure reading documented, indicated follow-up not documented, reason not given M1279 Women who had a bilateral mastectomy or who have a history of a bilateral mastectomy or for whom there is evidence of a right and a left unilateral mastectomy M1280 Vomen who had a bilateral mastectomy or who have a history of a bilateral mastectomy or for whom there is evidence of a right and a left unilateral mastectomy M1281 Blood pressure reading not documented, reason not given M1282 Patient screened for tobacco use and identified as a tobacco user X - X | - |
| according to the cms-2728 form M1274 Patients who were admitted to a skilled nursing facility (snf) during the month of evaluation were excluded from that month M1275 Patients determined to be in hospice were excluded from month of evaluation and the remainder of reporting period M1276 Bmi documented outside normal parameters, no follow-up plan documented, no reason given M1277 Colorectal cancer screening results documented and reviewed M1278 Elevated or hypertensive blood pressure reading documented, and the indicated follow-up is documented M1279 Elevated or hypertensive blood pressure reading documented, indicated follow-up not documented, reason not given M1280 Women who had a bilateral mastectomy or who have a history of a bilateral mastectomy or for whom there is evidence of a right and a left unilateral mastectomy M1281 Blood pressure reading not documented, reason not given M1282 Patients creened for tobacco use and identified as a tobacco non-user M1283 Patients age 66 or older in institutional special needs plans (snp) or residing in long term care | |
| M1274 Patients who were admitted to a skilled nursing facility (snf) during the month of evaluation were excluded from that month M1275 Patients determined to be in hospice were excluded from month of evaluation and the remainder of reporting period M1276 Bmi documented outside normal parameters, no follow-up plan documented, no reason given M1277 Colorectal cancer screening results documented and reviewed M1278 Elevated or hypertensive blood pressure reading documented, and the indicated follow-up is documented M1279 Elevated or hypertensive blood pressure reading documented, indicated follow-up not documented, reason not given M1279 Elevated or hypertensive blood pressure reading documented, indicated follow-up not documented, reason not given M1280 Women who had a bilateral mastectomy or who have a history of a bilateral mastectomy or for whom there is evidence of a right and a left unilateral mastectomy M1281 Blood pressure reading not documented, reason not given M1282 Patient screened for tobacco use and identified as a tobacco user M1283 Patients screened for tobacco use and identified as a tobacco user M1284 Patients age 66 or older in institutional special needs plans (snp) or residing in long term care | - |
| were excluded from that month M1276 Patients determined to be in hospice were excluded from month of evaluation and the remainder of reporting period M1276 Bmi documented outside normal parameters, no follow-up plan documented, no reason given M1277 Colorectal cancer screening results documented and reviewed M1278 Elevated or hypertensive blood pressure reading documented, and the indicated follow-up is documented M1279 Elevated or hypertensive blood pressure reading documented, indicated follow-up not documented, reason not given M1280 Women who had a bilateral mastectomy or who have a history of a bilateral mastectomy or for whom there is evidence of a right and a left unilateral mastectomy M1281 Blood pressure reading not documented, reason not given M1282 Patient screened for tobacco use and identified as a tobacco non-user M1283 Patient screened for tobacco use and identified as a tobacco user M1284 Patients age 66 or older in institutional special needs plans (snp) or residing in long term care | |
| M1275 Patients determined to be in hospice were excluded from month of evaluation and the remainder of reporting period M1276 Bmi documented outside normal parameters, no follow-up plan documented, no reason given M1277 Colorectal cancer screening results documented and reviewed M1278 Elevated or hypertensive blood pressure reading documented, and the indicated follow-up is documented M1279 Elevated or hypertensive blood pressure reading documented, indicated follow-up not documented, reason not given M1279 Women who had a bilateral mastectomy or who have a history of a bilateral mastectomy or for whom there is evidence of a right and a left unilateral mastectomy M1280 Blood pressure reading not documented, reason not given M1281 Blood pressure reading not documented, reason not given M1282 Patient screened for tobacco use and identified as a tobacco user M1283 Patient screened for tobacco use and identified as a tobacco user M1284 Patients age 66 or older in institutional special needs plans (snp) or residing in long term care | - |
| remainder of reporting period M1276 Bmi documented outside normal parameters, no follow-up plan documented, no reason given M1277 Colorectal cancer screening results documented and reviewed M1278 Elevated or hypertensive blood pressure reading documented, and the indicated follow-up is documented M1279 Elevated or hypertensive blood pressure reading documented, indicated follow-up not documented, reason not given M1280 Women who had a bilateral mastectomy or who have a history of a bilateral mastectomy or for whom there is evidence of a right and a left unilateral mastectomy M1281 Blood pressure reading not documented, reason not given M1282 Patient screened for tobacco use and identified as a tobacco non-user M1283 Patient screened for tobacco use and identified as a tobacco user M1284 Patients age 66 or older in institutional special needs plans (snp) or residing in long term care | |
| M1276 Bmi documented outside normal parameters, no follow-up plan documented, no reason given M1277 Colorectal cancer screening results documented and reviewed X - X | - |
| M1277 Colorectal cancer screening results documented and reviewed M1278 Elevated or hypertensive blood pressure reading documented, and the indicated follow-up is documented M1279 Elevated or hypertensive blood pressure reading documented, indicated follow-up not documented, reason not given M1280 Women who had a bilateral mastectomy or who have a history of a bilateral mastectomy or for whom there is evidence of a right and a left unilateral mastectomy M1281 Blood pressure reading not documented, reason not given M1282 Patient screened for tobacco use and identified as a tobacco non-user M1283 Patient screened for tobacco use and identified as a tobacco user M1284 Patients age 66 or older in institutional special needs plans (snp) or residing in long term care | |
| M1278 Elevated or hypertensive blood pressure reading documented, and the indicated follow-up is documented M1279 Elevated or hypertensive blood pressure reading documented, indicated follow-up not documented, reason not given M1280 Women who had a bilateral mastectomy or who have a history of a bilateral mastectomy or for whom there is evidence of a right and a left unilateral mastectomy M1281 Blood pressure reading not documented, reason not given M1282 Patient screened for tobacco use and identified as a tobacco non-user M1283 Patient screened for tobacco use and identified as a tobacco user M1284 Patients age 66 or older in institutional special needs plans (snp) or residing in long term care | - |
| M1278 Elevated or hypertensive blood pressure reading documented, and the indicated follow-up is documented M1279 Elevated or hypertensive blood pressure reading documented, indicated follow-up not documented, reason not given M1280 Women who had a bilateral mastectomy or who have a history of a bilateral mastectomy or for whom there is evidence of a right and a left unilateral mastectomy M1281 Blood pressure reading not documented, reason not given M1282 Patient screened for tobacco use and identified as a tobacco non-user M1283 Patient screened for tobacco use and identified as a tobacco user M1284 Patients age 66 or older in institutional special needs plans (snp) or residing in long term care | _ |
| documented M1279 Elevated or hypertensive blood pressure reading documented, indicated follow-up not documented, reason not given M1280 Women who had a bilateral mastectomy or who have a history of a bilateral mastectomy or for whom there is evidence of a right and a left unilateral mastectomy M1281 Blood pressure reading not documented, reason not given M1282 Patient screened for tobacco use and identified as a tobacco non-user M1283 Patient screened for tobacco use and identified as a tobacco user M1284 Patients age 66 or older in institutional special needs plans (snp) or residing in long term care | |
| M1280 Women who had a bilateral mastectomy or who have a history of a bilateral mastectomy or for whom there is evidence of a right and a left unilateral mastectomy M1281 Blood pressure reading not documented, reason not given M1282 Patient screened for tobacco use and identified as a tobacco non-user M1283 Patients screened for tobacco use and identified as a tobacco user M1284 Patients age 66 or older in institutional special needs plans (snp) or residing in long term care | - |
| documented, reason not given M1280 Women who had a bilateral mastectomy or who have a history of a bilateral mastectomy or for whom there is evidence of a right and a left unilateral mastectomy X X X X X X X X X X X X X | |
| M1280 Women who had a bilateral mastectomy or who have a history of a bilateral mastectomy or for whom there is evidence of a right and a left unilateral mastectomy M1281 Blood pressure reading not documented, reason not given M1282 Patient screened for tobacco use and identified as a tobacco non-user M1283 Patient screened for tobacco use and identified as a tobacco user M1284 Patients age 66 or older in institutional special needs plans (snp) or residing in long term care | - |
| whom there is evidence of a right and a left unilateral mastectomy X - X - X - M1281 Blood pressure reading not documented, reason not given X - X - X - X - X - - M1282 Patient screened for tobacco use and identified as a tobacco non-user X - X - X - X - X - X - - | |
| M1281 Blood pressure reading not documented, reason not given X - X | _ |
| M1282 Patient screened for tobacco use and identified as a tobacco non-user X - X - - - M1283 Patient screened for tobacco use and identified as a tobacco user X - X - - - M1284 Patients age 66 or older in institutional special needs plans (snp) or residing in long term care - - - - | |
| M1282 Patient screened for tobacco use and identified as a tobacco non-user X - X - - - M1283 Patient screened for tobacco use and identified as a tobacco user X - X - - - M1284 Patients age 66 or older in institutional special needs plans (snp) or residing in long term care - - - - | _ |
| M1283 Patient screened for tobacco use and identified as a tobacco user X - X M1284 Patients age 66 or older in institutional special needs plans (snp) or residing in long term care | _ |
| M1284 Patients age 66 or older in institutional special needs plans (snp) or residing in long term care | _ |
| | |
| I INNICI DOS COGE SA, SS, SS, SS, SS, OS, OS OF THOSE CIGILISE CONSECUCIVE GAYS GUITING CHECKLET A FIRST TO A | - |
| period | |
| M1285 Screening, diagnostic, film, digital or digital breast tomosynthesis (3d) mammography results | |
| were not documented and reviewed, reason not otherwise specified X - X | _ |
| | |
| M1286 Bmi is documented as being outside of normal parameters, follow-up plan is not completed for | |
| documented medical reason | - |
| M1287 Bmi is documented below normal parameters and a follow-up plan is documented X - X | - |
| M1288 Documented reason for not screening or recommending a follow-up for high blood pressure | |
| The pocumental reason for not screening of recommending a follow-up for high blood pressure X - X | - |
| M1289 Patient identified as tobacco user did not receive tobacco cessation intervention during the | |
| measurement period or in the six months prior to the measurement period (counseling and/or X - X | - |
| pharmacotherapy) | |

^{*} These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



| | | Trad | itional Medicaid | Tradit | tional Integrated | Non-Tradition | onal Medicaid | Non-Tradition | nal Integrated |
|-------------|--|----------------|------------------------------|----------------|------------------------------|-------------------------|------------------------------|------------------------|------------------------------|
| Codes | Description | Not Covered | Preauthorization Required | Not Covered | Preauthorization Required | Not Covered | Preauthorization Required | Not Covered | Preauthorization Required |
| | Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, the | | | | | s, or specialty medical | | irected to the Pharmac | |
| the website | Patient not eligible due to active diagnosis of hypertension | Х | _ | Х | _ | | - | _ | - |
| | Patients 66 years of age and older with at least one claim/encounter for frailty during the | | | | | | | | |
| M1291 | measurement period and a dispensed medication for dementia during the measurement period | Х | _ | Х | _ | _ | _ | _ | _ |
| | or the year prior to the measurement period | , | | , , | | | | | |
| | Patients 66 years of age and older with at least one claim/encounter for frailty during the | | | | | | | | |
| | measurement period and either one acute inpatient encounter with a diagnosis of advanced | | | | | | | | |
| | illness or two outpatient, observation, ed or nonacute inpatient encounters on different dates | | | | | | | | |
| M1292 | of service with an advanced illness diagnosis during the measurement period or the year prior | Х | - | X | - | - | - | - | - |
| | to the measurement period | | | | | | | | |
| | to the measurement period | | | | | | | | |
| M1293 | Bmi is documented above normal parameters and a follow-up plan is documented | Х | - | Х | - | - | - | - | - |
| M1294 | Normal blood pressure reading documented, follow-up not required | Х | - | Х | - | - | - | - | - |
| M1295 | Patients with a diagnosis or past history of total colectomy or colorectal cancer | Х | - | Х | - | - | - | - | - |
| M1296 | Bmi is documented within normal parameters and no follow-up plan is required | Х | - | Х | - | - | - | - | - |
| M1297 | Bmi not documented due to medical reason or patient refusal of height or weight measurement | Х | | Х | | | | | |
| W11297 | | ^ | - | ^ | - | - | - | - | • |
| M1298 | Documentation of patient pregnancy anytime during the measurement period prior to and | Х | | Х | | | | | |
| IVITZ98 | including the current encounter | ^ | - | ^ | - | - | - | - | - |
| M1299 | Influenza immunization administered or previously received | Х | - | Х | - | - | - | - | - |
| | Influenza immunization was not administered for reasons documented by clinician (e.g., patient | | | | | | | | |
| M1300 | allergy or other medical reasons, patient declined or other patient reasons, vaccine not | Х | - | Х | - | - | - | - | - |
| | available or other system reasons) | | | | | | | | |
| | Patient identified as a tobacco user received tobacco cessation intervention during the | | | | | | | | |
| M1301 | measurement period or in the six months prior to the measurement period (counseling and/or | Х | - | X | - | - | - | - | - |
| | pharmacotherapy) | | | | | | | | |
| M1302 | Screening, diagnostic, film digital or digital breast tomosynthesis (3d) mammography results | Х | | Х | | | | | |
| 1011302 | documented and reviewed | ^ | - | ^ | - | - | _ | - | - |
| M1303 | Hospice services provided to patient any time during the measurement period | Х | - | X | - | - | - | - | - |
| M1304 | Patient did not receive any pneumococcal conjugate or polysaccharide vaccine on or after their | x | _ | X | _ | _ | _ | _ | _ |
| 1112301 | 19th birthday and before the end of the measurement period | ^ | | | | | | | |
| M1305 | Patient received any pneumococcal conjugate or polysaccharide vaccine on or after their 19th | x | _ | Х | _ | _ | _ | _ | _ |
| 111200 | birthday and before the end of the measurement period | ^ | | | | | | | |
| M1306 | Patient had anaphylaxis due to the pneumococcal vaccine any time during or before the | Х | _ | Х | _ | _ | _ | _ | _ |
| 1112300 | measurement period | ^ | | | | | | | |
| M1307 | Documentation stating the patient has received or is currently receiving palliative or hospice | Х | _ | X | _ | _ | _ | _ | - |
| | care | | | | | | | | |
| M1308 | Influenza immunization was not administered, reason not given | Х | - | X | - | - | - | - | - |
| M1309 | Palliative care services provided to patient any time during the measurement period | Х | - | Х | - | - | - | - | - |
| <u> </u> | Patient screened for tobacco use and received tobacco cessation intervention during the | | | | | | | | |
| M1310 | measurement period or in the six months prior to the measurement period (counseling, | X | _ | х | _ | _ | _ | _ | _ |
| 1411210 | pharmacotherapy, or both), if identified as a tobacco user | _ ^ | _ | ^ | | - | | _ | |
| M1311 | Anaphylaxis due to the vaccine on or before the date of the encounter | Х | _ | Х | _ | - | _ | _ | - |
| | Patient not screened for tobacco use | X | _ | X | _ | _ | - | _ | _ |
| IVITOTE | ו מנופות ווטר סכופפוופע וטו בטשמבבט עספ | _ ^ | <u> </u> | _ ^ | | - | <u> </u> | _ | , |

^{*} These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



| | | Trad | litional Medicaid | Tradi | tional Integrated | Non-Traditio | onal Medicaid | Non-Tradition | nal Integrated |
|----------------------------|--|----------------|------------------------------|----------------|------------------------------|------------------------|------------------------------|------------------------|------------------------------|
| Codes | Description | Not Covered | Preauthorization Required | Not Covered | Preauthorization Required | Not Covered | Preauthorization Required | Not Covered | Preauthorization Required |
| Disclaimer: the website | Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, the . | se coding list | s do not reflect information | regarding imm | unizations, injectable drugs | i, or specialty medica | tions and should be d | irected to the Pharmac | y link option within |
| | Tobacco screening not performed or tobacco cessation intervention not provided during the | | | | | | | | |
| M1313 | measurement period or in the six months prior to the measurement period | Х | - | Х | - | - | - | - | - |
| M1314 | Bmi not documented and no reason is given | Х | - | Х | - | | - | - | |
| M1315 | Colorectal cancer screening results were not documented and reviewed; reason not otherwise specified | Х | - | х | - | - | - | - | - |
| M1316 | Current tobacco non-user | Х | - | Х | - | - | - | - | - |
| M1317 | Patients who are counseled on connection with a csp and explicitly opt out | Х | - | X | - | - | - | - | - |
| M1318 | Patients who did not have documented contact with a csp for at least one of their screened positive hrsns within 60 days after screening or documentation that there was no contact with a csp | Х | - | × | - | 1 | - | - | - |
| M1319 | Patients who had documented contact with a csp for at least one of their screened positive hrsns within 60 days after screening | Х | - | Х | - | • | - | - | - |
| M1320 | Patients who screened positive for at least 1 of the 5 hrsns | X | - | Х | - | | - | - | - |
| M1321 | Patients who were not seen within 7 weeks following the date of injection for follow up or who did not have a documented iop or no plan of care documented if the iop was >25 mm hg | х | - | х | - | - | - | - | - |
| M1322 | Patients seen within 7 weeks following the date of injection and are screened for elevated intraocular pressure (iop) with tonometry with documented iop =<25 mm hg for injected eye | Х | - | Х | - | - | - | - | - |
| M1323 | Patients seen within 7 weeks following the date of injection and are screened for elevated intraocular pressure (iop) with tonometry with documented iop >25 mm hg and a plan of care was documented | Х | - | х | - | - | - | - | - |
| M1324 | Patients who had an intravitreal or periocular corticosteroid injection (e.g., triamcinolone, preservative-free triamcinolone, dexamethasone, dexamethasone intravitreal implant, or fluocinolone intravitreal implant) | Х | - | х | - | - | - | - | - |
| M1325 | Patients who were not seen for reasons documented by clinician for patient or medical reasons (e.g., inadequate time for follow-up, patients who received a prior intravitreal or periocular steroid injection within the last six (6) months and had a subsequent iop evaluation with iop <25mm hg within seven (7) weeks of treatment) | Х | - | x | - | - | - | - | - |
| M1326 | Patients with a diagnosis of hypotony | Х | - | Х | - | - | - | - | - |
| M1327 | Patients who were not appropriately evaluated during the initial exam and/or who were not re- evaluated within 8 weeks | Х | - | Х | - | - | - | - | - |
| M1328 | Patients with a diagnosis of acute vitreous hemorrhage | Х | - | Х | - | • | - | - | - |
| M1329 | Patients with a post-operative encounter of the eye with the acute pvd within 2 weeks before the initial encounter or 8 weeks after initial acute pvd encounter | Х | - | Х | - | - | - | - | - |
| M1330 | Documentation of patient reason(s) for not having a follow up exam (e.g., inadequate time for follow up) | Х | - | Х | - | - | - | - | - |
| M1331 | Patients who were appropriately evaluated during the initial exam and were re-evaluated no later than 8 weeks from initial exam | Х | - | Х | - | - | - | - | - |
| M1332 | Patients who were not appropriately evaluated during the initial exam and/or who were not re-evaluated within 2 weeks | Х | - | Х | - | - | - | - | - |
| M1333 | Acute vitreous hemorrhage | Х | - | Х | - | - | - | - | - |
| M1334 | Patients with a post-operative encounter of the eye with the acute pvd within 2 weeks before the initial encounter or 2 weeks after initial acute pvd encounter | Х | - | Х | - | - | - | - | - |

^{*} These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



| | | Trad | itional Medicaid | Tradit | ional Integrated | Non-Tradition | onal Medicaid | Non-Tradition | nal Integrated |
|----------------------------|--|----------------|------------------------------|----------------|------------------------------|------------------------|------------------------------|------------------------|------------------------------|
| Codes | Description | Not Covered | Preauthorization Required | Not Covered | Preauthorization Reguired | Not Covered | Preauthorization Required | Not Covered | Preauthorization Required |
| Disclaimer: the website | Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, the | | | | unizations, injectable drugs | s, or specialty medica | | irected to the Pharmac | |
| M1335 | Documentation of patient reason(s) for not having a follow up exam (e.g., inadequate time for follow up) | Х | - | х | - | - | - | - | - |
| M1336 | Patients who were appropriately evaluated during the initial exam and were re-evaluated no later than 2 weeks | Х | - | Х | - | - | - | - | - |
| M1337 | Acute pvd | X | - | X | - | - | - | - | - |
| M1338 | Patients who had follow-up assessment 30 to 180 days after the index assessment who did not demonstrate positive improvement or maintenance of functioning scores during the performance period | Х | - | х | - | - | - | - | - |
| M1339 | Patients who had follow-up assessment 30 to 180 days after the index assessment who demonstrated positive improvement or maintenance of functioning scores during the performance period | Х | - | х | - | - | - | - | - |
| M1340 | Index assessment completed using the 12-item whodas 2.0 or sds during the denominator identification period | Х | - | Х | - | • | - | - | - |
| M1341 | Patients who did not have a follow-up assessment or did not have an assessment within 30 to 180 days after the index assessment during the performance period | Х | - | Х | - | - | - | - | - |
| M1342 | Patients who died during the performance period | X | - | Х | - | - | - | - | - |
| M1343 | Patients who are at pam level 4 at baseline or patients who are flagged with extreme straight line response sets on the pam | Х | - | Х | - | - | - | - | - |
| M1344 | Patients who did not have a baseline pam score and/or a second score within 6 to 12 month of baseline pam score | Х | - | Х | , | - | - | - | - |
| M1345 | Patients who had a baseline pam score and a second score within 6 to 12 month of baseline pam score | Х | - | Х | - | - | - | - | - |
| M1346 | Patients who did not have a net increase in pam score of at least 6 points within a 6 to 12 month period | Х | - | Х | - | - | - | - | - |
| M1347 | Patients who achieved a net increase in pam score of at least 3 points in a 6 to 12 month period (passing) | Х | - | Х | - | - | - | - | - |
| M1348 | Patients who achieved a net increase in pam score of at least 6-points in a 6 to 12 month period (excellent) | Х | - | Х | - | - | - | - | - |
| M1349 | Patients who did not have a net increase in pam score of at least 3 points within 6 to 12 month period | Х | - | Х | - | - | - | - | - |
| M1350 | Patients who had a completed suicide safety plan initiated, reviewed or updated in collaboration with their clinician (concurrent or within 24 hours) of the index clinical encounter | Х | - | Х | - | - | - | - | - |
| M1351 | Patients who had a suicide safety plan initiated, reviewed, or updated and reviewed and updated in collaboration with the patient and their clinician concurrent or within 24 hours of clinical encounter and within 120 days after initiation | Х | - | х | - | - | - | - | - |
| M1352 | Suicidal ideation and/or behavior symptoms based on the c-ssrs or equivalent assessment | Х | - | х | - | - | - | - | - |
| M1353 | Patients who did not have a completed suicide safety plan initiated, reviewed or updated in collaboration with their clinician (concurrent or within 24 hours) of the index clinical encounter | Х | - | х | - | - | - | - | - |

^{*} These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



| | Ticaldi | Trad | itional Medicaid | Tradi | tional Integrated | Non-Tradition | onal Medicaid | Non-Tradition | nal Integrated |
|-------------|--|----------------------------|---------------------------------------|--------------------------|---------------------------------------|------------------------|---------------------------------|------------------------|-----------------------------------|
| Codes | Description | Not | Preauthorization | Not | Preauthorization | Not Covered | Preauthorization | Not Covered | Preauthorization |
| Disclaimer: | Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, the | Covered se coding lists | Required s do not reflect information | Covered regarding imm | Required unizations, injectable drugs | s, or specialty medica | Required ations and should be d | irected to the Pharmac | Required by link option within |
| the website | | l | I | 1 | | | I | 1 | |
| | Patients who did not have a suicide safety plan initiated, reviewed, or updated or reviewed and | | | | | | | | l |
| M1354 | updated in collaboration with the patient and their clinician concurrent or within 24 hours of | Х | - | Х | - | - | - | - | - |
| | clinical encounter and within 120 days after initiation | | | | | | | | l |
| M1355 | Suicide risk based on their clinician's evaluation or a clinician-rated tool | Х | - | Х | - | - | - | - | - |
| | Patients who died during the measurement period | Х | - | Х | - | - | - | - | - |
| M1357 | Patients who had a reduction in suicidal ideation and/or behavior upon follow-up assessment | Х | _ | Х | _ | _ | _ | _ | |
| 1011337 | within 120 days of index assessment | ^ | _ | ^ | _ | | _ | _ | |
| M1358 | Patients who did not have a reduction in suicidal ideation and/or behavior upon follow-up | X | _ | X | _ | _ | _ | _ | l <u>-</u> |
| 1411330 | assessment within 120 days of index assessment | ^ | | ^ | | | | | |
| | Index assessment during the denominator period when the suicidal ideation and/or behavior | | | | | | | | İ |
| M1359 | symptoms or increased suicide risk by clinician determination occurs and a non-zero c-ssrs score | Х | - | Х | - | - | - | - | <u>-</u> |
| | is obtained | | | | | | | | |
| | Suicidal ideation and/or behavior symptoms based on the c-ssrs | Х | - | Х | - | - | - | - | - |
| M1361 | Suicide risk based on their clinician's evaluation or a clinician-rated tool | Х | - | Х | - | - | - | - | - |
| M1362 | Patients who died during the measurement period | Х | - | Х | - | - | - | - | - |
| M1363 | Patients who did not have a follow-up assessment within 120 days of the index assessment | Х | - | Х | - | - | - | - | - |
| M1364 | Calculated 10-year ascvd risk score of = 20 percent during the performance period | Х | - | Х | - | | - | - | - |
| M1365 | Patient encounter during the performance period with hospice and palliative care specialty | Х | _ | Х | _ | | _ | _ | |
| 1011303 | code 17 | | _ | | - | | _ | | _ |
| | Focusing on women's health mips value pathway | Х | - | X | - | - | - | - | - |
| M1367 | Quality care for the treatment of ear, nose, and throat disorders mips value pathway | Х | - | X | - | - | - | - | - |
| M1368 | Prevention and treatment of infectious disorders including hepatitis c and hiv mips value pathway | Х | - | Х | - | - | - | - | - |
| M1369 | Quality care in mental health and substance use disorders mips value pathway | Х | - | Х | - | - | - | - | - |
| M1370 | Rehabilitative support for musculoskeletal care mips value pathway | Х | - | Х | - | - | - | - | - |
| P2028 | Cephalin floculation test | Х | - | Х | - | Х | - | Х | - |
| P2029 | Congo red blood test | Х | - | Х | - | Х | - | Х | - |
| P2031 | Hair analysis | Х | - | Х | - | Х | - | Х | - |
| P2033 | Blood thymol turbidity | Х | - | Х | - | Х | - | Х | - |
| P2038 | Blood mucoprotein | Х | - | Х | - | Х | - | Х | - |
| P3000 | Screen pap by tech w md supv | X | - | Х | - | X | - | Х | - |
| | Screening pap smear by phys | X | - | Х | - | X | - | X | - |
| P7001 | Culture bacterial urine | X | - | Х | - | X | - | X | - |
| P9099 | Blood component/product noc | Х | - | Х | - | Χ | - | Х | - |
| P9100 | Pathogen test for platelets | Х | - | Х | - | Χ | - | Х | - |
| | One-way allow prorated miles | Х | - | Х | - | Χ | - | Х | - |
| P9604 | One-way allow prorated trip | Х | - | Х | - | Х | - | Х | - |
| P9612 | Catheterize for urine spec | Х | - | Х | - | Х | - | Х | - |
| Q0035 | Cardiokymography | Х | - | Х | - | Х | - | Х | - |
| Q0081 | Infusion ther other than che | Х | - | Х | - | Х | - | Х | - |
| Q0083 | Chemo by other than infusion | Х | - | Х | - | Х | - | Х | - |
| | Chemo by both infusion and o | Х | - | Х | - | Х | - | Х | - |
| Q0113 | Pinworm examinations | Х | - | Х | - | X | - | X | - |

^{*} These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



| | | | itional Medicaid | | tional Integrated | Non-Tradition | onal Medicaid | Non-Tradition | nal Integrated |
|-------------|--|----------------|------------------------------|----------------|------------------------------|------------------------|------------------------------|------------------------|------------------------------|
| Codes | Description | Not Covered | Preauthorization Required | Not Covered | Preauthorization Required | Not Covered | Preauthorization Required | Not Covered | Preauthorization Required |
| | Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, the | | | | | s, or specialty medica | | irected to the Pharmac | |
| the website | Fern test | Х | _ | Х | _ | Х | - | Х | |
| | Post-coital mucous exam | X | - | X | - | X | _ | X | _ |
| | Pwr module pt cable Ivad rpl | Х | - | Х | - | Х | - | Х | - |
| Q0478 | Power adapter, combo vad | Х | - | Х | - | Х | - | Х | - |
| | Power module combo vad, rep | Х | - | Х | - | Х | - | Х | - |
| Q0480 | Driver for use with pneumatic ventricular assist device, replacement only | Х | - | Х | - | Х | - | Х | - |
| Q0481 | Microprocessor control unit for use with electric ventricular assist device, replacement only | Х | - | Х | - | Х | - | х | - |
| Q0482 | Microprocessor control unit for use with electric/pneumatic combination ventricular assist device, replacement only | Х | - | х | - | Х | - | х | - |
| Q0483 | Monitor/display module for use with electric ventricular assist device, replacement only | Х | - | Х | - | Х | - | х | - |
| Q0484 | Monitor/display module for use with electric or electric/pneumatic ventricular assist device, replacement only | Х | - | х | - | Х | - | х | - |
| Q0485 | Monitor control cable for use with electric ventricular assist device, replacement only | Х | - | Х | - | Х | - | Х | - |
| Q0486 | Monitor control cable for use with electric/pneumatic ventricular assist device, replacement only | Х | - | Х | - | Х | - | х | - |
| Q0487 | Leads (pneumatic/electrical) for use with any type electric/pneumatic ventricular assist device, replacement only | Х | - | х | - | Х | - | х | - |
| Q0488 | Power pack base for use with electric ventricular assist device, replacement only | Х | - | Х | - | Х | - | Х | - |
| | Power pack base for use with electric/pneumatic ventricular assist device, replacement only | Х | - | Х | - | Х | - | Х | - |
| Q0490 | Emergency power source for use with electric ventricular assist device, replacement only | Х | - | Х | - | Х | - | Х | - |
| Q0491 | Emergency power source for use with electric/pneumatic ventricular assist device, replacement only | Х | - | Х | - | Х | - | х | - |
| Q0492 | Emergency power supply cable for use with electric ventricular assist device, replacement only | Х | - | х | - | Х | - | х | - |
| Q0493 | Emergency power supply cable for use with electric/pneumatic ventricular assist device, replacment only | Х | - | х | - | Х | - | х | - |
| Q0494 | Emergency hand pump for use with electric or electric/pneumatic ventricular assist device, replacement only | Х | - | Х | - | Х | - | х | - |
| Q0495 | Battery/power pack charger for use with electric or electric/pneumatic ventricular assist device, replacement only | Х | - | х | - | Х | - | х | - |
| Q0496 | Battery, other than lithium-ion, for use with electric or electric/pneumatic ventricular assist device, replacement only | Х | - | х | - | Х | - | х | - |
| Q0497 | Battery clips for use with electric or electric/pneumatic ventricular assist device, replacement only | Х | - | х | - | Х | - | х | - |
| Q0498 | Holster for use with electric or electric/pneumatic ventricular assist device, replacement only | Х | - | х | - | Х | - | х | - |
| Q0499 | Belt/vest elec/combo vad rep | Х | - | Х | - | Х | - | Х | - |
| Q0500 | Filters for use with electric or electric/pneumatic ventricular assist device, replacement only | Х | - | Х | - | Х | - | Х | - |

^{*} These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



| | nealti | Trad | itional Medicaid | Tradit | tional Integrated | Non-Tradition | onal Medicaid | Non-Tradition | nal Integrated |
|--------------|--|----------------------------|--|-----------------------|--|---------------|----------------------------------|---------------|-----------------------------------|
| Codes | Description | Not | Preauthorization | Not | Preauthorization | Not Covered | Preauthorization | Not Covered | Preauthorization |
| Disclaimer: | Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, the | Covered se coding lists | Required s do not reflect information | Covered regarding imm | Required unizations, injectable drugs | | Required ations and should be of | | Required by link option within |
| the website. | | | 1 | 1 | | | | 1 | |
| | Shower cover for use with electric or electric/pneumatic ventricular assist device, replacement only | Х | - | Х | - | Х | - | X | - |
| | Mobility cart for pneumatic ventricular assist device, replacement only | Х | - | Х | _ | Х | _ | Х | _ |
| | Battery for pneumatic ventricular assist device, replacement only, each | X | - | X | - | X | _ | X | - |
| | Power adapter for pneumatic ventricular assist device, replacement only, vehicle type | | | | | | | | |
| | | Х | - | Х | - | Х | - | Х | - |
| Q0506 | Battery, lithium-ion, for use with electric or electric/pneumatic ventricular assist device, | Х | _ | Х | _ | Х | _ | Х | _ |
| | replacement only | ^ | - | ^ | - | ^ | _ | ^ | - |
| | Miscellaneous supply or accessory for use with an external ventricular assist device | X | - | Х | - | X | - | X | - |
| Q0508 | Miscellaneous supply or accessory for use with an implanted ventricular assist device | Х | - | Х | - | Х | - | Х | - |
| Q0509 | Miscellaneous supply or accessory for use with any implanted ventricular assist device for which | | | | | | | | |
| | payment was not made under medicare | Х | - | Х | - | Х | - | X | - |
| | Pharmacy supply fee for initial immunosuppressive drug(s), first month following implant | | | V | | | | V | |
| | | Х | - | Х | - | Х | - | Х | - |
| Q0511 | Pharmacy supply fee for oral anti-cancer, oral anti-emetic or immunosuppressive drug(s); for | Х | _ | х | _ | Х | _ | Х | _ |
| | the first presription in a | ^ | - | ^ | - | ^ | | ^ | _ |
| | Pharmacy supply fee for oral anti-cancer, oral anti-emetic or immunosuppressive drug(s); for a | Х | _ | X | - | Х | _ | Х | _ |
| | subsequent prescription i | | | | | | | | |
| Q0513 | Pharmacy dispensing fee for inhalation drug(s); per 30 days | X | - | X | - | Х | - | X | - |
| | Pharmacy dispensing fee for inhalation drug(s); per 90 days | X | - | X | - | Х | - | Х | - |
| | Pharmacy supplying fee for hiv pre-exposure prophylaxis fda approved prescription drug, per 30- | Х | - | Х | - | - | - | - | - |
| | Pharmacy supplying fee for hiv pre-exposure prophylaxis fda approved prescription drug, per 60- | Х | - | Х | - | - | - | - | - |
| | days Pharmacy supplying fee for hiv pre-exposure prophylaxis fda approved prescription drug, per 90- | | | | | | | | |
| | days | Х | - | Х | - | - | - | - | - |
| | Ntiol category 4 | Х | _ | Х | _ | Х | _ | Х | _ |
| | Ntiol category 5 | X | - | X | - | X | _ | X | _ |
| | Teniposide, 50 mg | X | - | X | - | X | - | X | - |
| | | Х | - | Х | - | Х | _ | Х | - |
| | Brexucabtagene car pos t | Х | - | Х | - | Х | - | Х | - |
| | Lisocabtagene maraleucel, up to 110 million autologous anti-cd19 car-positive viable t cells, | | | | | | | | |
| | including leukapheresis and dose preparation procedures, per therapeutic dose | Х | - | Х | - | Х | - | Х | - |
| 02055 | | | | | | | | | |
| | Idecabtagene vicleucel, up to 460 million autologous b-cell maturation antigen (bcma) directed | V | | | | V | | | |
| | car-positive t cells, including leukapheresis and dose preparation procedures, per therapeutic | Х | - | Х | - | Х | - | Х | - |
| | dose Brachytherapy radioelements | Х | | X | | X | | X | |
| | Telehealth originating site facility fee | X | - | X | - | X | - | X | - |
| | | X | - | X | - | X | - | X | - |
| | Collagen skin test | X | - | X | - | X | - | X | - |
| | Casting supplies, body cast adult, with or without head, plaster | X | - | X | - | X | - | X | - |
| | Cast supplies, body cast adult, with or without head, fiberglass Cast supplies, shoulder cast, adult (11 years +), plaster | X | - | X | - | X | - | X | - |
| WITOUS. | cast supplies, silvuluel cast, duult (11 years +), plaster | | | | - | | _ | ^ | - |
| | Cast supplies, shoulder cast, adult (11 years +), fiberglass | Х | _ | X | _ | Х | _ | X | _ |

^{*} These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



| | and the company of th | Trad | itional Medicaid | Tradi | tional Integrated | Non-Traditio | onal Medicaid | Non-Tradition | nal Integrated |
|--------------|--|----------------------------|------------------|-----------------------|--|--------------|------------------|---------------|------------------|
| Codes | Description | Not | Preauthorization | Not | Preauthorization | Not Covered | Preauthorization | Not Covered | Preauthorization |
| Disclaimer: | Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, the | Covered se coding lists | Required | Covered regarding imm | Required unizations, injectable drugs | | Required | | Required |
| the website. | | | T | | | 1 | | • | , |
| | Cast supplies, long arm cast, adult (11 years +), fiberglass | X | - | X | - | X | - | X | - |
| | Cast supplies, long arm cast, pediatric (0-10 years), plaster | X | - | X | - | X | - | X | - |
| | Cast supplies, long arm cast, pediatric (0-10 years), fiberglass | X | - | X | - | X | - | X | - |
| | Cast supplies, short arm cast, adult (11 years +), plaster | X | - | X | - | X | - | X | - |
| | Cast supplies, short arm cast, adult (11 years +), fiberglass | X | - | Х | - | Х | - | Х | - |
| | Cast supplies, short arm cast, pediatric (0-10 years), plaster | X | - | Х | - | Х | - | X | - |
| | Cast supplies, short arm cast, pediatric (0-10 years), fiberglass | Х | - | Х | - | Х | - | Х | - |
| Q4013 | Cast supplies, gauntlet cast (including lower forearm and hand) adult (11 years +), plaster | Χ | - | Х | - | Х | - | Х | - |
| Q4014 | Cast supplies, gauntlet cast (including lower forearm and hand) adult (11 years +), fiberglass | Х | - | Х | - | Х | - | х | - |
| Q4015 | Cast supplies, gauntlet cast (including lower forearm and hand) pediatric (0-10 years), plaster | Х | - | Х | - | Х | - | х | - |
| Q4016 | Cast supplies, gauntlet cast (including lower forearm and hand) pediatric (0-10 years), fiberglass | Х | - | Х | - | Х | - | х | - |
| Q4017 | Cast supplies, long arm splint, adult (11 years +), plaster | Х | - | Х | - | Х | - | Х | - |
| Q4018 | Cast supplies, long arm splint, adult (11 years +), fiberglass | Х | - | Х | - | Х | - | Х | - |
| | Cast supplies, long arm splint, pediatric (0-10 years), plaster | Х | - | Х | - | Х | - | Х | - |
| | Cast supplies, long arm splint, pediatric (0-10 years), fiberglass | Х | - | Х | - | Х | - | Х | - |
| | Cast supplies, short arm splint, adult (11 years +), plaster | Х | - | Х | - | Х | - | Х | - |
| | Cast supplies, short arm splint, adult (11 years +), fiberglass | Х | - | Х | - | Х | - | Х | - |
| Q4023 | Cast supplies, short arm splint, pediatric (0-10 years), plaster | Х | - | Х | - | Х | - | Х | - |
| | Cast supplies, short arm splint, pediatric (0-10 years), fiberglass | Х | - | Х | - | Х | - | Х | - |
| | Cast supplies, hip spica (one or both legs), adult (11 years +), plaster | Х | - | Х | - | Х | - | Х | - |
| | Cast supplies, hip spica (one or both legs), adult (11 years +), fiberglass | Х | - | Х | - | Х | - | Х | - |
| | Cast supplies, hip spica (one or both legs), pediatric (0-10 years), plaster | Х | - | Х | - | Х | - | Х | - |
| | Cast supplies, hip spica (one or both legs), pediatric (0-10 years), fiberglass | Х | - | Х | - | Х | - | Х | - |
| | Cast supplies, long leg cast, adult (11 years +), plaster | Х | - | Х | - | Х | - | Х | - |
| Q4030 | Cast supplies, long leg cast, adult (11 years +), fiberglass | Х | - | Х | - | Х | - | Х | - |
| Q4031 | Cast supplies, long leg cast, pediatric (0-10 years), plaster | Х | - | Х | - | Х | - | Х | - |
| | Cast supplies, long leg cast, pediatric (0-10 years), fiberglass | Х | - | Х | - | Х | - | Х | - |
| | Cast supplies, long leg cylinder cast, adult (11 years +), plaster | Х | - | Х | - | Х | - | Х | - |
| | Cast supplies, long leg cylinder cast, adult (11 years +), fiberglass | Х | - | Х | - | Х | - | Х | - |
| | Cast supplies, long leg cylinder cast, pediatric (0-10 years), plaster | Х | - | Х | - | Х | - | Х | - |
| | Cast supplies, long leg cylinder cast, pediatric (0-10 years), fiberglass | Х | - | Х | - | Х | - | Х | - |
| | Cast supplies, short leg cast, adult (11 years +), plaster | Х | - | Х | - | Х | - | Х | - |
| | Cast supplies, short leg cast, adult (11 years +), fiberglass | X | - | X | - | X | - | X | - |
| | Cast supplies, short leg cast, pediatric (0-10 years), plaster | X | - | X | - | X | _ | X | - |
| | Cast supplies, short leg cast, pediatric (0-10 years), fiberglass | X | - | X | - | X | - | X | - |
| | Cast supplies, long leg splint, adult (11 years +), plaster | X | - | X | - | X | - | X | - |
| | Cast supplies, long leg splint, adult (11 years +), fiberglass | X | - | X | - | X | _ | X | - |
| | Cast supplies, long leg splint, pediatric (0-10 years), plaster | X | - | X | - | X | _ | X | - |
| | Cast supplies, long leg splint, pediatric (0-10 years), fiberglass | X | - | X | - | X | _ | X | - |
| | Cast supplies, short leg splint, adult (11 years +), plaster | X | - | X | - | X | _ | X | - |
| | Cast supplies, short leg splint, adult (11 years +), fiberglass | X | - | X | - | X | _ | X | - |

^{*} These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



| | | Tradi | tional Medicaid | Tradit | tional Integrated | Non-Tradition | onal Medicaid | Non-Traditio | nal Integrated |
|--------------|--|----------------------------|--|-----------------------|---------------------------------------|---------------|-------------------------------------|--------------|-----------------------------------|
| Codes | Description | Not | Preauthorization | Not | Preauthorization | Not Covered | Preauthorization | Not Covered | Preauthorization |
| Disclaimer: | Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, the | Covered se coding lists | Required do not reflect information | Covered regarding imm | Required unizations, injectable drugs | | Required ations and should be di | | Required cv link option within |
| the website. | | | | | | | | | ·, ····· |
| | Cast supplies, short leg splint, pediatric (0-10 years), plaster | Х | - | Х | - | Х | - | Х | - |
| | Cast supplies, short leg splint, pediatric (0-10 years), fiberglass | Х | - | Х | - | Х | - | Х | - |
| | Finger splint, static | Х | - | X | - | Х | - | Х | - |
| | Cast supplies, for unlisted types and materials of casts | Χ | - | Х | - | Х | - | Х | - |
| | Splint supplies, miscellaneous (includes thermoplastics, strapping, fasteners, padding and other supplies) | Х | - | Х | - | Х | - | Х | - |
| | Drug or biological, not otherwise classified, part b drug program (cap) | Х | - | Х | - | Х | _ | Х | _ |
| | Puraply, per square centimeter | Х | - | Х | - | Х | _ | Х | _ |
| Q4196 | Puraply am, per square centimeter | X | - | X | - | X | _ | X | _ |
| | Hospice in patient home | X | - | X | - | X | _ | X | _ |
| | Hospice in assist living | X | _ | X | _ | X | _ | X | _ |
| | Hospice in It/non-skilled nf | X | _ | X | _ | X | _ | X | _ |
| | Hospice in righton-skilled III | X | - | X | - | X | _ | X | - |
| | Hospice, inpatient hospital | X | | X | | X | <u> </u> | X | |
| | Hospice in hospice facility | X | _ | X | _ | X | _ | X | _ |
| | Hospice in ltch | X | | X | - | X | | X | |
| | Hospice in inpatient psych | X | - | X | - | X | - | X | |
| | | X | - | X | - | X | - | X | |
| | Hospice, nos | X | - | X | | | - | | <u> </u> |
| | Hospice home care provided in a hospice facility | | - | | - | X | - | X | |
| | Va chaplain assessment | X | - | X | - | X | - | X | - |
| | Va chaplain counsel individu | X | - | X | - | X | - | X | - |
| | Va chaplain counsel group | Х | - | X | - | X | - | X | - |
| | Va whole health partner serv | Х | - | Х | - | Х | - | Х | - |
| | Injection, sulfur hexafluoride lipid microspheres, per ml | Х | - | Х | - | Х | - | Х | - |
| | Low osmolar contrast material, 400 or greater mg/ml, iodine concentration, per ml | Х | - | Х | - | Х | - | Х | - |
| | Injection, iron-based magnetic resonance contrast agent, per ml | Х | - | Х | - | Х | - | Х | - |
| _ | Oral magnetic resonance contrast agent, per ml | Х | - | Х | - | Х | - | Х | - |
| | Injection, perflexane lipid microspheres, per ml | Х | - | X | - | Х | - | Х | - |
| | High osmolar contrast material, up to 149 mg/ml iodine concentration, per ml | Χ | - | X | - | X | - | X | - |
| | High osmolar contrast material, 150-199 mg/ml iodine concentration, per ml | Х | - | X | - | X | - | X | - |
| Q9960 | High osmolar contrast material, 240-249 mg/ml iodine concentration, per ml | Χ | - | Χ | - | X | - | X | - |
| Q9961 | High osmolar contrast material, 250-299 mg/ml iodine concentration, per ml | Χ | i | Х | - | X | - | X | - |
| Q9962 | High osmolar contrast material, 300-349 mg/ml iodine concentration, per ml | Χ | i | Х | • | X | - | X | - |
| Q9963 | High osmolar contrast material, 350-399 mg/ml iodine concentration, per ml | Х | - | Х | - | Х | - | Х | - |
| Q9964 | High osmolar contrast material, 400 or greater mg/ml iodine concentration, per ml | Х | - | Х | - | Х | - | Х | - |
| Q9965 | Low osmolar contrast material, 100-199 mg/ml iodine concentration, per ml | Х | - | Х | - | Х | - | Х | - |
| Q9966 | Low osmolar contrast material, 200-299 mg/ml iodine concentration, per ml | Х | - | Х | - | Х | - | Х | - |
| | Low osmolar contrast material, 300-399 mg/ml iodine concentration, per ml | Х | - | Х | - | Х | - | Х | - |
| _ | Tc-99m from non-highly enriched uranium source, full cost recovery add-on, per study dose | Х | - | х | - | Х | - | Х | - |
| Q9982 | Flutemetamol f18, diagnostic, per study dose, up to 5 millicuries | Х | - | Х | - | Х | - | Х | - |
| | Florbetaben f18, diagnostic, per study dose, up to 8.1 millicuries | Х | - | Х | - | Х | - | Х | - |
| | Transport portable ekg | X | - | X | - | X | - | X | _ |
| | Injection, pegylated interferon alfa-2a, 180 mcg per ml | X | - | X | - | X | - | X | _ |
| | Medically induced abortion by oral | X | - | X | - | X | - | X | - |

^{*} These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



| | | Tradi | itional Medicaid | Tradi | tional Integrated | Non-Traditio | nal Medicaid | Non-Traditio | nal Integrated |
|-------|---|-----------------------------|------------------------------|--------------------------|--|-----------------------|------------------------------------|----------------------|-----------------------------------|
| Codes | Description | Not | Preauthorization Required | Not | Preauthorization | Not Covered | Preauthorization | Not Covered | Preauthorization |
| | Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, the | Covered ese coding lists | | Covered regarding imm | Required nunizations, injectable drugs | , or specialty medica | Required tions and should be di | rected to the Pharma | Required by link option within |
| S0201 | Partial hospitalization services, less than 24 hours, per diem | Х | _ | Х | _ | Х | 1 - | Х | _ |
| | Paramedic intercept, non-hospital based als service, non-voluntary, non-transport | X | _ | X | _ | X | _ | X | - |
| | Paramedic intercept, hospital-based als service (non-voluntary), non transport | X | _ | X | _ | X | _ | X | - |
| | Wheelchair van, mileage, per mile | X | - | X | - | X | _ | X | - |
| | Non-emergency transportation; mileage | X | - | X | - | X | - | X | - |
| | Medical conference by physic | Х | - | Х | - | Х | - | Х | - |
| | Medical conference, 60 min | Х | - | Х | - | Х | - | Х | - |
| S0250 | Comprehensive geriatric assessment and treatment planning performed by assessment team | Х | - | Х | - | Х | - | х | - |
| S0255 | Hospice referral visit (advising patient and family of care options) performed by nurse, social worker, or other designa | Х | - | х | - | Х | - | Х | - |
| S0257 | End of life counseling | Х | _ | Х | _ | Х | _ | Х | - |
| | History and physical (outpatient or office) related to surgical procedure (list separately in | Х | - | X | - | X | - | X | - |
| S0265 | addition to code for appro Genetic counseling, under physician supervision, each 15 minutes | X | _ | Х | _ | X | | Х | _ |
| | Physician management f patient home care standard monthly case rate per 30 days | X | - | X | - | X | - | X | - |
| | Physician management it patient nome care standard monthly case rate per 30 days Physician management of patient home care hospice monthly case rate per 30 days | X | - | X | - | X | - | X | - |
| | | ^ | - | ^ | - | ^ | - | ^ | - |
| 30272 | Physician management of patient home care episodic care monthly case rate per 30 days | Х | - | Х | - | X | - | Х | - |
| S0273 | Physician visit at members home outside of a capitation arrangement | Х | | Х | - | Χ | - | Х | - |
| S0274 | Nurse practioner visit at members home outside of a capitation arrangement | Х | - | Х | - | Χ | - | X | - |
| S0280 | Medical home program, comprehensive care coordination and planning, initial plan | Х | - | Х | - | X | - | X | - |
| S0281 | Medical home program, comprehensive care coordination and planning, maintenance of plan | Х | - | х | - | Х | - | х | - |
| S0285 | Colonoscopy consultation performed prior to a screening colonoscopy procedure | Х | - | Х | - | Х | - | Х | - |
| | Completed early periodic screening diagnosis and treatment (epsdt) service (list in addition to | · · | | | | | | ν, | |
| | code for appropriate eva | X | - | Х | - | Χ | - | Х | - |
| S0310 | Hospitalist services (list separately in addition to code for appropriate evaluation and management service.) | Х | - | Х | - | Х | - | Х | - |
| S0311 | Comprehensive management and care coordination for advanced illness, per calendar month | Х | - | Х | - | Х | - | х | - |
| S0315 | Disease management program, initial assessment and initiation of program | Х | - | Х | - | Х | - | Х | - |
| S0316 | Disease management program, followup assessment | Х | _ | Х | - | Х | - | Х | - |
| | Disease management program; per diem | Х | _ | Х | - | Х | - | Х | - |
| S0320 | Telephone calls by reg nurse to disease management program member | X | - | X | - | X | - | X | - |
| | Lifestyle modification program for management for coronary artery disease, including all | | | | | | | | |
| | supportive services; first quar | Х | - | Х | - | Х | - | Х | - |
| S0341 | Lifestyle modification program for management for coronary artery disease, including all supportive services; second or | Х | - | Х | - | Х | - | х | - |
| S0342 | Lifestyle modification program for management for coronary artery disease, including all | | | | | | | | |
| | supportive services; fourth qua | Х | - | Х | - | Х | - | Х | - |
| | Treatment planning and care coordination management for cancer initial treatment | Х | - | Х | - | Х | - | Х | - |
| S0354 | Treatment planning and care coordination management for cancer established patient with a change of regimen | Х | - | х | - | X | - | Х | - |

^{*} These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



| V | nealui | Trad | itional Medicaid | Tradi | tional Integrated | Non-Tradition | onal Medicaid | Non-Traditio | nal Integrated |
|-------------|--|---------|---------------------------------------|-----------------------|----------------------------|---------------|------------------|----------------------|------------------|
| Codes | Description | Not | Preauthorization | Not | Preauthorization | Not Covered | Preauthorization | | Preauthorization |
| Disclaimer | Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, the | Covered | Required | Covered regarding imm | Required | | Required | | Required |
| the website | э. | | T T T T T T T T T T T T T T T T T T T | Togaranig iiiiii | amzanono, injectable aragi | r | | Toolog to the France | , mar opaon mann |
| S0390 | Routine foot care; removal and/or trimming of corns, calluses and/or nails andpreventive | X | _ | X | - | X | _ | X | _ |
| | maintenance in specific medical | | | , , | | | | | |
| S0395 | Impression casting of a foot performed by a practitioner other than the manufacturer of the | X | _ | Х | _ | Х | _ | X | _ |
| | orthotic | | | | | | | | |
| | Disposable contact lens, per lens | Х | - | Х | - | Х | - | Х | - |
| S0504 | 1 8 | Х | - | Х | - | X | - | Х | - |
| | Bifocal vision prescription lens (safety, athletic, or sunglass), per lens | Х | - | Х | - | Х | - | Х | - |
| S0508 | Through vision presemption tens (surety) at metro, or sungressly, per tens | Х | - | Х | - | X | - | X | - |
| S0510 | have been been deared, annually as careful beautiful | Х | - | Х | - | X | - | X | - |
| S0512 | . , | Х | - | Х | - | X | - | X | - |
| | Color contract lens, per lens | Х | - | Х | - | X | - | X | - |
| S0515 | Scleral lens, liquid bandage device, per lens | Х | - | Х | - | X | - | X | - |
| S0516 | Safety eyeglass frames | Х | - | Х | - | X | - | Х | - |
| S0518 | Sunglasses frames | Х | - | Х | ī | Х | - | Х | - |
| S0580 | Polycarbonate lens (list this code in addition to the basic code for the lens) | Х | - | Х | - | Х | - | Х | - |
| S0581 | Nonstandard lens (list this code in addition to the basic code for the lens) | Х | - | Х | - | Х | - | X | - |
| S0590 | Integral lens service, miscellaneous services reported separately | Х | - | Х | - | Х | - | Х | - |
| S0592 | Comprehensive contact lens evaluation | Х | - | Х | - | Х | - | Х | - |
| S0595 | Dispensing new spectacle lenses for patient supplied frame | Х | - | Х | - | Х | - | Х | - |
| S0596 | Phakic intraocular lens for correction of refractive error | Х | - | Х | - | Х | - | Х | - |
| S0601 | Screening proctoscopy | Х | - | Х | - | Х | - | Х | - |
| S0610 | Annual gynecological examina | Х | - | Х | - | Х | - | Х | - |
| S0612 | | Х | - | Х | - | Х | - | Х | - |
| S0613 | Annual gynecological examination; clinical breast examination without pelvic examination | | | | | | | | |
| | | Х | - | Х | - | Х | - | X | - |
| S0618 | Audiometry for hearing aid evaluation to determine the level and degree of hearing loss | | | | | | | | |
| | | Х | - | Х | - | Х | - | Х | - |
| S0620 | Routine ophthalmological exa | Х | - | Х | - | Х | - | Х | - |
| S0621 | | Х | - | Х | - | Х | - | Х | _ |
| S0622 | Physical exam for college, new or established patient (list separately in addition to appropriate | | | | | | | | |
| | evaluation and managem | Х | - | Х | - | Х | - | Х | - |
| S0630 | Removal of sutures | Х | - | Х | - | Х | _ | Х | _ |
| S0800 | | Х | - | Х | - | X | _ | X | _ |
| | Photorefractive keratectomy | X | - | X | - | X | _ | X | - |
| | Phototheraputic keratectomy (ptk) | X | - | X | - | X | - | X | - |
| S1001 | Deluxe item, patient aware (list in addition to code for basic item) | X | _ | X | - | X | _ | X | _ |
| S1002 | | X | - | X | - | X | _ | X | _ |
| S1016 | | X | _ | X | _ | X | _ | X | _ |
| S1030 | | | _ | | - | | - | | |
| | data, use cpt code) | Х | - | Х | - | X | - | X | - |
| S1031 | Continuous noninvasive glucose monitoring device, rental, including sensor, sensor | | | | | | | | |
| 31001 | replacement, and download to monitor | Х | - | Х | - | Х | - | Х | - |
| S1034 | Art pancreas system | Х | | X | | Х | | Х | |
| | Art pancreas inv disp sensor | X | - | X | - | X | - | X | - |
| | Art pancreas ext transmitter | X | - | X | - | X | - | X | - |
| 31036 | Art pantreas ext transmitter | ^ | - | ^ | - | ^ | - | ^ | - |

^{*} These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



| | | Trad | itional Medicaid | Tradi | tional Integrated | Non-Tradition | onal Medicaid | Non-Tradition | nal Integrated |
|--------------|--|----------------------------|--|--------------------------|--|---------------|--|---------------|-----------------------------------|
| Codes | Description | Not | Preauthorization | Not | Preauthorization | Not Covered | Preauthorization | Not Covered | Preauthorization |
| Disclaimer: | Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these | Covered se coding lists | Required do not reflect information | Covered regarding imm | Required unizations, injectable drugs | | Required ations and should be d | | Required by link option within |
| the website. | | | T | | | 1 | 1 | • | |
| | Art pancreas ext receiver | Х | - | Х | - | X | - | X | - |
| | Cranial remodeling orthosis, rigid w/soft interface material | - | - | - | - | X | - | X | - |
| | Transplantation of small int | X | - | X | - | X | - | X | - |
| | Transplantation of multivisc | X | - | X | - | X | - | X | - |
| | Harvesting of donor multivis Lobar lung transplantation | X | - | X | - | X | - | X | - |
| | Donor lobectomy (lung) | X | - | X | - | X | - | X | - |
| | Simultaneous pancreas kidney transplantation | X | - | X | - | X | - | X | - |
| | Breast reconstruction with gluteal artery perforator (gap) flap, including harvesting of the flap, | ^ | - | ^ | - | ^ | - | ^ | - |
| | microvascular transfe | Х | - | Х | - | Х | - | Х | - |
| | Breast reconstruction of a single breast with "stacked" depp inferior epigastric perforator (diep) flap(s) and/or glutea | Х | - | Х | - | Х | - | Х | - |
| | Breast reconstruction with deep inferior epigastric perforator (diep) flap, including microvascular anastomosis and clos | Х | - | Х | - | Х | - | Х | - |
| | Cystourethroscopy, with ureteroscopy and/or pyeloscopy; with endoscopic laser | Х | - | Х | - | Х | - | Х | - |
| _ | Laparoscopic esophagomyotomy (heller type) | Х | - | Х | - | Х | - | Х | - |
| | Laser-assisted uvulopalatoplasty (laup) | Х | - | Х | - | Х | - | Х | - |
| | Adjustment of gastric band diameter via subcutaneous port by injection or aspiration of saline | Х | - | Х | - | Х | - | х | - |
| S2095 | Transcatheter occlusion or embolization for tumor destruction, percutaneous, any method | Х | - | х | - | Х | - | Х | - |
| S2102 | Islet cell tissue transplant | Х | - | Х | - | Х | - | Х | - |
| | Adrenal tissue transplant | Х | - | Х | - | Х | - | Х | - |
| | Adoptive immunotherapy i.e. development of specific anti-tumor reactivity (e.g.tumor-infiltrating lymphocyte therapy) pe | Х | - | Х | - | Х | - | Х | - |
| | Arthroscopy, knee, surgical for harvesting of cartilage (chondrocyte cells) | Х | - | Х | - | Х | - | Х | - |
| | Osteotomy, periacetabular, with internal fixation | Х | - | Х | - | Х | - | Х | - |
| | Arthroereisis, subtalar | Х | - | Х | - | Х | - | Х | - |
| S2118 | Metal-on-metal total hip resurfacing, including acetabular and femoral components | Х | - | Х | - | Х | - | Х | - |
| | Low density lipoprotein(IdI) | Х | - | Х | - | Х | - | Х | - |
| S2140 | Cord blood harvesting | Х | - | Х | - | Х | - | Х | - |
| | Cord blood-derived stem-cell | Х | - | Х | - | Х | - | Х | - |
| | Bone marrow or blood-derived peripheral stem cell harvesting and transplantation, allogenic or autologous, including phe | Х | - | Х | - | Х | - | Х | - |
| S2152 | Solid organ(s), complete or segmental, single organ or combination of organs; deceased or living donor(s), procurement, | Х | - | Х | - | Х | - | Х | - |
| | Echosclerotherapy | X | _ | Х | _ | Х | | Х | _ |
| | Minimally invasive direct co | X | | X | - | X | - | X | - |
| | Minimally invasive direct co | X | - | X | - | X | - | X | - |
| | Minimally invasive direct co | X | - | X | - | X | - | X | - |
| | Minimally invasive direct co | X | - | X | _ | X | - | X | _ |
| | Minimally invasive direct co | X | - | X | - | X | - | X | - |
| 1 | Myringotomy, laser-assisted | X | _ | X | - | X | _ | X | _ |
| | IVIVIIngotomy, laser-assisted | | | | | | | | |

^{*} These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



| | Ticalti | Tradi | itional Medicaid | Tradi | tional Integrated | Non-Traditio | onal Medicaid | Non-Tradition | al Integrated |
|--------------|--|----------------------------|--|-----------------------|---------------------------------------|--------------|-------------------------------------|---------------|-----------------------------------|
| Codes | Description | Not | Preauthorization | Not | Preauthorization | Not Covered | Preauthorization | Not Covered | Preauthorization |
| Disclaimer: | Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these | Covered se coding lists | Required do not reflect information | Covered regarding imm | Required unizations, injectable drugs | | Required ations and should be di | | Required ty link option within |
| the website. | | | | | T | | | | |
| | Implantation of auditory brain stem implant | X | - | X | - | X | - | X | |
| | Induced abortion, 17 to 24 weeks, any surgical method | X | - | X | - | X | - | X | - |
| | Abortion for fetal indication, 25-28 weeks | X | - | X | - | X | - | X | - |
| | Abortion for fetal indication, 29-31 weeks | X | - | X | - | X | - | X | - |
| | Abortion for fetal induction, 32 weeks or greater | X | - | X | - | X | - | X | - |
| \$2300 | Arthroscopy, shoulder, surgi | X | - | X | - | X | - | X | - |
| | Hip core decompression | Х | - | Х | - | Х | - | Х | - |
| S2342 | Nasal endoscopy for post-operative debridement following functional endoscopic sinus surgery, | Х | - | Х | - | X | - | X | |
| 00010 | nasal and/or sinus cavity(| | | | | | | | |
| | Decompress disc rf lumbar | Χ | - | Х | - | Х | - | Х | - |
| | Diskectomy, anterior, with d | Х | - | Х | - | Х | - | Х | - |
| | Diskectomy, anterior, with d | Χ | - | Х | - | Х | - | Х | - |
| | Repair, congenital hernia in the fetus, procedure performed in utero | Χ | - | X | - | Х | - | Х | - |
| - | Repair, urinary tract obstruction in the fetus, procedure performed in utero | Χ | - | Х | - | Х | - | Х | |
| S2402 | Repair, congenital cystic adenomatoid malformation in the fetus, procedure performed in utero | Х | - | Х | - | X | - | Х | - |
| S2403 | Repair, extralobar pulmonary sequestration in the fetus, procedure performed in utero | Х | - | Х | - | х | - | х | - |
| S2404 | Repair, myelomeningocele in the fetus, procedure performed in utero | Х | - | Х | - | Х | - | Х | - |
| | Repair of sacrococcygeal teratoma in the fetus, procedure performed in utero | Х | - | Х | - | Х | - | Х | - |
| | Repair, congenital malformation of fetus, procedure performed in utero, not otherwise | ., | | | | ., | | ., | |
| | classified | Х | - | Х | - | Χ | - | X | - |
| S2411 | Fetoscopic laser therapy for treatment of twin-to-twin transfusion syndrome | Х | - | Х | - | Х | - | Х | - |
| | Surgical techniques requiring use of robotic surgical system (list separately in addition to code | ., | | | | ., | | ., | |
| | for primary procedure | Х | - | Х | - | Х | - | Х | - |
| S3000 | Diabetic indicator; retinal eye exam, dilated, bilateral | Х | - | Х | - | Х | - | Х | - |
| | Performance measurement, evaluation of patient self assessment, depression | Х | - | Х | - | Х | - | Х | - |
| S3600 | Stat laboratory request (situations other than s3601) | Х | - | Х | - | Х | - | Х | - |
| S3601 | Emergency stat laboratory charge for patient who is homebound or residing in a nursing facility | Х | - | Х | - | Х | - | Х | - |
| S3620 | Newborn metabolic screening | Х | - | Х | - | Х | _ | Х | _ |
| | Eosinophil count, blood direct | X | - | X | - | X | _ | X | _ |
| \vdash | Hiv-1 antibody testing of or | Х | - | Х | - | Х | _ | Х | - |
| | Saliva test, hormone level; | X | _ | X | - | X | _ | X | - |
| | Saliva test, hormone level; | X | - | X | - | X | _ | X | _ |
| | Antisperm antibodies test (immunobead) | X | _ | X | - | X | _ | X | - |
| | Gastrointestinal fat absorpt | X | - | X | - | X | _ | X | - |
| | Dose optimization by area under the curve (auc) analysis, for infusional 5-fluorouracil | Х | - | X | - | X | - | X | - |
| S3800 | Genetic testing for amyotrophic lateral sclerosis (als) | Х | - | Х | - | Х | _ | Х | - |
| | Dna analysis for germline mutations of the ret proto-oncogene | X | - | X | - | X | _ | X | - |
| | Genetic testing for retinoblastoma | X | - | X | - | X | - | X | _ |
| | Genetic testing for von hippel-lindau disease | X | - | X | - | X | - | X | - |
| | Dna analysis of the connexin 26 gene (gjb2) for susceptibility to congenital, profound deafness | X | - | X | - | X | - | X | - |

^{*} These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



| | | Trad | itional Medicaid | Tradi | tional Integrated | Non-Tradition | onal Medicaid | Non-Tradition | nal Integrated |
|--------------|--|----------------------------|--|--------------------------|---------------------------------------|---------------|---------------------------------|---------------|-----------------------------------|
| Codes | Description | Not | Preauthorization | Not | Preauthorization | Not Covered | Preauthorization | Not Covered | Preauthorization |
| Disclaimer: | Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, the | Covered se coding lists | Required do not reflect information | Covered regarding imm | Required unizations, injectable drugs | | Required ations and should be d | | Required by link option within |
| the website. | | | Т | | · - | 1 | Т | | |
| | Genetic testing for alpha-thalassemia | Х | - | Х | - | Х | - | X | - |
| _ | Genetic testing for hemoglobin e beta-thalassemia | Х | - | X | - | X | - | X | - |
| | Genetic testing for niemann-pick disease | Х | - | Х | - | Х | - | Х | - |
| | Genetic testing for sickle cell anemia | Х | - | Х | - | Х | - | Х | - |
| | Dna analysis for apoe epilson 4 allele for susceptibility to alzheimer's disease | Х | - | Х | - | Х | - | Х | - |
| | Genetic testing for myotonic muscular dystrophy | Χ | - | X | - | Х | - | Х | - |
| S3854 | Gene expression profiling panel for use in the management of breast cancer treatment | Х | - | Х | - | Х | - | Х | - |
| | Genetic testing, sodium channel, voltage-gated, type v, alpha subunit (scn5a) and variants for suspected brugada syndrom | Х | - | х | - | Х | - | Х | - |
| S3865 | Comprehensive gene sequence analysis for hypertrophic cardiomyopathy | Х | - | Х | - | Х | - | Х | - |
| | Genetic analysis for a specific gene mutation for hypertrophic cardiomyopathy (hcm) in an | | | ,,, | | ,,, | | ,, | |
| l l | individual with a known hcm mu | Х | - | X | - | Х | - | Х | i - |
| | Comparative genomic hybrization (cgh) microarray testing for developmental delay, autism | | | ,,, | | ,, | | ,, | |
| | spectrum disorder and/or mental | Х | - | X | - | Х | - | X | - |
| S3900 | Surface electromyography (emg) | Х | - | Х | - | Х | - | Х | - |
| | Ballistocardiogram | Х | - | Х | - | Х | - | Х | _ |
| | Masters two step | Х | - | Х | - | Х | - | Х | - |
| | Interim labor facility global (labor occurring but not resulting in delivery) | Х | - | Х | - | Х | _ | Х | - |
| | In vitro fertilization; including but not limited to identification and incubation of mature oocytes, | | | | | | | | |
| | fertilization with | Х | - | X | - | Х | - | X | - |
| S4013 | Complete cycle, gamete intrafallopian transfer (gift), case rate | Х | - | Х | - | Х | - | Х | - |
| | Complete cycle, zygote intrafallopian transfer (zift), case rate | Х | - | Х | - | Х | - | Х | - |
| | Complete in vitro fertilization cycle, case rate | Х | - | Х | - | Х | - | Х | - |
| | Frozen in vitro fertilization cycle, case rate | Х | - | Х | - | Х | - | Х | - |
| | Incomplete cycle, treatment cancelled prior to stimulation, case rate | Х | - | Х | - | Х | - | Х | - |
| | Frozen embryo transfer procedure cancelled before transfer, case rate | Х | - | Х | - | Х | - | Х | - |
| _ | In vitro fertilization procedure cancelled before aspiration, case rate | Х | - | Х | - | Х | - | Х | - |
| | In vitro fertilization procedure cancellation after aspiration, case rate | Х | - | Х | - | Х | - | Х | _ |
| | Assisted oocyte fertilization, case rate | Х | - | Х | - | Х | - | Х | - |
| | Donor egg cycle, incomplete, case rate | Х | - | Х | - | Х | _ | Х | _ |
| | Donor services for in vitro fertilization (sperm or embryo), case rate | X | - | X | - | X | - | X | - |
| | Procurement of donor sperm from sperm bank | Х | - | Х | - | Х | - | Х | - |
| _ | Storage of previously frozen embryos | X | - | X | - | X | - | X | - |
| _ | Microsurgical epididymal sperm aspiration (mesa) | X | - | X | - | X | - | X | _ |
| _ | Sperm procurement and cryopreservation services; initial visit | X | _ | X | - | X | _ | X | _ |
| | Sperm procurement and cryopreservation services; subsequent visit | X | - | X | - | X | - | X | - |
| | Stimulated intrauterine insemination (iui), case rate | X | - | X | - | X | - | X | - |
| | Cryopreserved embryo transfer, case rate | X | _ | X | - | X | _ | X | _ |
| | Monitoring and storage of cryopreserved embryos, per 30 days | X | - | X | - | X | - | X | - |
| | Ovulation mgmt per cycle | X | - | X | - | X | _ | X | _ |
| | Insertion of levonorgestrel-releasing intrauterine system | X | - | X | - | X | _ | X | _ |
| | Penile contracture device, manual, greater than 3 lbs traction force | X | - | X | - | - | _ | - | - |
| | Contraceptive intrauterine device (e.g., progestacert iud), including implants and supplies | X | - | X | - | X | - | X | - |

^{*} These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



| 9 | nealui | Trad | itional Medicaid | Tradit | tional Integrated | Non-Traditio | onal Medicaid | Non-Tradition | nal Integrated |
|-------------|--|----------------------------|-------------------------------------|--------------------------|--|--------------|-----------------------------------|---------------|-----------------------------------|
| Codes | Description | Not | Preauthorization | Not | Preauthorization | Not Covered | Preauthorization | Not Covered | Preauthorization |
| Disclaimer: | Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, the | Covered se coding lists | Required do not reflect information | Covered regarding imm | Required unizations, injectable drugs | | Required tions and should be d | | Required by link option within |
| the website | | | T | | | | | 1 | ı |
| 54990 | Nicotine patches, legend | X | - | X | - | X | - | X | - |
| 54991 | Nicotine patches, non-legend | X | - | X | - | X | - | X | - |
| 54993 | Contraceptive pills for birth control | X | - | X | - | X | - | X | - |
| | Smoking cessation gum | X | - | X | - | X | - | X | - |
| | Prescription drug, generic | X | - | X | - | X | - | X | - |
| | Prescription drug,brand name | X | - | X | - | X | - | X | - |
| | 5% dextrose and 45% saline | X | - | X | - | X | - | X | - |
| | 5% dextrose with potassium | X | - | X | - | X | - | X | - |
| | 5% dextrose/45%saline,1000ml | | | | | | - | | |
| | 5% dextrose/45%saline,1500ml | X | - | X | - | X | - | X | - |
| | Home infusion therapy, routine service of infusion device (e.g., pump maintenance) | X | - | | - | X | - | | - |
| | Home infusion therapy, repair of infusion device (e.g., pump repair) | X | - | X | - | X | - | X | - |
| | Day care services, adult, per 15 minutes | X | - | X | - | | - | | - |
| | Day care services, adult, per half day | X | - | X | | X | - | X | - |
| | Day care services, center based, not incl in program fee, per diem | X | - | X | - | X | - | X | - |
| | Home care training to home care client, per 15 minutes | | - | | - | | - | | |
| | Home care training to home care client, per 15 minutes per session | X | - | X | | X | - | X | - |
| | Home care training, family, per 15 minutes | X | - | X | - | X | - | X | - |
| | Home care training, family, per session | X | - | X | - | X | - | X | - |
| | Home care training, non-family, per session | | | | - | | - | | - |
| 05121 | Home care training, family, per diem | X | - | X | - | X | - | X | - |
| | Attendant care services, per 15 minutes | X | | X | | X | - | X | |
| | Attendant care services, per diem | X | - | X | - | X | - | X | - |
| | Homemaker services, nos, per diem | | - | | - | | - | | - |
| | Companion care, adult, per diem | X | - | X | - | X | - | X | - |
| | Foster care, adult, per diem | X | - | X | - | X | - | X | - |
| | Foster care, adult, per month | X | - | | - | X | - | | - |
| S5140 | Foster care, therapeutic, child, per month | X | - | X | | | - | X | - |
| S5151 | Unskilled respite care, not hospice, per diem | | - | X | - | X | - | X | - |
| | Emergency response system, service fee per month | X | - | X | - | X | - | X | - |
| | Laundry service, external, professional, per order | X | - | X | - | X | - | | - |
| | Home health respiratory therapy, initial evaluation | X | - | X | - | X | - | X | - |
| 95100 | Home health respiratory therapy, nos, per diem | X | | | | | | | |
| | Personal care item, nos, each | X | - | X | - | X | - | X | - |
| | Home infusion therapy, catheter care/maintenance, not otherwise classified | X | | X | - | X | - | | |
| | Home infusion therapy, catheter care/maintenance, simple (single lumen) | ۸ | - | ^ | - | ^ | - | X | - |
| 33301 | Home infusion therapy, catheter care/maintenance, complex (more than one lumen) | Χ | - | Х | - | X | - | X | - |
| | Home infusion therapy, catheter care/maintenance, implanted access device | Х | - | Х | - | X | - | Х | - |
| S5517 | Home infusion therapy, all supplies necessary for restoration of catheter potency or declotting | Х | - | Х | - | х | - | х | - |
| S5518 | Home infusion therapy, all supplies necessary for catheter repair | Х | - | Х | - | Х | - | Х | - |
| | Home infusion therapy, insertion of peripherally inserted central venous catheter (picc), nursing | | | | | ., | | ., | |
| | services only (no supp | Х | - | Х | - | Х | - | Х | - |

^{*} These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



| 9 | nealti : 3. | Trad | itional Medicaid | Tradit | tional Integrated | Non-Tradition | onal Medicaid | Non-Tradition | nal Integrated |
|-------------|--|----------------------------|---------------------------------------|--------------------------|--|---------------|--|---------------|-----------------------------------|
| Codes | Description | Not | Preauthorization | Not | Preauthorization | Not Covered | Preauthorization | Not Covered | Preauthorization |
| Disclaimer | Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, the | Covered se coding lists | Required s do not reflect information | Covered regarding imm | Required unizations, injectable drugs | | Required ations and should be d | | Required by link option within |
| the website | 3. | 1 | I | 1 | | | | | |
| 35523 | Home infusion therapy, insertion of midline central venous catheter, nursing services only (no | Х | - | Х | - | X | - | X | - |
| SEED | supplies or catheter incl | V | | V | | V | | V | <u> </u> |
| | Insulin, rapid onset, 5 units | X | - | X | - | X | - | X | - |
| | Insulin, most rapid onset (lispro or aspart); 5 units | X | - | X | - | X | - | | - |
| | Insulin, intermediate acting (nph or lente); 5 units Insulin, long acting; 5 units | X | - | X | - | X | - | X | - |
| S5553 | Insulin, long acting; 5 units Insulin delivery device, reusable pen; 1.5 ml size | X | - | X | | X | - | X | - |
| S5561 | | X | - | X | - | X | - | X | - |
| S5565 | Insulin delivery device, reusable pen; 3 ml size | X | | | - | | - | | |
| | | | - | X | | X | - | X | - |
| | Insulin cartridge for use in insulin delivery device other than pump; 300 units | X | - | X | - | X | - | X | - |
| | Insulin delivery device, disposable pen (including insulin); 1.5 ml size | X | - | X | - | X | - | X | - |
| | Insulin delivery device, disposable pen (including insulin); 3 ml size | Х | - | Х | - | Х | - | Х | - |
| 58030 | Scleral application of tantalum ring(s) for localization of lesions for proton beam therapy | Х | - | Х | - | Х | - | Х | - |
| S8035 | Magnetic source imaging | Х | - | Х | - | Х | - | Х | - |
| | Magnetic resonance cholangiopancreatography (mrcp) | X | - | X | - | X | - | X | _ |
| | Topographic brain mapping | X | - | X | - | X | _ | X | - |
| | Magnetic resonance imaging (mri), low-field | X | _ | X | _ | X | _ | X | _ |
| | Ultrasound guidance for multifetal pregnancy reduction(s), technical component (only to be | | | | | | | | |
| 00000 | used with the physician doing | Х | - | Х | - | Х | - | X | - |
| S8080 | Scintimammography | Х | _ | Х | _ | Х | _ | Х | _ |
| | Fluorine-18 fluorodeoxygluco | X | _ | X | _ | X | _ | X | _ |
| S8092 | | X | _ | X | _ | X | _ | X | _ |
| | Portable peak flow meter | X | _ | X | _ | X | _ | X | _ |
| | Asthma kit (including but not limited to portable peak expiratory flow meter, instructional vide, | | | | | | | | |
| | brochure, and/or space | Х | - | X | - | Х | - | X | - |
| S8100 | Holding chamber or spacer for use with an inhaler or nebulizer; without mask | Х | _ | Х | _ | Х | _ | Х | _ |
| | Holding chamber or spacer for use with an inhaler or nebulizer; with mask | X | _ | X | _ | X | _ | X | _ |
| | Peak expiratory flow rate (p | X | _ | X | _ | X | _ | X | _ |
| | Oxygen contents, gaseous, 1 unit equals 1 cubic foot | X | _ | X | _ | X | _ | X | _ |
| | Oxygen contents, liquid, 1 unit equals 1 pound | X | _ | X | _ | X | _ | X | _ |
| | Interferential current stimulator, 2 channel | X | - | X | - | X | - | X | - |
| | Interferential current stimulator, 4 channel | X | - | X | - | X | - | X | - |
| | Swivel adaptor | X | - | X | - | X | _ | X | - |
| | Tracheotomy supply, not otherwise classified | X | - | X | - | X | _ | X | |
| | Mucus trap | X | _ | X | | X | _ | X | _ |
| | Haberman feeder for cleft lip/palate | X | _ | X | - | X | _ | X | _ |
| | Enuresis alarm, using auditory buzzer and/or vibration device | X | - | X | | X | | X | - |
| | Infect control supplies nos | X | - | X | | X | | X | - |
| | Supplies for home delivery of infant | X | - | X | | X | _ | X | _ |
| S8420 | Gradient pressure aid (sleeve and glove combination), custom made | X | - | X | | X | - | X | |
| | Gradient pressure and (sleeve and glove combination), ready made | X | - | X | | X | - | X | |
| S8423 | Gradient pressure aid (sleeve), custom made, heavy weight | X | - | X | - | X | - | X | <u>-</u> |
| S8425 | 1 1 0 | X | - | X | - | X | - | X | - |
| | Gradient pressure aid (glove), custom made, heavy weight | X | - | X | - | X | | X | - |
| 30420 | Joradient pressure and (grove), custom made, neavy weight | ^ | - | ^ | • | _ ^ | _ | ^ | <u> </u> |

^{*} These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



| ~ | nealti | Trad | itional Medicaid | Tradi | tional Integrated | Non-Traditio | onal Medicaid | Non-Tradition | nal Integrated |
|-------------|--|-----------------------------|--|--------------------------|---------------------------------------|--------------|------------------------------------|---------------|-----------------------------------|
| Codes | Description | Not | Preauthorization | Not | Preauthorization | Not Covered | Preauthorization | | Preauthorization |
| Disclaimer | Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, the | Covered ese coding lists | Required do not reflect information | Covered regarding imm | Required unizations, injectable drugs | | Required ations and should be d | | Required by link option within |
| the website | 2. | | ı | 1 | T | | | 1 | , ,,,,, |
| | Gradient pressure aid (glove), ready made | X | - | X | - | X | - | X | - |
| S8429 | Gradient pressure exterior wrap | X | - | X | - | X | - | X | - |
| S8430 | Padding for compression bandage, roll | X | - | X | - | X | - | X | - |
| | Compression bandage, roll | X | - | X | - | X | - | X | - |
| S8450 | Splint, prefabricated, digit (specify digit by use of modifier) | X | - | X | - | X | - | X | - |
| | Splint, prefabricated, wrist or ankle | X | - | X | - | X | - | X | - |
| S8452 | apy p. a. a. a. a. a. | X | - | X | - | X | - | X | - |
| S8460 | the state of the s | X | - | X | - | X | - | X | - |
| S8930 | Auricular electrostim | Х | - | Х | - | Х | - | Х | - |
| S8940 | The second of th | Х | - | Х | - | Х | - | Х | - |
| S8948 | Application of a modality (requiring constant provider attendance) to one or | Х | - | Х | - | Х | - | Х | - |
| S8950 | Complex lymphedema therapy, | Х | - | Х | - | Х | - | Х | - |
| S8990 | Physical or manipulative therapy performed for maintenance rather than restoration | Х | - | Х | - | X | - | X | - |
| S8999 | Resuscitation bag | Х | - | Х | - | Х | - | Х | - |
| | Home uterine monitor with or | Х | - | Х | - | Х | - | Х | - |
| | Intra-vaginal motion sensor system, provides biofeedback for pelvic floor muscle rehabilitation | ., | | ., | | | | | |
| | device | Х | - | X | - | - | - | - | - |
| S9007 | Ultrafiltration monitor | Х | - | Х | - | Х | - | Х | - |
| S9024 | Paranasal sinus ultrasound | Х | - | Х | _ | Х | _ | Х | - |
| S9025 | Omnicardiogram/cardiointegra | Х | - | Х | - | Х | _ | Х | - |
| S9034 | Extracorporeal shockwave lithotripsy for gall stones (if performed with ercp, | Х | - | Х | - | Х | _ | Х | - |
| S9055 | 1, 0 1, | Х | - | Х | - | Х | _ | Х | - |
| S9056 | Coma stimulation per diem | Х | - | Х | - | Х | _ | Х | - |
| S9061 | Medical supplies and equipme | X | - | X | - | X | - | X | _ |
| S9083 | Global fee urgent care centers | Х | - | X | - | X | _ | X | - |
| S9088 | Services provided in urgent | Х | - | Х | - | Х | _ | Х | - |
| S9090 | Vertebral axial decompressio | Х | - | X | - | X | - | X | _ |
| S9097 | Home visit for wound care | Х | - | X | - | X | - | X | _ |
| | Home visit, phototherapy services (e.g., bililite), including equipment rental, nursing services, | X | - | X | - | X | - | X | - |
| 20110 | blood draw, supplies a | | | | | | | | |
| 29110 | Telemonitoring of patient in their home, including all necessary equipment; computer system, | | | V | | V | | V | |
| | connections, and software; maintenance; patient education and support; per | Х | - | X | - | Х | - | Х | - |
| S9117 | Back school, per visit | Х | - | X | - | Х | - | X | - |
| | Home health aide or certifie | X | - | X | - | X | _ | X | - |
| | Nursing care, in the home; b | X | - | X | - | X | _ | X | - |
| | Nursing care, in the home; b | X | - | X | _ | X | _ | X | - |
| | Respite care, in the home, p | X | - | X | - | X | _ | X | - |
| | Hospice care, in the home, p | X | - | X | - | X | _ | X | - |
| S9127 | | X | - | X | _ | X | _ | X | _ |
| S9128 | | X | _ | X | _ | X | _ | X | _ |
| | Occupational therapy, in the | X | - | X | - | X | | X | - |
| | Physical therapy, in the home, per diem | X | - | X | - | X | _ | X | |
| | Diabetic management program, | X | - | X | - | X | - | X | - |
| 39140 | Diabetic management program, | _ ^ | - | _ ^ | _ | _ ^ | - | ^ | - |

^{*} These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



| 9 | nealth | Trad | itional Medicaid | Tradit | tional Integrated | Non-Tradition | onal Medicaid | Non-Traditio | nal Integrated |
|-------------|--|-----------------------------|--|--------------------------|--|---------------|-------------------------------------|--------------|-----------------------------------|
| Codes | Description | Not | Preauthorization | Not | Preauthorization | Not Covered | Preauthorization | Not Covered | Preauthorization |
| Disclaimer: | Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, the | Covered ese coding lists | Required do not reflect information | Covered regarding imm | Required unizations, injectable drugs | | Required ations and should be di | | Required cy link option within |
| the website | | | | | | | | | 1 |
| | Diabetic management program, | X | - | X | - | X | - | X | - |
| | Insulin pump initiation, instruction in initial use of pump (pump not included) | X | - | X | - | X | - | X | - |
| | Evaluation by ocularist | X | | | - | | - | | - |
| | Speech therapy, re-evaluation | | - | Х | - | Х | - | Х | - |
| | Home management of preterm labor, (do not use this code with any home infusion per diem code) | Х | - | Х | - | X | - | Х | - |
| | Home management of preterm premature rupture of membranes (pprom) | Х | - | X | - | X | - | X | - |
| | Home management of gestational hypertension | Х | - | X | - | X | - | X | - |
| | Home management of postpartum hypertension | Х | - | X | - | X | - | X | - |
| | Home management of preeclampsia | Х | - | X | - | X | - | X | - |
| | Home management of gestational diabetes | Х | - | X | - | X | - | X | - |
| S9325 | Home infusion therapy, pain management infusion (do not use this code with s9326, s9327 or s9328) | Х | - | Х | - | Х | - | Х | - |
| S9326 | Home infusion therapy, continuous pain management infusion | Х | - | Х | - | Х | - | Х | - |
| S9327 | Home infusion therapy, intermittent pain management infusion | Х | - | Х | - | Х | - | Х | - |
| S9328 | Home infusion therapy, implanted pump pain management infusion | Х | - | Х | - | Х | - | Х | - |
| S9329 | Home infusion therapy, chemotherapy infusion (do not use this code with s9330 or s9331) | Х | - | Х | - | х | - | х | - |
| S9330 | Home infusion therapy, continuous chemotherapy infusion | Х | - | Х | - | Х | - | Х | - |
| S9331 | Home infusion therapy, intermittent chemotherapy infusion | Х | - | Х | - | Х | - | Х | - |
| S9335 | Home therapy, hemodialysis; administrative services, professional pharmacy | Х | - | Х | - | Х | - | Х | - |
| S9336 | Home infusion therapy, continuous anticoagulant infusion therapy (e.g., heparin) | Х | - | Х | - | Х | - | Х | - |
| S9338 | Home infusion therapy, immunotherapy therapy | Х | - | Х | - | Х | - | Х | - |
| | Home therapy; peritoneal dialysis | Х | - | Х | - | Х | - | Х | - |
| S9340 | Home therapy; enteral nutrition; | Х | - | Х | - | Х | - | Х | - |
| | Home therapy; enteral nutrition; via gravity | Х | - | Х | - | Х | - | Х | - |
| S9342 | Home therapy; enteral nutrition via pump | Х | - | Х | - | Х | - | Х | - |
| S9343 | Home therapy; enteral nutrition via bolus | Х | - | Х | - | Х | - | Х | - |
| S9345 | Home infusion therapy, anti-hemophilic agent infusion therapy (e.g., factor viii) | X | - | X | ī | Х | - | Х | - |
| S9346 | Home infusion therapy, alpha-1-proteinase inhibitor (e.g., prolastin) | X | - | X | ī | Х | - | Х | - |
| S9347 | Home infusion therapy, uninterrupted, long-term, controlled rate intravenous infusion therapy (e.g., epoprostenol) | Х | - | Х | - | Х | - | Х | - |
| S9348 | Home infusion therapy, sympathomimetic/inotropic agent infusion therapy (e,g. dobutamine) | Х | - | Х | - | Х | - | х | - |
| S9349 | Home infusion therapy, tocolytic infusion therapy | Х | - | Х | - | Х | - | Х | - |
| | Home infusion therapy, continuous antiemetic infusion therapy | X | - | X | - | X | - | X | - |
| | Home infusion therapy, continuous insulin infusion therapy | X | - | X | - | X | - | X | - |
| | Home infusion therapy, chelation therapy | Х | - | Х | - | Х | - | Х | - |
| | Home infusion therapy, enzyme replacement intravenous therapy; (e.g., imiglucerase) | Х | - | Х | - | Х | - | X | - |
| S9359 | Home infusion therapy, anti-tumor necrosis factor intravenous therapy; (e.g., infliximab) | Х | - | х | - | Х | - | Х | - |
| S9361 | Home infusion therapy, diuretic intravenous therapy | Х | - | Х | - | Х | - | Х | - |
| | Home infusion therapy, anti-spasmotic intravenous therapy | X | _ | X | _ | X | _ | X | _ |

^{*} These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



| Note that does not not all owners by the 1 year of a part of the services. The control part of the decrease of the services by the 1 year of the services by the 1 year of the services by the 1 year of the services by the 1 year of the services by the 1 year of the services by the 1 year of the services by the 1 year of the services by the 1 year of | 9 | Ticaldi | Trad | itional Medicaid | Tradit | tional Integrated | Non-Tradition | onal Medicaid | Non-Tradition | nal Integrated |
|--|-------------|--|------|--|--------|-------------------|---------------|---------------|---------------|------------------|
| Second | Codes | Description | | | | | Not Covered | | Not Covered | Preauthorization |
| Season S | Disclaimer: | Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated guarterly. Additionally, the | | Required do not reflect information | | | | | | |
| 2008-3-3388 using daily vol | the website | | | T | 1 | , , | | | | , , , , , , |
| Section Section Proceedings Section Processing Section Processing Section Processing Section Processing Section Processing Section Processing Section Processing Section Processing Section Processing Section Processing Section Processing Section Processing Section Processing Section Processing Section Processing Processing Section Processing Section Processing Section Processing Section Processing Section Processing Processing Section Processing Section Processing Section Processing Section Processing Section Processing Processing Section Processing Section Processing Section Processing Processing Section Processing Processing Section Processing Process | S9364 | | Х | - | Х | - | Х | _ | X | _ |
| Second Process of Pr | | | | | | | | | | |
| Work Test per day | | | Х | - | Х | - | X | - | X | - |
| Sample Note Incision therapy, total parenteral nutrition (tpn); more than two liter but no more than three liters per day X | S9366 | | Х | _ | Х | - | X | _ | X | _ |
| The liters per day | | | | | | | | | | |
| Three liter's per day | S9367 | | Х | _ | Х | - | X | _ | X | - |
| S8370 Home therapy, intermittent anti-emetic injection therapy R. | 20000 | | | | | | | | | |
| Separate Home infusion therapy, intermittent anticoagulant injection therapy; (e.g., heparin); (do not use with hydration therapy; (e.g., heparin); (do not use with hydration therapy; (e.g., heparin); (do not use with hydration therapy codes \$9374-9577, using daily volume scales) | S9368 | Home infusion therapy, total parenteral nutrition (tpn); more than three liter per day | Х | - | Х | - | Х | - | Х | - |
| This code for flushing | S9370 | Home therapy, intermittent anti-emetic injection therapy | X | - | X | - | Χ | - | X | - |
| Separate | S9372 | Home infusion therapy, intermittent anticoagulant injection therapy; (e.g., heparin); (do not use | V | | ~ | | | | V | |
| \$3374 Home infusion therapy, hydration therapy; one liter per day | | this code for flushing | ^ | - | ^ | - | Χ. | - | ^ | - |
| \$3374 Home infusion therapy, hydration therapy; more than one liter but no more than two liters per day X | S9373 | Home infusion therapy, hydration therapy (do not use with hydration therapy codes s9374- | V | | ~ | | V | | V | |
| Section Sect | | s9377 using daily volume scales) | ^ | - | ^ | - | ^ | - | ^ | - |
| day A | S9374 | Home infusion therapy, hydration therapy; one liter per day | Х | - | Х | - | Х | - | Х | - |
| day | S9375 | Home infusion therapy, hydration therapy; more than one liter but no more than two liters per | ~ | | ~ | | ~ | | | |
| per day | | day | ^ | - | ^ | - | ^ | - | ^ | - |
| per day Say Home infusion therapy, Infusion therapy, more than three liters per day | S9376 | Home infusion therapy, hydration therapy; more than two liters but no more than three liters | V | | ~ | | | | V | |
| Separar Home infusion therapy, infusion provides, infusion to extra protection, infusion of extra protection, providing the providing providing providing provider, per session X | | per day | ^ | - | ^ | - | ^ | - | ^ | - |
| Separar Home infusion therapy, infusion provides, infusion to extra protection, infusion of extra protection, providing the providing providing providing provider, per session X | S9377 | Home infusion therapy, hydration therapy; more than three liters per day | Х | - | Х | - | Х | - | Х | - |
| Section Sect | S9379 | Home infusion therapy, infusion therapy, not otherwise classified | X | - | X | - | Χ | - | X | - |
| Sample Pharmacy compounding and dispensing services | S9381 | Delivery or service to high risk areas requiring escort or extra protection, per visit | X | - | X | - | Χ | - | X | - |
| Seption Sept | S9401 | Anticoagulation clinic, inclusive of all services except laboratory tests, persession | X | - | X | - | Χ | - | X | - |
| S9433 Medical food nutritionally complete, administered orally, providing 100% of nutritional intake X - | S9430 | Pharmacy compounding and dispensing services | X | - | Х | - | Χ | - | X | - |
| S9434 Modified solid food supplements for inborn errors of metabolism | | | X | - | Х | - | Χ | - | X | - |
| S9435 Medical foods for inborn err X - X < | S9433 | Medical food nutritionally complete, administered orally, providing 100% of nutritional intake | Х | - | Х | - | X | - | Х | - |
| S9436 Childbirth preparation/lamaze classes, non-physician provider, per session X - X - X - X - X - X - S9437 Childbirth refresher classes, non-physician provider, per session X - X - X - X - X - X - X - X - S9438 Cesarean birth classes, non-physician provider, per session X - X - X - X - X - X - X - X - S9439 Vbac (vaginal birth after cesarean) classes, non-physician provider, per session X - X - X - X - X - X - X - X - X - X | S9434 | Modified solid food supplements for inborn errors of metabolism | Х | - | Х | - | Х | - | Х | - |
| S9437 Childbirth refresher classes, non-physician provider, per session X - | S9435 | Medical foods for inborn err | Х | - | Х | - | Х | - | Х | - |
| S9438 Cesarean birth classes, non-physician provider, per session X - X - X - X - X - X - X - X - X - X | S9436 | Childbirth preparation/lamaze classes, non-physician provider, per session | Х | - | Х | - | Х | - | Х | - |
| Sey 38 Cesarean birth classes, non-physician provider, per session X - X - X - X - X - X - X - Sey 39 Vbac (vaginal birth after cesarean) classes, non-physician provider, per session X - Sey 441 Asthma education, non-physician provider, per session X - Sey 45 Birthing classes, non-physician provider, per session X - Sey 46 Birthing classes, non-physician provider, per session X - Sey 47 Birthing classes, non-physician provider, per session X - X - X - X - X - X - X - X - X - X - Sey 46 Parenting classes, non-physician provider, per session X - Sey 47 Infant safety (including cpr) classes, non-physician provider, per session X - Sey 48 Sex 5 Sex 6 | S9437 | Childbirth refresher classes, non-physician provider, per session | Х | - | Х | - | Х | - | Х | - |
| S9411 Asthma education, non-physician provider, per session S9412 Birthing classes, non-physician provider, per session S9413 Lactation classes, non-physician provider, per session S9414 Parenting classes, non-physician provider, per session S9415 Patient education, not otherwise classified, non-physician provider, individual, per session S9416 Patient education, not otherwise classified, non-physician provider, per session S9417 Infant safety (including cpr) classes, non-physician provider, per session S9418 Exercise classes, non-physician provider, per session S9419 Exercise classes, non-physician provider, per session S9410 S9410 Synday Syn | S9438 | | Х | - | Х | - | Х | - | Х | - |
| S9442 Birthing classes, non-physician provider, per session S9443 Lactation classes, non-physician provider per session X S9444 Parenting classes, non-physician provider, per session X S9445 Patient education, not otherwise classified, non-physician provider, individual, per session X S9446 Patient education, not otherwise classified, non-physician provider, per session X S9447 Infant safety (including cpr) classes, non-physician provider, per session X S9448 Exercise classes, non-physician provider, per session X S9449 Synthematical safety (including cpr) classes, non-physician provider, per session X S9440 Synthematical safety (including cpr) classes, non-physician provider, per session X S9441 Synthematical safety (including cpr) classes, non-physician provider, per session X S9442 Synthematical safety (including cpr) classes, non-physician provider, per session X S9445 Synthematical safety (including cpr) classes, non-physician provider, per session X S9450 Synthematical safety (including cpr) classes, non-physician provider, per session X S9450 Synthematical safety (including cpr) classes, non-physician provider, per session X S9450 Synthematical safety (including cpr) classes, non-physician provider, per session X S9450 Synthematical safety (including cpr) classes, non-physician provider, per session X S9450 Synthematical safety (including cpr) classes, non-physician provider, per session X S9450 Synthematical safety (including cpr) classes, non-physician provider, per session X S9450 Synthematical safety (including cpr) classes, non-physician provider, per session X S9450 Synthematical safety (including cpr) classes, non-physician provider, per session X S9450 Synthematical safety (including cpr) classes, non-physician provider, per session X S9450 Synthematical safety (including cpr) classes, non-physician provider, per session X S9450 Synthematical safety (including cpr) classes, non-physician provider, per session X S9451 Synthematical safety (including cpr | S9439 | Vbac (vaginal birth after cesarean) classes, non-physician provider, per session | Х | - | Х | - | Х | - | Х | - |
| S9443Lactation classes, non-physical provider per sessionX-X-X-X-S9444Parenting classes, non-physician provider, per sessionX-X-X-X-S9445Patient education, not otherwise classified, non-physician provider, individual, per sessionX-X-X-X-S9447Infant safety (including cpr) classes, non-physician provider, per sessionX-X-X-X-S9451Exercise classes, non-physician provider, per sessionX-X-X-X-S9453Smoking cessation classes, non-physician provider, per sessionX-X-X-X-S9454Stress management classes, non-physician provider, per sessionX-X-X-X-S9460Diabetic management program,X-X-X-X-X- | S9441 | Asthma education, non-physician provider, per session | Х | - | Х | - | Х | - | X | - |
| S9444Parenting classes, non-physician provider, per sessionX-X-X-XS9445Patient education, not otherwise classified, non-physician provider, individual, per sessionX-X-X-X-S9447Infant safety (including cpr) classes, non-physician provider, per sessionX-X-X-X-S9451Exercise classes, non-physician provider, per sessionX-X-X-X-S9453Smoking cessation classes, non-physician provider, per sessionX-X-X-X-S9454Stress management classes, non-physician provider, per sessionX-X-X-X-S9460Diabetic management program,X-X-X-X-X- | S9442 | | Х | - | Х | - | Χ | - | Х | - |
| S9444Parenting classes, non-physician provider, per sessionX-X-X-X-S9445Patient education, not otherwise classified, non-physician provider, individual, per sessionX-X-X-X-S9447Infant safety (including cpr) classes, non-physician provider, per sessionX-X-X-X-S9451Exercise classes, non-physician provider, per sessionX-X-X-X-S9453Smoking cessation classes, non-physician provider, per sessionX-X-X-X-S9454Stress management classes, non-physician provider, per sessionX-X-X-X-S9460Diabetic management program,X-X-X-X- | S9443 | Lactation classes, non-physical provider per session | Х | - | Х | - | Х | - | Х | - |
| S9447 Infant safety (including cpr) classes, non-physician provider, per session X - X - X - X - X - X - X - X - X - X | S9444 | Parenting classes, non-physician provider, per session | Х | - | Х | - | Χ | - | Х | - |
| S9451 Exercise classes, non-physician provider, per session | S9445 | Patient education, not otherwise classified, non-physician provider, individual, per session | Х | - | Х | - | Х | - | Х | - |
| S9451Exercise classes, non-physician provider, per sessionX-X-X-S9453Smoking cessation classes, non-physician provider, per sessionX-X-X-X-S9454Stress management classes, non-physician provider, per sessionX-X-X-X-S9460Diabetic management program,X-X-X-X- | S9447 | Infant safety (including cpr) classes, non-physician provider, per session | Х | - | Х | - | Χ | - | Х | - |
| S9453Smoking cessation classes, non-physician provider, per sessionX-X-X-X-S9454Stress management classes, non-physician provider, per sessionX-X-X-X-S9460Diabetic management program,X-X-X-X- | S9451 | | | - | | - | | - | 1 | - |
| S9454 Stress management classes, non-physician provider, per session X - X - X - X - S9460 Diabetic management program, X - X - X - X - X - X - | S9453 | | | - | | - | | - | | - |
| S9460 Diabetic management program, X - X - X - X - | | | | - | | - | | - | 1 | - |
| | | | | | | | | - | | - |
| | | | | - | | - | | - | X | - |

^{*} These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



| | (SACCTES) (Sec.) | Trad | litional Medicaid | Tradi | tional Integrated | Non-Tradition | onal Medicaid | Non-Tradition | nal Integrated |
|----------------------------|--|-----------------|------------------------------|----------------|------------------------------|------------------------|------------------------------|------------------------|------------------------------|
| Codes | Description | Not Covered | | Not Covered | Preauthorization Required | Not Covered | Preauthorization Required | Not Covered | Preauthorization Required |
| Disclaimer: the website | Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, the | se coding lists | s do not reflect information | regarding imm | unizations, injectable drugs | s, or specialty medica | ations and should be d | irected to the Pharmac | y link option within |
| S9472 | Cardiac rehabilitation progr | Х | - | Х | - | Х | - | Х | - |
| | Pulmonary rehabilitation pro | Х | - | Х | - | Х | - | Х | - |
| | Enterostomal therapy by a re | Х | - | Х | - | Х | - | Х | - |
| | Ambulatory setting substance | Х | - | Х | - | Х | - | Х | - |
| | Vestibular rehabilitation program, non-physician provider, per diem | Х | - | Х | - | Х | - | Х | - |
| S9480 | Intensive outpatient psychia | Х | - | Х | - | Х | - | Х | - |
| S9482 | Family stabilization services, per 15 minutes | Х | - | Х | - | Х | - | Х | - |
| S9484 | Crisis intervention mental health services, per hour | Х | - | Х | - | Х | - | X | - |
| | Crisis intervention mental h | Х | - | - | - | Х | - | - | - |
| | Home infusion therapy, corticosteroid infusion; administrative services, professional pharmacy services, care coordinati | Х | - | Х | - | х | - | х | - |
| S9494 | Home infusion therapy, antibiotic, antiviral, or antifungal therapy (do not use with home infusion codes for hourly dosi | Х | - | Х | - | Х | - | Х | - |
| S9497 | Home infusion therapy, antibiotic, antiviral, or antifungal therapy; once every three hours | Х | - | Х | - | Х | - | х | - |
| S9500 | Home infusion therapy, antibiotic, antiviral, or antifungal therapy; once every 24 hours | Х | - | х | - | Х | - | х | - |
| S9501 | Home infusion therapy, antibiotic, antiviral, or antifungal therapy; once every 12 hours | Х | - | Х | - | Х | - | х | - |
| S9502 | Home infusion therapy, antibiotic, antiviral, or antifungal therapy; once every 8 hours | Х | - | х | - | Х | - | х | - |
| S9503 | Home infusion therapy, antibiotic, antiviral, or antifungal therapy; once every six hours | Х | - | х | - | Х | - | х | - |
| S9504 | Home infusion therapy, antibiotic, antiviral, or antifungal therapy; once every four hours | Х | - | Х | - | Х | - | х | - |
| S9529 | Routine venipuncture for collection of specimen(s), single home bound, nursing home, or skilled nursing facility patient | Х | - | Х | - | Х | - | х | - |
| S9537 | Home therapy; hematopoietic hormone injection therapy (e.g., crythropoietin, g-csf, gm-csf) | Х | - | Х | - | Х | - | х | - |
| S9538 | Home transfusion of blood product(s) (blood products, drugs and nursing visits coded separately), per diem | Х | - | Х | - | Х | - | х | - |
| S9542 | Home injectable therapy; not otherwise classified | Х | - | Х | - | Х | - | Х | - |
| S9558 | Home injectable therapy; growth hormone, | Х | - | Х | - | Х | - | Х | - |
| S9559 | Home injectable therapy; interferon | X | - | Х | - | Х | - | Х | - |
| | Home injectable therapy; hormonal therapy (e.g., leuprolide, goserelin) (drugs and nursing visits coded separately), per | Х | - | Х | - | Х | - | х | - |
| S9562 | Home injectable therapy, palivizumab, including administrative services, professional pharmacy services, care coordinatio | Х | - | Х | - | Х | - | х | - |
| S9563 | Ht inj immuno diem | Х | - | Х | - | Х | - | Х | - |
| | Home therapy, irrigation therapy (e.g. sterile irrigation of an organ oranatomical cavity); including administrative ser | Х | - | Х | - | Х | - | Х | - |
| S9810 | Home therapy; professional pharmacy service for provision of infusion, specialty drug administration, and/or disease sta | Х | - | х | - | Х | - | Х | - |
| S9900 | Services by a journal-listed christian science practitioner for the purpose of healing, per diem | Х | - | х | - | Х | - | Х | - |

^{*} These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



| | Tioditi . | | Traditional Medicaid | | Traditional Integrated | | Non-Traditional Medicaid | | nal Integrated |
|-------------|--|----------------------------|--|--|--|-------------|-----------------------------------|-------------|-----------------------------------|
| Codes | Description | Not | Preauthorization | Not | Preauthorization | Not Covered | Preauthorization | Not Covered | Preauthorization |
| Disclaimer: | Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these | Covered se coding lists | Required do not reflect information | Covered regarding imm | Required nunizations, injectable drugs | | Required tions and should be d | | Required by link option within |
| the website | | | 1 | , | 1 | 1 | | | |
| | Christian sci nurse visit | Х | - | Х | - | Х | - | X | - |
| | Air ambulanc nonemerg fixed | Х | - | Х | - | Х | - | Х | - |
| | Air ambulan nonemerg rotary | Х | - | Х | - | X | - | Х | - |
| | Health club membership, annual | Χ | - | Х | - | Х | - | Х | - |
| | Transplant related lodging, meals and transportation, per diem | Χ | - | X | - | Х | - | X | - |
| | Lodging, per diem, not otherwise specified | Χ | - | X | - | X | - | Х | - |
| | Meals, per diem, not otherwise specified | Χ | - | Х | - | Х | - | Х | - |
| S9982 | Medical records copying fee, per page | Χ | - | Х | - | X | - | X | - |
| S9986 | Not medically necessary service (patient is aware that service not medically necessary) | Х | - | Х | - | X | - | Х | - |
| S9988 | Services provided as part of a phase i clinical trial | Х | - | Х | - | Х | - | Х | - |
| S9989 | Services provided outside of the united states of america (list in addition to code(s) for service(s) | Х | - | Х | - | Х | - | Х | - |
| S9990 | Services provided as part of | Х | - | Х | - | Х | - | Х | - |
| | Services provided as part of | Х | - | Х | - | Х | - | Х | - |
| | Transportation costs to and | Х | - | Х | - | Х | - | Х | - |
| | Lodging costs (e.g. hotel ch | Х | - | Х | - | Х | - | Х | - |
| S9996 | Meals for clinical trial par | Х | - | Х | - | Х | - | Х | - |
| | Sales tax | Х | - | Х | - | Х | - | Х | - |
| | Private duty/independent nursing service(s) - licensed, up to 15 minutes | - | Х | - | Х | Х | - | Х | - |
| | Rn services, up to 15 minutes | - | Х | - | Х | _ | Х | _ | Х |
| | Lpn/lvn services, up to 15 minutes | - | Х | - | Х | - | Х | _ | Х |
| | Services of a qualified nursing aide, up to 15 minutes | Х | - | Х | - | Х | - | Х | - |
| | Respite care services, up to 15 minutes | - | Х | - | Х | - | Х | - | Х |
| | Alcohol and/or substance abuse services, family/couple counseling | Х | - | Х | - | Х | - | Х | - |
| | Alcohol and/or substance abuse services, treatment plan development and/or modification | Х | - | Х | - | X | - | X | - |
| T1009 | Child sitting services for children of the individual receiving alcohol and/or substance abuse services | Х | - | Х | - | Х | - | Х | - |
| T1010 | Meals for individuals receiving alcohol and/or substance abuse services (when meals not included in the program) | Х | - | Х | - | Х | - | Х | - |
| T1012 | Alcohol and/or substance abuse services, skills development | Х | _ | Х | _ | Х | _ | Х | _ |
| | Sign language or oral interpreter services | - | - | - | - | X | - | X | _ |
| | Telehealth transmission, per minute, professional services bill separately | X | _ | X | _ | X | - | X | _ |
| | Clinic visit/encounter, all-inclusive | - | X | - | X | - | X | - | X |
| | School-based individualized education program (iep) services, bundled | | - | | - | X | - | X | |
| | Personal care services, per diem, not for an inpatient or resident of ahospital, nursing facility, | | - | _ | _ | | - | ^ | - |
| 1.020 | icf/mr or imd, part o | - | Х | - | X | - | Х | - | Χ |
| T1021 | Home health aide or certified nurse assistant, per visit | | Х | _ | X | _ | Х | _ | Х |
| | Contracted home health agency services, all services provided under contract,per day | - | | | ^ | - | ^ | - | ^ |
| | | - | Х | - | Х | - | Х | - | Х |
| Г1023 | Screening to determine the appropriateness of consideration of an individualfor participation in a specified program, pr | - | | - | - | Х | - | Х | - |
| T1024 | Evaluation and treatment by an integrated, specialty team contracted to providecoordinated care to multiple or severely | - | - | - | - | Х | - | Х | - |

^{*} These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



| | nealti | Trad | itional Medicaid | Tradi | tional Integrated | Non-Traditio | onal Medicaid | Non-Tradition | nal Integrated |
|-------------|--|----------------------------|--|-----------------------|--|--------------|------------------------------------|---------------|----------------------------------|
| Codes | Description | Not | Preauthorization | Not | Preauthorization | Not Covered | Preauthorization | | Preauthorization |
| Disclaimer: | Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, the | Covered se coding lists | Required do not reflect information | Covered regarding imm | Required unizations, injectable drugs | | Required itions and should be d | | Required v link option within |
| the website | | | T | 1 | , ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,, | I | T | 1 | |
| 11025 | Intensive, extended multidisciplinary services provided in a clinic setting tochildren with | Х | - | Х | - | X | - | X | - |
| T4000 | complex medical, physical, m | | | | | | | | |
| 11026 | Intensive, extended multidisciplinary services provided in a clinic setting tochildren with | Х | - | Х | - | Х | - | Х | - |
| T1020 | complex medical, physical, m | | | | | | | | |
| 1 1026 | Assessment of home, physical and family environment, to determine suitability to meet patient's medical needs | - | - | - | - | Х | - | Х | - |
| T1020 | Comprehensive environmental lead investigation, not including laboratoryanalysis, per dwelling | | | | | | | | |
| 11023 | comprehensive environmentariead investigation, not including laboratoryanalysis, per dwelling | Χ | - | Х | - | X | - | Х | - |
| T1030 | Nursing care, in the home, by registered nurse, per diem | _ | Х | _ | X | _ | Х | _ | X |
| | Nursing care, in the home, by licensed practical nurse, per diem | | X | | X | _ | X | _ | X |
| | Sv doula brth wrk per 15 min | X | - | X | - | X | - | X | |
| | Sv doula brth wrk per 13 mm | X | _ | X | | X | _ | X | |
| | Comm bh clinic svc per diem | X | - | X | - | X | | X | <u> </u> |
| | Comm bh clinic svc per month | X | _ | X | _ | X | _ | X | |
| T1049 | Skin subcutaneous and areolar tissues | X | - | X | - | X | _ | X | |
| | Administration of medication other than oral and/or injectable by a health care agency | | | | | | | | |
| | professional per visit | X | - | X | - | Х | - | Х | - |
| T1505 | Elec med comp dev, noc | Х | _ | Х | - | Х | _ | Х | |
| | Miscellaneous therapeutic items and supplies, retail purchases, not otherwise classified; identify | | | | | ~ | | | |
| | product in "remarks" | - | Х | - | X | - | X | - | X |
| T2001 | Non-emergency transportation; patient attendant/escort | _ | - | _ | - | Х | _ | Х | - |
| T2002 | Non-emergency transportation; per diem | - | - | _ | _ | X | _ | X | _ |
| T2003 | Non-emergency transportation; encounter/trip | _ | - | _ | - | X | _ | X | - |
| T2004 | Non-emergency transport; commercial carrier, multi-pass | - | - | _ | - | X | - | X | - |
| T2005 | Non-emergency transportation; non-ambulatory stretcher van | - | - | _ | - | X | - | X | - |
| T2007 | Transportation waiting time, air ambulance and non-emergency vehicle, one-half(1/2) hour | | | | | | | | |
| | increments | Х | - | Х | - | X | - | X | - |
| T2010 | Preadmission screening and resident review (pasrr) level i id screening, per screen | Х | - | Х | - | Х | - | Х | - |
| | Preadmission screening and resident review (pasrr) level ii eval, per eval | Х | - | Х | - | Х | - | Х | - |
| T2012 | Habilitation, educational; waiver, per diem | - | - | - | - | Х | - | Х | - |
| | Habilitation, educational, waiver; per hour | - | - | - | - | Х | - | Х | - |
| T2014 | Habilitation, prevocational, waiver; per diem | Х | - | Х | - | Х | - | Х | - |
| T2015 | Habilitation, prevocational, waiver; per hour | Х | - | Х | - | Х | - | Х | - |
| T2016 | Habilitation, residential, waiver; per diem | ı | - | - | - | Х | - | Х | - |
| T2017 | Habilitation, residential, waiver; 15 minutes | ı | - | - | - | Х | - | Х | - |
| T2018 | Habilitation, supported employment, waiver; per diem | ı | - | _ | - | Х | - | Х | |
| | Habilitation, supported employment, waiver; per 15 minutes | - | - | | - | Х | - | Х | - |
| | Day habilitation, waiver; per diem | - | - | - | - | Х | - | Х | - |
| | Day habilitation, waiver; per 15 minutes | - | - | - | - | X | - | Х | - |
| T2022 | Case management, per month | - | - | - | - | X | - | Х | - |
| T2023 | Targeted case management; per month | Χ | - | Х | - | X | - | Х | - |
| T2024 | Service assessment/plan of care development, waiver | - | - | - | - | X | - | Х | - |
| T2025 | Waiver services; not otherwise specified (nos) | - | - | - | - | X | - | Х | - |
| T2026 | Specialized childcare, waiver; per diem | Χ | - | Х | - | X | - | Х | - |
| T2027 | Specialized childcare, waiver; per 15 minutes | - | - | - | - | X | - | X | - |

^{*} These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



| | | | Traditional Medicaid | | Traditional Integrated | | Non-Traditional Medicaid | | al Integrated |
|-------------|---|----------------------------|-------------------------------------|--------------------------|--|-----------------------|-----------------------------------|-----------------------|----------------------------------|
| Codes | Description | Not | Preauthorization | Not | Preauthorization | Not Covered | Preauthorization | Not Covered | Preauthorization |
| Disclaimer: | Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, then | Covered se coding lists | Required do not reflect information | Covered regarding imm | Required nunizations, injectable drugs | , or specialty medica | Required tions and should be d | rected to the Pharmac | Required y link option within |
| the website | | | | ı | ī | | П | | |
| T2028 | Specialized supply, not otherwise specified, waiver | - | - | - | - | X | - | X | - |
| T2030 | Assisted living, waiver; per month | Х | - | Х | - | X | - | X | - |
| | Assisted living; waiver, per diem | - | - | - | - | X | - | X | - |
| T2032 | Residential care, not otherwise specified (nos), waiver; per month | Х | - | Х | - | Х | - | Х | - |
| T2033 | Residential care, not otherwise specified (nos), waiver; per diem | - | - | - | - | Х | - | Х | - |
| | Crisis intervention, waiver; per diem | Х | - | Х | - | Х | - | Х | - |
| T2035 | Utility services to support medical equipment and assistive technology/devices, waiver | Х | - | Х | - | Х | - | Х | - |
| T2036 | Therapeutic camping, overnight, waiver; each session | - | - | - | - | Χ | - | X | - |
| T2037 | Therapeutic camping, day, waiver; each session | Χ | - | X | - | Χ | - | X | - |
| T2038 | Community transition, waiver; per service | - | - | - | - | Х | - | X | |
| T2039 | Vehicle modifications, waiver; per service | - | - | - | - | Х | - | Х | |
| T2040 | Financial management, self-directed, waiver; per 15 minutes | ı | - | - | - | Х | - | Х | - |
| T2041 | Supports brokerage, self-directed, waiver; per 15 minutes | - | - | - | - | Х | - | Х | - |
| T2042 | Hospice routine home care; per diem | - | Х | - | Х | - | Х | - | Х |
| T2043 | Hospice continuous home care; per hour | - | Х | - | Х | - | Х | - | Х |
| T2044 | Hospice inpatient respite care; per diem | - | Х | - | Х | - | Х | - | Х |
| T2045 | Hospice general inpatient care; per diem | - | Х | - | Х | - | Х | - | Х |
| T2046 | Hospice long term care, room and board only; per diem | - | Х | - | Х | - | Х | - | Х |
| T2047 | Hab prevo waiver per 15 | - | - | - | - | Х | - | Х | - |
| T2048 | Behavioral health; long-term care residential (non-acute care in a residential program, per diem | Х | - | Х | - | Х | - | Х | - |
| T20/19 | Non-emergency transportation; stretcher van, mileage; per mile | X | _ | X | - | X | | X | |
| T2050 | Financial mgt waiver/diem | ^ | - | ^ | - | X | - | X | - |
| | Support broker waiver/diem | - | - | - | - | X | - | X | - |
| | 11 ' | X | - | - X | - | X | - | X | - |
| | Human breast milk processing, storage and distribution only | | - | 1 | - | X | - | X | - |
| | Adult size brief/diaper sm | - | - | - | - | | - | | - |
| T4523 | Adult size brief/diaper med | - | - | - | - | X | - | X | - |
| | Adult size brief/diaper lg | - | - | - | - | X | - | X | - |
| | Adult size brief/diaper xl | - | - | - | - | X | - | X | - |
| T4525 | Adult size pull-on sm | - | - | - | - | X | - | X | - |
| T4526 | Adult size pull-on med | - | - | - | - | X | - | X | - |
| T4527 | Adult size pull-on lg | - | - | - | - | X | - | X | - |
| | Adult size pull-on xl | - | - | - | - | X | - | X | - |
| T4529 | Ped size brief/diaper sm/med | - | - | - | - | X | - | X | - |
| | Ped size brief/diaper lg | - | - | - | - | X | - | X | - |
| | Ped size pull-on sm/med | - | - | - | - | Х | - | Х | - |
| | Ped size pull-on lg | - | - | - | - | Х | - | Х | - |
| | Youth size brief/diaper | - | - | - | - | Х | - | Х | - |
| | Youth size pull-on | - | - | - | - | Х | - | Х | - |
| T4535 | Disposable liner/shield/pad | - | - | - | - | Х | - | Х | - |
| | Reusable pull-on any size | - | - | - | - | Χ | - | Х | - |
| T4537 | Reusable underpad bed size | Χ | - | Х | - | Χ | - | X | - |
| | Diaper serv reusable diaper | Χ | - | Х | - | X | - | X | - |
| T4539 | Reuse diaper/brief any size | Χ | - | Х | - | X | - | X | - |

^{*} These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



| | The authority of the au | Trad | itional Medicaid | Tradi | tional Integrated | Non-Tradition | onal Medicaid | Non-Tradition | al Integrated |
|----------------|--|-------------------------------|--|--------------------------|-------------------|---------------|----------------------------------|---------------|----------------------------------|
| Codes | Description | Not | Preauthorization | Not | Preauthorization | Not Covered | Preauthorization | Not Covered | Preauthorization |
| Disclaimer | Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, to | Covered these coding lists | Required do not reflect information | Covered regarding imm | | | Required ations and should be di | | Required y link option within |
| the website | 2. | | I | | T | 1 | T | | - |
| | Reusable underpad chair size | X | - | X | - | X | - | X | - |
| T4541 | Large disposable underpad | X | - | X | - | X | - | X | - |
| T4542 | lannan arakasasas annas kas | Х | - | Х | - | X | - | X | - |
| | Disposable incontinence product, brief/diaper, bariatric, each | - | - | - | - | X | - | X | - |
| | Adlt disp und/pull on abv xl | - | - | - | - | X | - | X | - |
| | Incontinence product, disposable, penile wrap, each | - V | - | - | - | X | - | X | - |
| T5999 | Positioning seat for persons with special orthopedic needs, for use in vehicles | X | - | X | - | | - | X | - |
| | - appril mer entre aprenier | X | - | X | - | X | - | X | - |
| V2020 | Infec agen detec ampli probe | X | - | Х | - | X | - | X | - |
| | | - | - | - | - | X | - | X | - |
| V2025 V2100 | Eyeglasses delux frames | - | - | - | - | X | - | X | - |
| | | - | - | - | - | X | - | X | - |
| V2101 V2102 | Single visn sphere 4.12-7.00 | - | - | - | - | X | - | X | - |
| V2102 V2103 | | - | - | - | - | X | - | X | - |
| V2103 | | | | - | - | | - | X | <u>-</u> |
| V2104 V2105 | Spherocylindr 4.00d/2.12-4d | - | - | - | - | X | - | X | - |
| V2105 V2106 | | - | - | - | - | X | - | X | - |
| V2106 V2107 | | - | - | - | - | X | - | X | - |
| V2107 V2108 | Spherocylinder 4.25d/12-2d | - | - | - | - | | - | X | - |
| V2108 V2109 | Spherocylinder 4.25d/2.12-4d | - | - | - | - | X | - | X | - |
| V2109 V2110 | | - | - | - | - | X | - | X | - |
| V2110 | Spherocylinder 4.25d/over 6d | - | | 1 | | | - | X | |
| V2111 | Spherocylindr 7.25d/.25-2.25 | - | - | - | - | X | - | X | - |
| V2112 V2113 | Spherocylindr 7.25d/2.25-4d | - | - | - | - | X | - | X | - |
| V2113 | Spherocylindr 7.25d/4.25-6d Spherocylinder over 12.00d | - | - | - | - | X | - | X | - |
| | Lens lenticular bifocal | X | - | X | - | X | - | X | <u> </u> |
| V2113 | Lens aniseikonic single | X | - | X | - | X | - | X | <u> </u> |
| | Ü | | - | | - | X | - | X | <u> </u> |
| V2121 | Lenticular lens, per lens, single Lens single vision not oth c | X | - | X | - | X | - | X | <u> </u> |
| | Lens spher bifoc plano 4.00d | | - | | - | X | - | X | <u> </u> |
| | Lens sphere bifocal 4.12-7.0 | - | - | - | - | X | - | X | <u> </u> |
| V2201 | · · | - | - | _ | - | X | - | X | <u> </u> |
| V2202 | Lens sphere blocal 7.12-20. Lens sphcyl bifocal 4.00d/.1 | + - | - | <u> </u> | - | X | - | X | <u> </u> |
| V2204 | Lens sphcy bifocal 4.00d/.1 Lens sphcy bifocal 4.00d/2.1 | + - | - | <u> </u> | - | X | _ | X | <u> </u> |
| V2204 | Lens sphcy bifocal 4.00d/2.1 Lens sphcy bifocal 4.00d/4.2 | + - | - | - | - | X | - | X | <u> </u> |
| V2203 | Lens sphcy bifocal 4.00d/4.2 Lens sphcy bifocal 4.00d/ove | + - | - | - | - | X | - | X | <u> </u> |
| V2207 | Lens sphcy bifocal 4.00d/ove Lens sphcy bifocal 4.25-7d/. | + - | - | - | - | X | - | X | <u> </u> |
| V2207 | | - | - | - | - | X | - | X | <u> </u> |
| V2208 | Lens sphcy bifocal 4.25-7/2. Lens sphcy bifocal 4.25-7/4. | + - | - | <u> </u> | - | X | - | X | <u> </u> |
| V2203 | Lens sphcy bifocal 4.25-7/4. Lens sphcy bifocal 4.25-7/ov | + - | - | <u> </u> | - | X | - | X | |
| V2210 | Lens sphcy bifo 7.25-12/.25- | + - | - | - | - | X | - | X | <u> </u> |
| V2211 | · ' | + - | - | <u> </u> | - | X | - | X | <u> </u> |
| V2212 | Lens sphcyl bifo 7.25-12/2.2 Lens sphcyl bifo 7.25-12/4.2 | + - | - | - | - | X | - | X | <u> </u> |
| | Lens sphcyl bifo 7.25-12/4.2 Lens sphcyl bifocal over 12. | + - | - | - | - | X | - | X | <u> </u> |
| V Z Z 14 | Lens spricy briocal over 12. | | - | _ | - | ^ | _ | _ ^ | - |

^{*} These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



| | | Trad | itional Medicaid | Tradi | tional Integrated | Non-Traditional Medicaid | | Non-Tradition | nal Integrated |
|----------------|--|----------------------------|--|--------------------------|--|--------------------------|-----------------------------------|---------------|-----------------------------------|
| Codes | Description | Not | Preauthorization | Not | Preauthorization | Not Covered | Preauthorization | Not Covered | Preauthorization |
| Disclaimer | Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, the | Covered se coding lists | Required do not reflect information | Covered regarding imm | Required nunizations, injectable drugs | | Required tions and should be d | | Required by link option within |
| the website |). | | T | | ī | | 1 | | |
| | Lens lenticular bifocal | X | - | X | - | X | - | X | - |
| V2218 | Lens aniseikonic bifocal | X | - | X | - | X | - | X | - |
| V2219 V2220 | Lens bifocal seg width over | X | - | X | - | X | - | X | - |
| | Lens bifocal add over 3.25d | Х | - | X - | - | X | - | X | - |
| | Lenticular lens, per lens, bifocal | - | - | - | - | X | - | X | - |
| V2299 V2300 | Lens bifocal speciality | - | | - | - | X | - | X | - |
| | Lens sphere trifocal 4.00d | - | - | - | - | X | - | X | - |
| V2301 | Lens sphere trifocal 4.12-7. | - | | - | - | X | - | | - |
| V2302 | Lens sphere trifocal 7.12-20 | - | - | | - | X | - | X | - |
| | | | | | | | | | |
| V2304 V2305 | Lens sphcy trifocal 4.0/2.25 | - | - | - | - | X | - | X | - |
| V2305 V2306 | | - | - | - | - | X | - | X | - |
| V2306 V2307 | Lens sphcyl trifocal 4.00/>6 | - | - | - | - | X | - | X | |
| V2307 V2308 | Lens sphcy trifocal 4.25-7/. | | - | - | - | | | | - |
| V2308 V2309 | Lens sphc trifocal 4.25-7/2. | - | - | - | - | X | - | X | - |
| V2309 V2310 | Lens sphc trifocal 4.25-7/4. | - | - | - | - | | - | | - |
| | Lens sphc trifocal 4.25-7/>6 | - | - | - | - | X | - | X | - |
| | Lens sphc trifo 7.25-12/.25- | - | - | - | - | X | - | X | - |
| V2312 | Lens sphc trifo 7.25-12/2.25 | | - | - | - | X | - | X | - |
| V2313 | | - | - | - | - | X | - | X | - |
| V2314 V2315 | Lens sphcyl trifocal over 12 | - X | - | - X | - | X | - | X | - |
| V2313 | zeno rendedada emeda. | X | | X | | X | - | X | - |
| | Lens aniseikonic trifocal Lens trifocal seg width > 28 | X | - | X | - | X | - | X | - |
| V2319 | | X | - | X | - | X | - | | - |
| | Lens trifocal add over 3.25d Lenticular lens, per lens, trifocal | X | - | X | - | X | - | X | - |
| V2321 | | X | - | X | - | X | - | X | - |
| V2333 | | X | - | X | - | X | - | X | - |
| V2430 | Lens variable asphericity sing | X | - | X | - | X | - | X | - |
| V2499 | · · · | X | | X | - | X | | X | |
| V2500 | Contact lens pmma spherical | X | | X | - | X | - | X | - |
| V2501 | Cntct lens pmma-toric/prism | X | - | X | - | X | - | X | |
| V2501 | Contact lens pmma bifocal | - | X | - | X | X | - | X | _ |
| V2503 | Cntct lens pmma color vision | X | - | X | - | X | _ | X | _ |
| V2510 | Critic lens prima color vision Critic gas permeable sphericl | - | X | - | X | X | _ | X | - |
| | Criticit gas permeable spherici Critici toric prism ballast | X | - | X | | X | - | X | |
| V2512 | Critic lens gas permbl bifocl | - | X | - | X | X | _ | X | - |
| | Contact lens extended wear | X | - | X | - | X | _ | X | _ |
| V2520 | Contact lens hydrophilic | - | X | - | X | X | - | X | - |
| | Cntct lens hydrophilic toric | X | - | X | - | X | _ | X | - |
| V2522 | Cntct lens hydrophilic toric | - | X | - | X | X | _ | X | - |
| V2523 | Critic lens hydrophil briod | X | - | X | - | X | - | X | - |
| V2524 | Critic lens hydrophil photoch | X | - | X | - | X | - | X | - |
| V2525 | | X | _ | X | _ | X | _ | X | - |
| | Cntct lens blue violet | X | - | X | - | X | - | X | - |
| V 2020 | Tenter iens side violet | ^ | | ^ | <u> </u> | ^ | | ^ | |

^{*} These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



| Codes | | | tional Medicaid | Haui | tional Integrated | NOII-Traditio | nal Medicaid | Non- i raditio | nal Integrated |
|----------------------|---|------------------------------|-------------------------------------|--------------------------|--|---------------|-----------------------------------|----------------|-----------------------------------|
| | Description | Not | Preauthorization | Not | Preauthorization | Not Covered | Preauthorization | Not Covered | Preauthorization |
| Disclaimer: Ple | lease note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, the | Covered nese coding lists | Required do not reflect information | Covered regarding imm | Required nunizations, injectable drugs | | Required tions and should be d | | Required by link option within |
| the website. | | | | , | T | | 1 | | T |
| | Contact lens gas impermeable | X | - | X | - | X | - | X | - |
| | Contact lens gas permeable | Х | - | Х | - | X | - | X | - |
| | Contact lens/es other type | - | X | - | X | Х | - | Х | - |
| | land held low vision aids | - | X | - | X | Х | - | Х | - |
| | ingle lens spectacle mount | X | - | Х | - | Х | - | X | - |
| | elescop/othr compound lens | Х | - | Х | - | Х | - | Х | - |
| | olishing artifical eye | - | - | - | - | Х | - | Х | - |
| | inlargemnt of eye prosthesis | - | - | - | - | Х | - | Х | - |
| | Reduction of eye prosthesis | Х | - | Х | - | Х | - | Х | - |
| | cleral cover shell | Х | - | Х | - | Χ | - | Х | - |
| | abrication & fitting | - | - | - | - | Х | - | Х | - |
| | Prosthetic eye other type | Х | • | Х | - | Х | - | Х | - |
| | anter chamber intraocul lens | Х | - | Х | - | Х | - | Х | - |
| | ris support intraoclr lens | Х | • | Х | - | Χ | - | Х | - |
| | ost chmbr intraocular lens | Х | - | Х | - | Х | - | Х | - |
| | Balance lens | - | - | - | - | Х | - | Х | - |
| | Deluxe lens feature | Х | - | Х | - | X | - | X | - |
| | Glass/plastic slab off prism | - | - | - | - | X | - | X | - |
| | rism lens/es | - | - | - | - | Х | - | X | - |
| | resnell prism press-on lens | Х | - | Х | - | X | - | X | - |
| | pecial base curve | X | - | Х | - | X | - | X | - |
| | int photochromatic lens/es | X | - | Х | - | X | - | X | - |
| | Addition to lens, tint, any color, solid, gradient or equal, excludes photocroatic | Χ | - | Х | - | Χ | - | X | - |
| V2750 A | Anti-reflective coating | Χ | - | Х | - | Χ | - | X | - |
| | Jv lens/es | - | • | - | - | Χ | - | X | |
| V2756 E | ye glass case | Χ | • | Х | - | Χ | - | X | - |
| V2760 S | cratch resistant coating | Х | • | Х | - | Χ | - | X | |
| V2761 N | Airror coating, any type, solid, gradient or equal, any lens material, per lens | Х | ī | Х | - | X | - | Х | - |
| V2762 p | Polarization, any lens material, per lens | Х | ī | Х | - | X | - | Х | - |
| V2770 O | Occluder lens/es | X | - | Х | - | Х | - | Х | - |
| V2780 O | Oversize lens/es | Х | - | Х | - | Х | - | Х | - |
| V2781 P | Progressive lens per lens | Х | | Х | - | Х | - | Х | - |
| V2782 L | ens, index 1.54 to 1.65 plastic or 1.60 to 1.79 glass, excludes polycarbonate, per lens | Х | | Х | - | Х | - | Х | - |
| | ens, index greater than or equal to 1.66 plastic or greater than or equal to 1.80 glass | Х | | Х | - | Х | - | Х | - |
| V2784 Le | ens, polycarbonate or equal, any index, per lens | Х | - | Х | - | Χ | - | Х | - |
| V2785 C | Corneal tissue processing | - | - | - | - | Х | - | Х | - |
| V2786 S _I | pecialty occupational multifocal lens, per lens | Х | - | Х | - | Х | - | Х | - |
| V2787 A | stigmatism correcting function of intraocular lens | Х | - | Х | - | Х | - | Х | - |
| V2788 P | resbyopia correcting function of intraocular lens | Х | 1 | Х | - | Χ | - | Х | - |
| V2790 A | Amniotic membrane | Х | - | Х | - | Χ | - | Х | - |
| V2797 _V | /ision supply, accessory and/or service component of another hcpcs vision code | Х | - | Х | - | Х | - | Х | - |
| | Aiscellaneous vision service | Х | - | Х | - | Х | - | Х | - |
| | learing screening | Х | - | Х | - | Х | - | Х | - |
| V5010 A | Assessment for hearing aid | - | - | - | - | Х | - | Х | - |
| | learing aid fitting/checking | Х | - | Х | - | Х | - | Х | - |

^{*} These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



| | Ticalti | Traditional Medicaid | | Traditional Integrated | | Non-Traditional Medicaid | | Non-Tradition | nal Integrated |
|----------------|--|--|--|--|---------------------------------------|--------------------------|-----------------------------------|---------------|-----------------------------------|
| Codes | Description | Not | Preauthorization | Not | Preauthorization | Not Covered | Preauthorization | Not Covered | Preauthorization |
| Disclaimer | Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, the | Covered ese coding lists | Required do not reflect information | Covered regarding imm | Required unizations, injectable drugs | | Required tions and should be d | | Required ty link option within |
| the website |). | | | | | | T | | |
| | Hearing aid repair/modifying | - | - | - | - | Х | - | Х | - |
| V5020 | Conformity evaluation | Х | - | Х | - | Х | - | X | - |
| V5030 | Body-worn hearing aid air | - | X | - | X | Х | - | Х | |
| | Body-worn hearing aid bone | - | X | - | X | Х | - | Х | - |
| | Hearing aid monaural in ear | - | X | - | X | Х | - | Х | - |
| | Behind ear hearing aid | - | X | - | X | Χ | - | Х | - |
| V5070 | Glasses air conduction | Х | - | Х | - | Х | - | Х | - |
| V5080 | Glasses bone conduction | Х | - | Х | - | X | - | X | - |
| V5090 | Hearing aid dispensing fee | Х | - | Х | - | X | - | X | - |
| V5095 | | Х | - | Х | - | Χ | - | X | - |
| V5100 | Body-worn bilat hearing aid | X | • | X | - | X | - | X | ı |
| V5110 | Hearing aid dispensing fee | Х | - | Х | - | Х | - | Х | - |
| | Body-worn binaur hearing aid | Х | - | Х | - | Х | - | Х | - |
| V5130 | In ear binaural hearing aid | - | Х | - | Х | Х | - | Х | - |
| | Behind ear binaur hearing ai | - | Х | - | Х | Х | - | Х | - |
| V5150 | Glasses binaural hearing aid | Х | - | Х | - | Х | - | Х | - |
| V5160 | Dispensing fee binaural | - | Х | - | Х | Х | - | Х | - |
| | Hearing aid, contralateral routing device, monaural, in the ear (ite) | - | Х | - | Х | Х | - | Х | - |
| | Hearing aid, contralateral routing device, monaural, in the canal (itc) | - | Х | - | Х | Х | - | Х | - |
| | Hearing aid, contralateral routing device, monaural, behind the ear (bte) | - | Х | - | Х | Х | - | Х | - |
| V5190 | Glasses cros hearing aid | Х | - | Х | - | Х | _ | Х | - |
| V5200 | Cros hearing aid dispens fee | - | Х | - | Х | X | - | X | - |
| V5211 | Hearing aid, contralateral routing system, binaural, ite/ite | _ | X | _ | X | X | _ | X | - |
| | Hearing aid, contralateral routing system, binaural, ite/itc | _ | X | _ | X | X | _ | X | - |
| V5213 | Hearing aid, contralateral routing system, binaural, ite/bte | _ | X | _ | X | X | _ | X | - |
| V5214 | Hearing aid, contralateral routing system, binaural, itc/itc | _ | X | _ | X | X | _ | X | - |
| V5215 | Hearing aid, contralateral routing system, binaural, itc/ite | <u> </u> | X | <u> </u> | X | X | _ | X | _ |
| V5221 | Hearing aid, contralateral routing system, binaural, htc/bte | _ | X | _ | X | X | _ | X | _ |
| V5230 | Glasses bicros hearing aid | Х | - | Х | - | X | _ | X | _ |
| V5240 | Dispensing fee bicros | - | X | | X | X | _ | X | |
| V5241 | Dispensing fee, monaural healing aid, any type | - | X | - | X | X | _ | X | |
| V5242 | Hearing aid, analog, monaural, cic (completely in the ear canal) | X | | X | | X | _ | X | _ |
| V5242 | Hearing aid, analog, monaural, itc (completely in the ear canal) | | X | | X | X | - | X | - |
| V5244 | Hearing aid, digitally programmable analog, monaural, cic | | X | | X | X | - | X | |
| V5244 | | - | X | - | X | X | <u> </u> | X | - |
| V5245 V5246 | Hearing aid, digitally programmable analog, monaural, itc | <u> </u> | X | <u> </u> | X | X | - | X | - |
| V5246 V5247 | Hearing aid, digitally programmable analog, monaural, ite (in the ear) | | | | X | X | - | | - |
| V5247 | Hearing aid, digitally programmable analog, monaural, bte (behind the ear) | - V | X | - V | | | - | X | - |
| | Hearing aid, analog, binaural, cic | X | - | X | - | X | - | X | - |
| V5249 | Hearing aid, analog, binaural, itc | Х | - | Х | - | X | - | X | - |
| V5250 | Hearing aid, digitally programmable analog, binaural, cic | - | X | - | X | X | - | X | - |
| V5251 | Hearing aid, digitally programmable analog, binaural, itc | - | X | - | X | X | - | X | - |
| V5252 | Hearing aid, digitally programmable binaural, ite | - | X | - | X | X | - | X | - |
| V5253 | Hearing aid, digitally programmable binaural, bte | - | X | - | X | Х | - | Х | - |
| V5254 | Hearing aid, digital, monaural, cic | - | X | - | X | X | - | X | - |
| V5255 | Hearing aid, digital, monaural, itc | - | X | - | X | X | - | X | - |

^{*} These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



| | | Trad | itional Medicaid | Tradi | tional Integrated | Non-Tradition | onal Medicaid | Non-Tradition | nal Integrated |
|-------|--|--|------------------------------|----------------|------------------------------|-----------------------|------------------------------|------------------------|------------------------------|
| Codes | Description | Not Covered | Preauthorization Required | Not Covered | Preauthorization Required | Not Covered | Preauthorization Required | Not Covered | Preauthorization Required |
| | Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, the | | | | | , or specialty medica | | irected to the Pharmac | |
| V5256 | Hearing aid, digital, monaural, ite | | Х | _ | Х | Х | _ | Х | _ |
| V5257 | Hearing aid, digital, monaural, ite | - | X | - | X | X | | X | |
| V5258 | Hearing aid, digital, finalial, bte | | X | | X | X | _ | X | |
| | Hearing aid, digital, binaural, itc | | X | | X | X | _ | X | |
| | Hearing aid, digital, binaural, ite | - | X | _ | X | X | _ | X | _ |
| | Hearing aid, digital, binaural, ite | - | X | | X | X | _ | X | |
| | Hearing aid, disposable, and type, monaural | Х | - | Х | - | X | _ | X | |
| V5263 | Hearing aid, disposable, and type, monaural | X | _ | X | - | X | _ | X | _ |
| V5264 | Ear mold/insert, not disposable, any type | - | - | - | _ | X | _ | X | _ |
| | Ear mold/insert, disposable, any type | X | _ | X | _ | X | _ | X | |
| | Battery for use in hearing device | - | _ | | - | X | _ | X | _ |
| | Hearing aid supplies/accessories | X | - | X | - | X | _ | X | - |
| | Assistive listening device, telephone amplifier, any type | X | _ | X | | X | _ | X | _ |
| V5269 | Assistive listening device, telephone ampliner, any type Assistive listening device, alerting, any type | X | _ | X | _ | X | _ | X | _ |
| V5270 | Assistive listening device, deleting, any type Assistive listening device, television amplifier, any type | X | _ | X | _ | X | _ | X | _ |
| | Assistive listening device, television antipliner, any type Assistive listening device, television caption decoder | X | _ | X | | X | _ | X | |
| V5272 | Assistive listening device, television caption decoder Assistive listening device, television caption decoder | X | _ | X | | X | _ | X | |
| | Assistive listening device, tou Assistive listening device, for use with cochlear implant | X | - | X | - | X | _ | X | _ |
| | Assistive listening devise, not otherwise specified | | X | - | X | | X | - | X |
| | Ear impression, each | Х | - | Х | - | X | - | Х | |
| | Assistive listening device, personal fm/dm system, monaural, (1 receiver, transmitter, | | | | | | | | |
| | microphone), any type | Х | - | X | - | X | - | X | - |
| V5282 | Assistive listening device, personal fm/dm system, binaural, (2 receivers, transmitter, | | | | | | | | |
| | microphone), any type | Х | - | Х | - | X | - | X | - |
| V5283 | Assistive listening device, personal fm/dm neck, loop induction receiver | Х | _ | Х | - | Х | _ | Х | - |
| | Assistive listening device, personal fm/dm, ear level receiver | X | - | X | - | X | - | X | - |
| V5285 | Assistive listening device, personal fm/dm, direct audio input receiver | X | - | X | - | X | - | X | _ |
| V5286 | Assistive listening device, personal blue tooth fm/dm receiver | X | - | X | - | X | _ | X | - |
| V5287 | Assistive listening device, personal fm/dm receiver, not otherwise specified | X | - | X | - | X | - | X | - |
| V5288 | Assistive listening device, personal fm/dm transmitter assistive listening device | X | - | X | - | X | _ | X | - |
| V5289 | Assistive listening device, personal fm/dm adapter/boot coupling device for receiver, any type | | | | | | | | |
| | and the second state of th | Х | - | X | - | Χ | - | X | - |
| V5290 | Assistive listening device, transmitter microphone, any type | Х | - | Х | - | Х | - | Х | - |
| V5298 | Hearing aid, not otherwise classified | Х | - | Х | - | Х | - | Х | - |
| V5299 | Hearing service | - | Х | - | Х | Х | Х | Х | - |
| V5336 | | - | Х | - | Х | Х | - | Х | - |
| V5362 | Speech screening | Х | - | Х | - | Х | - | Х | - |
| V5363 | Language screening | X | - | X | - | X | - | X | - |
| | Dysphagia screening | X | - | Х | - | X | - | X | - |
| | | ND OF DA | ATA . | | | | | · | |

^{*} These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23