

odes Description	Not Covered	Preauthorization Required
sclaimer: Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not refle	ct information regarding in	nmunizations, injectable drugs, c
ecialty medications and should be directed to the Pharmacy link option within the website.		
1999 Unlisted anesth procedure	-	X
1960 Insert tissue expander(s)	-	X
1970 Replace tissue expander	-	X
1971 Remove tissue expander(s)	-	X
5775   Hair transplant punch grafts	-	Χ
5776   Hair transplant punch grafts	-	Χ
5780 Abrasion treatment of skin	-	Χ
5781 Abrasion treatment of skin	-	Χ
5782 Abrasion treatment of skin	-	Χ
5783 Abrasion treatment of skin	-	Χ
5788 Chemical peel, face, epiderm	-	X
5789 Chemical peel, face, dermal	-	Χ
5792 Chemical peel, nonfacial	-	Χ
5793 Chemical peel, nonfacial	-	Χ
5820 Revision of lower eyelid	-	Χ
5821 Revision of lower eyelid	-	Χ
5822 Revision of upper eyelid	-	Χ
5823 Revision of upper eyelid	-	Χ
5824 Removal of forehead wrinkles	-	Χ
5825 Removal of neck wrinkles	-	Χ
5826 Removal of brow wrinkles	-	Χ
5828 Removal of face wrinkles	-	Х
5829 Removal of skin wrinkles	-	Х
5830 Excision, excessive skin and subcutaneous tissue (includes lipectomy); abdomen, infraumbilical panniculectomy	-	Х
5832 Excise excessive skin tissue	-	Х
5833 Excise excessive skin tissue	-	X
5834 Excise excessive skin tissue	_	X
5835 Excise excessive skin tissue	-	X
5836 Excise excessive skin tissue	-	X
5837 Excise excessive skin tissue	_	X
5838 Excise excessive skin tissue	_	X
5839 Excise excessive skin tissue	_	X
5847 Excision, excessive skin and subcutaneous tissue (includes lipectomy), abdomen (eg, abdominoplasty) (includes	+	
umbilical	-	X
5876 Suction assisted lipectomy	_	X
5877 Suction assisted lipectomy	<del>                                     </del>	X
5878 Suction assisted lipectomy	<del>-</del> -	X
5879 Suction assisted lipectomy	+ - +	X

<sup>\*</sup> These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



Codes	Description	Not Covered	Preauthorization Required
	Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect	ct information regarding	immunizations, injectable drugs, or
	edications and should be directed to the Pharmacy link option within the website.	1	
	Removal of pressure sore	-	X
	Destruction of skin lesions	-	X
	Destruction of skin lesions	-	X
	Destruction of skin lesions	-	X
	Skin peel therapy	-	X
	Hair removal by electrolysis	-	X
	Skin tissue procedure	-	X
	Mastectomy for gynecomastia	-	X
	Suspension of breast	-	X
	Reduction of large breast	-	X
	Enlarge breast with implant	-	X
	Removal of breast implant	-	Χ
19330	Removal of implant material	-	Χ
19340	Immediate breast prosthesis	-	X
19342	Delayed breast prosthesis	-	X
19350	Nipple/areola reconstruction	-	X
19357	Breast reconstruction	-	X
19361	Breast reconstruction	-	X
19364	Breast reconstruction	-	Χ
19367	Breast reconstruction	-	Χ
19368	Breast reconstruction	-	X
19369	Breast reconstruction	-	X
19370	Surgery of breast capsule	-	X
19371	Removal of breast capsule	-	X
19380	Revise breast reconstruction	-	X
19499	Breast surgery procedure	-	X
20560	Ndl insj w/o njx 1 or 2 musc	X	-
20561	Ndl insj w/o njx 3+ musc	X	-
20974	Electrical bone stimulation	-	X
20975	Electrical bone stimulation	-	X
20999	Musculoskeletal surgery	-	X
21031	Remove exostosis, mandible	-	X
21032	Remove exostosis, maxilla	-	Х
	Prepare face/oral prosthesis	-	Х
	Prepare face/oral prosthesis	-	X
	Prepare face/oral prosthesis	-	X
	Prepare face/oral prosthesis	-	X
	Prepare face/oral prosthesis	-	X
	Prepare face/oral prosthesis	1 - 1	X

<sup>\*</sup> These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



odes	Description	Not Covered	Preauthorization Required
	Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect	t information regarding	immunizations, injectable drugs, or
	edications and should be directed to the Pharmacy link option within the website.		
	Prepare face/oral prosthesis	-	X
	Prepare face/oral prosthesis	-	X
	Prepare face/oral prosthesis	-	X
	Prepare face/oral prosthesis	-	X
	Prepare face/oral prosthesis	-	Χ
21137	Reduction of forehead	-	Χ
21138	Reduction of forehead	-	Χ
21139	Reduction of forehead	-	Χ
21141	Reconstruct midface, lefort	-	Χ
21142	Reconstruct midface, lefort	-	Χ
21143	Reconstruct midface, lefort	-	Χ
21145	Reconstruct midface, lefort	-	Χ
21146	Reconstruct midface, lefort	-	Χ
21147	Reconstruct midface, lefort	-	Χ
21150	Reconstruct midface, lefort	-	X
21151	Reconstruct midface, lefort	-	Χ
21154	Reconstruct midface, lefort	-	Χ
21155	Reconstruct midface, lefort	-	Χ
21159	Reconstruct midface, lefort	-	Χ
	Reconstruct midface, lefort	-	Χ
21172	Reconstruct orbit/forehead	-	Χ
	Reconstruct orbit/forehead	-	Х
	Reconstruct entire forehead	-	Х
	Reconstruct entire forehead	-	Х
	Contour cranial bone lesion	-	Х
	Reconstruct cranial bone	-	Х
	Reconstruct cranial bone	-	X
	Reconstruct cranial bone	-	Х
	Reconstruction of midface	-	Х
	Reconst lwr jaw w/o graft	-	X
	Reconst lwr jaw w/graft	-	X
	Reconst lwr jaw w/o fixation	-	X
	Reconst lwr jaw w/fixation	-	X
	Reconstr lwr jaw winkation	- 1	X
	Reconstr lwr jaw w/advance	- 1	X
	Reconstruct upper jaw bone	-	X
	Augmentation of facial bones	<del> </del>	X
	Reduction of facial bones	_	X
	Face bone graft		X

<sup>\*</sup> These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



Codes	Description	Not Covered	Preauthorization Required
	Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect in		
	edications and should be directed to the Pharmacy link option within the website.		,
21215	Lower jaw bone graft	-	Х
21244	Reconstruction of lower jaw	-	Х
21246	Reconstruction of jaw	-	X
21248	Reconstruction of jaw	-	X
21249	Reconstruction of jaw	-	X
21270	Augmentation, cheek bone	-	X
21299	Cranio/maxillofacial surgery	-	X
21499	Head surgery procedure	-	X
21740	Reconstructive repair of pectus excavatum or carinatum; open	-	X
	Reconstructive repair of pectus excavatum or carinatum; minimally invasive approach (nuss procedure), without		
	thoracosco	-	X
21743	Reconstructive repair of pectus excavatum or carinatum; minimally invasive approach (nuss procedure), with		
	thoracoscopy	-	X
21899	Neck/chest surgery procedure	-	X
22103	Remove extra spine segment	-	X
22116	Remove extra spine segment	-	X
22220	Revision of neck spine	-	X
	Revision of thorax spine	-	X
22224	Revision of lumbar spine	-	X
	Revise, extra spine segment	-	X
22510	Perq cervicothoracic inject	-	X
	Perq lumbosacral injection	-	X
22512	Vertebroplasty addl inject	-	X
	Perq vertebral augmentation	-	X
	Perq vertebral augmentation	-	X
	Perq vertebral augmentation	-	X
22526	Percutaneous intradiscal electrothermal annuloplasty, unilateral or bilateral including fluoroscopic guidance; single le	Х	<u>-</u>
22527	Percutaneous intradiscal electrothermal annuloplasty, unilateral or bilateral including fluoroscopic guidance; one or mo	Х	-
22533	Arthrodesis, lateral extracavitary technique, including minimal diskectomy to prepare interspace; lumbar	-	X
22548	Neck spine fusion	-	X
22551	Neck spine fuse&remove	-	X
	Neck spine fuse&remove addl	-	X
22554	Neck spine fusion	-	X
22556	Thorax spine fusion	-	X
	Lumbar spine fusion	-	X
22585	Additional spinal fusion	-	Χ
22586	PrescrI fuse /w instr I5/1		X

<sup>\*</sup> These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



Codes	Description	Not Covered	Preauthorization Required
	Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect in	nformation regarding	immunizations, injectable drugs,
	edications and should be directed to the Pharmacy link option within the website.	I I	V
	Spine & skull spinal fusion	-	X
	Neck spinal fusion	-	X
	Neck spine fusion	-	X
	Arthrodesis, posterior or posterolateral technique, single level; lumbar (with lateral transverse technique, when performed)	-	X
	Spine fusion, extra segment	-	X
22630	Lumbar spine fusion	-	X
22632	Spine fusion, extra segment	-	Χ
22633	Arthrodesis, combined posterior or posterolateral technique with posterior interbody technique including laminectomy and/or discectomy sufficient to prepare interspace(other t	-	X
22634	Arthrodesis, combined posterior or posterolateral technique with posterior interbody technique including laminectomy and/or discectomy sufficient to prepare interspace(other t	-	Х
2800	Fusion of spine	-	Х
	Fusion of spine	-	Х
	Fusion of spine	-	Х
	Fusion of spine	-	X
	Fusion of spine	-	X
	Fusion of spine	-	X
	Exploration of spinal fusion	-	X
	Anterior thoracic vertebral body tethering, including thoracoscopy, when performed; up to 7 vertebral segments	-	X
22837	Anterior thoracic vertebral body tethering, including thoracoscopy, when performed; 8 or more vertebral segments	-	Х
22838	Revision (eg, augmentation, division of tether), replacement, or removal of thoracic vertebral body tethering, including thoracoscopy, when performed	-	Х
22853	Insertion of interbody biomechanical device(s) (eg, synthetic cage, mesh) with integral anterior instrumentation for device anchoring (eg, screws, flanges), when performed, to	-	Х
22854	Insertion of interbody biomechanical device(s) (eg, synthetic cage, mesh) with integral anterior instrumentation for device anchoring (eg, screws, flanges), when performed, to	-	Х
22856	Total disc arthroplasty (artificial disc), anterior approach, including discectomy with end plate preparation (includes	-	Х
22857	Total disc arthroplasty (artificial disc), anterior approach, including discectomy to prepare interspace (other than for	Х	-
2858	Second level cer diskectomy	-	Χ
2859	Insertion of intervertebral biomechanical device(s) (eg, synthetic cage, mesh, methylmethacrylate) to intervertebral disc space or vertebral body defect without interbody arth	-	Х
22860	Total disc arthroplasty (artificial disc), anterior approach, including discectomy to prepare interspace (other than for decompression); second interspace, lumbar (list separately in addition to code for primary procedure)	Х	-

<sup>\*</sup> These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



Codes	Description	Not Covered	Preauthorization Required
	Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect	information regarding	immunizations, injectable drugs, or
	nedications and should be directed to the Pharmacy link option within the website.		
22861	Revision including replacement of total disc arthroplasty (artificial disc), anterior approach, single interspace; cervi	-	X
22862	Revision including replacement of total disc arthroplasty (artificial disc), anterior approach, single interspace; lumba	Х	-
	Removal of total disc arthroplasty (artificial disc), anterior approach, single interspace; cervical	-	X
22865	Removal of total disc arthroplasty (artificial disc), anterior approach, single interspace; lumbar	-	X
22867	Insertion of interlaminar/interspinous process stabilization/distraction device, without fusion, including image guidance when performed, with open decompression, lumbar; sing	-	X
22868	Insertion of interlaminar/interspinous process stabilization/distraction device, without fusion, including image guidance when performed, with open decompression, lumbar; seco	-	Х
22869	Insertion of interlaminar/interspinous process stabilization/distraction device, without open decompression or fusion, including image guidance when performed, lumbar; single	-	X
22870	Insertion of interlaminar/interspinous process stabilization/distraction device, without open decompression or fusion, including image guidance when performed, lumbar; second	-	X
22800	Spine surgery procedure	_	X
	Abdomen surgery procedure	_	X
	Reconstruct shoulder joint	_	X
	Reconstruct shoulder joint	_	X
	Shoulder surgery procedure	_	X
	Upper arm/elbow surgery	-	X
	Forearm or wrist surgery	-	Χ
26989	Hand/finger surgery	-	Χ
7130	Total hip replacement	-	X
27215	Open treatment of iliac spine(s), tuberosity avulsion, or iliac wing fracture(s), unilateral, for pelvic bone fracture p	Х	-
27216	Percutaneous skeletal fixation of posterior pelvic bone fracture and/or dislocation, for fracture patterns that disrupt	Х	-
27217	Open treatment of anterior pelvic bone fracture and/or dislocation for fracture patterns that disrupt the pelvic ring, u	Х	-
27218	Open treatment of posterior pelvic bone fracture and/or dislocation, for fracture patterns that disrupt the pelvic ring,	Х	-
27278	Arthrodesis, sacroiliac joint, percutaneous, with image guidance, including placement of intra-articular implant(s) (eg, bone allograft[s], synthetic device[s]), without placement of transfixation device	-	Х
7279	Arthrodesis sacroiliac joint	-	Χ
	Pelvis/hip joint surgery	-	X
	Incision of thigh tendon	-	X
27307	Incision of thigh tendons	-	X
27412	Autologous chondrocyte implantation, knee	-	X
	Total knee replacement	-	X

<sup>\*</sup> These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



Codes Description	Not Covered	Preauthorization Required
Disclaimer: Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated qu	uarterly. Additionally, these coding lists do not reflect information regarding	immunizations, injectable drugs, or
specialty medications and should be directed to the Pharmacy link option within the website.		
27599 Leg surgery procedure	-	X
27700 Revision of ankle joint	-	X
27702 Reconstruct ankle joint	-	X
27899 Leg/ankle surgery procedure	-	X
28446 Open osteochondral autograft, talus (includes obtaining graft[s])	X	<u> </u>
28899 Foot/toes surgery procedure	-	X
29799 Casting/strapping procedure	-	X
29868 Arthroscopy, knee, surgical; meniscal transplantation (includes arthrotomy for mer	niscal insertion), medial or lateral	X
29999 Unlisted procedure, arthroscopy	-	Χ
30400 Reconstruction of nose	-	Χ
30410 Reconstruction of nose	-	Χ
30420 Reconstruction of nose	-	Χ
30430 Revision of nose	-	X
30435 Revision of nose	-	X
30450 Revision of nose	-	X
30460 Revision of nose	-	X
30462 Revision of nose	-	X
30465 Repair nasal stenosis	-	X
30520 Repair of nasal septum	-	X
30999 Nasal surgery procedure	-	X
31299 Sinus surgery procedure	-	X
31599 Larynx surgery procedure	-	Χ
31647 Bronchial valve init insert	-	X
31660 Bronch thermoplsty 1 lobe	-	Х
31661 Bronch termoplsty 2/> lobes	-	X
31899 Airways surgical procedure	-	X
32701 Thorax stereo rad target w/tx	-	Х
32850 Donor pneumonectomy	-	Х
32851 Lung transplant, single	-	Х
32852 Lung transplant with bypass	-	Х
32853 Lung transplant, double	-	Х
32854 Lung transplant with bypass	-	Х
32855 Backbench standard preparation of cadaver donor lung allograft; unilateral	-	X
32856 Backbench standard preparation of cadaver donor lung allograft; bilateral	-	X
32999 Chest surgery procedure	_	X
33274 Transcatheter insertion or replacement of permanent leadless pacemaker, right ve	entricular, including imaging guidance	
(eg, fluoroscopy, venous ultrasound, ventriculography, fe	-	X
33275 Transcatheter removal of permanent leadless pacemaker, right ventricular	<del></del>	X

<sup>\*</sup> These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



Codes De	scription	Not Covered	Preauthorization Required
	ise note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect	information regarding	immunizations, injectable drugs, or
	ations and should be directed to the Pharmacy link option within the website.		
	sertion of phrenic nerve stimulator system (pulse generator and stimulating lead[s]), including vessel catheterization,		
all	imaging guidance, and pulse generator initial analysis with diagnostic mode activation, when performed	-	X
	sertion of phrenic nerve stimulator transvenous sensing lead (list separately in addition to code for primary	_	Χ
	ocedure)		
	moval and replacement of phrenic nerve stimulator, including vessel catheterization, all imaging guidance, and	_	Χ
int	errogation and programming, when performed; pulse generator		
	moval and replacement of phrenic nerve stimulator, including vessel catheterization, all imaging guidance, and	_	Χ
int	errogation and programming, when performed; transvenous stimulation or sensing lead(s)		
	rcutaneous transcatheter closure of the left atrial appendage with endocardial implant, including fluoroscopy,	_	Χ
	nsseptal puncture, catheter placement(s), left atrial angio		
	place aortic valve preq	-	X
	place aortic valve open	-	X
	place aortic valve open	-	X
	place aortic valve open; open iliac artery approach	-	X
	place aortic valve open;transaortic approach	-	X
	cath replace aortic valve	-	Χ
	place aortic valce w/byp	-	X
	place aortic valve w/byp	-	X
	place aortic valve w/byp	-	Χ
	pair tcat mitral valve	-	X
	pair tcat mitral valve	-	X
	placement, aortic valve; by translocation of autologous pulmonary valve and transventricular aortic annulus	_	Χ
	largement of the left ventricular outflow tract with valved con	_	Λ
	anscatheter pulmonary valve implantation, percutaneous approach, including pre-stenting of the valve delivery site,	_	Χ
wh	en performed	_	^
	plantation of a total replacement heart system (artificial heart) w/recipient cardiectomy	-	Χ
	moval and replacement of total replacement heart system (artificial heart)	-	Χ
33929 Re	moval and replacement heart system (artifical heart) for transp	-	Χ
	moval of donor heart/lung	-	Χ
	ckbench standard preparation of cadaver donor heart/lung allograft	-	Χ
	ansplantation, heart/lung	-	Χ
	moval of donor heart	-	Χ
33944 Ba	ckbench standard preparation of cadaver donor heart allograft	-	Χ
	ansplantation of heart	-	Χ
33995 Ins	sertion of ventricular assist device, percutaneous, including radiological supervision and interpretation; right heart,		Х
ve	nous access only		Λ
33999 Ca	rdiac surgery procedure	-	Χ
	ssel injection procedure	-	Х

<sup>\*</sup> These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



Codes	Description	Not Covered	Preauthorization Required
	Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect in	nformation regarding	immunizations, injectable drugs, or
	redications and should be directed to the Pharmacy link option within the website.		
	Inj of non-comp foam sclerosant w/ultrasound comp maneuvers, single incompetent vein	-	X
	Inj of non-comp foam sclerosant w/ultrasound comp maneuvers, mult incompetent veins	-	X
	Injection(s), spider veins	Х	-
	Injection therapy of vein	-	X
	Injection therapy of veins	-	X
36473	Endovenous ablation therapy of incompetent vein, extremity, inclusive of all imaging guidance and monitoring, percutaneous, mechanochemical; first vein treated	-	X
86474	Endovenous ablation therapy of incompetent vein, extremity, inclusive of all imaging guidance and monitoring,		
00474	percutaneous, mechanochemical; subsequent vein(s) treated in a si	-	X
6475	Endovenous ablation therapy of incompetent vein, extremity, percutaneous, radiofrequency; first vein treated	-	Χ
36476	Endovenous ablation therapy incompetent vein, extremity, percut, radiofreq; 2nd & subsequent veins, same extrem, sep sites	-	Х
6478	Endovenous ablation therapy of incompetent vein, extremity, percutaneous, laser; first vein treated	_	X
	Endovenous ablation therapy incompetent vein, extremity, percutaneous, laser; 2nd & subseq veins, same extrem, sep		Λ
70-17-5	sites	-	Х
6482	Endovenous ablation therapy of incompetent vein, extremity, percutaneous; first vein treated	-	Χ
6483	Endovenous ablation therapy of incompetent vein, extremity, percutaneous; sub vein treated	-	Χ
7211	Thrombolytic art therapy	-	X
7212	Thrombolytic venous therapy	-	Χ
7213	Thromblytic art/ven therapy	-	Χ
	Cessj therapy cath removal	-	Χ
	Transcatheter placement of intravascular stent(s), cervical carotid artery, percutaneous; with distal embolic protection	-	Х
37216	Transcatheter placement of intravascular stent(s), cervical carotid artery, percutaneous; wo distal embolic protection	Х	-
7217	Stent placemt retro carotid	-	Χ
	Stent placemt ante carotid	-	Χ
7501	Unlisted vascular endoscopy procedure	-	Χ
	Revise leg vein	-	X
	Ligation, division, and stripping, short saphenous vein	-	Χ
	Ligation, division, and stripping, long (greater) saphenous veins from saphenofemoral junction to knee or below	-	Х
7735	Removal of leg veins/lesion	-	X
7760	Ligation of perforator veins, subfascial, radical (linton type), including skin graft, when performed, open,1 leg	-	X
	Ligation of perforator vein(s), subfascial, open, including ultrasound guidance, when performed, 1 leg	-	Χ
	Stab phlebectomy of varicose veins, one extremity; 10-20 stab incisions	-	Χ
	Stab phlebectomy of varicose veins, one extremity; more than 20 incisions	-	Х
	Revision of leg vein	-	Х
	Revise secondary varicosity	_	Х

<sup>\*</sup> These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



Codes	Description	Not Covered	Preauthorization Required
	Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect in	formation regarding	immunizations, injectable drugs, or
, ,	edications and should be directed to the Pharmacy link option within the website.		
	Vascular surgery procedure	-	X
38129	Laparoscope proc, spleen	-	X
	Blood-derived hematopoietic progenitor cell harvesting for transplantation, per collection; allogenic	-	X
	Blood-derived hematopoietic progenitor cell harvesting for transplantation, per collection; autologous	-	X
	Transplant preparation of hematopoietic progenitor cells; cryopreservation and storage	Χ	-
38208	Transplant preparation of hematopoietic progenitor cells; thawing of previously frozen harvest, without washing, per donor	X	-
38209	Transplant preparation of hematopoietic progenitor cells; thawing of previously frozen harvest, with washing, per donor	Х	-
38210	Transplant preparation of hematopoietic progenitor cells; specific cell depletion within harvest, t-cell depletion	Х	-
	Transplant preparation of hematopoietic progenitor cells; tumor cell depletion	Χ	-
	Transplant preparation of hematopoietic progenitor cells; red blood cell removal	X	-
	Transplant preparation of hematopoietic progenitor cells; platelet depletion	Х	-
	Transplant preparation of hematopoietic progenitor cells; plasma (volume) depletion	X	-
	Transplant preparation of hematopoietic progenitor cells; cell concentration in plasma, mononuclear, or buffy coat layer	Х	-
38230	Bone marrow harvesting for transplantation; allogenic	-	Χ
	Bone marrow harvesting for transplantation; autologous	-	Χ
	Bone marrow/stem transplant	-	Χ
	Bone marrow/stem transplant	-	Χ
	Bone marrow or blood-derived peripheral stem cell transplantation; allogenic donor lymphocyte infusions	-	Χ
	Transplj hematopoietic boost	-	Χ
	Laparoscope proc, lymphatic	-	Χ
	Blood/lymph system procedure	-	Χ
	Chest procedure	-	Х
	Diaphragm surgery procedure	-	Х
	Repair cleft lip/nasal	-	Х
	Lip surgery procedure	-	X
	Treatment of mouth lesion	_	Х
	Mouth surgery procedure	_	X
	Tongue and mouth surgery	-	X
	Dental surgery procedure	_	Х
	Palate/uvula surgery	_	X
	Salivary surgery procedure	_	X
	Throat surgery procedure	_	X
	Esophagoscopy lesion ablate	_	X
	Upper gi endoscopy/tumor	_	X
	Ugi endoscopy; with delivery of thermal energy to the muscle of lower esophageal sphincter and/or gastric cardia	Х	-

<sup>\*</sup> These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



	Description	Not Covered	Preauthorization Required
	Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect i dications and should be directed to the Pharmacy link option within the website.	nformation regarding	immunizations, injectable drugs, or
· · · .	Laparoscopy, surgical, esophageal sphincter augmentation procedure, placement of sphincter augmentation device		
	(ie, magnetic band), including cruroplasty when performed	X	-
	Removal of esophageal sphincter augmentation device	Х	_
	Laparoscope proc, esoph	-	Х
	Esophagogastroduodenoscopy, flexible, transoral; with deployment of intragastric bariatric balloon	Х	-
	Esophagogastroduodenoscopy, flexible, transoral; with removal of intragastric bariatric balloon(s)	-	Х
	Removal of stomach, partial	_	X
13644	Laparoscopy, surg, gastric restrictive procedure; w gastric bypass and roux-en-y gastroenterostomy (roux limb <= 150 cm)	-	X
	Laparoscopy, surgical, gastric restrictive procedure; with gastric bypass and small intestine reconstruction	_	X
	Laparoscopy, surgical; implantation or replacement of gastric neurostimulator electrodes, antrum	_	X
	Laparoscopy, surgical; revision or removal of gastric neurostimulator electrodes, antrum	_	X
	Laparoscope proc, stom	_	X
13770	Laparoscopy, surgical, gastric restrictive procedure; placement of adjustable gastric band (gastric band and subcutaneou	-	X
	Laparoscopy, surgical, gastric restrictive procedure; revision of adjustable gastric band component only	_	Х
	Laparoscopy, surgical, gastric restrictive procedure; removal of adjustable gastric band component only	_	X
13773	Laparoscopy, surgical, gastric restrictive procedure; removal and replacement of adjustable gastric band component only	-	X
13774	Laparoscopy, surgical, gastric restrictive procedure; removal of adjustable gastric band and subcutaneous port component	-	X
3775	Laparoscopy, surgical, gastric restrictive procedure; longitudinal gastrectomy (ie, sleeve gastrectomy)	-	Χ
	Gastroplasty for obesity	Х	-
3843	Gastroplasty for obesity	-	X
	Gastric revision for obesity	-	Χ
3846	Gastric bypass for obesity	-	X
3847	Gastric bypass for obesity	-	X
3848	Revision gastroplasty	-	X
3881	Implantation or replacement of gastric neurostimulator electrodes, antrum, open	-	X
3882	Revision or removal of gastric neurostimulator electrodes, antrum, open	-	Χ
3886	Gastric restrictive procedure, open; revision of subcutaneous port component only	-	X
3887	Gastric restrictive procedure, open; removal of subcutaneous port component only	-	X
3888	Gastric restrictive procedure, open; removal and replacement of subcutaneous port component only	-	Χ
3999	Stomach surgery procedure	-	X
4132	Enterectomy, cadaver donor	-	X
	Enterectomy, live donor	-	X
14135	Intestine transplnt, cadaver	-	Χ
14136	Intestine transplant, live	-	X
14137	Removal of transplanted intestinal allograft, complete	-	Χ

<sup>\*</sup> These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



Codes Description	Not Covered	Preauthorization Required
Disclaimer: Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not refle	ct information regarding i	mmunizations, injectable drugs, or
specialty medications and should be directed to the Pharmacy link option within the website.	1 1	V
44238 Unlisted laparoscopy procedure, intestine (except rectum)	- V	X
44705 Prepare fecal microbiota	X	- V
44715 Backbench standard preparation of cadaver or living donor intestine allograft	<del>                                     </del>	X
44720 Backbench reconstruction of cadaver or living donor intestine allograft; venous anastomosis, each	<del>                                     </del>	X
44721 Backbench reconstruction of cadaver or living donor intestine allograft; arterial anastomosis, each	+ - +	X
44799 Intestine surgery procedure	<del>                                     </del>	X
44899 Bowel surgery procedure	<del>                                     </del>	X
44979 Laparoscope proc, app	<del>                                     </del>	X
45399 Unlisted procedure colon	-	X
45499 Unlisted laparoscopy procedure, rectum	-	X
45999 Rectum surgery procedure	-	X
Repair of anorectal fistula with plug (eg, porcine small intestine submucosa [sis])	X	-
46999 Anus surgery procedure	-	X
47133 Removal of donor liver	-	X
47135 Transplantation of liver	-	X
47140 Donor hepatectomy, with preparation and maintenance of allograft, living donor; left lateral segment only	-	X
Donor hepatectomy, with preparation and maintenance of allograft, living donor; total left lobectomy	-	X
47142 Donor hepatectomy, with preparation and maintenance of allograft, living donor; total right lobectomy	-	X
47143 Backbench standard preparation of cadaver donor whole liver graft; without trisegment or lobe split	-	X
47144 Backbench standard preparation of cadaver donor whole liver graft; w trisegment split of graft into two partial grafts	-	X
Backbench standard preparation of cadaver donor whole liver graft; with lobe split of graft into two partial grafts	-	Х
47379 Laparoscope procedure, liver	- 1	Х
47383 Perq abltj Ivr cryoablation	- 1	X
47399 Liver surgery procedure	-	Х
47579 Laparoscope proc, biliary	-	Х
47999 Bile tract surgery procedure	-	Х
48160 Pancreas removal/transplant	Х	-
48550 Donor pancreatectomy	-	Χ
48551 Backbench standard preparation of cadaver donor pancreas allograft	-	Х
18554 Transpl allograft pancreas	-	Х
48556 Removal, allograft pancreas	-	X
18999 Pancreas surgery procedure	- 1	X
49329 Laparo proc, abdm/per/oment	- 1	X
49659 Laparo proc, hernia repair	<del>                                     </del>	X
4999 Abdomen surgery procedure	<del>                                     </del>	X
50300 Removal of donor kidney	<del>                                     </del>	X
50320 Removal of donor kidney	_	X

<sup>\*</sup> These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



Codes	escription	Not Covered	Preauthorization Required
	ease note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect	information regarding	immunizations, injectable drugs, o
	ications and should be directed to the Pharmacy link option within the website.		
	Backbench standard preparation of cadaver donor renal allograft	-	X
	Backbench standard preparation of living donor renal allograft (open or laparoscopic)	-	X
	Removal of kidney	-	X
50360 T	ransplantation of kidney	-	X
	ransplantation of kidney	-	Χ
50370 F	Remove transplanted kidney	-	Χ
50380 F	Reimplantation of kidney	-	Χ
50547 L	aparo removal donor kidney	-	Χ
50549 L	aparoscope proc, renal	-	Χ
50949 L	aparoscope proc, ureter	-	X
1925 F	lysterectomy/bladder repair	-	X
1999 L	Inlisted laparoscopy procedure, bladder	-	Χ
52441 C	Cystourethro w/implant	-	Χ
52442 C	Cystourethro w/addl implant	-	Χ
3451 F	Periurethral transperineal adjustable balloon continence device; bilateral insertion, including cystourethroscopy and	V	
	maging guidance	X	-
53452 F	Periurethral transperineal adjustable balloon continence device; unilateral insertion, including cystourethroscopy and	V	
	maging guidance	X	-
3453 F	Periurethral transperineal adjustable balloon continence device; removal, each balloon	Х	-
	Periurethral transperineal adjustable balloon continence device; percutaneous adjustment of balloon(s) fluid volume		
		X	-
3899 L	Irology surgery procedure	-	Х
	Partial removal of penis	-	Х
	Removal of penis	-	Х
	Remove penis & nodes	-	Х
	Remove penis & nodes	-	Х
	nsert semi-rigid prosthesis	-	X
	nsert self-contd prosthesis	-	Х
	nsert multi-comp prosthesis	_	X
	Removal of all components of a multi-component, inflatable penile prosthesis without replacement of prosthesis		
	terror and the state of the sta	-	X
54408 F	Repair of component(s) of a multi-component, inflatable penile prosthesis	_	Х
	Removal and replacement of all component(s) of a multi-component, inflatable penile prosthesis, same operative		
	ession	-	X
	Removal and replacement multi-component inflatable penile prosthesis, infected field, same op sess, w irrig &	+	
	ebridemnt	-	X
	Removal of non-inflatable or inflatable (self-contained) penile prosthesis, wo replacement of prosthesis	_	X
	Removal and replacement of non-inflatable or inflatable (self-contained) penile prosthesis, same operative session	<del>                                     </del>	^
)44 IO  F	ternoval and replacement of non-initiatable of initiatable (self-contained) perfile prostriests, same operative session	-	Χ

<sup>\*</sup> These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



	Description	Not Covered	Preauthorization Require
	Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect in dications and should be directed to the Pharmacy link option within the website.	formation regardin	g immunizations, injectable drugs,
	Removal and replacement of inflat/non-inflatable penile prosthesis, infected field, same op sess, w irrig & debridement	-	Х
4660	Revision of testis	-	X
4699	Laparoscope proc, testis	-	Х
	Laparo proc, spermatic cord	-	Х
5899	Genital surgery procedure	-	X
5970	Sex transformation, m to f	-	Χ
5980	Sex transformation, f to m	-	Х
7295	Revision (including removal) of prosthetic vaginal graft, vaginal approach	-	Х
7296	Revision (including removal) of prosthetic vaginal graft; open abdominal approach	-	Х
8150	Total hysterectomy	-	Х
8152	Total hysterectomy	-	Х
	Partial hysterectomy	-	X
8200	Extensive hysterectomy	-	Х
8260	Vaginal hysterectomy, for uterus 250 grams or less;	-	Х
	/aginal hysterectomy, for uterus 250 grams or less; with removal of tube(s), and/or ovary(s)	-	Х
	/aginal hysterectomy, for uterus 250 grams or less; with removal of tube(s), and/or ovary(s), with repair of enterocele	-	Х
	Vaginal hysterectomy, for uterus 250 grams or less; with colpo-urethrocystopexy (marshall-marchetti-krantz type, pereyra	-	Х
8270	/aginal hysterectomy, for uterus 250 grams or less; with repair of enterocele	-	Х
	Hysterectomy/revise vagina	-	Х
8280	Hysterectomy/revise vagina	-	Х
8290	/aginal hysterectomy, for uterus greater than 250 grams;	-	Х
8291	Vaginal hysterectomy, for uterus greater than 250 grams; with removal of tube(s) and/or ovary(s)	-	Х
	Vaginal hysterectomy, for uterus greater than 250 grams; with removal of tube(s) and/or ovary(s), with repair of enteroc	-	Х
8294	/aginal hysterectomy, for uterus greater than 250 grams; with repair of enterocele	-	Х
	nsert intrauterine device	Х	-
8541	_aparoscopy, surgical, supracervical hysterectomy, for uterus 250 g or less;	-	X
8542	Laparoscopy, surgical, supracervical hysterectomy, for uterus 250 g or less; with removal of tube(s) and/or ovary(s)	-	Х
8543	_aparoscopy, surgical, supracervical hysterectomy, for uterus greater than 250 g;	-	Х
8544	Laparoscopy, surgical, supracervical hysterectomy, for uterus greater than 250 g; with removal of tube(s) and/or overy(s	-	X
	_aparoscopy surgical, with vaginal hysterectomy, for uterus 250 grams or less;		Х
	_aparoscopy surgical, with vaginal hysterectomy, for uterus 250 grams or less; with removal of tube(s) and/or ovary(s)	-	X

<sup>\*</sup> These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



Codes	Description	Not Covered	Preauthorization Required
	Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect in	nformation regarding	immunizations, injectable drugs, or
	edications and should be directed to the Pharmacy link option within the website.		
58554	Laparoscopy, surgical, with vaginal hysterectomy, for uterus greater than 250 grams; with removal of tube(s) and/or ovar	-	X
58570	Laparoscopy, surgical, with total hysterectomy, for uterus 250 g or less;	-	X
58571	Laparoscopy, surgical, with total hysterectomy, for uterus 250 g or less; with removal of tube(s) and/or ovary(s)	-	Х
58572	Laparoscopy, surgical, with total hysterectomy, for uterus greater than 250 g;	-	X
58573	Laparoscopy, surgical, with total hysterectomy, for uterus greater than 250 g; with removal of tube(s) and/or ovary(s)	-	Х
58575	Laparoscopy, surgical, total hysterectomy for resect of malignancy, uni/bilateral	-	Χ
	Laparo proc, uterus	-	X
58579	Hysteroscope procedure	-	X
58679	Laparo proc, oviduct-ovary	-	X
58970	Retrieval of oocyte	-	X
58974	Transfer of embryo	-	X
58976	Transfer of embryo	-	X
58999	Genital surgery procedure	-	X
59812	Treatment of miscarriage	-	X
59820	Care of miscarriage	-	X
59821	Treatment of miscarriage	-	Х
59840	Procedure associated with miscarriage or terminated pregnancy	-	X
59841	Procedure associated with miscarriage or terminated pregnancy	-	X
	Procedure associated with miscarriage or terminated pregnancy	-	X
59851	Procedure associated with miscarriage or terminated pregnancy	-	X
59852	Procedure associated with miscarriage or terminated pregnancy	-	X
	Procedure associated with miscarriage or terminated pregnancy	-	X
	Procedure associated with miscarriage or terminated pregnancy	-	X
	Procedure associated with miscarriage or terminated pregnancy	-	X
	Abortion (mpr)	-	X
59897	Unlisted fetal invasive procedure, including ultrasound guidance, when performed	-	X
	Laparo proc, ob care/deliver	-	X
59899	Maternity care procedure	-	X
	Laparo proc, endocrine	-	X
60699	Endocrine surgery procedure	-	X
	Balloon dilatation of intracranial vasospasm, percutaneous; initial vessel	Х	-
61641	Balloon dilatation of intracranial vasospasm, percutaneous; each additional vessel in same vascular family (list separat	Х	-
61642	Balloon dilatation of intracranial vasospasm, percutaneous; each additional vessel in different vascular family (list se	Х	-
61720	Incise skull/brain surgery	_	Х

<sup>\*</sup> These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



	Description	Not Covered	Preauthorization Required
	Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect in edications and should be directed to the Pharmacy link option within the website.	nformation regarding	immunizations, injectable drugs, or
	Incise skull/brain surgery	-	X
	Laser interstitial thermal therapy (litt) of lesion, intracranial, including burr hole(s), with magnetic resonance imaging	Х	-
	guidance, when performed; single trajectory for 1 simple lesion		
61737	Laser interstitial thermal therapy (litt) of lesion, intracranial, including burr hole(s), with magnetic resonance imaging guidance, when performed; multiple trajectories for multiple or complex lesion(s)	Х	-
31760	Implant brain electrodes	-	Х
	Incise skull for treatment	-	X
	Treat trigeminal nerve	-	Х
	Treat trigeminal tract	-	Χ
	Stereotactic radiosurgery (particle beam, gamma ray, or linear accelerator); 1 simple cranial lesion	-	Х
	Stereotactic radiosurgery (particle beam, gamma ray, or linear accelerator); each additional cranial lesion, simple (lis	-	Х
1798	Stereotactic radiosurgery (particle beam, gamma ray, or linear accelerator); 1 complex cranial lesion	_	Х
	Stereotactic radiosurgery (particle beam, gamma ray, or linear accelerator); each additional cranial lesion, complex (li	-	X
61800	Application of stereotactic headframe for stereotactic radiosurgery (list separately in addition to code for primary pro	-	X
61867	Burr hole craniotomy with implantation of subcortical electrode array, w intraop microelectrode recording; first array	-	X
61868	Burr hole craniotomy w implantation of subcortical electrode array, w intraop microelectrode recording; ea addl array	-	X
61889	Insertion of skull-mounted cranial neurostimulator pulse generator or receiver, including craniectomy or craniotomy, when performed, with direct or inductive coupling, with connection to depth and/or cortical strip electrode array(s)	-	Х
	Revision or replacement of skull-mounted cranial neurostimulator pulse generator or receiver with connection to depth and/or cortical strip electrode array(s)	-	Х
52263	Percutaneous lysis of epidural adhesions using solution injection (eg, hypertonic saline, enzyme) or mechanical means (e	Х	-
52264	Percutaneous lysis of epidural adhesions using solution injection (eg, hypertonic saline, enzyme) or mechanical means (e	Х	-
	Decompression procedure, percutaneous, of nucleus pulposus of intervertebral disc, any method utilizing needle based technique to remove disc material under fluoroscopic imagi	Х	-
	Injection into disk lesion	-	Х
2350	Implant spinal canal cath	-	X
	Implant spinal canal cath	-	Χ
2360	Insert spine infusion device	-	Χ
2361	Implant spine infusion pump	-	Χ
52362	Implant spine infusion pump	-	Х

<sup>\*</sup> These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



Codes	Description	Not Covered	Preauthorization Required
	Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect edications and should be directed to the Pharmacy link option within the website.	information regarding i	mmunizations, injectable drugs, or
	Endoscopic decompression of spinal cord, nerve root(s), including laminotomy, partial facetectomy, foraminotomy,		
02300	discectomy and/or excision of herniated intervertebral disc, 1	-	X
63015	Removal of spinal lamina	_	X
	Laminotomy (hemilaminectomy), with decompression of nerve root(s), including partial facetectomy, foraminotomy		
03020	and/or excision of herniated intervertebral disc; 1 interspace,	-	X
63030	Laminotomy (hemilaminectomy), with decompression of nerve root(s), including partial facetectomy, foraminotomy		
00000	and/or excision of herniated intervertebral disc; 1 interspace,	-	X
63035	Laminotomy (hemilaminectomy), with decompression of nerve root(s), including partial facetectomy, foraminotomy		
00000	and/or excision of herniated intervertebral disc; each additiona	-	X
63040	Laminotomy, single cervical	_	Х
	Laminotomy, single lumbar	_	X
	Laminotomy, addl cervical	-	X
	Laminotomy, addl lumbar	-	X
63050	Laminoplasty, cervical, with decompression of the spinal cord, two or more vertebral segments;	-	X
63051	Laminoplasty, cerv, w decompression of spinal cord, 2 or > verteb segments; w reconstruction of posterior bony		
	elements	-	X
63052			
-000	and/or nerve root[s] [eg, spinal or lateral recess stenosis]), during posterior interbody arthrodesis, lumbar; single	_	Χ
	vertebral segment (list separately in addition to code for primary procedure)		
63053	Laminectomy, facetectomy, or foraminotomy (unilateral or bilateral with decompression of spinal cord, cauda equina		
	and/or nerve root[s] [eg, spinal or lateral recess stenosis]), during posterior interbody arthrodesis, lumbar; each	_	Χ
	additional segment (list separately in addition to code for primary procedure)		
63055	Decompress spinal cord	-	Х
	Decompress spinal cord	-	Х
	Decompress spine cord add-on	-	Х
	Decompress spinal cord	-	Х
	Decompress spine cord add-on	-	Χ
33075	Neck spine disk surgery	-	Χ
	Neck spine disk surgery	-	Χ
63077	Spine disk surgery, thorax	-	X
63078	Spine disk surgery, thorax	-	Χ
63085	Removal of vertebral body	-	X
63086	Remove vertebral body add-on	-	Х
3091	Remove vertebral body add-on	-	X
63170	Incise spinal cord tract(s)	-	Х
	Drainage of spinal cyst	-	Х
	Revise spinal cord vessels	-	Χ
	Revise spinal cord vessels	-	Χ
63252	Revise spinal cord vessels	-	Х

<sup>\*</sup> These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



Codes	Description	Not Covered	Preauthorization Required
	Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect	information regarding	immunizations, injectable drugs, or
	edications and should be directed to the Pharmacy link option within the website.		
	Excise intraspinal lesion	-	X
	Excise intraspinal lesion	-	X
	Excise intraspinal lesion	-	X
	Excise intraspinal lesion	-	X
	Excise intraspinal lesion	-	X
	Osteoplastic reconstruction of dorsal spinal elements, following primary intraspinal procedure (list sep)	-	X
	Removal of vertebral body	-	X
	Removal of vertebral body	-	Χ
3303	Removal of vertebral body	-	Χ
3305	Removal of vertebral body	-	Χ
3306	Removal of vertebral body	-	Χ
3307	Removal of vertebral body	-	Χ
3308	Remove vertebral body add-on	-	X
3600	Remove spinal cord lesion	-	X
3610	Stimulation of spinal cord	-	Χ
3620	Stereotactic radiosurgery (particle beam, gamma ray, or linear accelerator); 1 spinal lesion	-	Χ
	Stereotactic radiosurgery (particle beam, gamma ray, or linear accelerator); each additional spinal lesion (list separat	-	Х
	Implant neuroelectrodes	-	Χ
	Implant neuroreceiver	-	X
	Njx aa&/strd nrv nrvtg si jt	-	Χ
64461	Paravertebral block (pvb)(paraspinous block), thoracic; single injection site (includes imaging guidance, when performed)	-	X
64462	Paravertebral block (pvb)(paraspinous block), thoracic; second and any additional injection site(s) (includes imaging guidance, when performed) (list separately in addition to	-	Х
64463	Paravertebral block (pvb)(paraspinous block), thoracic; continuous infusion by catheter (includes imaging guidance, when performed)	-	Х
64490	Injection(s), diagnostic or therapeutic agent, paravertebral facet (zygapophyseal) joint (or nerves innervating that joi	-	Х
64491	Injection(s), diagnostic or therapeutic agent, paravertebral facet (zygapophyseal) joint (or nerves innervating that joi	-	Х
64492	Injection(s), diagnostic or therapeutic agent, paravertebral facet (zygapophyseal) joint (or nerves innervating that joi	-	Х
64493	Injection(s), diagnostic or therapeutic agent, paravertebral facet (zygapophyseal) joint (or nerves innervating that joi	-	Х
64494	Injection(s), diagnostic or therapeutic agent, paravertebral facet (zygapophyseal) joint (or nerves innervating that joi	-	Х
64495	Injection(s), diagnostic or therapeutic agent, paravertebral facet (zygapophyseal) joint (or nerves innervating that joi	_	X

<sup>\*</sup> These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



Codes	Description	Not Covered	Preauthorization Required
	Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect in	nformation regarding	immunizations, injectable drugs, or
-	nedications and should be directed to the Pharmacy link option within the website.		
	Injection for nerve block	-	X
	Percutaneous implantation of neurostimulator electrode array; cranial nerve	-	X
	Percutaneous implantation of neurostimulator electrode array; peripheral nerve (excludes sacral nerve)	-	X
	Percutaneous implantation of neurostimulator electrode array; sacral nerve (transforaminal placement)	-	X
	Neuroeltrd stim post tibial	-	Χ
	Inc for vagus n elect impl	-	X
64569	Revise/repl vagus n eltrd	-	X
	Remove vagus n eltrd	-	X
64575	Incision for implantation of neurostimulator electrode array; peripheral nerve (excludes sacral nerve)	-	Χ
	Incision for implantation of neurostimulator electrode array; neuromuscular	-	X
64581	Incision for implantation of neurostimulator electrode array; sacral nerve (transforaminal placement)	-	X
64582	Open implantation of hypoglossal nerve neurostimulator array, pulse generator, and distal respiratory sensor electrode	-	Х
	or electrode array		
64583	Revision or replacement of hypoglossal nerve neurostimulator array and distal respiratory sensor electrode or electrode array, including connection to existing pulse generator	-	X
64594	Removal of hypoglossal nerve neurostimulator array, pulse generator, and distal respiratory sensor electrode or		
04304	electrode array	-	X
6/585	Revision or removal of peripheral neurostimulator electrode array	_	X
	Implant neuroreceiver		X
	Revise/remove neuroreceiver		X
	Insertion or replacement of percutaneous electrode array, peripheral nerve, with integrated neurostimulator, including	-	Α
04390	imaging guidance, when performed; initial electrode array	-	X
64624	Dstrj nulyt agt gnclr nrv	_	Х
	Rf abltj nrv nrvtg si jt	Х	-
	Thermal destruction of intraosseous basivertebral nerve, including all imaging guidance; first 2 vertebral bodies,		
04020	lumbar or sacral	-	X
64629	Thermal destruction of intraosseous basivertebral nerve, including all imaging guidance; each additional vertebral body, lumbar or sacral (list separately in addition to code for primary procedure)	-	Х
64620	Injection treatment of nerve	_	X
	Destruction by neurolytic agent, paravertebral facet joint nerve(s), with imaging guidance (fluoroscopy or ct); cervical or	-	^
04033	thoracic, single facet joint	-	X
64634	Destruction by neurolytic agent, paravertebral facet joint nerve(s), with imaging guidance (fluoroscopy or ct); cervical or		
0 100 1	thoracic, each additional facet joint (list separat	-	X
64635	Destruction by neurolytic agent, paravertebral facet joint nerve(s), with imaging guidance (fluoroscopy or ct); lumbar or		Х
	sacral, single facet joint	<u> </u>	^
64636	Destruction by neurolytic agent, paravertebral facet joint nerve(s), with imaging guidance (fluoroscopy or ct); lumbar or	_	Х
	sacral, each additional facet joint (list separately		
	Injection treatment of nerve	-	X
64999	Nervous system surgery	-	X

<sup>\*</sup> These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



Codes	Description	Not Covered	Preauthorization Required
	Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect in	nformation regarding	immunizations, injectable drugs, or
	edications and should be directed to the Pharmacy link option within the website.		
	Revision of cornea	Х	-
	Revision of cornea	X	<u> </u>
	Corneal tissue transplant	X	<u> </u>
	Radial keratotomy	X	-
	Insert lens prosthesis	-	X
	Extracapsular cataract removal with insertion of intraocular lens prosthesis (1-stage procedure), manual or mechanical technique (eg, irrigation and aspiration or phacoemulsification), complex, requiring devices or techniques not generally used in routine cataract surgery (eg, iris expansion device, suture support for intraocular lens, or primary posterior capsulorrhexis) or performed on patients in the amblyogenic developmental stage; with insertion of intraocular (eg, trabecular meshwork, supraciliary, suprachoroidal) anterior segment aqueous drainage device, without extraocular reservoir, internal approach, one or more	-	X
66991	Extracapsular cataract removal with insertion of intraocular lens prosthesis (1 stage procedure), manual or mechanical technique (eg, irrigation and aspiration or phacoemulsification); with insertion of intraocular (eg, trabecular meshwork, supraciliary, suprachoroidal) anterior segment aqueous drainage device, without extraocular reservoir, internal approach, one or more	-	X
66999	Eye surgery procedure	-	Х
	Implant eye drug system	-	Х
	Eye surgery procedure	-	Х
	Eye muscle surgery procedure	-	X
	Orbit surgery procedure	-	Х
	Repair brow defect	-	Х
	Repair eyelid defect	-	Х
	Repair eyelid defect	-	Х
67903	Repair eyelid defect	-	Х
67904	Repair eyelid defect	-	X
	Repair eyelid defect	-	X
	Repair eyelid defect	-	Х
67909	Revise eyelid defect	-	X
	Revise eyelid defect	-	X
	Correction of lagophthalmos, with implantation of upper eyelid lid load (eg, gold weight)	-	Х
	Repair eyelid wound	-	Х
	Reconstruction of eyelid	-	Х
	Reconstruction of eyelid	-	Χ
	Reconstruction of eyelid	-	X
	Revision of eyelid	-	X
	Eyelid lining surgery	-	X
	Insertion of drug-eluting implant, including punctal dilation when performed, into lacrimal canaliculus, each	Х	-
	Tear duct system surgery	-	Χ
	Pierce earlobes	Х	-

<sup>\*</sup> These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



Codes	Description	Not Covered	Preauthorization Required
	Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect in	nformation regarding	immunizations, injectable drugs, or
	edications and should be directed to the Pharmacy link option within the website.		
	Outer ear surgery procedure	-	X
	Implant/replace hearing aid	Х	<u>-</u>
	Remove/repair hearing aid	-	X
	Implant temple bone w/stimul	-	X
	Temple bne implnt w/stimulat	-	X
69716	Implantation, osseointegrated implant, skull; with magnetic transcutaneous attachment to external speech processor	-	X
69717	Revj/rplcmt oi implt prq esp	-	Х
	Revision or replacement (including removal of existing device), osseointegrated implant, skull; with magnetic transcutaneous attachment to external speech processor	-	Х
60726	Removal, osseointegrated implant, skull; with percutaneous attachment to external speech processor	_	X
	Removal, osseointegrated implant, skull; with magnetic transcutaneous attachment to external speech processor	-	X
69728	Removal, entire osseointegrated implant, skull; with magnetic transcutaneous attachment to external speech processor, outside the mastoid and involving a bony defect greater than or equal to 100 sq mm surface area of bone deep to the outer cranial cortex	-	Х
69729	Implantation, osseointegrated implant, skull; with magnetic transcutaneous attachment to external speech processor, outside of the mastoid and resulting in removal of greater than or equal to 100 sq mm surface area of bone deep to the outer cranial cortex	-	Х
69730	Replacement (including removal of existing device), osseointegrated implant, skull; with magnetic transcutaneous attachment to external speech processor, outside the mastoid and involving a bony defect greater than or equal to 100 sq mm surface area of bone deep to the outer cranial cortex	-	Х
69949	Inner ear surgery procedure	-	X
69979	Temporal bone surgery	-	X
	Computed tomographic (ct) colonography, diagnostic, including image postprocessing; without contrast material	-	Х
74262	Computed tomographic (ct) colonography, diagnostic, including image postprocessing; with contrast material(s) including	-	Х
74263	Computed tomographic (ct) colonography, screening, including image postprocessing	Х	-
	Noninvasive estimate of coronary fractional flow reserve (ffr) derived from augmentative software analysis of the data set from a coronary computed tomography angiography, with interpretation and report by a physician or other qualified health care professional	-	Х
76140	X-ray consultation	Х	-
	Mr spectroscopy	X	-
	Magnetic resonance (eg, vibration) elastography	-	X
	Unlisted fluoroscopic procedure (eg, diagnostic, interventional)	_	X
	Unlisted computed tomography procedure (eg, diagnostic, interventional)	_	X
	Unlisted magnetic resonance procedure (eg, diagnostic, interventional)	_	X
	Unlisted diagnostic radiographic procedure	_	X

<sup>\*</sup> These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



Codes Description	Not Covered	Preauthorization Required
Disclaimer: Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not refle	ect information regarding	
specialty medications and should be directed to the Pharmacy link option within the website.		-
76948 Echo guide, ova aspiration	-	Χ
76999 Unlisted ultrasound procedure (eg, diagnostic, interventional)	-	X
77061 Breast tomosynthesis uni	X	-
77062 Breast tomosynthesis bi	X	-
77299 Radiation therapy planning	-	X
Radiation treatment delivery, stereotactic radiosurgery (srs), complete course of treatment of cerebral lesion(s) consi		X
77372 Radiation treatment delivery, stereotactic radiosurgery (srs), complete course of treatment of cerebral lesion(s) consi	s -	X
77373 Stereotactic body radiation therapy, treatment delivery, per fraction to 1 or more lesions, including image guidance, e	n -	Х
77387 Guidance for radiaj tx dlvr	Х	-
77399 External radiation dosimetry	-	Х
77402 Radiation treatment delivery	Х	-
77407 Radiation treatment delivery	Х	-
77432 Stereotactic radiation trmt	-	Х
77435 Stereotactic body radiation therapy, treatment management, per treatment course, to one or more lesions, including image	-	Х
77499 Radiation therapy management	-	Х
77520 Proton trmt, simple w/o comp	-	Х
77522 Proton trmt, simple w/comp	-	Х
77523 Proton trmt, intermediate	-	X
77525 Proton treatment, complex	-	X
77799 Radium/radioisotope therapy	-	X
78099 Endocrine nuclear procedure	-	X
78199 Blood/lymph nuclear exam	-	X
78299 Gi nuclear procedure	-	X
78350 Bone mineral, single photon	X	-
78351 Bone mineral, dual photon	Х	-
78399 Musculoskeletal nuclear exam	-	X
78499 Cardiovascular nuclear exam	-	X
78599 Respiratory nuclear exam	-	Χ
78608 Brain imaging (pet)	-	Χ
78609 Brain imaging (pet)	Х	-
78699 Nervous system nuclear exam	-	Χ
78799 Genitourinary nuclear exam	-	X
78811 Tumor imaging, positron emission tomography (pet); limited area (eg, chest, head/neck)	-	X
78999 Nuclear diagnostic exam	-	Χ
79999 Nuclear medicine therapy	_	X

<sup>\*</sup> These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



Codes Description	Not Covered	Preauthorization Required
Disclaimer: Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Addition	nally, these coding lists do not reflect information regarding	g immunizations, injectable drugs, or
specialty medications and should be directed to the Pharmacy link option within the website.	T	
80050 General health panel	X	-
80299 Quantitative assay, drug	-	Х
80320 Alcohols	X	-
80321 Alcohol biomarkers; 1 or 2	X	-
80322 Alcohol biomarkers; 3 or more	X	<u>-</u>
80323 Alkaloids, not otherwise specified	X	-
80324 Amphetamines; 1 or 2	X	-
80325 Amphetamines; 3 or 4	X	-
80326 Amphetamines; 5 or more	X	-
80327 Anabolic steroids; 1 or 2	X	-
80328 Anabolic steroids; 3 or more	X	-
80329 Analgesics, non-opioid; 1 or 2	X	-
80330 Analgesics, non-opioid; 3-5	X	-
80331 Analgesics, non-opioid; 6 or more	X	ı
80332 Antidepressants, serotonergic class; 1 or 2	X	1
80333 Antidepressants, serotonergic class; 3-5	X	-
80334 Antidepressants, serotonergic class; 6 or more	X	1
80335 Antidepressants, tricyclic and other cyclicals; 1 or 2	X	-
80336 Antidepressants, tricyclic and other cyclicals; 3-5	X	-
80337 Antidepressants, tricyclic and other cyclicals; 6 or more	X	-
80338 Antidepressants, not otherwise specified	X	-
80339 Antiepileptics, not otherwise specified; 1-3	X	-
80340 Antiepileptics, not otherwise specified; 4-6	X	-
80341 Antiepileptics, not otherwise specified; 7 or more	X	-
80342 Antipsychotics, not otherwise specified; 1-3	X	-
80343 Antipsychotics, not otherwise specified; 4-6	Х	-
80344 Antipsychotics, not otherwise specified; 7 or more	X	-
80345 Barbiturates	X	-
80346 Benzodiazepines; 1-12	Х	-
80347 Benzodiazepines; 13 or more	Х	-
80348 Buprenorphine	X	-
80349 Cannabinoids, natural	X	-
80350 Cannabinoids, synthetic; 1-3	X	-
80351 Cannabinoids, synthetic; 4-6	X	-
80352 Cannabinoids, synthetic; 7 or more	X	-
80353 Cocaine	X	-
80354 Fentanyl	X	-
80355 Gabapentin, non-blood	X	-
80356 Heroin metabolite	X	-

<sup>\*</sup> These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



odes	Description	Not Covered	Preauthorization Required
	Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect is edications and should be directed to the Pharmacy link option within the website.	nformation regarding	g immunizations, injectable drugs, or
	Ketamine and norketamine	Х	_
	Methadone	X	
	Methylenedioxyamphetamines (mda, mdea, mdma)	X	
	Methylphenidate	X	
	Opiates, 1 or more	X	<u> </u>
	Opioids and opiate analogs; 1 or 2	X	<u> </u>
	Opioids and opiate analogs; 1 or 2  Opioids and opiate analogs; 3 or 4	X	
	Opioids and opiate analogs; 5 or more	X	
	Oxycodone	X	-
	Pregabalin	X	-
	Propoxyphene	X	-
		X	-
	Sedative hypnotics (non-benzodiazepines) Skeletal muscle relaxants; 1 or 2	X	
	,		-
	Skeletal muscle relaxants; 3 or more	X	-
	Stimulants, synthetic	X	-
	Tapentadol Tapentadol	X	-
	Tramadol	X	-
	Stereoisomer anal single drug class	X	-
	Drug(s) definitive, qual or quant nos 1-3	X	-
	Drug(s) definitive, qual or quant unlisted 4-6	X	-
	Drug(s) definitive, qual or quant nos 7 or more	Х	-
	Urinalysis test procedure	-	X
	Hpa-1, itgb3, antigen cd61, gene analysis, common variant	X	-
	Hpa-2, gp1ba, gplba, gene analysis, common variant	X	-
	Hpa-3, itga2b, gplba, gene analysis, common variant	X	-
	Hpa-4, itgb3, cd61, gene analysis, common variant	X	-
	Hpa-5, itga2, gene analysis, common variant	X	-
	Hpa-6, itgb3, cd61, gene analysis, common variant	X	-
	Hpa-9, itga2b, gene analysis, common variant	X	-
	Hpa-15, cd109, gene analysis, common variant	X	-
	ldh1 (isocitrate dehydrogenase 1, soluble) (eg, glioma), common variants	-	X
	ldh1 (isocitrate dehydrogenase 1, mitochondrial) (eg, glioma), common variants	-	X
31162	Brca1, brca2 (breast cancer 1 and 2) (eg, hereditary breast and ovarian cancer) gene analysis; full sequence analysis and full duplication/deletion analysis	-	X
1163	Brca1 (brca1, dna repair associated), brca2 (brca2, dna repair associated) (eg, hereditary breast and ovarian cancer) gene analysis; full sequence analysis	-	Х
1164	Brca1 (brca1, dna repair associated), brca2 (brca2, dna repair associated) (eg, hereditary breast and ovarian cancer) gene analysis; full duplication/deletion analysis (ie, de	_	X

<sup>\*</sup> These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



Codes	Description	Not Covered	Preauthorization Required
	: Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect in nedications and should be directed to the Pharmacy link option within the website.	nformation regarding	immunizations, injectable drugs, or
	Brca1 (brca1, dna repair associated) (eg, hereditary breast and ovarian cancer) gene analysis; full sequence analysis	-	Х
81166	Brca1 (brca1, dna repair associated) (eg, hereditary breast and ovarian cancer) gene analysis; full duplication/deletion analysis (ie, detection of large gene rearrangements)	-	Х
81167	Brca2 (brca2, dna repair associated) (eg, hereditary breast and ovarian cancer) gene analysis; full duplication/deletion analysis (ie, detection of large gene rearrangements)	-	Х
81168	Ccnd1/igh (t(11;14)) (eg, mantle cell lymphoma) translocation analysis, major breakpoint, qualitative and quantitative, if performed	-	X
81170	Abl1 (abl proto-oncogene 1 non-receptor tyrosine kinase) (eg, acquired imatinib tyrosine kinase inhibitor resistance), gene analysis, variants in the kinase domain	-	Х
81171	Aff2 (af4/fmr2 family, member 2 [fmr2]) (eg, fragile x mental retardation 2 [fraxe]) gene analysis; evaluation to detect abnormal (eg, expanded) alleles	-	Х
	Aff2 (af4/fmr2 family, member 2 [fmr2]) (eg, fragile x mental retardation 2 [fraxe]) gene analysis; characterization of alleles (eg, expanded size and methylation status)	-	Х
81173	Ar (androgen receptor) (eg, spinal and bulbar muscular atrophy, kennedy disease, x chromosome inactivation) gene analysis; full gene sequence	-	Х
81174	Ar (androgen receptor) (eg, spinal and bulbar muscular atrophy, kennedy disease, x chromosome inactivation) gene analysis; known familial variant	-	Х
81175	AsxI1, (myelod syndr, myeloproli neoplasm, cml) gene analyst; full gene seq	-	Χ
	Asxl1, (myelod syndr, myeloproli neoplasm, cml) gene analyst; targeted seq analy	-	X
81177	Atn1 (atrophin 1) (eg, dentatorubral-pallidoluysian atrophy) gene analysis, evaluation to detect abnormal (eg, expanded) alleles	-	Х
81178	Atxn1 (ataxin 1) (eg, spinocerebellar ataxia) gene analysis, evaluation to detect abnormal (eg, expanded) alleles	-	Х
81179	Atxn2 (ataxin 2) (eg, spinocerebellar ataxia) gene analysis, evaluation to detect abnormal (eg, expanded) alleles	-	Х
81180	Atxn3 (ataxin 3) (eg, spinocerebellar ataxia, machado-joseph disease) gene analysis, evaluation to detect abnormal (eg, expanded) alleles	-	Х
81181	Atxn7 (ataxin 7) (eg, spinocerebellar ataxia) gene analysis, evaluation to detect abnormal (eg, expanded) alleles	-	Х
81182	Atxn8os (atxn8 opposite strand [non-protein coding]) (eg, spinocerebellar ataxia) gene analysis, evaluation to detect abnormal (eg, expanded) alleles	-	Х
81183	Atxn10 (ataxin 10) (eg, spinocerebellar ataxia) gene analysis, evaluation to detect abnormal (eg, expanded) alleles	-	Х
31184	Cacna1a (calcium voltage-gated channel subunit alpha1 a) (eg, spinocerebellar ataxia) gene analysis; evaluation to detect abnormal (eg, expanded) alleles	-	Х
31185	Cacna1a (calcium voltage-gated channel subunit alpha1 a) (eg, spinocerebellar ataxia) gene analysis; full gene sequence	-	Х

<sup>\*</sup> These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



odes Description	Not Covered	Preauthorization Require
sclaimer: Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect in ecialty medications and should be directed to the Pharmacy link option within the website.	formation regarding i	mmunizations, injectable drugs,
1186 Cacna1a (calcium voltage-gated channel subunit alpha1 a) (eg, spinocerebellar ataxia) gene analysis; known familial		
variant	-	X
1187 Cnbp (cchc-type zinc finger nucleic acid binding protein) (eg, myotonic dystrophy type 2) gene analysis, evaluation to		
detect abnormal (eg, expanded) alleles	-	Χ
Cstb (cystatin b) (eg, unverricht-lundborg disease) gene analysis; evaluation to detect abnormal (eg, expanded) alleles		Х
	-	
1189 Cstb (cystatin b) (eg, unverricht-lundborg disease) gene analysis; full gene sequence	-	X
1190 Cstb (cystatin b) (eg, unverricht-lundborg disease) gene analysis; known familial variant(s)	-	X
1191 Ntrk1 (neurotrophic receptor tyrosine kinase 1) (eg, solid tumors) translocation analysis	-	X
1192 Ntrk2 (neurotrophic receptor tyrosine kinase 2) (eg, solid tumors) translocation analysis	-	Χ
1193 Ntrk3 (neurotrophic receptor tyrosine kinase 3) (eg, solid tumors) translocation analysis	-	Χ
1194 Ntrk (neurotrophic-tropomyosin receptor tyrosine kinase 1, 2, and 3) (eg, solid tumors) translocation analysis	-	Χ
1200 Aspa (aspartoacylase) (eg, canavan disease) gene analysis, common variants (eg, e285a, y231x)	X	-
1201 Apc gene analysis; full sequence	-	Χ
1202 Apc gene analysis; known fam variants	-	Χ
Apc gene anaysis; duplication/deletion variants	-	X
1204 Ar (androgen receptor) (eg, spinal and bulbar muscular atrophy, kennedy disease, x chromosome inactivation) gene		V
analysis; characterization of alleles (eg, expanded size or me	-	Х
1205 Bckdhb (branched-chain keto acid dehydrogenase e1, beta polypeptide) (eg, maple syrup urine disease) gene	V	
analysis, common variants (eg, r183p, g278s, e422x)	Х	-
1209 Blm (bloom syndrome, recq helicase-like) (eg, bloom syndrome) gene analysis, 2281del6ins7 variant	Χ	-
1210 Braf (v-raf murine sarcoma viral oncogene homolog b1) (eg, colon cancer), gene analysis, v600e variant	-	Χ
1212 Brca1, brca2 (breast cancer 1 and 2) (eg, hereditary breast and ovarian cancer) gene analysis; 185delag, 5385insc,		· · · · · · · · · · · · · · · · · · ·
6174delt variants	-	X
1215 Brca1 (breast cancer 1) (eg, hereditary breast and ovarian cancer) gene analysis; known familial variant	-	Х
1216 Brca2 (breast cancer 2) (eg, hereditary breast and ovarian cancer) gene analysis; full sequence analysis	-	X
1217 Brca2 (breast cancer 2) (eg, hereditary breast and ovarian cancer) gene analysis; known familial variant	-	X
1218 Cebpa (ccaat/enhancer binding protein [c/ebp], alpha) (eg, acute myeloid leukemia), gene analysis, full gene sequence	_	Х
1240 Cola (colasticulia) (con acustomativo discardore), como contucia comenca veriente in even 0		
1219 Calr (calreticulin) (eg, myeloproliferative disorders), gene analysis, common variants in exon 9	-	X
1220 Cftr (cystic fibrosis transmembrane conductance regulator) (eg, cystic fibrosis) gene analysis; common variants (eg, acmg/acog guidelines)	-	X
1225 Cyp2c19 (cytochrome p450, family 2, subfamily c, polypeptide 19) (eg, drug metabolism), gene analysis, common		
variants (eg, *2, *3, *4, *8, *17)	-	Χ
1226 Cyp2d6 (cytochrome p450, family 2, subfamily d, polypeptide 6) (eg, drug metabolism), gene analysis, common		
variants (eg, *2, *3, *4, *5, *6, *9, *10, *17, *19, *29, *35, *41,	-	X
1227 Cyp2c9 (cytochrome p450, family 2, subfamily c, polypeptide 9) (eg, drug metabolism), gene analysis, common	_	Х
variants (eg, *2, *3, *5, *6)	-	^

<sup>\*</sup> These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



Codes	Description	Not Covered	Preauthorization Required
	Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect in	nformation regarding	immunizations, injectable drugs, or
	edications and should be directed to the Pharmacy link option within the website.	1	
81228	Cytogenomic constitutional (genome-wide) microarray analysis; interrogation of genomic regions for copy number	_	Χ
	variants (eg, bacterial artificial chromosome [bac] or oligo-bas		
81229	Cytogenomic constitutional (genome-wide) microarray analysis; interrogation of genomic regions for copy number and	_	Χ
	single nucleotide polymorphism (snp) variants for chromosoma		
	Cyp3a4, gene analysis, common variant(s)	-	X
	Cyp3a5, gene analaysis, common variants	-	X
	Dpyd, gene analysis, common variant(s)	-	X
81233	Btk (bruton's tyrosine kinase) (eg, chronic lymphocytic leukemia) gene analysis, common variants (eg, c481s, c481r, c481f)	-	X
81234	Dmpk (dm1 protein kinase) (eg, myotonic dystrophy type 1) gene analysis; evaluation to detect abnormal (expanded) alleles	-	X
81235	Egfr gene analysis; common variants	_	Х
	Ezh2 (enhancer of zeste 2 polycomb repressive complex 2 subunit) (eg, myelodysplastic syndrome, myeloproliferative		
0.200	neoplasms) gene analysis, full gene sequence	-	X
81237	Ezh2 (enhancer of zeste 2 polycomb repressive complex 2 subunit) (eg, diffuse large b-cell lymphoma) gene analysis,		
0.20.	common variant(s) (eg, codon 646)	-	Χ
81238	F9 (coagulation factor ix) (eg, hemophilia b), full gene seq	_	X
	Dmpk (dm1 protein kinase) (eg, myotonic dystrophy type 1) gene analysis; characterization of alleles (eg, expanded		
0.200	Isize)	-	X
81240	F2 (prothrombin, coagulation factor ii) (eg, hereditary hypercoagulability) gene analysis, 20210g>a variant	Х	-
	F5 (coagulation factor v) (eg, hereditary hypercoagulability) gene analysis, leiden variant	Х	-
	Fancc (fanconi anemia, complementation group c) (eg, fanconi anemia, type c) gene analysis, common variant (eg,		
	ivs4+4a>t)	X	-
81243	Fmr1 (fragile x mental retardation 1) (eg, fragile x mental retardation) gene analysis; evaluation to detect abnormal (eg,	.,	
	expanded) alleles	X	-
81244	Fmr1 (fragile x mental retardation 1) (eg, fragile x mental retardation) gene analysis; characterization of alleles (eg,	.,	
	expanded size and methylation status)	X	-
81247	G6pd, gene analysis; common variant(s)	-	Х
	G6pd, gene analysis; known familial variant(s)	-	Х
	G6pd, gene analysis; full gene seq	-	Х
	G6pc (glucose-6-phosphatase, catalytic subunit) (eg, glycogen storage disease, type 1a, von gierke disease) gene		
	analysis, common variants (eg, r83c, q347x)	-	X
81251	Gba (glucosidase, beta, acid) (eg, gaucher disease) gene analysis, common variants (eg, n370s, 84gg, l444p,	.,	
	ivs2+1g>a)	X	-
81252	Gib2 gene full sequence	-	Х
	Gjb2 gene known fam variants	-	X
	Gjb6 gene com variants	-	X
	Hexa (hexosaminidase a [alpha polypeptide]) (eg, tay-sachs disease) gene analysis, common variants (eg,	ν.	<del>-</del> -
3.200	1278instatc, 1421+1g>c, g269s)	X	-

<sup>\*</sup> These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



Codes	Description	Not Covered	Preauthorization Required
	: Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect in nedications and should be directed to the Pharmacy link option within the website.	nformation regarding	immunizations, injectable drugs, or
	Hfe (hemochromatosis) (eg, hereditary hemochromatosis) gene analysis, common variants (eg, c282y, h63d)	_	Х
	Hba1/hba2 (alpha globin 1 and alpha globin 2) (eg, alpha thalassemia, hb bart hydrops fetalis syndrome, hbh disease), gene analysis, for common deletions or variant (eg, south	-	X
81258	Hba1/hba2, gene analysis, known familial variant	_	Х
	Hba1/hba2, gene analysis, full gene seq	_	X
	Ikbkap (inhibitor of kappa light polypeptide gene enhancer in b-cells, kinase complex-associated protein) (eg, familial dysautonomia) gene analysis, common variants (eg,2507+6	X	-
81261	Igh@ (immunoglobulin heavy chain locus) (eg, leukemias and lymphomas, b-cell), gene rearrangement analysis to detect abnormal clonal population(s); amplified methodology (eg,	-	Х
	Igh@ (immunoglobulin heavy chain locus) (eg, leukemias and lymphomas, b-cell), gene rearrangement analysis to detect abnormal clonal population(s); direct probe methodology (e	-	Х
	Igh@ (immunoglobulin heavy chain locus) (eg, leukemia and lymphoma, b-cell), variable region somatic mutation analysis	-	X
	lgk@ (immunoglobulin kappa light chain locus) (eg, leukemia and lymphoma, b-cell), gene rearrangement analysis, evaluation to detect abnormal clonal population(s)	-	X
	Comparative analysis using short tandem repeat (str) markers; patient and comparative specimen (eg, pre-transplant recipient and donor germline testing, post-transplant non-he	-	X
81266	Comparative analysis using short tandem repeat (str) markers; each additional specimen (eg, additional cord blood donor, additional fetal samples from different cultures, or a	-	X
81269	Hba1/hba2, gene analysis, duplication/deletion variants	-	Χ
81270	Jak2 (janus kinase 2) (eg, myeloproliferative disorder) gene analysis, p.val617phe (v617f) variant	-	Χ
81271	Htt (huntingtin) (eg, huntington disease) gene analysis; evaluation to detect abnormal (eg, expanded) alleles	-	X
81272	Kit (v-kit hardy-zuckerman 4 feline sarcoma viral oncogene homolog) (eg, gastrointestinal stromal tumor [gist], acute myeloid leukemia, melanoma), gene analysis, targeted sequ	-	Х
81273	Kit (v-kit hardy-zuckerman 4 feline sarcoma viral oncogene homolog) (eg, mastocytosis), gene analysis, d816 variant(s)	-	Х
81274	Htt (huntingtin) (eg, huntington disease) gene analysis; characterization of alleles (eg, expanded size)	-	Х
81275	Kras (v-ki-ras2 kirsten rat sarcoma viral oncogene) (eg, carcinoma) gene analysis, variants in codons 12 and 13	-	Х
81276	Kras (kirsten rat sarcoma viral oncogene homolog) (eg, carcinoma) gene analysis; additional variant(s) (eg, codon 61, codon 146)	-	Х
	Cytogenomic neo microra alys	-	Χ
81278	Igh@/bcl2 (t(14;18)) (eg, follicular lymphoma) translocation analysis, major breakpoint region (mbr) and minor cluster region (mcr) breakpoints, qualitative or quantitative	-	Х
81279	Jak2 (janus kinase 2) (eg, myeloproliferative disorder) targeted sequence analysis (eg, exons 12 and 13)	-	X
	Ifnl3, gene analysis, rs12979860 variant	-	Χ
81284	Fxn (frataxin) (eg, friedreich ataxia) gene analysis; evaluation to detect abnormal (expanded) alleles	-	X
	Fxn (frataxin) (eg, friedreich ataxia) gene analysis; characterization of alleles (eg, expanded size)	-	Х
81286	Fxn (frataxin) (eg, friedreich ataxia) gene analysis; full gene sequence	-	X

<sup>\*</sup> These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



Codes	Description	Not Covered	Preauthorization Required
	Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect	nformation regarding	immunizations, injectable drugs, or
	edications and should be directed to the Pharmacy link option within the website.		
	Mgmt gene methylation anal	-	X
	Mlh1 gene methylation anal	-	X
	Fxn (frataxin) (eg, friedreich ataxia) gene analysis; known familial variant(s)	-	X
	Mcoln1 (mucolipin 1) (eg, mucolipidosis, type iv) gene analysis, common variants (eg, ivs3-2a>g, del6.4kb)	-	X
81291	Mthfr (5,10-methylenetetrahydrofolate reductase) (eg, hereditary hypercoagulability) gene analysis, common variants (eg, 677t, 1298c)	Х	-
81292	Mlh1 (mutl homolog 1, colon cancer, nonpolyposis type 2) (eg, hereditary non-polyposis colorectal cancer, lynch syndrome) gene analysis; full sequence analysis	-	X
81293	Mlh1 (mutl homolog 1, colon cancer, nonpolyposis type 2) (eg, hereditary non-polyposis colorectal cancer, lynch syndrome) gene analysis; known familial variants	-	X
81294	Mlh1 (mutl homolog 1, colon cancer, nonpolyposis type 2) (eg, hereditary non-polyposis colorectal cancer, lynch	-	X
81295	syndrome) gene analysis; duplication/deletion variants  Msh2 (muts homolog 2, colon cancer, nonpolyposis type 1) (eg, hereditary non-polyposis colorectal cancer, lynch syndrome) gene analysis; full sequence analysis	-	Х
81296	Msh2 (muts homolog 2, colon cancer, nonpolyposis type 1) (eg, hereditary non-polyposis colorectal cancer, lynch syndrome) gene analysis; known familial variants	-	Х
81297	Msh2 (muts homolog 2, colon cancer, nonpolyposis type 1) (eg, hereditary non-polyposis colorectal cancer, lynch syndrome) gene analysis; duplication/deletion variants	-	Х
81298	Msh6 (muts homolog 6 [e. coli]) (eg, hereditary non-polyposis colorectal cancer, lynch syndrome) gene analysis; full sequence analysis	-	Х
81299	Msh6 (muts homolog 6 [e. coli]) (eg, hereditary non-polyposis colorectal cancer, lynch syndrome) gene analysis; known familial variants	-	Х
81300	Msh6 (muts homolog 6 [e. coli]) (eg, hereditary non-polyposis colorectal cancer, lynch syndrome) gene analysis; duplication/deletion variants	-	Х
81301	Microsatellite instability analysis (eg, hereditary non-polyposis colorectal cancer, lynch syndrome) of markers for mismatch repair deficiency (eg, bat25, bat26), includes com	-	Х
81302	Mecp2 (methyl cpg binding protein 2) (eg, rett syndrome) gene analysis; full sequence analysis	-	Χ
	Mecp2 (methyl cpg binding protein 2) (eg, rett syndrome) gene analysis; known familial variant	- 1	X
	Mecp2 (methyl cpg binding protein 2) (eg, rett syndrome) gene analysis; duplication/deletion variants	- 1	Χ
	Myd88 (myeloid differentiation primary response 88) (eg, waldenstrom's macroglobulinemia, lymphoplasmacytic leukemia) gene analysis, p.leu265pro (l265p) variant	-	Х
81307	Palb2 gene full gene seg	-	X
	Palb2 gene known famil vrnt	- 1	X
	Pik3ca gene trgt seq alys	-	X
	Npm1 (nucleophosmin) (eg, acute myeloid leukemia) gene analysis, exon 12 variants	-	X
	Nras (neuroblastoma ras viral [v-ras] oncogene homolog) (eg, colorectal carcinoma), gene analysis, variants in exon 2 (eg, codons 12 & 13) and exon 3 (eg, codon61)	-	X
81312	Pabpn1 (poly[a] binding protein nuclear 1) (eg, oculopharyngeal muscular dystrophy) gene analysis, evaluation to detect abnormal (eg, expanded) alleles	-	X

<sup>\*</sup> These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



	Description	Not Covered	Preauthorization Require
	Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect in edications and should be directed to the Pharmacy link option within the website.	nformation regarding	immunizations, injectable drugs, o
	Pca3 klk3	I - I	X
	Pdgfra (platelet-derived growth factor receptor, alpha polypeptide) (eg, gastointestinal stromal tumor [gist]), gene analysis, targeted sequence analysis (eg, exons 12, 18)	-	X
31316	Pml/raralpha, (t(15;17)), (promyelocytic leukemia/retinoic acid receptor alpha) (eg, promyelocytic leukemia) translocation analysis; single breakpoint (eg, intron 3, intron 6	-	Х
1317	Pms2 (postmeiotic segregation increased 2 [s. cerevisiae]) (eg, hereditary non-polyposis colorectal cancer, lynch syndrome) gene analysis; full sequence analysis	-	Х
1318	Pms2 (postmeiotic segregation increased 2 [s. cerevisiae]) (eg, hereditary non-polyposis colorectal cancer, lynch syndrome) gene analysis; known familial variants	-	Х
1319	Pms2 (postmeiotic segregation increased 2 [s. cerevisiae]) (eg, hereditary non-polyposis colorectal cancer, lynch syndrome) gene analysis; duplication/deletion variants	-	Х
1320	Plcg2 (phospholipase c gamma 2) (eg, chronic lymphocytic leukemia) gene analysis, common variants (eg, r665w, s707f, l845f)	-	Х
1321	Pten gene analysis;full seq analysis	-	Х
	Pten gene analysis; fam variant	-	Х
1323	Pten gene analysis; duplication/deletion variant	-	X
1324	Pmp22 gene analysis; dup/deletion analysis	-	X
1325	Pmp22 gene analysis; full seq analysis	-	X
1326	Pmp22 (peripheral myelin protein 22) gene analysis; known fam variant	-	X
1328	Slc01b1, gene analysis, common variant(s)	-	X
1330	Smpd1(sphingomyelin phosphodiesterase 1, acid lysosomal) (eg, niemann-pick disease, type a) gene analysis, common variants (eg, r496l, l302p, fsp330)	-	X
1331	Snrpn/ube3a (small nuclear ribonucleoprotein polypeptide n and ubiquitin protein ligase e3a) (eg, prader-willi syndrome and/or angelman syndrome), methylation analysis	-	×
1332	Serpina1 (serpin peptidase inhibitor, clade a, alpha-1 antiproteinase, antitrypsin, member 1) (eg, alpha-1-antitrypsin deficiency), gene analysis, common variants (eg, *s and	-	Х
1333	Tgfbi (transforming growth factor beta-induced) (eg, corneal dystrophy) gene analysis, common variants (eg, r124h, r124c, r124l, r555w, r555q)	-	×
	Runx1, gene analysis, targeted seq analysis	-	Х
1336	Smn1 (survival of motor neuron 1, telomeric) (eg, spinal muscular atrophy) gene analysis; full gene sequence	-	X
	Smn1 (survival of motor neuron 1, telomeric) (eg, spinal muscular atrophy) gene analysis; known familial sequence variant(s)	-	Х
1338	Mpl (mpl proto-oncogene, thrombopoietin receptor) (eg, myeloproliferative disorder) gene analysis; common variants (eg, w515a, w515k, w515l, w515r)	-	Х
1339	Mpl (mpl proto-oncogene, thrombopoietin receptor) (eg, myeloproliferative disorder) gene analysis; sequence analysis, exon 10	-	Х
1340	Trb@ (t cell antigen receptor, beta) (eg, leukemia and lymphoma), gene rearrangement analysis to detect abnormal clonal population(s); using amplification methodology (eg, pol	-	Х

<sup>\*</sup> These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



	Description	Not Covered	Preauthorization Require
	Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect in edications and should be directed to the Pharmacy link option within the website.	nformation regarding	g immunizations, injectable drugs, o
31341	Trb@ (t cell antigen receptor, beta) (eg, leukemia and lymphoma), gene rearrangement analysis to detect abnormal		.,
	clonal population(s); using direct probe methology (eg, southe	-	X
31342	Trg@ (t cell antigen receptor, gamma) (eg, leukemia and lymphoma), gene rearrangement analysis, evaluation to		V
	detect abnormal clonal population(s)	-	Х
1343	Ppp2r2b (protein phosphatase 2 regulatory subunit bbeta) (eg, spinocerebellar ataxia) gene analysis, evaluation to	_	Х
	detect abnormal (eg, expanded) alleles	-	^
1344	Tbp (tata box binding protein) (eg, spinocerebellar ataxia) gene analysis, evaluation to detect abnormal (eg, expanded)	_	Х
	alleles	_	
1345	Tert (telomerase reverse transcriptase) (eg, thyroid carcinoma, glioblastoma multiforme) gene analysis, targeted	_	Х
	sequence analysis (eg, promoter region)		
	Tyms, gene analysis, common variant(s)	-	X
1347	Sf3b1 (splicing factor [3b] subunit b1) (eg, myelodysplastic syndrome/acute myeloid leukemia) gene analysis, common	_	Х
	variants (eg, a672t, e622d, l833f, r625c, r625l)		
1348	Srsf2 (serine and arginine-rich splicing factor 2) (eg, myelodysplastic syndrome, acute myeloid leukemia) gene	_	X
10.10	analysis, common variants (eg, p95h, p95l)		
1349	Cytogenomic (genome-wide) analysis for constitutional chromosomal abnormalities; interrogation of genomic regions	-	X
1050	for copy number and loss-of-heterozygosity variants, low-pass sequencing analysis		
1350	Ugt1a1 (udp glucuronosyltransferase 1 family, polypeptide a1) (eg, irinotecan metabolism), gene analysis, common	-	Х
1051	variants (eg, *28, *36, *37)		V
	Tp53 (tumor protein 53) (eg, li-fraumeni syndrome) gene analysis; full gene sequence	-	X
1352	Tp53 (tumor protein 53) (eg, li-fraumeni syndrome) gene analysis; targeted sequence analysis (eg, 4 oncology)	-	X
1353	Tp53 (tumor protein 53) (eg, li-fraumeni syndrome) gene analysis; known familial variant	-	X
1355	Vkorc1 (vitamin k epoxide reductase complex, subunit 1) (eg, warfarin metabolism), gene analysis, common variants	Х	
	(eg, -1639/3673)	^	-
1357	U2af1 (u2 small nuclear rna auxiliary factor 1) (eg, myelodysplastic syndrome, acute myeloid leukemia) gene analysis,		Х
	common variants (eg, s34f, s34y, q157r, q157p)	-	^
1360	Zrsr2 (zinc finger ccch-type, rna binding motif and serine/arginine-rich 2) (eg, myelodysplastic syndrome, acute	_	Х
	myeloid leukemia) gene analysis, common variant(s) (eg, e65fs, e122fs, r448fs)		
	Hbb (hemoglobin, subunit beta), common variant(s)	-	X
	Hbb (hemoglobin, subunit beta), known familial variant(s)	-	X
	Hbb (hemoglobin, subunit beta), duplication/deletion variant(s)	-	X
	Hbb (hemoglobin, subunit beta), full gene seq	-	X
	Hla class i and ii typing, low resolution (eg, antigen equivalents); hla-a, -b, -c, -drb1/3/4/5, and -dqb1	-	X
1371	Hla class i and ii typing, low resolution (eg, antigen equivalents); hla-a, -b, and -drb1/3/4/5 (eg, verification typing)	-	X
	Hla class i typing, low resolution (eg, antigen equivalents); complete (ie, hla-a, -b, and -c)	-	X
	Hla class i typing, low resolution (eg, antigen equivalents); one locus (eg, hla-a, -b, or -c), each	-	X
1374	Hla class i typing, low resolution (eg, antigen equivalents); one antigen equivalent (eg, b*27), each	-	X

<sup>\*</sup> These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



Codes Description	Not Covered	Preauthorization Required
Disclaimer: Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not	reflect information regarding	immunizations, injectable drugs, o
specialty medications and should be directed to the Pharmacy link option within the website.		V
81375 Hla class ii typing, low resolution (eg, antigen equivalents); hla-drb1/3/4/5 and -dqb1	-	X
81376 Hla class ii typing, low resolution (eg, antigen equivalents); one locus (eg, hla-drb1/3/4/5, -dqb1, -dqa1, -dpb1, or -dpa1), each	-	X
81377 Hla class ii typing, low resolution (eg, antigen equivalents); one antigen equivalent, each	_	Х
81378 Hla class i and ii typing, high resolution (ie, alleles or allele groups), hla-a, -b, -c, and -drb1		X
Ha class i typing, high resolution (ie, alleles or allele groups); complete (ie, hla-a, -b, and -c)	_	X
31380 Hla class i typing, high resolution (ie, alleles or allele groups); one locus (eg, hla-a, -b, or -c), each	-	X
Ha class i typing, high resolution (ie, alleles or allele groups); one allele or allele group (eg, b*57:01p), each	_	X
Ha class it typing, high resolution (ie, alleles or allele groups); one locus (eg, hla-drb1, -drb3, -drb4, -drb5, -dqb1, -		
dga1, -dpb1, or -dpa1), each	-	X
Ha class ii typing, high resolution (ie, alleles or allele groups); one allele or allele group (eg, hla-dqb1*06:02p), each	ch -	Х
Molecular pathology procedure, level 1 (eg, identification of single germline variant [eg, snp] by techniques such as	s <u>-</u>	Х
restriction enzyme digestion or melt curve analysis)acadm		Λ
Molecular pathology procedure, level 2 (eg, 2-10 snps, 1 methylated variant, or 1 somatic variant [typically using	_	Χ
nonsequencing target variant analysis], or detection of a dy		Λ
Molecular pathology procedure, level 3 (eg, >10 snps, 2-10 methylated variants, or 2-10 somatic variants [typically using non-sequencing target variant analysis], immunoglobul	-	Χ
Molecular pathology procedure, level 4 (eg, analysis of single exon by dna sequence analysis, analysis of >10		
amplicons using multiplex pcr in 2 or more independent reactions,	-	X
B1404 Molecular pathology procedure, level 5 (eg, analysis of 2-5 exons by dna sequence analysis, mutation scanning or		
duplication/deletion variants of 6-10 exons, or characterizati	-	X
Molecular pathology procedure, level 6 (eg, analysis of 6-10 exons by dna sequence analysis, mutation scanning of	or	.,
duplication/deletion variants of 11-25 exons) cyp21a2 (cytoch	-	Χ
Molecular pathology procedure, level 7 (eg, analysis of 11-25 exons by dna sequence analysis, mutation scanning	or	.,
duplication/deletion variants of 26-50 exons, cytogenomic ar	-	Χ
Molecular pathology procedure, level 8 (eg, analysis of 26-50 exons by dna sequence analysis, mutation scanning	or	
duplication/deletion variants of >50 exons, sequence analysi	-	X
Molecular pathology procedure, level 9 (eg, analysis of >50 exons in a single gene by dna sequence analysis) fbn1		
(fibrillin 1) (eg, marfan syndrome), full gene sequence nf1 (	-	X
1410 Gsps for aortic dysfnc or dilat	_	Х
1411 Gsps for aortic dysfnc or dilat dupe delete anal	_	X
1412 Ashkenazi jewish associated disorders (eg, bloom syndrome, canavan disease, cystic fibrosis, familial dysautonom	nia	
faconi anemia group c. gaucher disease, tay-sachs disease),	-	Х
Cardiac ion channelopathies (eg, brgada syndrome, long qt syndrome, short qt syndrome, catecholaminergic	1	
polymorphic ventricular tachycardia); genomic sequence analysis panel,	-	X
31414 Cardiac ion channelopathies (eg. brugada syndrome, long qt syndrome, short qt syndrome, catecholaminergic		
polymorphic ventricular tachycardia); duplication deletion gene analy	-	X
81415 Exome sequence anal	_	X

<sup>\*</sup> These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



Codes Description		Not Covered	Preauthorization Required
Disclaimer: Please note that coverage may vary by plan type and may not follow the listed specialty medications and should be directed to the Pharmacy link option within the websit	services. These codes are updated quarterly. Additionally, these coding lists do not reflect in	formation regarding	mmunizations, injectable drugs, or
81416 Exome sequence anal ea add		-	X
81417 Exome sequence anal re-eval		-	Х
	quence analysis panel, must include testing of at least 6 genes, tion analysis	-	Х
81419 Epilepsy genomic sequence analysis panel, must include		-	Х
B1425 Gsps for unex costitut heritable ds		-	Χ
31426 Gsps for unex costitut heritable ds ea add		-	X
31427 Gsps for unex costitut heritable ds re-eval		-	Χ
B1430 Gsps for hearing loss		-	Χ
81431 Gsps for hearing loss dupe delete anal		-	Χ
Hereditary breast cancer-related disorders (eg, hereditated sequencing of at least 14 genes: atm brca1 brca2 brip1	,	-	Х
Hereditary breast cancer-related disorders (eg, hereditary analysis panel, must include analyses for brca1 brca2 r	ry breast, ovarian endometrial cancer); duplication/deletion	-	Х
Hereditary retinal disorders (eg, retinitis pigmentosa, le genomic sequencing 15 genes: abca4 cnga1 crb1 eys	per congenital amaurosis, cone-rod dystophy); must inc	-	Х
B1435 Gsps for colon ca	deoa pueob	-	X
31436 Gsps for colon ca dupe delete anal		_	X
	ary throid or parathyroid cancer, malignant pheochromocytoma		
or paragangliom); must incl genomic sequencing 6 gen		-	X
Hereditary neuroendocrine tumor disorders; duplication sdhd vhl		-	Х
Inherited cardiomyopathy (eg. hypertrophic cardiomyop cardiomyopathy) genomic sequence analysis panel, mu		-	Х
31440 Gsps nuclear encod mitochondrial genes		-	Х
Inherited bone marrow failure syndromes (ibmfs) (eg, fa anemia, shwachman-diamond syndrome, gata2 deficient sequence analysis panel, must include sequencing of a	inconi anemia, dyskeratosis congenita, diamond-blackfan ncy syndrome, congenital amegakaryocytic thrombocytopenia) t least 30 genes, including brca2, brip1, dkc1, fanca, fancb, ata2, mpl, nhp2, nop10, palb2, rad51c, rpl11, rpl35a, rpl5,	-	Х
Noonan spectrum disorders (eg, noonan syndrome, cal syndrome, noonan-like syndrome); must incl genomic	· · · · · · · · · · · · · · · · · · ·	-	Х
Genetic testing for severe inherited conditions (eg, cyst syndrome, canavan disease, fanconi anemia type c, mu	c fibrosis, ashkenazi jewish-associated disorders [eg, bloom	-	Х
31445 Gsps for solid organ neoplasm		_	Χ
31448 Hereditary peripheral neuropathies, gene seq analysis	nanel	_	X

<sup>\*</sup> These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



Codes	Description	Not Covered	Preauthorization Required
isclaimer	Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect in	nformation regarding	immunizations, injectable drugs, or
	nedications and should be directed to the Pharmacy link option within the website.		
31449			V
	kras, met, nras, pdgfra, pdgfrb, pgr, pik3ca, pten, ret), interrogation for sequence variants and copy number variants or	-	X
	rearrangements, if performed; rna analysis		
31450	Gsps hematolymphoid neo 5-50 genes	-	X
31451	Targeted genomic sequence analysis panel, hematolymphoid neoplasm or disorder, 5-50 genes (eg, braf, cebpa,		
	dnmt3a, ezh2, flt3, idh1, idh2, jak2, kit, kras, mll, notch1, npm1, nras), interrogation for sequence variants, and copy	_	Χ
	number variants or rearrangements, or isoform expression or mrna expression levels, if performed; rna analysis		
31455	Gsps hematolymphoid neo =/>51 genes	-	X
31456	Targeted genomic sequence analysis panel, solid organ or hematolymphoid neoplasm or disorder, 51 or greater genes		
	(eg, alk, braf, cdkn2a, cebpa, dnmt3a, egfr, erbb2, ezh2, flt3, idh1, idh2, jak2, kit, kras, met, mll, notch1, npm1, nras,		
	pdgfra, pdgfrb, pgr, pik3ca, pten, ret), interrogation for sequence variants and copy number variants or	-	Χ
	rearrangements, or isoform expression or mrna expression levels, if performed; rna analysis		
31457	Solid organ neoplasm, genomic sequence analysis panel, interrogation for sequence variants; dna analysis,		V
	microsatellite instability	-	X
31458	Solid organ neoplasm, genomic sequence analysis panel, interrogation for sequence variants; dna analysis, copy		V
	number variants and microsatellite instability	-	X
31459	Solid organ neoplasm, genomic sequence analysis panel, interrogation for sequence variants; dna analysis or		
	combined dna and rna analysis, copy number variants, microsatellite instability, tumor mutation burden, and	-	Χ
	rearrangements		
31460	Gsps for whole mitochondrial genome	-	X
31462	Solid organ neoplasm, genomic sequence analysis panel, cell-free nucleic acid (eg, plasma), interrogation for		
	sequence variants; dna analysis or combined dna and rna analysis, copy number variants and rearrangements	-	Χ
31463	Solid organ neoplasm, genomic sequence analysis panel, cell-free nucleic acid (eg, plasma), interrogation for		V
	sequence variants; dna analysis, copy number variants, and microsatellite instability	-	X
31464	Solid organ neoplasm, genomic sequence analysis panel, cell-free nucleic acid (eg, plasma), interrogation for		
	sequence variants; dna analysis or combined dna and rna analysis, copy number variants, microsatellite instability,	-	Χ
	tumor mutation burden, and rearrangements		
31465	Gsps for whole mitochondrial genome lg delete anal	-	Х
31470	Gsps for xlid at least 60 genes	-	Х
31471	Gsps for xlid at least 60 genes	-	Х
	Unlisted molecular pathology	-	Х
31490	Autoimmune (rheumatoid arthritis), analysis of 12 biomarkers using immunoassays, utilizing serum, prognostic		Х
	algorithm reported as a disease activity score	_	^
81493	Coronary artery disease, mrna, gene expression profiling by real-time rt-pcr of 23 genes, utilizing whole peripheral	V	
	blood, algorithm reported as a risk score	Х	<u> </u>
31500	Maaa 2 serum proteins	-	Х

<sup>\*</sup> These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



Codes Description	Not Covered	Preauthorization Required
Disclaimer: Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated	quarterly. Additionally, these coding lists do not reflect information regarding	g immunizations, injectable drugs, or
specialty medications and should be directed to the Pharmacy link option within the website.		V
81503 Maaa 2 serum proteins		X
81504 Oncology tissue of origin	<u>-</u>	X
81506 Maaa 7 serum/plasma analytes	<del>-</del>	X
81507 Fetal aneuploidy trisom risk	<u> </u>	X
81508 Maaa 2 maternal serum proteins	<del></del>	X
Maaa 3 maternal serum proteins	-	X
Maaa 3 maternal serum analytess	-	X
Maaa 4 maternal serum analytess	-	X
Maaa 5 maternal serum analytess	-	X
Oncology (breast), mrna, gene expression profiling by real-time rt-pcr of 11 gene utilizing formalin-fixed paraffin-embedded tissue, algorithm	es (7 content and 4 housekeeping),	Х
B1519 Gsps onco (brst) 21 genes	-	X
B1520 Oncology (breast), mrna gene exp profil by hybrid cap of 58 genes	-	X
31521 Oncology (breast), mrna microarray gene exp profil of 70 cont genes & 465 house	sekeep genes -	X
31522 Onc breast mrna 12 genes	-	X
31523 Oncology (breast), mrna, next-generation sequencing gene expression profiling	of 70 content genes and 31	
housekeeping genes, utilizing formalin-fixed paraffin-embedded tissue, algorithn		Χ
distant metastasis	•	
B1525 Oncology (colon), mrna, gene expression profiling by real-time rt-pcr of 12 gene	s (7 content and 5 housekeeping).	.,
utilizing formalin-fixed paraffin embedded tissue, algorithm	-	X
31529 Oncology (cutaneous melanoma), mrna, gene expression profiling by real-time r	rt-pcr of 31 genes (28 content and 3	
housekeeping), utilizing formalin-fixed paraffin-embedded tissue, algorithm repo		Χ
likelihood of sentinel lymph node metastasis	The de recent error mentaling	
31535 Oncology (gynecologic), live tumor cell culture and chemotherapeutic response	by dani stain and morphology	
predictive algorithm reported as a drug response score; first singl	-	Х
B1536 Oncology (gynecologic), live tumor cell culture and chemotherapeutic response	by dani stain and morphology	
predictive algorithm reported as a drug response score; each additi	-	Х
B1538 Oncology (lung), mass spectrometric 8-protein signature, including amyloid a, ut	tilizing serum, prognostic and predictive	
algorithm reported as good versus poor overall surviva		Х
B1539 Oncology (high-grade prostate cancer), biochemical assay of four proteins (total	nea free nea intact nea and human	
kallikrein-2 [hk2]) utilizing plasma or serum, prognostic	X	-
31540 Oncology (tumor of unknown origin), mrna, gene expression profiling by real-tim	on rt par of 02 gapes (97 content and 5	
	e ri-per or 92 genes (67 content and 5	Χ
housekeeping) to classify tumor into main cancer type and		V
31541 Oncology (prostate), mrna gene exp profil by real-time rt-pcr of 46 genes	<del>-</del>	X
31542 Onc prostate mrna 22 cnt gen	-	X
Oncology (thyroid), mrna, gene expression analysis of 10,196 genes, utilizing fin	ie needie aspirate, algorithm reported	Χ
as a categorical result (eg, benign or suspicious)		
Oncology (prostate), promoter methylation profil by real-time pcr of 3 genes	-	X
81552 Onc breast mrna 12 genes	-	X

<sup>\*</sup> These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



Codes	Description	Not Covered	Preauthorization Required
	Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect in	formation regarding	immunizations, injectable drugs, or
	redications and should be directed to the Pharmacy link option within the website.	•	
81554	Pulmonary disease (idiopathic pulmonary fibrosis [ipf]), mrna, gene expression analysis of 190 genes, utilizing		V
	transbronchial biopsies, diagnostic algorithm reported as categorical result (eg, positive or negative for high probability	-	X
04500	of usual interstitial pneumonia [uip])		
81560	Transplantation medicine (allograft rejection, pediatric liver and small bowel), measurement of donor and third-party-	· ·	
	induced cd154+t-cytotoxic memory cells, utilizing whole peripheral blood, algorithm reported as a rejection risk score	Х	<del>-</del>
81595	Cardiology (heart transplant), mrna, gene expression profiling by real-time quantitative pcr of 20 genes (11 content and		V
	9 housekeeping), utilizing subfraction of peripheral b	-	X
81599	Unlisted maaa	-	X
83009	Helicobacter pylori, blood test analysis for urease activity, non-radioactive isotope (eg, c-13)	Χ	-
83519	Immunoassay for analyte other than infectious agent antibody or infectious agent antigen; quantitative, by	V	
	radioimmunoas	X	-
83987	Ph; exhaled breath condensate	Х	-
83992	Assay for phencyclidine	Х	-
84378	Sugars single quant	Х	-
34431	Thromboxane metabolite(s), including thromboxane if performed, urine	Χ	-
	Clinical chemistry test	-	Х
85999	Hematology procedure	-	Χ
86152	Cell enumeration	Χ	-
86153	Cell enumeration phys interp	Χ	-
86305	Human epididymis protein 4 (he4)	Χ	-
86318	Immunoassay,infectious agent	Χ	-
86677	Helicobacter pylori	Χ	-
86829	Antibody to hla class i/ii antigen	-	Χ
	Antibody id by hla phnotyp class i	-	Χ
	Antibody id by hla phnotyp class ii	-	Χ
	Semi-quant panel hla class i	-	Χ
	Semi-quant panel hla class ii	-	Χ
36849	Immunology procedure	-	Χ
	Blood typing, paternity test	Χ	-
36911	Blood typing, antigen system	Χ	-
	Transfusion procedure	-	Χ
	Microbiology procedure	-	Χ
	Autopsy (necropsy), gross	Χ	-
	Autopsy (necropsy), gross	Χ	-
	Autopsy (necropsy), gross	Χ	-
	Autopsy (necropsy), gross	Χ	-
	Autopsy (necropsy), gross	Χ	-
38016	Autopsy (necropsy), gross	Χ	-

<sup>\*</sup> These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



Codes D	escription	Not Covered	Preauthorization Required
	ease note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect		
	cations and should be directed to the Pharmacy link option within the website.		, , ,
88020 A	utopsy (necropsy), complete	X	-
88025 A	utopsy (necropsy), complete	X	-
88027 A	utopsy (necropsy), complete	X	-
88028 A	utopsy (necropsy), complete	X	-
88029 A	utopsy (necropsy), complete	X	-
88036 L	imited autopsy	X	-
88037 L	imited autopsy	X	-
88040 F	orensic autopsy (necropsy)	X	-
88045 C	oroner's autopsy (necropsy)	X	-
88099 N	ecropsy (autopsy) procedure	X	-
88199 C	ytopathology procedure	-	X
88245 C	hromosome analysis, 20-25	-	X
88248 C	hromosome analysis, 50-100	-	X
88249 C	hromosome analysis, 100	-	X
88261 C	hromosome analysis, 5	-	X
88262 C	hromosome analysis, 15-20	-	X
88263 C	hromosome analysis, 45	-	X
88264 C	hromosome analysis, 20-25	-	X
88267 C	hromosome analys, placenta	-	X
88269 C	hromosome analys, amniotic	-	X
	ytogenetics, dna probe	-	X
	ytogenetics, 3-5	-	X
88273 C	ytogenetics, 10-30	-	X
88274 C	ytogenetics, 25-99	-	X
88275 C	ytogenetics, 100-300	-	X
88280 C	hromosome karyotype study	-	X
88283 C	hromosome banding study	-	X
88285 C	hromosome count, additional	-	X
	hromosome study, additional	-	X
88291 C	yto/molecular report	-	X
	ytogenetic study	-	X
	urgical pathology procedure	-	X
	vivo lab service	-	X
	nlisted miscellaneous pathology test	-	X
	ertilization of oocyte	-	X
	ocyte identification	-	X
	repare embryo for transfer	-	X
	ryopreservation, sperm	-	X
89280 A	ssisted oocyte fertilization, microtechnique; less than or equal to 10 oocytes	-	X

<sup>\*</sup> These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



Codes	Description	Not Covered	Preauthorization Required
	Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect in	formation regarding	g immunizations, injectable drugs, or
•	edications and should be directed to the Pharmacy link option within the website.		V
	Assisted oocyte fertilization, microtechnique; greater than 10 oocytes	-	X
	Biopsy, oocyte polar body or embryo blastomere, microtechnique; less than or equal to 5 embryos	-	X
	Cryopreservation, mature oocyte(s)	-	X
	Unlisted reproductive medicine laboratory procedure	-	Х
	Human ig, im	X	-
	Human ig, iv	X	-
	Botulinum antitoxin	X	-
	Botulism ig, iv	X	-
	Cmv ig, iv	X	-
	Rh ig, full-dose, im	Χ	-
	Rh ig, iv	X	-
	Tetanus ig, im	Χ	-
90399	Immune globulin	-	X
90658	Flu vaccine, 3 yrs, im	Χ	-
90723	Dtap-hep b-ipv vaccine, im	Х	-
90738	Japanese encephalitis virus vaccine, inactivated, for intramuscular use	X	-
90748	Hep b/hib vaccine, im	Х	-
90749	Vaccine toxoid	-	X
90863	Pharmacologic mgmt w/psytx	Х	-
	Psychophysiological therapy	Х	-
	Psychophysiological therapy	Х	-
	Environmental manipulation	Х	-
	Biofeedback train, any meth	-	Х
	Biofeedback training, perineal muscles, anorectal or urethral sphincter, including emg and/or manometry, when performed; initial 15 minutes of one-on-one physician or other qualified health care professional contact with the patient	-	X*
90913	Biofeedback training, perineal muscles, anorectal or urethral sphincter, including emg and/or manometry, when performed; each additional 15 minutes of one-on-one physician or other qualified health care professional contact with the patient (list separately in addition to code for primary procedure)	-	X*
91113	Gastrointestinal tract imaging, intraluminal (eg, capsule endoscopy), colon, with interpretation and report	-	X
91132	Electrogastrography	Х	-
	Electrogastrography w/test	Х	-
	Gastroenterology procedure	-	Χ
	Corneal hysteresis deter	Χ	-
	Contact lens fitting	Х	-
	Prescription of contact lens	Х	-
	Fitting of spectacles	X	-
	Fitting of spectacles	X	_
	Fitting of spectacles	X	_

<sup>\*</sup> These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



Codes	Description	Not Covered	Preauthorization Required
	Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect	nformation regarding	immunizations, injectable drugs, or
	edications and should be directed to the Pharmacy link option within the website.	1	
	Special spectacles fitting	-	X
	Special spectacles fitting	-	X
	Eye prosthesis service	-	X
	Repair & adjust spectacles	Х	<u>-</u>
	Repair & adjust spectacles	-	X
	Eye service or procedure	-	X
	Speech/hearing therapy	-	X*
	Speech/hearing therapy	-	X*
	Oral function therapy	-	X*
	Pure tone hearing test, air	X	-
	Hearing aid exam, one ear	X	-
	Hearing aid exam, both ears	X	-
	Hearing aid check, one ear	X	<u> </u>
	Hearing aid check, both ears	X	<u> </u>
	Electro hearng aid test, one	X	<del>-</del>
	Electro hearng aid tst, both	X	-
92607	Evaluation for prescription for speech-generating augmentative and alternative communication device, face-to-face with t	-	X*
92608	Evaluation for prescription for speech-generating augmentative and alternative communication device, face-to-face with t	-	X*
92609	Therapeutic services for the use of speech-generating device, including programming and modification	- 1	Χ*
	Evaluation of auditory rehabilitation status; first hour	-	Х
	Evaluation of auditory rehabilitation status; each additional 15 minutes (list separately in addition to code for primar	-	Х
92630	Auditory rehabilitation; pre-lingual hearing loss	Х	-
	Auditory rehabilitation; post-lingual hearing loss	X	_
	Auditory evoked potentials; screening of auditory potential with broadband stimuli, automated analysis	X	-
	Unlisted otorhinolaryngological service or procedure	-	X
	Percutaneous transcatheter closure of congenital interatrial communication (ie, fontan fenestration, atrial septal defec	-	Х
93702	Bis xtracell fluid analysis	Х	_
	Cardiovascular procedure	-	X
	Carotid intima atheroma eval	Х	-
	Unlisted noninvasive vascular diagnostic study	-	X
	Pulmonary service/procedure	<del>  _  </del>	X
	Immunotherapy, one injection	Х	-
	Immunotherapy, many antigens	X	_
	Immunotherapy, insect venom	X	
	Immunotherapy, insect venoms	X	-

<sup>\*</sup> These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



Codes	Description	Not Covered	<b>Preauthorization Required</b>
	Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect	information regarding	immunizations, injectable drugs, or
	edications and should be directed to the Pharmacy link option within the website.		
	Immunotherapy, insect venoms	X	-
	Immunotherapy, insect venoms	X	-
	Immunotherapy, insect venoms	Х	-
	Allergy immunology services	-	X
	Cont intraop neurophys mntr	X	<u> </u>
	Neurological procedure	-	Χ
	Developmental screening, with interpretation and report, per standardized instrument form	X	-
	Health behavior intervention, family (without the patient present), face-to-face; initial 30 minutes	X	-
96171	Health behavior intervention, family (without the patient present), face-to-face; each additional 15 minutes (list	X	_
	separately in addition to code for primary service)	^	-
96379	Unlisted therapeutic, prophylactic, or diagnostic intravenous or intra-arterial injection or infusion	-	X
96549	Chemotherapy, unspecified	-	X
96999	Dermatological procedure	-	Χ
97010	Hot or cold packs therapy	-	X*
97012	Mechanical traction therapy	-	X*
97014	Electric stimulation therapy	Х	-
97016	Vasopneumatic device therapy	-	X*
	Paraffin bath therapy	-	X*
	Whirlpool therapy	-	Χ*
	Diathermy treatment	-	Χ*
	Infrared therapy	Х	-
	Ultraviolet therapy	-	Χ*
	Electrical stimulation	- 1	X*
	Electric current therapy	Х	-
	Contrast bath therapy	_	X*
	Ultrasound therapy	_	X*
	Hydrotherapy	_	Χ*
	Application of a modality to 1 or more areas; low-level laser therapy (ie, nonthermal and non-ablative) for post-		
	operative pain reduction	X	-
97039	Physical therapy treatment	_	X*
	Therapeutic exercises	_	X*
	Neuromuscular reeducation	_	X*
	Aquatic therapy/exercises	_	X*
	Gait training therapy	-	X*
	Massage therapy	_	X*
	Therapeutic interventions that focus on cognitive function (eg, attention, memory, reasoning, executive function,	1	
51 123	problem solving, and/or pragmatic functioning) and compensatory strategies to manage the performance of an activity		
	(eg, managing time or schedules, initiating, organizing, and sequencing tasks), direct (one-on-one) patient contact;	-	X*
	initial 15 minutes		

<sup>\*</sup> These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



	Description	Not Covered	Preauthorization Required
	Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect in edications and should be directed to the Pharmacy link option within the website.	nformation regarding	immunizations, injectable drugs, o
	Therapeutic interventions that focus on cognitive function (eg, attention, memory, reasoning, executive function, problem solving, and/or pragmatic functioning) and compensatory strategies to manage the performance of an activity (eg, managing time or schedules, initiating, organizing, and sequencing tasks), direct (one-on-one) patient contact; each additional 15 minutes (list separately in addition to code for primary procedure)	-	X*
7139	Physical medicine procedure	-	X*
	Manual therapy	-	Χ*
	Group therapeutic procedures	-	X*
	Behavior identification assessment, administered by a physician or other qualified health care professional, each 15 minutes of the physician's or other qualified health care	Х	-
7152	Behavior identification-supporting assessment, administered by one technician under the direction of a physician or other qualified health care professional, face-to-face with	Х	-
7153	Adaptive behavior treatment by protocol, administered by technician under the direction of a physician or other qualified health care professional, face-to-face with one patie	Х	-
7154	Group adaptive behavior treatment by protocol, administered by technician under the direction of a physician or other qualified health care professional, face-to-face with two	Х	-
7155	Adaptive behavior treatment with protocol modification, administered by physician or other qualified health care professional, which may include simultaneous direction of tech	Х	-
7156	Family adaptive behavior treatment guidance, administered by physician or other qualified health care professional (with or without the patient present), face-to-face with gua	Х	-
7157	Multiple-family group adaptive behavior treatment guidance, administered by physician or other qualified health care professional (without the patient present), face-to-face w	Х	-
7158	Group adaptive behavior treatment with protocol modification, administered by physician or other qualified health care professional, face-to-face with multiple patients, each	Х	-
7161	Physical therapy evaluation: low complexity, requiring these components: a history with no personal factors and/or comorbidities that impact the plan of care; an examination o	-	X*
7162	Physical therapy evaluation: moderate complexity, requiring these components: a history with no personal factors and/or comorbidities that impact the plan of care; an examinat	-	X*
7163	Physical therapy evaluation: high complexity, requiring these components: a history with no personal factors and/or comorbidities that impact the plan of care; an examination	-	X*
	Re-evaluation of physical therapy, extablished plan of care, requiring these components: an examination, including a review of history and use of standardized tests and measur	-	X*
7165	Occupational therapy evaluation, low complexity, requiring these components: an occupational profile and medical and therapy history, which includes a brief history includin	-	X*
7166	Occupational therapy evaluation, moderate complexity, requiring these components: an occupational profile and medical and therapy history, which includes a brief history incl	-	X*
7167	Occupational therapy evaluation, high complexity, requiring these components: an occupational profile and medical and therapy history, which includes a brief history includin	-	X*

<sup>\*</sup> These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



Codes Description	Not Covered	Preauthorization Required
isclaimer: Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect pecialty medications and should be directed to the Pharmacy link option within the website.	nformation regarding	immunizations, injectable drugs, or
97168 Reevaluation of occupational therapy established plan of care, requiring these components: an assessment of changes		
in patient functional or medical status with revised plan	-	X*
97169 Athletic training evaluation, low complexity, requiring these components: a history and physical activity profile with no	,,	
comorbidities that affect phsical activity; an ex	X	-
97170 Athletic training evaluation, moderate complexity, requiring these components: a history and physical activity profile with	V	
no comorbidities that affect phsical activity; a	X	-
97171 Athletic training evaluation, high complexity, requiring these components: a history and physical activity profile with no	Х	
comorbidities that affect phsical activity; an e	^	-
P7172 Reevaluation of athletic training established plan of care, requiring these components: an assessment of patient's	Х	
current functional status when there is a documented chang	^	-
97530 Therapeutic activities	-	Χ*
97533 Sensory integration	-	Χ*
P7537 Community/work reintegration	-	Χ*
97542 Wheelchair mngment training	-	Χ*
97545 Work hardening	X	-
97546 Work hardening add-on	X	-
Physical medicine procedure	-	X
Acupuncture, one or more needles, without electrical stimulation; init 15 min personal contact with the patient	Х	-
Acupuncture, one or more needles, without electrical stimulation; ea addl 15 min, w re-insertion of needle(s)	Х	-
Acupuncture, one or more needles, w electrical stimulation; initial 15 min of personal contact w the patient	Х	-
Acupuncture, one or more needles, w electrical stimulation; ea addl 15 min, w re-insertion of needle(s)	Х	-
08940 Chiropractic manipulation	-	Χ*
08941 Chiropractic manipulation	-	Χ*
98942 Chiropractic manipulation	-	Χ*
08943 Chiropractic manipulation	Х	-
Telephone assessment and management service provided by a qualified nonphysician health care professional to an establis	Х	-
78967 Telephone assessment and management service provided by a qualified nonphysician health care professional to an establis	Х	-
78968 Telephone assessment and management service provided by a qualified nonphysician health care professional to an establis	Х	-
99026 Hospital mandated on call service; in-hospital, each hour	Х	-
19027 Hospital mandated on call service; out-of-hospital, each hour	X	-
99075 Medical testimony	X	-
199172 Ocular function screen	X	-
99173 Visual acuity screen	X	-
99174 Ocular photoscreening with interpretation and report, bilateral	X	-
99177 Instrument-based ocular screening (eg, photoscreening, automated-refraction), bilateral; with on-site analysis	X	-

<sup>\*</sup> These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



Codes	Description	Not Covered	Preauthorization Required
	Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect in	formation regardin	g immunizations, injectable drugs, or
	edications and should be directed to the Pharmacy link option within the website.		
	Hyperbaric oxygen therapy	-	X
	App topical fluoride varnish	X	-
	Special service/proc/report	-	X
	Office consultation	X	-
99242	Office consultation	Χ	-
99243	Office consultation	Χ	-
99244	Office consultation	Χ	-
99245	Office consultation	Х	-
99251	Initial inpatient consult	Х	-
99252	Initial inpatient consult	Х	-
99253	Initial inpatient consult	Х	-
99254	Initial inpatient consult	Х	-
	Initial inpatient consult	Х	-
	Prolonged evaluation and management service before and/or after direct patient care; first hour	Х	-
	Prolonged evaluation and management service before and/or after direct patient care; each additional 30 minutes (list		
	separately in addition to code for prolonged service)	Χ	-
	Home health care supervision	Х	-
	Hospice care supervision	X	-
	Preventive counseling, indiv	Х	-
	Preventive counseling, indiv	X	-
	Preventive counseling, indiv	X	-
	Preventive counseling, indiv	X	-
	Alcohol and/or substance (other than tobacco) abuse structured screening (eg, audit, dast), and brief intervention (sbi)	X	-
99409	Alcohol and/or substance (other than tobacco) abuse structured screening (eg, audit, dast), and brief intervention (sbi)	Х	-
99411	Preventive counseling, group	Χ	-
	Preventive counseling, group	Х	-
99417	Prolonged office or other outpatient evaluation and management service(s) beyond the minimum required time of the primary procedure which has been selected using total time, requiring total time with or without direct patient contact beyond the usual service, on the date of the primary service, each 15 minutes of total time (list separately in addition to codes 99205, 99215 for office or other outpatient evaluation and management services)	Х	-
	Prolonged inpatient or observation evaluation and management service(s) time with or without direct patient contact beyond the required time of the primary service when the primary service level has been selected using total time, each 15 minutes of total time (list separately in addition to the code of the inpatient and observation evaluation and management service)	Х	-
99429	Unlisted preventive service	X	-

<sup>\*</sup> These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



Codes Des	scription	Not Covered	Preauthorization Required
	se note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect in	nformation regarding	immunizations, injectable drugs, or
·	ttions and should be directed to the Pharmacy link option within the website.		
99441 Tel not	lephone evaluation and management service provided by a physician to an established patient, parent, or guardian to	Х	-
99442 Tel	lephone evaluation and management service provided by a physician to an established patient, parent, or guardian to	Х	-
99443 Tel not	lephone evaluation and management service provided by a physician to an established patient, parent, or guardian to	Х	-
99450 Life	e/disability evaluation	Х	-
	listed e&m service	-	Х
	me visit for prenatal assessment inc fetal heart rate, non-stress test, uterine monitoring, and diabetes monitoring	Х	-
9501 Ho	me visit for postnatal assessment and follow-up care	Х	-
	me visit for newborn care and assessment	Х	-
99503 Ho	me visit for respiratory therapy care (eg, bronchodilator, oxygen therapy, respiratory assessment, apnea evaluation)	Х	-
9504 Ho	me visit for mechanical ventilation care	Х	-
9505 Ho	me visit for stoma care and maintenance including colostomy and cystostomy	Х	-
	me visit for intramuscular injections	Х	-
9507 Ho	me visit for care and maintenance of catheter(s) (eg, urinary, drainage, and enteral)	X	-
	me visit for assistance with activities of daily living and personal care	Х	-
	me visit for individual, family, or marriage counseling	Х	-
	me visit for fecal impaction management and enema administration	Х	-
	me visit for hemodialysis, per diem	Х	-
	listed home visit service or procedure	Х	-
9605 Me	dication therapy management service(s) provided by a pharmacist, individual, face-to-face with patient, with	Х	-
	edication therapy management service(s) provided by a pharmacist, individual, face-to-face with patient, with sessmen	Х	-
	edication therapy management service(s) provided by a pharmacist, individual, face-to-face with patient, with sessmen	Х	-
001A Adı	m sarscov2 30mcg/0.3ml 1st	X	-
001F He	art failure assessed (includes assessment of all the following components) (cad)	X	-
001U Rb	c dna hea 35 ag 11 bld grp whl bld cmn allel	-	X
002A Adı	m sarscov2 30mcg/0.3ml 2nd	Х	-
002M Liv	er disease, 10 biochem assays	-	Χ
	m sarscov2 30mcg/0.3ml 3rd	Х	-
	er disease, 10 biochem assays	-	Х
	c ovarian assay 5 proteins serum alg scor	-	Х
	m sarscov2 30mcg/0.3ml bst	Х	-
	teoarthritis assessed (oa)	Х	-

<sup>\*</sup> These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



	Description	Not Covered	Preauthorization Require
	Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect in edications and should be directed to the Pharmacy link option within the website.	nformation regarding	immunizations, injectable drugs, o
	Onco prst8 3 gene ur alg	-	Х
	Helicobacter pylori detection and antibiotic resistance, dna, 16s and 23s rrna, gyra, pbp1, rdxa and rpob, next generation sequencing, formalin-fixed paraffin-embedded or fres	Х	-
0009U	Oncology (breast cancer), erbb2 (her2) copy number by fish, tumor cells from formalin-fixed paraffin-embedded tissue isolated using image-based dielectrophoresis (dep) sorting	-	Х
010U	Infectious disease (bacterial), strain typing by whole genome sequencing, phylogenetic-based report of strain relatedness, per submitted isolate	-	Х
011A	Adm sarscov2 100mcg/0.5ml1st	Х	-
	Onc prst8 ca mrna 12 genes bld plsm &/ur alg	-	Х
	Adm sarscov2 100mcg/0.5ml2nd	Х	-
	Community acquired bacterial pneumonia assessed (cap)	X	-
	Onc mrna 5 genes ur alg risk urothelial cancer	-	Х
	Germline disorders, gene rearrangement detection by whole genome next-generation sequencing, dna, whole blood, report of specific gene rearrangement(s)	-	Х
013A	Adm sarscov2 100mcg/0.5ml3rd	Х	-
	Onc mrna 5 genes ur alg risk recr urothelial ca	-	Х
	Oncology (solid organ neoplasia), gene rearrangement detection by whole genome next-generation sequencing, dna, fresh or frozen tissue or cells, report of specific gene rearra	-	Х
014F	Comprehensive preoperative assessment performed for cataract surgery with intraocular lens (iol) placement (includes ass	Х	-
014U	Hematology (hematolymphoid neoplasia), gene rearrangement detection by whole genome next-generation sequencing, dna, whole blood or bone marrow, report of specific gene rearra	-	Х
015F	Melanoma follow up completed (includes assessment of all of the following components) (ml)5: history obtained regarding	Х	-
)16M	Onc bladder mrna 219 gen alg	_	Х
	Oncology (hematolymphoid neoplasia), rna, bcr/abl1 major and minor breakpoint fusion transcripts, quantitative pcr amplification, blood or bone marrow, report of fusion not	-	X
)17M	Oncology (diffuse large b-cell lymphoma [dlbcl]), mrna, gene expression profiling by fluorescent probe hybridization of 20 genes, formalin-fixed paraffinembedded tissue, algorithm reported as cell of origin	-	Х
)17U	Oncology (hematolymphoid neoplasia), jak2 mutation, dna, pcr amplification of exons 12-14 and sequence analysis, blood or bone marrow, report of jak2 mutation not detected or	-	Х
)18M	Trnsplj rnl meas cd154+cll	Х	<u>-</u>
	Cardiovascular disease, plasma, analysis of protein biomarkers by aptamer-based microarray and algorithm reported as 4-year likelihood of coronary event in high-risk populations	X	-
018U	Oncology (thyroid), microrna profiling by rt-pcr of 10 microrna sequences, utilizing fine needle aspirate, algorithm reported as a positive or negative result for moderate to	-	Х
019U	Oncology, rna, gene expression by whole transcriptome sequencing, formalin-fixed paraffin embedded tissue or fresh frozen tissue, predictive algorithm reported as potential	-	Х

<sup>\*</sup> These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



Codes Description	Not Covered	Preauthorization Required
Disclaimer: Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect in	formation regarding in	munizations, injectable drugs, or
specialty medications and should be directed to the Pharmacy link option within the website.		
0021U Oncology (prostate), detection of 8 autoantibodies (arf 6, nkx3-1, 5¿-utr-bmi1, cep 164, 3¿-utr-ropporin, desmocollin,	_	Х
aurkaip-1, csnk2a2), multiplexed immunoassay and flow		^
0023U Oncology (acute myelogenous leukemia), dna, genotyping of internal tandem duplication, p.d835, p.i836, using		Х
mononuclear cells, reported as detection or non-detection of flt3	-	^
0026U Onc thyr dna&mrna 112 genes fna ndul alg alys	-	Χ
0027U Jak2 gene analysis trgt seq alys exons 12-15	-	Χ
0029U Rx metab advrs rx rxn & rspse trgt seq alys	-	Χ
0030U Rx metab warfarin rx response trgt seq alys	-	Χ
0031U Cyp1a2 gene analysis common variants	-	Х
0032U Comt gene analysis c.472g>a variant	-	Х
0033U Htr2a htr2c gene analysis common variants	-	Х
0034U Tpmt nudt15 gene analysis common variants	-	Χ
0036U Exome (i.e., somatic mutations), paired formalin-fixed paraffin-embedded tumor tissue and normal specimen,		V
sequence analyses	-	X
0037U Trgt gen seq alys sld orgn neo dna 324 genes	-	Χ
0040U Bcr/abl1 (t (9;22)) (e.g., chronic myelogenous leukemia) translocation analysis, major breakpoint, quantitative	-	Х
0045U Onc brst dux carc is mrna 12 genes alg rsk scor	-	X
0046U Flt3 (fms-related tyrosine kinase 3) (eg, acute myeloid leukemia) internal tandem duplication (itd) variants, quantitative	-	Х
0047U Onc prst8 mrna gen xprs prfl 17 gen alg rsk scor	-	Х
0048U Onc sld org neo dna 468 cancer associated genes	-	Х
0049U Npm1 (nucleophosmin) (eg, acute myeloid leukemia) gene analysis, quantitative	-	Χ
0050U Targeted genomic sequence analysis panel, acute myelogenous leukemia, dna analysis, 194 genes, interrogation for		V
sequence variants, copy number variants or rearrangements	-	X
0051A Adm sarscv2 30mcg trs-sucr 1	Х	-
0052A Adm sarscv2 30mcg trs-sucr 2	Х	-
0053A Adm sarscv2 30mcg trs-sucr 3	Х	-
Oncology (prostate cancer), fish analysis of 4 genes (asap1, hdac9, chd1 and pten), needle biopsy specimen, algorithm reported as probability of higher tumor grade	-	Х
0054A Adm sarscv2 30mcg trs-sucr b	Х	
0054A   Adm sarsev2 30meg irs-sucr b   0054T   Computer-assisted musculoskeletal surgical navigational orthopedic procedure, with image-guidance based on		-
fluoroscopic	X	-
0055T Computer-assisted musculoskeletal surgical navigational orthopedic procedure, with image-guidance based on ct/mri	<del></del>	
images	X	-
0055U Cardiology (heart transplant), cell-free dna, pcr assay of 96 dna target sequences (94 single nucleotide polymorphism	-	Х
targets and two control targets), plasma		
0056U Hem aml dna gene rearrangement blood/bone marrow	-	X

<sup>\*</sup> These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



odes Description		Preauthorization Require
isclaimer: Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect inf becialty medications and should be directed to the Pharmacy link option within the website.	ormation regarding im	munizations, injectable drugs,
Twin zygosity, genomic targeted sequence analysis of chromosome 2, using circulating cell-free fetal dna in maternal blood	Х	-
0064A Adm sarscov2 50mcg/0.25mlbst	Х	-
070U Cyp2d6 gen com&slct rar vrnt	-	Χ
071A Adm sarscv2 10mcg trs-sucr 1	Х	-
071T Focused ultrasound ablation of uterine leiomyomata, including mr guidance: total leiomyomata volume less than 200 cc	Х	-
071U Cyp2d6 full gene sequence	-	Х
072A Adm sarscv2 10mcg trs-sucr 2	Х	
072T Focused ultrasound ablation of uterine leiomyomata, including mr guidance: total leiomyomata volume less than 200 cc of	X	-
072U Cyp2d6 gen cyp2d6-2d7 hybrid	-	Х
D73A Adm sarscv2 10mcg trs-sucr 3	Х	-
D73U Cyp2d6 gen cyp2d7-2d6 hybrid	-	Х
074A Adm sarscv2 10mcg trs-sucr b	Х	-
074U Cyp2d6 nonduplicated gene	-	X
075U Cyp2d6 5' gene dup/mlt	-	X
076U Cyp2d6 3' gene dup/mlt	-	X
O79U Comparative dna analysis using multiple selected single-nucleotide polymorphisms (snps), urine and buccal dna, for specimen identity verification	-	Х
081A Adm sarscv2 3mcg trs-sucr 1	Х	-
082A Adm sarscv2 3mcg trs-sucr 2	X	-
083A Adm sarscv2 3mcg trs-sucr 3	X	_
Red blood cell antigen typing, dna, genotyping of 10 blood groups with phenotype prediction of 37 red blood cell antigens	-	Х
D87U Cardiology (heart transplant), mrna gene expression profiling by microarray of 1283 genes, transplant biopsy tissue, allograft rejection and injury algorithm reported as a pro	-	Х
788U Transplantation medicine (kidney allograft rejection), microarray gene expression profiling of 1494 genes, utilizing transplant biopsy tissue, algorithm reported as a probabil	-	Х
Oncology (melanoma), gene expression profiling by rtqpcr, prame and linc00518, superficial collection using adhesive patch(es)	-	Х
Oncology (cutaneous melanoma), mrna gene expression profiling by rt-pcr of 23 genes (14 content and 9 housekeeping), utilizing formalin-fixed paraffin-embedded tissue, algorit	-	Х
091A Adm sarscov2 50 mcg/.5 ml1st	Х	-
092A Adm sarscov2 50 mcg/.5 ml2nd	Х	-
093A Adm sarscov2 50 mcg/.5 ml3rd	Х	-
094A Adm sarscov2 50 mcg/.5 mlbst	Х	-
094U Genome (eg, unexplained constitutional or heritable disorder or syndrome), rapid sequence analysis	-	X

<sup>\*</sup> These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



Codes	Description	Not Covered	Preauthorization Required
	: Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect	nformation regarding	immunizations, injectable drugs, or
<u> </u>	nedications and should be directed to the Pharmacy link option within the website.	<u> </u>	
00951	Removal of total disc arthroplasty (artificial disc), anterior approach, each additional interspace, cervical (list sepa	-	X
0098T	Revision including replacement of total disc arthroplasty (artificial disc), anterior approach, each additional interspa	Х	-
0100T	Placement of a subconjunctival retinal prosthesis receiver and pulse generator, and implantation of intra-ocular retina	Х	-
0101T	Extracorporeal shock wave involving musculoskeletal system, not otherwise specified; high energy	Х	-
0101U	Hereditary colon cancer disorders (eg, lynch syndrome, pten hamartoma syndrome, cowden syndrome, familial adenomatosis polyposis), genomic sequence analysis panel utilizing a	-	Х
0102T	Extracorporeal shock wave, high energy, performed by a physician, requiring anesthesia other than local, involving later	Х	-
0102U	Hereditary breast cancer-related disorders (eg, hereditary breast cancer, hereditary ovarian cancer, hereditary endometrial cancer), genomic sequence analysis panel utilizing	-	Х
0103U	Hereditary ovarian cancer (eg, hereditary ovarian cancer, hereditary endometrial cancer), genomic sequence analysis panel utilizing a combination of ngs, sanger, mlpa, and arr	-	Х
0105U	Neph ckd mult eclia tum nec	-	X
0106T	Quantitative sensory testing (qst), testing and interpretation per extremity; using touch pressure stimuli to assess lar	Х	-
0107T	Quantitative sensory testing (qst), testing and interpretation per extremity; using vibration stimuli to assess large di	Х	-
0108T	Quantitative sensory testing (qst), testing and interpretation per extremity; using cooling stimuli to assess small nerv	Х	-
0109T	Quantitative sensory testing (qst), testing and interpretation per extremity; using heat-pain stimuli to assess small n	Х	-
0110T	Quantitative sensory testing (qst), testing and interpretation per extremity; using other stimuli to assess sensation	Х	-
0111A	Adm sarscov2 25mcg/0.25ml1st	Х	-
0111U	Onc colon ca kras&nras alys	-	X
0112A	Adm sarscov2 25mcg/0.25ml2nd	Х	-
)112U	ladi 16s&18s rrna genes	-	X
0113A	Adm sarscov2 25mcg/0.25ml3rd	Х	-
)113U	Onc prst8 pca3&tmprss2- erg	-	X
)114U	Gi barretts esoph vim&ccna1	Х	-
)115U	Respir iadna 18 viral&2 bact	-	Х
0118U	Trnsplj don-drv cll-fr dna	-	Х
	Onc b cll lymphm mrna 58 gen	-	Х
	Hered brst ca rltd do panel	-	Х
	Hered colon ca do mrna pnl	-	X
	Hered brst ca rltd do pnl 13	-	X

<sup>\*</sup> These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



Codes Description	Not Covered	Preauthorization Required
Disclaimer: Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect the probability of t	ct information regarding	immunizations, injectable drugs, or
specialty medications and should be directed to the Pharmacy link option within the website.	1	V
0132U Hered ova ca rltd do pnl 17	-	X
0133U Hered prst8 ca rltd do 11	-	X
0134U Hered pan ca mrna pnl 18 gen	-	X
0135U Hered gyn ca mrna pnl 12 gen	-	X
0136U Atm mrna seq alys	-	X
0137U Palb2 mrna seq alys	-	X
0138U Brca1 brca2 mrna seq alys	-	X
0153U Onc breast mrna 101 genes	-	X
0154U Fgfr3 gene analysis	-	X
0155U Pik3ca gene analysis	-	X
0157U Apc mrna seq alys	-	X
0158U Mlh1 mrna seq alys	-	X
0159U Msh2 mrna seq alys	-	X
0160U Msh6 mrna seq alys	-	Χ
0161U Pms2 mrna seq alys	-	X
0162U Hered colon ca trgt mrna pnl	-	Χ
O163T Total disc arthroplasty (artificial disc), anterior approach, including discectomy to prepare interspace (other than for	Х	-
0164T Removal of total disc arthroplasty, (artificial disc), anterior approach, each additional interspace, lumbar (list separ	-	Х
0165T Revision including replacement of total disc arthroplasty (artificial disc), anterior approach, each additional interspa	Х	-
0171U Trgt gen seq alys pnl dna 23	-	Х
0172U Onc sld tum alys brca1 brca2	-	Х
0174U Onc solid tumor 30 prtn trgt	-	Х
0177U Onc brst ca dna pik3ca 11	-	X
0178U Peanut allg asmt epi clin rx	-	Х
0179U Onc nonsm cll Ing ca alys 23	Х	-
0180U Abo gnotyp abo 7 exons	Х	-
0181U Co gnotyp agp1 exon 1	X	-
0182U Crom gnotyp cd55 exons 1-10	X	-
0183U Di gnotyp slc4a1 exon 19	X	-
0184U Do gnotyp art4 exon 2	X	_
0185U Fut1 gnotyp fut1 exon 4	X	
0186U Fut2 gnotyp fut2 exon 2	X	
0187U Fy gnotyp ackr1 exons 1-2	X	
0188U Ge gnotyp gypc exons 1-4	X	<u> </u>
0189U Gypa gnotyp ntrns 1 5 exon 2	X	<u> </u>
0190U Gypb gnotyp ntrns 1 5 seux 3	X	-

<sup>\*</sup> These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



Codes Description	Not Covered	Preauthorization Required
Disclaimer: Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect in	nformation regarding	immunizations, injectable drugs, or
specialty medications and should be directed to the Pharmacy link option within the website.  0191U In gnotyp cd44 exons 2 3 6	Х	
0192U Jk gnotyp slc14a1 exon 9	X	<u>-</u>
0193U Jr gnotyp abcg2 exons 2-26	X	<u> </u>
01930 or griotyp aboge exons 2-20	X	
0195U Klf1 targeted sequencing	X	
0196U Lu gnotyp bcam exon 3	X	-
0197U Lw gnotyp icam4 exon 1	X	
0198T Measurement of ocular blood flow by repetitive intraocular pressure sampling, with interpretation and report	X	
0198U Rhd&rhce gntyp rhd1-10&rhce5	X	-
0199U Sc gnotyp ermap exons 4 12	X	-
0200T Percutaneous sacral augmentation (sacroplasty), unilateral injection(s), including the use of a balloon or mechanical de		
1 ordination (data phasty), armateral injection(o), including the decorate data and including the	Х	-
0200U Xk gnotyp xk exons 1-3	Х	-
0201T Percutaneous sacral augmentation (sacroplasty), bilateral injections, including the use of a balloon or mechanical devic		
γ	Х	-
0201U Yt gnotyp ache exon 2	Х	-
0202T Posterior vertebral joint(s) arthroplasty (e.g., facet joint[s] replacement) including facetectomy, laminectomy, foramin	Х	
	^	-
0204U Onc thyr mrna xprsn alys 593	-	X
0205U Oph amd alys 3 gene variants	-	X
0207T Evacuation of meibomian glands, automated, using heat and intermittent pressure, unilateral	X	-
0209U Cytog const alys interrog	-	X
0211U Onc pan-tum dna&rna gnrj seq	-	X
0212U Rare ds gen dna alys proband	-	X
0213T Injection(s), diagnostic or therapeutic agent, paravertebral facet (zygapophyseal) joint (or nerves innervating that joi	Χ	-
0213U Rare ds gen dna alys ea comp	_	X
0214T Injection(s), diagnostic or therapeutic agent, paravertebral facet (zygapophyseal) joint (or nerves innervating that joint		
102141 Injection(3), diagnostic of therapeutic agent, paravertebral facet (2)gapophyseal) joint (or herves innervating that join	Х	-
0214U Rare ds xom dna alys proband	-	Х
0215T Injection(s), diagnostic or therapeutic agent, paravertebral facet (zygapophyseal) joint (or nerves innervating that joi	V	
	Х	-
0215U Rare ds xom dna alys ea comp	-	Χ
0216T Injection(s), diagnostic or therapeutic agent, paravertebral facet (zygapophyseal) joint (or nerves innervating that joi	Х	-
0216U Neuro inh ataxia dna 12 com	_	X
0217T Injection(s), diagnostic or therapeutic agent, paravertebral facet (zygapophyseal) joint (or nerves innervating that joint		Λ
52.77 Fingeonon(5), diagnostic of therapeutic agent, paravertebral facet (2)gapophyseal) joint (of herves inhervaling that join	Х	-
0217U Neuro inh ataxia dna 51 gene	-	Х

<sup>\*</sup> These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



Codes	Description	Not Covered	Preauthorization Require
	Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect	information regarding i	mmunizations, injectable drugs, o
	redications and should be directed to the Pharmacy link option within the website.	1	
)2181	Injection(s), diagnostic or therapeutic agent, paravertebral facet (zygapophyseal) joint (or nerves innervating that joi	X	-
218U	Neuro musc dys dmd seq alys	-	Х
	Placement of posterior intrafacet implant(s), unilateral or bilateral, including imaging and placement of bone graft(s)	Х	-
)220T	Placement of posterior intrafacet implant(s), unilateral or bilateral, including imaging and placement of bone graft(s)	Х	-
)221T	Placement of posterior intrafacet implant(s), unilateral or bilateral, including imaging and placement of bone graft(s)	Х	-
)221U	Abo gnotyp next gnrj seq abo	-	Х
)222T	Placement of posterior intrafacet implant(s), unilateral or bilateral, including imaging and placement of bone graft(s)	Х	-
)222U	Rhd&rhce gntyp next gnrj seq	-	Х
)227U	Rx asy prsmv 30+rx/metablt	Х	-
	Onc prst8 ma molec prfl alg	-	Χ
	Bcat1 promoter mthyltn alys	-	X
	Ar full sequence analysis	-	Х
	Cacna1a full gene analysis	-	Χ
	Injection(s), platelet rich plasma, any tissue, including image guidance, harvesting and preparation when performed	Х	-
232U	Cstb full gene analysis	-	Х
233U	Fxn gene analysis	-	Χ
234T	Trluml perip athrc renal art	Х	-
	Mecp2 full gene analysis	-	Х
	Trluml perip athrc visceral	Х	-
	Pten full gene analysis	-	X
	Trluml perip athrc abd aorta	Х	-
	Smn1&smn2 full gene analysis	-	Х
	Trluml perip athrc brchiocph	Х	-
	Car ion chnlpthy gen seq pnl	-	Х
	Trluml perip athrc iliac art	Х	-
238U	Onc Inch syn gen dna seq aly	-	Х
	Trgt gen seq alys pnl 311+	-	X
	Targeted genomic sequence analysis panel, solid organ neoplasm, cell-free circulating dna analysis of 55-74 genes, interrogation for sequence variants, gene copy number amplifications, and gene rearrangements	-	X
244U	Oncology (solid organ), dna, comprehensive genomic profiling, 257 genes, interrogation for single-nucleotide variants, insertions/deletions, copy number alterations, gene rearrangements, tumor-mutational burden and microsatellite instability, utilizing formalin-fixed paraffinembedded tumor tissue	-	Х

<sup>\*</sup> These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



Codes Description	Not Covered	Preauthorization Required
Disclaimer: Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect is pecialty medications and should be directed to the Pharmacy link option within the website.	nformation regarding	immunizations, injectable drugs, o
0245U Oncology (thyroid), mutation analysis of 10 genes and 37 rna fusions and expression of 4 mrna markers using next-	1	
generation sequencing, fine needle aspirate, report includes associated risk of malignancy expressed as a percentage	_	Χ
generation sequencing, fine needle aspirate, report includes associated risk of malignancy expressed as a percentage		<b>X</b>
2246U Red blood cell antigen typing, dna, genotyping of at least 16 blood groups with phenotype prediction of at least 51 red		
blood cell antigens	-	X
250U Onc sld org neo dna 505 gene	-	X
0252U Ftl aneuploidy str alys dna	-	Χ
0253T Insert aqueous drain device	Х	-
253U Rprdtve med rna gen prfl 238	-	Х
254U Reprdtve med alys 24 chrmsm	-	Х
256U Tma/tmao prfl ms/ms ur alg	X	-
257U Vlcad leuk nzm actv whl bld	X	-
259U Neph ckd nuc mrs meas gfr	Х	-
260U Rare ds id opt genome mapg	-	Χ
261U Onc clrct ca img alys w/ai	Х	-
262U Onc sld tum rtpcr 7 gen	-	X
263T Im autol b1 mrw cel ther 1 leg compl incl hrvst	Х	-
263U Neuro asd meas 16 c metblt	Х	-
264T Im autol b1 mrw cel ther 1 leg compl xcl hrvst	Х	-
264U Rare ds id opt genome mapg	-	Χ
265T Im autol b1 mrw cel ther uni/bi hrvst only	Х	-
265U Rar do whl gn&mtcdrl dna als	-	Χ
266T Impltj/rplcmt crtd sns brorflx actv dev tot sys	Х	-
266U Unxpl cnst hrtbl do gn xprsn	-	Χ
267T Impltj/rplcmt crtd sns brorflx actv dev lead uni	X	-
267U Rare do id opt gen mapg&seq	-	X
268T   Impltj/rplcmt crtd sns brorflx actv dev pls gen	X	-
268U Hem ahus gen seq alys 15 gen	-	Χ
269U Hem aut dm cgen trmbctpna 14	-	Χ
270U Hem cgen coagj do 20 genes	-	Х
271U Hem cgen neutropenia 23 gen	-	Х
272T Interrogation eval crtd sns brorflx actv sys	X	-
272U Hem genetic bld do 51 genes	-	Χ
273T Interrogation eval crtd sns brorflx w/progrmg	Х	-
273U Hem gen hyprfibrnlysis 8 gen	-	Х
274T Perq lamot/lam any meth single/mlt lvl crv/thrc	Х	-
274U Hem gen pltlt do 43 genes	-	Х
275T Perq lamot/lam any meth single/mlt lvl lumbar	-	Х
0275U Hem heprn nduc trmbctpna srm	Х	-

<sup>\*</sup> These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



Codes Description	Not Covered	Preauthorization Require
Disclaimer: Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect	information regarding	immunizations, injectable drugs, o
pecialty medications and should be directed to the Pharmacy link option within the website.		V
0276U Hem inh thrombocytopenia 23	-	X
2277U Hem gen pltlt funcj do 31		X
7278T Transcutaneous electrical modulation pain reprocessing (eg, scrambler therapy), each treatment session (includes	X	-
placement of electrodes).	+	V
1278U Hem gen thrombosis 12 genes	-	X
279U Hem vw factor&clgn iii bndg	X	-
280U Hem vw factor&clgn iv bndg	X	-
281U Hem vwd propeptide ag Ivl	X	-
282U Rbc dna gntyp 12 bld grp gen	X	-
283U Vw factor type 2b eval plsm	X	-
284U Vw factor type 2n eval plsm	X	-
285U Onc rsps radj cll fr dna tox	-	Χ
286U Cep72 nudt15&tpmt gene alys	-	Χ
287U Onc thyr dna&mrna 112 genes	-	Χ
288U Onc lung mrna quan pcr 11&3	-	X
295U Onc brst dux carc 7 proteins	X	-
296U Onc orl&/orop ca 20 mlc feat	-	Х
297U Onc pan tum whl gen seq dna	-	X
298U Onc pan tum whl trns seq rna	- 1	Х
299U Onc pan tum whl gen opt mapg	- 1	Х
300U Onc pan tum whl gen seq&opt	- 1	Х
301U Adna bartonella ddpcr	Х	-
302U Adna brtnla ddpcr flwg lig	X	-
303U Hem rbc ads whl bld hypoxic	X	-
304U Hem rbc ads whl bld normoxic	X	_
305U Hem rbc fnclty&dfrm shr strs	X	_
306U Onc mrd nxt-gnrj alys 1st	<del>  ^</del>	Х
307U Onc mrd nxt-gnrj alys sbsq	<del>                                     </del>	X
308U Crd cad alys 3 prtn plsm alg	X	- X
309U Crd cvd ds aly 4 prtn plm alg	X	-
310U Ped vsclts kd alys 3 bmrks	X	
311U Nfct ds bct quan antmcrb sc	X	
312T Laps impltj nstim vagus	X	-
		-
312U Ai ds sle alys 8 igg autoant	Х	-
Vagus nerve blocking therapy (morbid obesity); laparoscopic removal of vagal trunk neurostimulator electrode array	X	-
and pulse generator	1	
313U Onc pncrs dna&mrna seq 74	- +	X
314U Onc cutan mlnma mrna 35 gene	<del>  -</del>	X
316T Replc vagus nerve pls gen	X	<u> </u>

<sup>\*</sup> These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



odes Description	Not Covered	Preauthorization Required
isclaimer: Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated qu	uarterly. Additionally, these coding lists do not reflect information regarding	immunizations, injectable drugs, o
pecialty medications and should be directed to the Pharmacy link option within the website.	T	
0316U B brgdrferi lyme ds ospa evl	X	-
0317T Elec analysis vagus nerve pls gen	X	-
0317U Onc lung ca 4-prb fish assay	-	X
0318U Ped whl gen mthyltn alys 50+	-	X
0319U Neph rna pretrnspl perph bld	-	X
320U Neph rna psttrnspl perph bld	-	X
321U ladna gu pthgn 20bct&fng org	X	-
322U Neuro asd meas 14 acyl carn	X	-
323U ladna cns pthgn next gen seq	X	-
324U Onc ovar sphrd cell 4 rx pnl	X	-
325U Onc ovar sphrd cell parp	X	-
326U Trgt gen seq alys pnl 83+	-	Χ
328U Drug assay 120+ rx&metablt	X	-
329T Mntr io press 24hrs/> uni/bi	X	-
329U Onc neo xome&trns seq alys	-	Χ
330T Tear film img uni/bi w/i&r	X	-
330U ladna vag pthgn panel 27 org	X	-
331T Heart symp image plnr	X	-
331U Onc hI neo opt gen mapping	-	X
332T Heart symp image plnr spect	X	-
332U Onc pan tum gen prflg 8 dna	-	Χ
333T Visual ep acuity screen auto	X	-
333U Onc lvr surveilanc hcc cfdna	-	Х
334U Onc sld orgn tgsa dna 84/+	-	Х
335T Extraosseous joint stblztion	X	-
335U Rare ds whl gen seg fetal	-	Х
336U Rare ds whl gen seg bld/slv	-	Х
337U Onc plsm cell do & myeloma id	X	-
338T Trnscth renal symp denry unl	X	-
338U Onc sld tum crcg tum cl slct	X	-
339T Trnscth renal symp denry bil	Х	-
339U Onc prst8 mrna hoxc6 & dlx1	X	-
340U Onc pan ca alys mrd plasma	-	Х
341U Ftl aneup dna seg cmpr alys	-	X
342T Thxp apheresis w/hdl delip	X	-
342U Onc pncrtc ca mult ia eclia	X	_
343U Onc prst8 xom aly 442 sncrna	-	Х
344U Hep nafld semiq evl 28 lipid	X	-
346U Beta amyl aβ40 & aβ42 lc-ms/ms	X	-

<sup>\*</sup> These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



Codes	Description	Not Covered	Preauthorization Required
	: Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not refl	ect information regarding	immunizations, injectable drugs, or
' '	nedications and should be directed to the Pharmacy link option within the website.		
	Ins bone device for rsa	X	<u>-</u>
	Rsa spine exam	X	-
	Rsa upper extr exam	X	-
	Rsa lower extr exam	X	-
	Intraop oct brst/node spec	X	-
	Nfct ds bct/viral trail ip10	X	-
	Oct brst/node i&r per spec	X	-
	Nfct ds bv & vaginitis amp prb	X	<del>-</del>
	Intraop oct breast cavity	X	-
	ladna chlmyd & gonorr amp prb	X	-
0354T	Oct breast surg cavity i&r	Х	-
0354U	Hpv hi rsk qual mrna e6/e7	X	-
0355U	Apol1 risk variants	-	X
0356U	Onc orop 17 dna ddpcr alg	-	X
0357U	Onc mlnma ai quan alys 142	X	-
0358T	Bia whole body	X	-
0358U	Neuro alys β-amyl 1-42&1-40	X	-
0359U	Onc prst8 ca alys all psa	X	-
0360U	Onc lung elisa 7 autoant alg	X	-
0361U	Neurflmnt It chn dig ia quan	X	-
	Expose behav assessment	X	-
0362U	Onc pap thyr ca rna 82&10	-	X
0363U	Onc urthl mrna 5 gen alg	-	Х
	Onc hi neo gen seq alys alg	-	X
	Onc clrct ca mut&mthyltn mrk	-	Х
	ladna gi pthgn 31 org&21 arg	-	Х
	ladna surg wnd pthgn 34&21	-	Х
	ladna gu pthgn semiq dna16&1	-	Х
	Nfct ds gu pthgn arg detcj	-	Х
	Exposure behavior treatment	Х	-
	ladna rsp tr nfct 17 8 13&16	-	Χ
	ladna gu pthgn 21 org&21arg	-	X
	Onc ovrn bchm asy 7 prtn alg	- 1	X
	Onc prst8 ca img alys 128	Х	-
	Cv ds quan advsrm/plsm lprtn	-	Х
	Visual field assmnt rev/rprt	Х	-
	Rfc1 repeat xpnsj vrnt alys	-	Х
	Vis field assmnt tech suppt	Х	- ·
	Tgsap sl or neo dna523&rna55		X

<sup>\*</sup> These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



Codes	Description	Not Covered	Preauthorization Required
	Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect in	nformation regarding	immunizations, injectable drugs, or
	edications and should be directed to the Pharmacy link option within the website.		
	Rx metb advrs trgt sq aly 20	-	X
	Maple syrup ur ds mntr quan	X	-
	Hyprphenylalninmia mntr quan	Х	-
	Tyrosinemia typ i mntr quan	Х	-
	Neph ckd rsk hi stg kdn ds	X	-
	Neph ckd alg rsk dbtc kdn ds	Х	-
	Gi barrett esoph mthyltn aly	X	-
	Onc mlnma ambra1&amlo	X	-
	Onc nonsm cll lng ca 37 gen	X	-
	Ped fbrl kd ifi27&mcemp1 rna	Χ	-
	Ob pe kdr eng&rbp4 ia alg	X	-
)391U	Onc sld tum dna&rna 437 gen	-	Χ
	Rx metab genrx ia 16 genes	-	Χ
)393U	Neu prksn msfl α-syncln prtn	Χ	-
)394U	Pfas 16 pfas compnd lc ms/ms	X	-
	Onc Ing multiomics plsm alg	X	-
396U	Ob preimpltj tst 300000 dna	X	-
0397T	Endoscopic retrograde cholangiopancreatography (ercp), with optical endomicroscopy (list separately in addition to	Х	
	code for primary procedure)	^	-
0398T	Magnetic resonance image guided high intensity focused ultrasound (mrgfus), stereotactic ablation lesion, intracranial		V
	for movement disorder including stereotactic navigation	-	X
398U	Gi baret esph dna mthyln aly	Х	-
	Ob xpnd car scr 145 genes	-	X
	Crd c hrt ds 9 gen 12 vrnts	Х	-
	Oncology (solid tumor), dna (80 genes) and rna (36 genes), by next-generation sequencing from plasma, including		
	single nucleotide variants, insertions/deletions, copy number alterations, microsatellite instability, and fusions, report	-	Χ
	showing identified mutations with clinical actionability		
)413U	Oncology (hematolymphoid neoplasm), optical genome mapping for copy number alterations, aneuploidy, and		
	balanced/complex structural rearrangements, dna from blood or bone marrow, report of clinically significant alterations	_	Χ
)414LJ	Oncology (lung), augmentative algorithmic analysis of digitized whole slide imaging for 8 genes (alk, braf, egfr, erbb2,		
,	met, ntrk1-3, ret, ros1), and kras g12c and pd-I1, if performed, formalin-fixed paraffinembedded (ffpe) tissue, reported	_	X
	as positive or negative for each biomarker		A
141711	Rare diseases (constitutional/heritable disorders), whole mitochondrial genome sequence with heteroplasmy detection		
77170	and deletion analysis, nuclear-encoded mitochondrial gene analysis of 335 nuclear genes, including sequence		
	changes, deletions, insertions, and copy number variants analysis, blood or saliva, identification and categorization of	-	X
	mitochondrial disorder–associated genetic variants		
)419U	Neuropsychiatry (eg, depression, anxiety), genomic sequence analysis panel, variant analysis of 13 genes, saliva or		
<i>1</i> 4190	buccal swab, report of each gene phenotype	-	X

<sup>\*</sup> These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



	Description	Not Covered	Preauthorization Required
	Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect in edications and should be directed to the Pharmacy link option within the website.	formation regarding	immunizations, injectable drugs, or
	Preventive behavior change, intensive program of prevention of diabetes using a standardized diabetes prevention		
04031	program curriculum, provided to individuals in a group setting	Х	-
0408T	Insertion or replacement of permanent cardiac contractility modulation system, including contractility evaluation when		
04001	performed, and programming of sensing and therapeutic pa	Х	-
nangt	Insertion or replacement of permanent cardiac contractility modulation system, including contractility evaluation when		
0-1001	performed, and programming of sensing and therapeutic pa	Х	-
0410T	Insertion or replacement of permanent cardiac contractility modulation system, including contractility evaluation when		
01101	performed, and programming of sensing and therapeutic pa	X	-
0411T	Insertion or replacement of permanent cardiac contractility modulation system, including contractility evaluation when		
	performed, and programming of sensing and therapeutic pa	X	-
0412T	Removal of permanent cardiac contractility modulation system; pulse generator only	Х	-
	Removal of permanent cardiac contractility modulation system; transvenous electrode (atrial or ventricular)	X	-
	Removal and replacement of permanent cardiac contractility modulation system pulse generator only	X	-
	Repositioning of previously implanted cardiac contractility modulation transvenous electrode, (atrial or ventricular lead)		
	Tropositioning of proviously implanted durated contracting modulation transfer as societies, (attitudes in remarkable)	X	-
0416T	Relocation of skin pocket for implanted cardiac contractility modulation pulse generator	Х	-
	Programming device evaluation (in person) with iterative adjustment of the implantable device to test the function of		
	the device and select optimal permanent programmed values	Х	-
0418T	Interrogation device evaluation (in person) with analysis, review and report, includes connection, recording and	.,	
	disconnection per patient encounter; implantable cardiac contr	X	-
0419T	Destruction neurofibromata, extensive, (cutaneous, dermal extending into subcutaneous); face, head and neck, greater	.,	
	than 50 neurofibromata	X	-
0420T	Destruction neurofibromata, extensive, (cutaneous, dermal extending into subcutaneous); trunk and extremities,	.,	
	extensive, greater than 100 neurofibromata	X	-
)420U	Oncology (urothelial), mrna expression profiling by real-time quantitative pcr of mdk, hoxa13, cdc2, igfbp5, and cxcr2 in		
	combination with droplet digital pcr (ddpcr) analysis of 6 single-nucleotide polymorphisms (snps) genes tert and fgfr3,	_	Χ
	urine, algorithm reported as a risk score for urothelial carcinoma		
)421U	Oncology (colorectal) screening, quantitative real-time target and signal amplification of 8 rna markers (gapdh, smad4,		
	acy1, areg, cdh1, kras, tnfrsf10b, egln2) and fecal hemoglobin, algorithm reported as a positive or negative for	X	-
	colorectal cancer risk		
)422T	Tactile breast imaging by computer-aided tactile sensors, unilateral or bilateral	Х	-
	Oncology (pan-solid tumor), analysis of dna biomarker response to anti-cancer therapy using cell-free circulating dna,		
_	biomarker comparison to a previous baseline pre-treatment cell-free circulating dna analysis using next-generation		
	sequencing, algorithm reported as a quantitative change from baseline, including specific alterations, if appropriate	-	X
)423U	Psychiatry (eg, depression, anxiety), genomic analysis panel, including variant analysis of 26 genes, buccal swab,		.,
	report including metabolizer status and risk of drug toxicity by condition	-	X
)424T	Insertion or replacement of neurostimulator system for treatment of central sleep apnea; complete system		
	(transvenous placement of right or left stimulation lead, sensing lead	X	-

<sup>\*</sup> These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



Codes	Description	Not Covered	Preauthorization Required
	Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect in	nformation regarding	immunizations, injectable drugs, or
	edications and should be directed to the Pharmacy link option within the website.		
	Oncology (prostate), exosomebased analysis of 53 small noncoding rnas (sncrnas) by quantitative reverse	Х	
	transcription polymerase chain reaction (rtqpcr), urine, reported as no molecular evidence, low-, moderate- or elevated-	^	-
	risk of prostate cancer	V	
	Insertion or replacement of neurostimulator system for treatment of central sleep apnea; sensing lead only	Х	<del>-</del>
	Genome (eg, unexplained constitutional or heritable disorder or syndrome), rapid sequence analysis, each comparator genome (eg, parents, siblings)	-	X
	Insertion or replacement of neurostimulator system for treatment of central sleep apnea; stimulation lead only		
04201	insertion of replacement of neurostimulator system for treatment of central sleep apriea, stimulation lead only	X	-
0426U	Genome (eg, unexplained constitutional or heritable disorder or syndrome), ultra-rapid sequence analysis	-	Х
	Insertion or replacement of neurostimulator system for treatment of central sleep apnea; pulse generator only	Х	-
	Monocyte distribution width, whole blood	Х	-
	Removal of neurostimulator system for treatment of central sleep apnea; pulse generator only	Х	-
	Oncology (breast), targeted hybrid-capture genomic sequence analysis panel, circulating tumor dna (ctdna) analysis of		
	56 or more genes, interrogation for sequence variants, gene copy number amplifications, gene rearrangements,	_	X
	microsatellite instability, and tumor mutation burden		
	Removal of neurostimulator system for treatment of central sleep apnea; sensing lead only	Х	-
	Removal of neurostimulator system for treatment of central sleep apnea; stimulation lead only	X	-
	Removal and replacement of neurostimulator system for treatment of central sleep apnea, pulse generator only	Х	-
0431U	Glycine receptor alpha1 igg, serum or cerebrospinal fluid (csf), live cell-binding assay (lcba), qualitative	Х	-
	Repositioning of neurostimulator system for treatment of central sleep apnea; stimulation lead only	Х	-
	Kelch-like protein 11 (klhl11) antibody, serum or cerebrospinal fluid (csf), cell-binding assay, qualitative	Х	-
	Repositioning of neurostimulator system for treatment of central sleep apnea; sensing lead only	Х	-
	Oncology (prostate), 5 dna regulatory markers by quantitative pcr, whole blood, algorithm, including prostate-specific		
	antigen, reported as likelihood of cancer	Х	-
	Interrogation device evaluation implanted neurostimulator pulse generator system for central sleep apnea	Х	-
	Drug metabolism (adverse drug reactions and drug response), genomic analysis panel, variant analysis of 25 genes		V
	with reported phenotypes	-	X
	Programming device evaluation of implanted neurostimulator pulse generator system for central sleep apnea; single	Х	
	session	X	-
)435U	Oncology, chemotherapeutic drug cytotoxicity assay of cancer stem cells (cscs), from cultured cscs and primary tumor		
	cells, categorical drug response reported based on cytotoxicity percentage observed, minimum of 14 drugs or drug	X	-
	combinations		
	Programming device evaluation of implanted neurostimulator pulse generator system for central sleep apnea; during	V	
	sleep study	Х	-
	Oncology (lung), plasma analysis of 388 proteins, using aptamerbased proteomics technology, predictive algorithm	V	
	reported as clinical benefit from immune checkpoint inhibitor therapy	Х	-
	Impltj synth rnfcmt abdl wal	Х	-

<sup>\*</sup> These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



	Description		Preauthorization Required
	Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect edications and should be directed to the Pharmacy link option within the website.	information regarding in	nmunizations, injectable drugs, or
	Psychiatry (anxiety disorders), mrna, gene expression profiling by rna sequencing of 15 biomarkers, whole blood,		
34370	algorithm reported as predictive risk score	X	-
7/3811	Drug metabolism (adverse drug reactions and drug response), buccal specimen, gene-drug interactions, variant		
J4300	analysis of 33 genes, including deletion/duplication analysis of cyp2d6, including reported phenotypes and impacted	x	_
	genedrug interactions	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	
0439T	Myocrd contrast prfuj echo	Х	
	Cardiology (coronary heart disease [CHD]), DNA, analysis of 5 single-nucleotide polymorphisms (SNPs) (rs11716050	^	
04000	[LOC105376934], rs6560711 [WDR37], rs3735222 [SCIN/LOC107986769], rs6820447 [intergenic], and rs9638144		
	[ESYT2]) and 3 DNA methylation markers (cg00300879 [transcription start site {TSS200} of CNKSR1], cg09552548	X	_
	[intergenic], and cg14789911 [body of SPATC1L]), qPCR and digital PCR, whole blood, algorithm reported as a 4-	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	
	tiered risk score for a 3-year risk of symptomatic CHD		
)440T	Ablation, percutaneous, cryoablation, includes imaging guidance; upper extremity distal/peripheral nerve	Х	
	Cardiology (coronary heart disease [CHD]), DNA, analysis of 10 single-nucleotide polymorphisms (SNPs) (rs710987	^	
77700	[LINC010019], rs1333048 [CDKN2B-AS1], rs12129789 [KCND3], rs942317 [KTN1-AS1], rs1441433 [PPP3CA],		
	rs2869675 [PREX1], rs4639796 [ZBTB41], rs4376434 [LINC00972], rs12714414 [TMEM18], and rs7585056		
	[TMEM18]) and 6 DNA methylation markers (cg03725309 [SARS1], cg12586707 [CXCL1, cg04988978 [MPO],	X	_
	cg17901584 [DHCR24-DT], cg21161138 [AHRR], and cg12655112 [EHD4]), qPCR and digital PCR, whole blood,	^	-
	algorithm reported as detected or not detected for		
	CHD		
)441T	Ablation, percutaneous, cryoablation, includes imaging guidance; lower extremity distal/peripheral nerve	Х	_
	Infectious disease (bacterial, fungal, or viral infection), semiquantitative biomechanical assessment (via deformability		
	cytometry), whole blood, with algorithmic analysis and result reported as an index	X	-
)442T	Ablation, percutaneous, cryoablation, includes imaging guidance; nerve plexus or other truncal nerve (eg, brachial		
	plexus, pudendal nerve)	X	-
)442U	Infectious disease (respiratory infection), Myxovirus resistance protein A (MxA) and C-reactive protein (CRP),	.,	
	fingerstick whole blood specimen, each biomarker reported as present or absent	X	-
)443T	Real time spectral analysis of prostate tissue by fluorescence spectroscopy	Х	-
	Neurofilament light chain (NfL), ultra-sensitive immunoassay, serum or cerebrospinal fluid	Х	-
	Initial placement of a drug-eluting ocular insert under one or more eyelids, including fitting, training, and insertion,	V	
	unilateral or bilateral	X	-
)444U	Oncology (solid organ neoplasia), targeted genomic sequence analysis panel of 361 genes, interrogation for gene		
	fusions, translocations, or other rearrangements, using DNA from formalin-fixed paraffin-embedded (FFPE) tumor	-	X
	tissue, report of clinically significant variant(s)		
0445T	Subsequent placement of a drug-eluting ocular insert under one or more eyelids, including re-training, and removal of	V	
	existing insert, unilateral or bilateral	X	-
)445U	β-amyloid (Abeta42) and phospho tau (181P) (pTau181), electrochemiluminescent immunoassay (ECLIA), cerebral	V	
	spinal fluid, ratio reported as positive or negative for amyloid pathology	X	-

<sup>\*</sup> These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



Codes	Description	Not Covered	Preauthorization Required
	Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect in	nformation regarding	immunizations, injectable drugs, or
	edications and should be directed to the Pharmacy link option within the website.		
0446U	Autoimmune diseases (systemic lupus erythematosus [SLE]), analysis of 10 cytokine soluble mediator biomarkers by		
	immunoassay, plasma, individual components reported with an	Х	-
	algorithmic risk score for current	^	
	disease activity		
0447U	Autoimmune diseases (systemic lupus erythematosus [SLE]), analysis of 11 cytokine soluble mediator biomarkers by		
	immunoassay, plasma, individual components reported with an algorithmic prognostic risk score for developing a	X	-
	clinical flare		
0448U	Oncology (lung and colon cancer), DNA, qualitative, nextgeneration sequencing detection of single-nucleotide variants		
	and deletions in EGFR and KRAS genes, formalin-fixed paraffinembedded (FFPE) solid tumor samples, reported as	_	Χ
	presence or absence of targeted mutation(s), with recommended therapeutic options	-	^
	Insj aqueous drain dev w/o eo rsvr initial dev	-	Χ
0449U	Carrier screening for severe inherited conditions (eg, cystic fibrosis, spinal muscular atrophy, beta hemoglobinopathies		
	[including sickle cell disease], alpha thalassemia), regardless of race or self-identified ancestry, genomic sequence	V	
	analysis panel, must include analysis of 5 genes (CFTR, SMN1, HBB, HBA1, HBA2)	X	-
0450T	Insj aqueous drain dev w/o eo rsvr ea addl dev	Х	-
0469T	Rta polarize scan oc scr bi	X	-
0470T	Oct skn img acquisj i&r 1st	X	-
0471T	Oct skn img acquisj i&r addl	X	-
0472T	Prgrmg io rta eltrd ra	X	-
0473T	Reprgrmg io rta eltrd ra	X	-
0474T	Insj aqueous drg dev io rsvr	X	-
	Rec ftl car sgl 3 ch i&r	X	-
	Rec ftl car sgl elec tr data	X	-
0477T	Rec ftl car sgl xrtj alys	X	-
0478T	Rec ftl car 3 ch rev i&r	X	-
0479T	Fractional abl Isr fenestration first 100 sqcm	X	-
0480T	Fractional abl Isr fenestration ea addl 100 sqcm	X	-
0481T	Njx autol wbc concentr inc img gdn hrv & prep	X	-
0483T	Tmvi w/prosthetic valve percutaneous approach	X	-
	Tmvi w/prosthetic valve transthoracic exposure	X	-
0485T	Oct middle ear with i&r unilateral	X	-
0486T	Oct middle ear with i&r bilateral	X	-
	Transvaginal biomechanical mapping w/report	X	-
	Diabetes prev online/electronic prgrm pr 30 days	X	<u>-</u>
0489T	Autol regn cell tx scleroderma hands	Х	-
0490T	Autol regn cell tx scldr mlt inj one or both hands	Х	-
0491T	Abl laser tx open wnd pr day 1st 20 sqcm or less	Х	-

<sup>\*</sup> These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



Codes Description	Not Covered	Preauthorization Required
Disclaimer: Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not refle		•
specialty medications and should be directed to the Pharmacy link option within the website.		
0492T Abl laser tx open wnd pr day addl 20 sqcm	X	-
0493T Near infrared spectroscpy studies low ext wounds	X	-
0494T Prep & cannulj cdvr don Ing orgn prfuj sys	X	-
0495T Init & mntr cdvr don Ing orgn prfuj sys 1st 2 hr	X	-
0496T Mntr cdvr don lng orgn prfuj sys ea addl hr	X	-
0497T Xtrnl pt act ecg w/o attn mntr in-office conn	X	-
0498T Xtrnl pt act ecg w/o attn mntr r&i pr 30 days	X	-
0499T Cysto w/dil & urtl rx del f/urtl strix/stenosis	X	-
0500F Initial prenatal care visit	X	-
0500T ladna hpv 5+ sep reprt high risk hpv types	X	-
0501F Prenatal flow sheet documented in medical record by first prenatal visit	X	-
0501T Cor ffr derived cta data assess cor art disease	-	X
0502F Subsequent prenatal care visit	X	-
0502T Cor ffr derived cta data prep & transmis	-	X
0503F Postpartum care visit2	X	-
0503T   Cor ffr cta data alys & gnrj estimated ffr model	-	X
0504T   Cor ffr cta data review w/interpj & final report	-	X
0505F Hemodialysis plan of care documented (esrd)	X	-
0505T Ev fempop artl revsc tcat plmt iv st grf & clsr	X	-
0506T Mac pgmt optical dns meas hfp uni/bi w/i&r	X	-
0507F Peritoneal dialysis plan of care documented (esrd)	X	-
0508T Pls echo us b1 dns meas indic axl b1 min dns tib	X	-
0509F Urinary incontinence plan of care documented (ger)	X	-
0510T Removal of sinus tarsi implant	X	-
0511T Removal and reinsertion of sinus tarsi implant	Х	-
0512T Extracorporeal shock wave for integumentary wound healing, high energy, including topical application and dressing care; initial wound	Х	-
0513F Elevated blood pressure plan of care documented (ckd)1	X	-
0513T Esw integ wnd hlg ea addl	X	-
O514F Plan of care for elevated hemoglobin level documented for patient receiving erythropoiesis-stimulating agent (esa) thera	Х	-
0514T Intraoperative visual axis identification using patient fixation (list separately in addition to code for primary procedure)	Х	-
0515T Insj wcs lv compl sys	Х	-
0516F Anemia plan of care documented (esrd)1	Х	<del>-</del>
0516T Insj wcs Iv eltrd only	X	-
0517F Glaucoma plan of care documented (ec)5	Х	-
0517T Insj wcs Iv pg compnt	X	-
0518F Falls plan of care documented (ger)5	Х	-

<sup>\*</sup> These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



Codes	Description	Not Covered	Preauthorization Required
	Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect in	nformation regarding	immunizations, injectable drugs, or
	edications and should be directed to the Pharmacy link option within the website.	ı	
05181	Removal of only pulse generator component(s) (battery and/or transmitter) of wireless cardiac stimulator for left	X	-
05405	ventricular pacing		
0519F	Planned chemotherapy regimen, including at a minimum: drug(s) prescribed, dose, and duration, documented prior to	X	-
0510T	initia Removal and replacement of wireless cardiac stimulator for left ventricular pacing; pulse generator component(s)		
55191	(battery and/or transmitter)	X	-
0520F	Normal tissue dose constraints established within five treatment days from the initiation of a course of 3d conformal ra		
JJ201	Informal ussue dose constraints established within live treatment days from the initiation of a course of 50 conformal fa	X	-
520T	Rmvl&rplcmt pg wcs new eltrd	Х	-
521F	Plan of care to address pain documented (onc)1	X	-
521T	Interrog dev eval wcs ip	X	-
	Prgrmg dev eval wcs ip	X	-
523T	Ntrapx c ffr w/3d funcjl map	X	-
524T	Ev cath dir chem abltj w/img	X	-
	Initial visit for episode (bkp)2	X	-
	Insj/rplcmt compl ims	X	-
	Subsequent visit for episode (bkp)2	X	-
	Insj/rplcmt iims eltrd only	X	-
	Insj/rplcmt iims implt mntr	Χ	-
)528F	Recommended follow-up interval for repeat colonoscopy of at least 10 years documented in colonoscopy report (end/polyp)	Х	-
)528T	Programming device evaluation (in person) of intracardiac ischemia monitoring system with iterative adjustment of	.,	
	programmed values, with analysis, review, and report	X	-
529F	Interval of 3 or more years since patient's last colonoscopy, documented (end/polyp)	Х	-
	Interrogation device evaluation (in person) of intracardiac ischemia monitoring system with analysis, review, and report		
		X	-
)530T	Removal of intracardiac ischemia monitoring system, including all imaging supervision and interpretation; complete	V	
	system (electrode and implantable monitor)	Х	-
)531T	Removal of intracardiac ischemia monitoring system, including all imaging supervision and interpretation; electrode	Х	
	only	^	-
)532T	Removal of intracardiac ischemia monitoring system, including all imaging supervision and interpretation; implantable	Х	
	monitor only	^	-
	Cont rec mvmt do 6-10 days	X	-
)534T	Continuous recording of movement disorder symptoms, including bradykinesia, dyskinesia, and tremor for 6 days up to 10 days; set-up, patient training, configuration of monitor	Х	-
)535F	Dyspnea management plan of care, documented (pall cr)	Х	-
	Cont rec mymt do reprt cnfig	X	_
0536T	Continuous recording of movement disorder symptoms, including bradykinesia, dyskinesia, and tremor for 6 days up to		
	10 days; download review, interpretation and report	Х	-

<sup>\*</sup> These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



Codes	Description	Not Covered	Preauthorization Required
	Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect in	nformation regarding	g immunizations, injectable drugs, or
	edications and should be directed to the Pharmacy link option within the website.		
	Glucorticoid management plan documented (ra)	X	1
	Myocardial imaging mcg	X	-
	Myocardial imaging mcg i&r	X	-
0543T	Transapical mitral valve repair, including transthoracic echocardiography, when performed, with placement of artificial chordae tendineae	Х	-
0544T	Transcatheter mitral valve annulus reconstruction, with implantation of adjustable annulus reconstruction device, percutaneous approach including transseptal puncture	Х	-
0545F	Plan for follow-up care for major depressive disorder, documented (mdd adol)	Х	-
	Transcatheter tricuspid valve annulus reconstruction with implantation of adjustable annulus reconstruction device, percutaneous approach	X	-
0546T	Radiofrequency spectroscopy, real time, intraoperative margin assessment, at the time of partial mastectomy, with report	Х	-
0547T	Bone-material quality testing by microindentation(s) of the tibia(s), with results reported as a score	Х	-
	Cytopath report-nongyn spcmn	X	_
	Cytopath report non-routine	X	
	Low-level laser therapy, dynamic photonic and dynamic thermokinetic energies, provided by a physician or other		
00021	qualified health care professional	X	-
0553T	Percutaneous transcatheter placement of iliac arteriovenous anastomosis implant, inclusive of all radiological supervision and interpretation, intraprocedural roadmapping, and imaging guidance necessary to complete the	Х	-
	intervention		
0554T	Bone strength and fracture risk using finite element analysis of functional data, and bone-mineral density, utilizing data		
	from a computed tomography scan; retrieval and transmission of the scan data, assessment of bone strength and	X	-
	fracture risk and bone mineral density, interpretation and report		
	Symptom management plan of care documented (hf)	X	-
0555T	Bone strength and fracture risk using finite element analysis of functional data, and bone-mineral density, utilizing data from a computed tomography scan; retrieval and transmission of the scan data	X	-
0556F	Plan of care to achieve lipid control documented (cad)	Х	-
0556T	Bone strength and fracture risk using finite element analysis of functional data, and bone-mineral density, utilizing data from a computed tomography scan; assessment of bone strength and fracture risk and bone mineral density	Х	-
0557F	Plan of care to manage anginal symptoms documented (cad)	Х	_
	Bone strength and fracture risk using finite element analysis of functional data, and bone-mineral density, utilizing data		
	from a computed tomography scan; interpretation and report	Х	-
)558T	Computed tomography scan taken for the purpose of biomechanical computed tomography analysis	Х	-
	Anatomic model 3d-printed from image data set(s); first individually prepared and processed component of an anatomic structure	X	-
0560T	Anatomic model 3d-printed from image data set(s); each additional individually prepared and processed component of an anatomic structure (list separately in addition to code for primary procedure)	Х	-
0561T	Anatomic guide 3d-printed and designed from image data set(s); first anatomic guide	X	

<sup>\*</sup> These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



Codes	Description	Not Covered	Preauthorization Required
	Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect	ct information regarding	immunizations, injectable drugs, or
	edications and should be directed to the Pharmacy link option within the website.	<u> </u>	
05621	Anatomic guide 3d-printed and designed from image data set(s); each additional anatomic guide (list separately in	X	-
	addition to code for primary procedure)		
	Evac meibomian glnd heat bi	X	-
	Onc chemo rx cytotox csc 14	X	-
	Autol cell implt adps hrvg	X	-
	Autol cell implt adps njx	X	<u> </u>
	Perm flp tube occls w/implt	X	-
	Intro mix saline&air f/ssg	X	-
	Ttvr perq appr 1st prosth	X	-
	Ttvr perq ea addl prosth	X	-
	Insj/rplcmt icds ss eltrd	X	-
	Insertion ss dfb electrode	X	-
0573T	Removal ss dfb electrode	Х	-
0574T	Repos prev ss impl dfb eltrd	Χ	-
0575F	Hiv rna control plan of care, documented (hiv)	X	-
0575T	Prgrmg dev eval icds ss ip	Х	-
0576T	Interrog dev eval icds ss ip	Х	-
0577T	Ephys eval icds ss	X	-
0578T	Rem interrog dev icds phys	X	-
0579T	Rem interrog dev icds tech	Х	-
0580F	Multidisciplinary care plan	Х	-
0580T	Rmvl ss impl dfb pg only	Х	-
0581F	Pt trnsfrd from anesth to cc	Х	-
0581T	Abltj mal brst tum perq crtx	X	-
0582F	No trnsfr from anesth to cc	Х	-
0582T	Trurl abltj mal prst8 tiss	X	-
	Transfer care checklist used	Х	-
0583T	Tmpst auto tube dlvr sys	Х	-
	No transfer care chklist used	Х	-
0584T	Perq islet cell transplant	Х	-
	Laps islet cell transplant	Х	-
	Open islet cell transplant	Х	-
	Perq impltj/rplcmt isdns ptn	Х	-
	Revision/removal isdns ptn	X	-
	Elec alys smpl prgrmg iins	X	-
	Elec alys cplx prgrmg lins	X	-
	Hith&wb coaching indiv 1st	X	-
	Hith&wb coaching indiv f-up	X	_
	Hith&wb coaching group	X	

<sup>\*</sup> These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



Codes	Description	Not Covered	Preauthorization Required
	Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect		
	edications and should be directed to the Pharmacy link option within the website.		,
0594T	Osteot hum xtrnl Ingth dev	X	-
0596T	Temp fml iu vlv-pmp 1st insj	X	-
0597T	Temp fml iu valve-pmp rplcmt	X	1
0598T	Ncntc r-t fluor wnd img 1st	X	-
0599T	Ncntc r-t fluor wnd img ea	X	1
0600T	Ire abltj 1+tum organ perq	X	•
0601T	Ire abltj 1+tumors open	X	ı
0602T	Transdermal gfr measurements	X	•
0603T	Transdermal gfr monitoring	X	-
0604T	Rem oct rta dev setup&educaj	Χ	-
0605T	Rem oct rta techl sprt min 8	X	•
0606T	Rem oct rta phys/qhp ea 30d	Χ	-
	Rem mntr pulm flu mntr setup	Χ	-
0608T	Rem mntr pulm flu mntr alys	X	-
0609T	Mrs disc pain acquisj data	X	ı
0610T	Mrs disc pain transmis data	X	ı
0611T	Mrs disc pain alg alys data	X	ı
0612T	Mrs discogenic pain i&r	X	1
0613T	Perq tcat intratrl septl sht	X	ı
0614T	Rmvl&rplcmt ss impl dfb pg	X	ı
0615T	Eye mvmt alys w/o calbrj i&r	X	-
0619T	Cysto w/prst8 commissurotomy	X	ı
0620T	Evasc ven artlz tibl/prnl vn	X	1
0621T	Trabeculostomy interno laser	X	ı
0622T	Trabeculostomy int lsr w/scp	X	-
0623T	Auto quantification c plaque	Χ	1
	Auto quan c plaq data prep	X	-
	Auto quan c plaq cptr alys	X	-
	Auto quan c plaq i&r	Χ	-
	Perq njx algc fluor lmbr 1st	X	-
	Perq njx algc fluor Imbr ea	X	-
	Perq njx algc ct lmbr 1st	X	-
	Perq njx algc ct lmbr ea	X	-
	Tc vis lit hyperspectral img	X	-
	Perq tcat us abltj nrv p-art	X	-
	Ct breast w/3d uni c	X	-
	Ct breast w/3d uni c+	X	-
	Ct breast w/3d uni c-/c+	X	-
0636T	Ct breast w/3d bi c	X	-

<sup>\*</sup> These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



	Description	Not Covered	Preauthorization Required
	Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect ir edications and should be directed to the Pharmacy link option within the website.	nformation regarding	immunizations, injectable drugs, or
	Ct breast w/3d bi c+	Х	-
	Ct breast w/3d bi c-/c+	X	-
	Wrls skn snr anisotropy meas	X	-
	Noncontact near-infrared spectroscopy studies of flap or wound (eg, for measurement of deoxyhemoglobin,		
	oxyhemoglobin, and ratio of tissue oxygenation [sto2]); image acquisition, interpretation and report, each flap or wound	Х	-
0641T	Image acquisition only, each flap or wound	X	-
0642T	Interpretation and report only, each flap or wound	Х	-
0643T	Transcatheter left ventricular restoration device implantation including right and left heart catheterization and left ventriculography when performed, arterial approach	Х	-
0644T	Transcatheter removal or debulking of intracardiac mass (eg, vegetations, thrombus) via suction (eg, vacuum, aspiration) device, percutaneous approach, with intraoperative reinfusion of aspirated blood, including imaging guidance, when performed	Х	-
	Transcatheter implantation of coronary sinus reduction device including vascular access and closure, right heart catheterization, venous angiography, coronary sinus angiography, imaging guidance, and supervision and interpretation, when performed	Х	-
		Х	-
0647T	Insertion of gastrostomy tube, percutaneous, with magnetic gastropexy, under ultrasound guidance, image documentation and report	Х	-
0648T	Quantitative magnetic resonance for analysis of tissue composition (eg, fat, iron, water content), including multiparametric data acquisition, data preparation and transmission, interpretation and report, obtained without diagnostic mri examination of the same anatomy (eg, organ, gland, tissue, target structure) during the same session	Х	-
0649T	Quantitative magnetic resonance for analysis of tissue composition (eg, fat, iron, water content), including multiparametric data acquisition, data preparation and transmission, interpretation and report, obtained with diagnostic mri examination of the same anatomy (eg, organ, gland, tissue, target structure) (list separately in addition to code for primary procedure)	Х	-
	Programming device evaluation (remote) of subcutaneous cardiac rhythm monitor system, with iterative adjustment of the implantable device to test the function of the device and select optimal permanently programmed values with analysis, review and report by a physician or other qualified health care professional	Х	-
0651T	Magnetically controlled capsule endoscopy, esophagus through stomach, including intraprocedural positioning of capsule, with interpretation and report	Х	-
0652T	Esophagogastroduodenoscopy, flexible, transnasal; diagnostic, including collection of specimen(s) by brushing or washing, when performed (separate procedure)	Х	-
0653T	Esophagogastroduodenoscopy, flexible, transnasal; with biopsy, single or multiple	Х	-
	Esophagogastroduodenoscopy, flexible, transnasal; with insertion of intraluminal tube or catheter	Х	-

<sup>\*</sup> These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



Codes	Description	Not Covered	Preauthorization Required
	Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect in	formation regardin	g immunizations, injectable drugs, or
	redications and should be directed to the Pharmacy link option within the website.		
1 6590	Transperineal focal laser ablation of malignant prostate tissue, including transrectal imaging guidance, with mr-fused	X	-
OCECT	images or other enhanced ultrasound imaging		
	Vertebral body tethering, anterior; up to 7 vertebral segments	X	-
	Vertebral body tethering, anterior; 8 or more vertebral segments	X	-
	Electrical impedance spectroscopy of 1 or more skin lesions for automated melanoma risk score	X	-
0659T	Transcatheter intracoronary infusion of supersaturated oxygen in conjunction with percutaneous coronary	V	
	revascularization during acute myocardial infarction, including catheter placement, imaging guidance (eg, fluoroscopy),	Χ	-
0000T	angiography, and radiologic supervision and interpretation		
	Implantation of anterior segment intraocular nonbiodegradable drug-eluting system, internal approach	X	-
	Removal and reimplantation of anterior segment intraocular nonbiodegradable drug-eluting implant	X	-
	Scalp cooling, mechanical; initial measurement and calibration of cap	Х	-
0663T	Placement of device, monitoring, and removal of device (list separately in addition to code for primary procedure)	Χ	-
0664T	Donor hysterectomy (including cold preservation); open, from cadaver donor	Х	-
0665T	Donor hysterectomy (including cold preservation); open, from living donor	Х	-
	Donor hysterectomy (including cold preservation); laparoscopic or robotic, from living donor	Х	-
	Donor hysterectomy (including cold preservation); recipient uterus allograft transplantation from cadaver or living donor	Х	-
0668T	Backbench standard preparation of cadaver or living donor uterine allograft prior to transplantation, including dissection and removal of surrounding soft tissues and preparation of uterine vein(s) and uterine artery(ies), as necessary	Х	-
0669T	Backbench reconstruction of cadaver or living donor uterus allograft prior to transplantation; venous anastomosis, each	X	-
0670T	Backbench reconstruction of cadaver or living donor uterus allograft prior to transplantation; arterial anastomosis, each	Х	-
0671T	Insertion of anterior segment aqueous drainage device into the trabecular meshwork, without external reservoir, and without concomitant cataract removal, one or more	-	Х
0672T	Ndovag cryg rf remdl tiss	Х	-
0673T	Abltj b9 thyr ndul perq lasr	Х	-
0674T	Laps insj nw/rpcmt prm isdss	Х	-
0675T	Laps insj nw/rpcmt isdss 1ld	Х	-
	Laps insj nw/rpcmt isdss ea	Х	-
	Laps repos lead isdss 1st ld	Х	-
	Laps repos lead isdss ea add	Х	-
	Laps rmvl lead isdss	Х	-
	Insj/rplcmt pg only isdss	Х	-
	RIcj pulse gen only isdss	X	-
	Removal pulse gen only isdss	X	-
	Prgrmg dev eval isdss ip	X	-

<sup>\*</sup> These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



Codes	Description	Not Covered	Preauthorization Required
	Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect in		•
	nedications and should be directed to the Pharmacy link option within the website.		, , ,
0684T	Peri-px dev eval isdss ip	X	-
0685T	Interrog dev eval isdss ip	X	-
0686T	Histotripsy mal hepatcel tis	X	-
0687T	Tx amblyopia dev setup 1st	Х	-
0688T	Tx amblyopia assmt w/report	Х	-
0689T	Quan us tis charac w/o dx us	X	-
0690T	Quan us tis charac w/dx us	X	-
0691T	Auto alys xst ct std vrt fx	X	-
0692T	Therapeutic ultrafiltration	X	-
0693T	Compre ful bdy 3d mtn alys	X	-
0694T	3d vol img&rcnstj brst/ax	X	•
0695T	Bdy srf mpg pm/cvdfb tm impl	X	-
0696T	Bdy surf mapg pm/cvdfb f/up	X	-
0697T	Quan mr tis wo mri mlt orgn	X	•
0698T	Quan mr tiss w/mri mlt orgn	X	-
0699T	Njx pst chmbr eye medication	X	-
0700T	Molec fluor img sus nev 1st	X	-
0701T	Molec fluor img sus nev ea	Х	-
0702T	Rem ther mntr ol tech sprt	X	-
0703T	Rem ther mntr ol cog bhv	X	-
0704T	Rem tx amblyopia setup&edu	X	-
0705T	Rem tx amblyopia tech sprt	Х	-
0706T	Rem tx amblyopia i&r phy/qhp	Х	-
0707T	Njx b1 sub mtrl sbchdrl dfct	X	-
0708T	Id ca immntx prep & 1st njx	X	•
0709T	ld ca immntx each addl njx	X	1
0710T	N-invas artl plaq alys	X	ı
0711T	N-nvs artl plaq alys dat prp	X	-
	N-nvs artl plaq alys quan	Χ	-
0713T	N-nvs artl plaq alys rvw i&r	X	-
0714T	Tprnl lsr ablt b9 prst8 hypr	Χ	-
	Perq trluml coronry lithotrp	Χ	1
	Car acous wavfrm rec cad rsk	X	-
0717T	Adrc ther prtl rc tear	X	-
	Adrc ther prtl rc tear njx	X	-
	Pst vrt jt rplcmt lmbr 1 sgm	X	-
0720T	Prq elc nrv stim cn wo implt	X	-
0721T	Quan ct tiss charac w/o ct	X	-
0722T	Quan ct tiss charac w/ct	X	-

<sup>\*</sup> These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



Codes	Description	Not Covered	Preauthorization Required
	Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not refle	ct information regarding	immunizations, injectable drugs, or
	edications and should be directed to the Pharmacy link option within the website.	1 7 1	
	Qmrcp w/o dx mri sm anat ses	X	-
	Qmrcp w/dx mri same anatomy	X	-
	Vestibular dev impltj uni	X	-
	Rmvl implt vstibular dev uni	X	-
	Rmvl&rplcmt implt vstblr dev	X	<u>-</u>
	Dx alys vstblr implt uni 1st	X	<u>-</u>
	Dx alys vstblr implt uni sbq	X	-
	Trabeculotomy Isr w/oct gdn	X	-
	Augmnt ai-based fcl phnt a/r	X	-
0732T	Immntx admn electroporatn im	X	-
	Rem bdy&lmb knmtc ther sply	X	-
0734T	Rem bdy&lmb knmtc tx mgmt	Χ	-
	Prep tum cav iort prim crnot	X	-
0736T	Colonic lavage 35+l water	X	-
0737T	Xenograft impltj artclr surf	X	-
	Tx pln mag fld abltj prst8	X	-
0739T	Abltj mal prst8 mag fld ndct	Х	-
0740T	Rem auton alg nsln cal setup	Х	-
0741T	Rem auton alg nsln data coll	Х	-
0742T	Aqmbf spect xers/strs & rest	Х	-
0743T	B1 str & fx rsk vrt fx assmt	Х	-
0744T	Insj bioprostc vlv fem vn	Х	-
0745T	Car ablt rad arr n-invas loc	Х	-
0746T	Car ablt rad arr cnv loc map	Х	-
0747T	Car ablt rad arrhyt dlvr rad	Х	-
0748T	Njx stm cl prdct anl sft tis	Х	-
	B1 str&fx rsk assmt dxr-bmd	Х	-
0750T	B1 str&fx rsk asmt dxrbmd1vw	Х	-
0751T	Dgtz gls mcrscp sld level ii	Х	-
0752T	Dgtz gls mcrscp sld lvl iii	Х	-
	Dgtz gls mcrscp sld level iv	Х	-
	Dgtz gls mcrscp sld level v	Х	-
	Dgtz gls mcrscp sld level vi	X	-
	Dgtz gls mcrscp sld spc grpi	X	-
	Dgtz gls mcrscp sl spc grpii	X	-
	Dgtz gls mcrscp sl spc hchem	X	-
	Dgtz gls mcrscp sl sp grpiii	X	-
	Dgtz gls mcrscp sl imm 1st	X	-
	Dgtz gls mcrscp sl imm ea 1	X	

<sup>\*</sup> These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



Codes	Description	Not Covered	Preauthorization Required
	Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect in	formation regardin	g immunizations, injectable drugs, or
-	redications and should be directed to the Pharmacy link option within the website.	V	Т
	Dgtz gls mcrscp sl imm ea m	X	-
	Dgtz gls mcrscp mphmtrc alys	X	-
	Asstv alg ecg rsk asmt cncrt	X	-
	Asstv alg ecg rsk asmt prev	X	-
	Tc mag stimj pn 1st tx 1nrv	X	-
	Tc mag stimj pn 1st tx ea	X	-
	Tc mag stimj pn sbsq tx 1nrv	X	-
	Tc mag stimj pn sbsq tx ea	X	-
	Vr technology assist therapy	X	-
	Vr px dissoc svc sm phy 1st	X	-
	Vr px dissoc svc sm phy ea	Χ	-
	Vr px dissoc svc oth phy 1st	Χ	-
	Vr px dissoc svc oth phy ea	Χ	-
	Arthrd si jt prq iartic impl	Χ	-
0776T	Ther indctj ntrabrn hypthrm	Χ	-
0777T	R-t prs sensing edrl gdn sys	Χ	-
0778T	Smmg cncrnt appl imu snr	Χ	-
0779T	Gi myoelectrical actv study	Х	-
0780T	Instlj fecal microbiota ssp	Х	-
0781T	Brnchsc rf dstrj pulm nrv bi	Х	-
0782T	Brnchsc rf dstrj plm nrv uni	Х	-
0783T	Tc auriculr neurostimulation	Х	-
0784T	Insertion or replacement of percutaneous electrode array, spinal, with integrated neurostimulator, including imaging guidance, when performed	Х	-
0785T	Revision or removal of neurostimulator electrode array, spinal, with integrated neurostimulator	Х	_
	Insertion or replacement of percutaneous electrode array, sacral, with integrated neurostimulator, including imaging		
07001	guidance, when performed	X	-
0787T	Revision or removal of neurostimulator electrode array, sacral, with integrated neurostimulator	Х	_
	Electronic analysis with simple programming of implanted integrated neurostimulation system (eg, electrode array and		
07001	receiver), including contact group(s), amplitude, pulse width, frequency (hz), on/off cycling, burst, dose lockout, patient-		
	selectable parameters, responsive neurostimulation, detection algorithms, closed-loop parameters, and passive	X	_
	parameters, when performed by physician or other qualified health care professional, spinal cord or sacral nerve, 1-3	Λ	
	parameters		
0790T			
0789T	Electronic analysis with complex programming of implanted integrated neurostimulation system (eg, electrode array		
	and receiver), including contact group(s), amplitude, pulse width, frequency (hz), on/off cycling, burst, dose lockout,	V	
	patient-selectable parameters, responsive neurostimulation, detection algorithms, closed-loop parameters, and passive	Χ	-
	parameters, when performed by physician or other qualified health care professional, spinal cord or sacral nerve, 4 or		
	more parameters		

<sup>\*</sup> These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



Codes	Description	Not Covered	Preauthorization Required
specialty m	Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect redications and should be directed to the Pharmacy link option within the website.	nformation regarding	immunizations, injectable drugs, or
0790T	Revision (eg, augmentation, division of tether), replacement, or removal of thoracolumbar or lumbar vertebral body tethering, including thoracoscopy, when performed		
0791T	Motor-cognitive, semi-immersive virtual reality–facilitated gait training, each 15 minutes (list separately in addition to code for primary procedure)	Х	-
0792T	Application of silver diamine fluoride 38%, by a physician or other qualified health care professiona	Х	-
0793T	Percutaneous transcatheter thermal ablation of nerves innervating the pulmonary arteries, including right heart catheterization, pulmonary artery angiography, and all imaging guidance	Х	-
0794T	Patient-specific, assistive, rules-based algorithm for ranking pharmaco-oncologic treatment options based on the patient's tumor-specific cancer marker information obtained from prior molecular pathology, immunohistochemical, or other pathology results which have been previously interpreted and reported separately	Х	-
0795T	Transcatheter insertion of permanent dual-chamber leadless pacemaker, including imaging guidance (eg, fluoroscopy, venous ultrasound, right atrial angiography, right ventriculography, femoral venography) and device evaluation (eg, interrogation or programming), when performed; complete system (ie, right atrial and right ventricular pacemaker components)	Х	-
0796T	Transcatheter insertion of permanent dual-chamber leadless pacemaker, including imaging guidance (eg, fluoroscopy, venous ultrasound, right atrial angiography, right ventriculography, femoral venography) and device evaluation (eg, interrogation or programming), when performed; right atrial pacemaker component (when an existing right ventricular single leadless pacemaker exists to create a dual-chamber leadless pacemaker system)	Х	-
0797T	Transcatheter insertion of permanent dual-chamber leadless pacemaker, including imaging guidance (eg, fluoroscopy, venous ultrasound, right atrial angiography, right ventriculography, femoral venography) and device evaluation (eg, interrogation or programming), when performed; right ventricular pacemaker component (when part of a dual-chamber leadless pacemaker system)	х	-
0798T	Transcatheter removal of permanent dual-chamber leadless pacemaker, including imaging guidance (eg, fluoroscopy, venous ultrasound, right atrial angiography, right ventriculography, femoral venography), when performed; complete system (ie, right atrial and right ventricular pacemaker components)	Х	-
0799T	Transcatheter removal of permanent dual-chamber leadless pacemaker, including imaging guidance (eg, fluoroscopy, venous ultrasound, right atrial angiography, right ventriculography, femoral venography), when performed; right atrial pacemaker component	Х	-
T0080	Transcatheter removal of permanent dual-chamber leadless pacemaker, including imaging guidance (eg, fluoroscopy, venous ultrasound, right atrial angiography, right ventriculography, femoral venography), when performed; right ventricular pacemaker component (when part of a dual-chamberleadless pacemaker system)	Х	-
0801T	Transcatheter removal and replacement of permanent dual-chamber leadless pacemaker, including imaging guidance (eg, fluoroscopy, venous ultrasound, right atrial angiography, right ventriculography, femoral venography) and device evaluation (eg, interrogation or programming), when performed; dual-chamber system (ie, right atrial and right ventricular pacemaker components)	Х	-

<sup>\*</sup> These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



Codes	Description	Not Covered	Preauthorization Required
Disclaimer:	Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect in		
	edications and should be directed to the Pharmacy link option within the website.		
0802T	Transcatheter removal and replacement of permanent dual-chamber leadless pacemaker, including imaging guidance (eg, fluoroscopy, venous ultrasound, right atrial angiography, right ventriculography, femoral venography) and device evaluation (eg, interrogation or programming), when performed; right atrial pacemaker component	Х	-
0803T	Transcatheter removal and replacement of permanent dual-chamber leadless pacemaker, including imaging guidance (eg, fluoroscopy, venous ultrasound, right atrial angiography, right ventriculography, femoral venography) and device evaluation (eg, interrogation or programming), when performed; right ventricular pacemaker component (when part of a dual-chamber leadless pacemaker system)	Х	-
0804T	Programming device evaluation (in person) with iterative adjustment of implantable device to test the function of device and to select optimal permanent programmed values, with analysis, review, and report, by a physician or other qualified health care professional, leadless pacemaker system in dual cardiac chambers	Х	-
	Transcatheter superior and inferior vena cava prosthetic valve implantation (ie, caval valve implantation [cavi]); percutaneous femoral vein approach	Х	-
0806T	Transcatheter superior and inferior vena cava prosthetic valve implantation (ie, caval valve implantation [cavi]); open femoral vein approach	Х	-
0807T	Pulmonary tissue ventilation analysis using software-based processing of data from separately captured cinefluorograph images; in combination with previously acquired computed tomography (ct) images, including data preparation and transmission, quantification of pulmonary tissue ventilation, data review, interpretation and report	Х	-
0808T	Pulmonary tissue ventilation analysis using software-based processing of data from separately captured cinefluorograph images; in combination with computed tomography (ct) images taken for the purpose of pulmonary tissue ventilation analysis, including data preparation and transmission, quantification of pulmonary tissue ventilation, data review, interpretation and report	Х	-
0809T	Arthrodesis, sacroiliac joint, percutaneous or minimally invasive (indirect visualization), with image guidance, placement of transfixing device(s) and intraarticular implant(s), including allograft or synthetic device(s)	Х	-
	Subretinal injection of a pharmacologic agent, including vitrectomy and 1 or more retinotomies	Χ	-
	Remote multi-day complex uroflowmetry (eg, calibrated electronic equipment); set-up and patient education on use of equipment	Х	-
0812T	Remote multi-day complex uroflowmetry (eg, calibrated electronic equipment); device supply with automated report generation, up to 10 days	Х	-
0813T	Esophagogastroduodenoscopy, flexible, transoral, with volume adjustment of intragastric bariatric balloon	Х	-
0814T	Percutaneous injection of calcium-based biodegradable osteoconductive material, proximal femur, including imaging guidance, unilateral	Х	-
0815T	Ultrasound-based radiofrequency echographic multi-spectrometry (REMS), bone-density study and fracture-risk assessment, 1 or more sites, hips, pelvis, or spine	Х	-
0816T	Open insertion or replacement of integrated neurostimulation system for bladder dysfunction including electrode(s) (eg, array or leadless), and pulse generator or receiver, including analysis, programming, and imaging guidance, when performed, posterior tibial nerve; subcutaneous	Х	-

<sup>\*</sup> These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



Codes	Description	Not Covered	Preauthorization Required
	E. Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect in the dications and should be directed to the Pharmacy link option within the website.	nformation regarding	immunizations, injectable drugs, or
0817T	Open insertion or replacement of integrated neurostimulation system for bladder dysfunction including electrode(s) (eg, array or leadless), and pulse generator or receiver, including analysis, programming, and imaging guidance, when performed, posterior tibial nerve; subfascial	Х	-
0818T	Revision or removal of integrated neurostimulation system for bladder dysfunction, including analysis, programming, and imaging, when performed, posterior tibial nerve; subcutaneous	Х	-
)819T	Revision or removal of integrated neurostimulation system for bladder dysfunction, including analysis, programming, and imaging, when performed, posterior tibial nerve; subfascial	Х	-
0820T	Continuous in-person monitoring and intervention (eg, psychotherapy, crisis intervention), as needed, during psychedelic medication therapy; first physician or other qualified health care professional, each hour	Х	-
0821T	Continuous in-person monitoring and intervention (eg, psychotherapy, crisis intervention), as needed, during psychedelic medication therapy; second physician or other qualified health care professional, concurrent with first physician or other qualified health care professional, each hour (List separately in addition to code for primary procedure)	Х	-
)822T	Continuous in-person monitoring and intervention (eg, psychotherapy, crisis intervention), as needed, during psychedelic medication therapy; clinical staff under the direction of a physician or other qualified health care professional, concurrent with first physician or other qualified health care professional, each hour (List separately in addition to code for primary procedure)	Х	-
0823T	Transcatheter insertion of permanent single-chamber leadless pacemaker, right atrial, including imaging guidance (eg, fluoroscopy, venous ultrasound, right atrial angiography and/or right ventriculography, femoral venography, cavography) and device evaluation (eg, interrogation or programming), when performed	х	-
0824T	Transcatheter removal of permanent single-chamber leadless pacemaker, right atrial, including imaging guidance (eg, fluoroscopy, venous ultrasound, right atrial angiography and/or right ventriculography, femoral venography, cavography), when performed	Х	-
)825T	Transcatheter removal and replacement of permanent single-chamber leadless pacemaker, right atrial, including imaging guidance (eg, fluoroscopy, venous ultrasound, right atrial angiography and/or right ventriculography, femoral venography, cavography) and device evaluation (eg, interrogation or programming), when performed	Х	-
)826T	Programming device evaluation (in person) with iterative adjustment of the implantable device to test the function of the device and select optimal permanent programmed values with analysis, review and report by a physician or other qualified health care professional, leadless pacemaker system in single-cardiac chamber	Х	-
0827T	Digitization of glass microscope slides for cytopathology, fluids, washings, or brushings, except cervical or vaginal; smears with interpretation (List separately in addition to code for primary procedure)	Х	-
)828T	Digitization of glass microscope slides for cytopathology, fluids, washings, or brushings, except cervical or vaginal; simple filter method with interpretation (List separately in addition to code for primary procedure)	Х	-
)829T	Digitization of glass microscope slides for cytopathology, concentration technique, smears, and interpretation (eg, Saccomanno technique) (List separately in addition to code for primary procedure)	Х	-
0830T	Digitization of glass microscope slides for cytopathology, selective-cellular enhancement technique with interpretation (eg, liquid-based slide preparation method), except cervical or vaginal (List separately in addition to code for primary procedure)	х	-

<sup>\*</sup> These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



	Description	Not Covered	Preauthorization Required
	Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect edications and should be directed to the Pharmacy link option within the website.	information regarding	immunizations, injectable drugs, or
	Digitization of glass microscope slides for cytopathology, cervical or vaginal (any reporting system), requiring		
	interpretation by physician (List separately in addition to code for primary procedure)	X	-
0832T	Digitization of glass microscope slides for cytopathology, smears, any other source; screening and interpretation (List	, , , , , , , , , , , , , , , , , , ,	
	separately in addition to code for primary procedure)	X	-
0833T	Digitization of glass microscope slides for cytopathology, smears, any other source; preparation, screening and	Х	
	interpretation (List separately in addition to code for primary procedure)	^	-
0834T	Digitization of glass microscope slides for cytopathology, smears, any other source; extended study involving over 5	Х	
	slides and/or multiple stains (List separately in addition to code for primary procedure)	^	-
0835T	Digitization of glass microscope slides for cytopathology, evaluation of fine needle aspirate; immediate cytohistologic		
	study to determine adequacy for diagnosis, first evaluation episode, each site (List separately in addition to code for	X	-
	primary procedure)		
0836T	Digitization of glass microscope slides for cytopathology, evaluation of fine needle aspirate; immediate cytohistologic		
	study to determine adequacy for diagnosis, each separate additional evaluation episode, same site (List separately in	X X X	-
	addition to code for primary procedure)		
0837T	Digitization of glass microscope slides for cytopathology, evaluation of fine needle aspirate; interpretation and report		_
	(List separately in addition to code for primary procedure)	^	
0838T	Digitization of glass microscope slides for consultation and report on referred slides prepared elsewhere (List		_
	separately in addition to code for primary procedure)	^	
0839T	Digitization of glass microscope slides for consultation and report on referred material requiring preparation of slides	×	_
	(List separately in addition to code for primary procedure)	^	
0840T	Digitization of glass microscope slides for consultation, comprehensive, with review of records and specimens, with	X	_
	report on referred material (List separately in addition to code for primary procedure)	^	
0841T	Digitization of glass microscope slides for pathology consultation during surgery; first tissue block, with frozen	X	_
	section(s), single specimen (List separately in addition to code for primary procedure)	^	
0842T	Digitization of glass microscope slides for pathology consultation during surgery; each additional tissue block with	X	-
	frozen section(s) (List separately in addition to code for primary procedure)	^	
0843T	Digitization of glass microscope slides for pathology consultation during surgery; cytologic examination (eg, touch	X	-
	preparation, squash preparation), initial site (List separately in addition to code for primary procedure)		
0844T	Digitization of glass microscope slides for pathology consultation during surgery; cytologic examination (eg, touch		
	preparation, squash preparation), each additional site (List separately in addition to code for primary procedure)	X	-
0845T	Digitization of glass microscope slides for immunofluorescence, per specimen; initial single antibody stain procedure	1	
JO-10 1	(List separately in addition to code for primary procedure)	X	-
0846T	Digitization of glass microscope slides for immunofluorescence, per specimen; each additional single antibody stain	+	
)U+U1	procedure (List separately in addition to code for primary procedure)	X	-
0847T	Digitization of glass microscope slides for examination and selection of retrieved archival (ie, previously diagnosed)	+	
JUT1 1	tissue(s) for molecular analysis (eg, KRAS mutational analysis) (List separately in addition to code for primary	×	_
	procedure)	^	_

<sup>\*</sup> These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



Codes	Description	Not Covered	Preauthorization Required
	Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect in	nformation regarding	immunizations, injectable drugs, or
	redications and should be directed to the Pharmacy link option within the website.		
U848 I	Digitization of glass microscope slides for in situ hybridization (eg, FISH), per specimen; initial single probe stain	X	-
00.40T	procedure (List separately in addition to code for primary procedure)		
0849 I	Digitization of glass microscope slides for in situ hybridization (eg, FISH), per specimen; each additional single probe	X	-
0850T	stain procedure (List separately in addition to code for primary procedure)		
00001	Digitization of glass microscope slides for in situ hybridization (eg, FISH), per specimen; each multiplex probe stain procedure (List separately in addition to code for primary procedure)	X	-
0851T	Digitization of glass microscope slides for morphometric analysis, in situ hybridization (quantitative or		
06511	semiquantitative), manual, per specimen; initial single probe stain procedure (List separately in addition to code for	Χ	
	primary procedure)	^	<del>-</del>
0852T	Digitization of glass microscope slides for morphometric analysis, in situ hybridization (quantitative or		
J032 I	semiquantitative), manual, per specimen; each additional single probe stain procedure (List separately in addition to	Χ	_
	code for primary procedure)	^	
0853T	Digitization of glass microscope slides for morphometric analysis, in situ hybridization (quantitative or		
00001	semiquantitative), manual, per specimen; each multiplex probe stain procedure (List separately in addition to code for	X	_
	primary procedure)	,	
0854T	Digitization of glass microscope slides for blood smear, peripheral, interpretation by physician with written report (List		
	separately in addition to code for primary procedure)	X	-
0855T	Digitization of glass microscope slides for bone marrow, smear interpretation (List separately in addition to code for	.,	
	primary procedure)	Х	-
0856T	Digitization of glass microscope slides for electron microscopy, diagnostic (List separately in addition to code for	Х	
	primary procedure)	^	-
0857T	Opto-acoustic imaging, breast, unilateral, including axilla when performed, real-time with image documentation,	Х	
	augmentative analysis and report (List separately in addition to code for primary procedure)	^	-
0858T	Externally applied transcranial magnetic stimulation with concomitant measurement of evoked cortical potentials with	Х	_
	automated report	^	<u>-</u>
0859T	Noncontact near-infrared spectroscopy (eg, for measurement of deoxyhemoglobin, oxyhemoglobin, and ratio of tissue		
	oxygenation), other than for screening for peripheral arterial disease, image acquisition, interpretation, and report; each	X	_
	additional anatomic site (List separately in addition to code for primary procedure)	Λ	
2000T			
J860 I	Noncontact near-infrared spectroscopy (eg, for measurement of deoxyhemoglobin, oxyhemoglobin, and ratio of tissue	v	
	oxygenation), for screening for peripheral arterial disease, including provocative maneuvers, image acquisition,	X	-
1062T	interpretation, and report, one or both lower extremities		
1000	Relocation of pulse generator for wireless cardiac stimulator for left ventricular pacing, including device interrogation and programming; transmitter component only	X	-
0867T	Transperineal laser ablation of benign prostatic hyperplasia, including imaging guidance prostate volume greater or		
JJ01 1	lequal to 50 mL	X	-
0868T	High-resolution gastric electrophysiology mapping with simultaneous patientsymptom profiling, with interpretation and		
, 550 1	report	X	-

<sup>\*</sup> These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



Codes	Description	Not Covered	Preauthorization Required
	Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect in edications and should be directed to the Pharmacy link option within the website.	nformation regarding	immunizations, injectable drugs, or
	Injection(s), bone-substitute material for bone and/or soft tissue hardware fixation augmentation, including		
00031	intraoperative imaging guidance, when performed	X	-
0870T	Implantation of subcutaneous peritoneal ascites pump system, percutaneous, including pump-pocket creation,		
00701	insertion of tunneled indwelling bladder and peritoneal catheters with pump connections, including all imaging and	X	_
	initial programming, when performed	Λ	
0871T	Replacement of a subcutaneous peritoneal ascites pump, including reconnection between pump and indwelling		
	bladder and peritoneal catheters, including initial programming and imaging, when performed	X	-
0872T	Replacement of indwelling bladder and peritoneal catheters, including tunneling of catheter(s) and connection with	.,	
	previously implanted peritoneal ascites pump, including imaging and programming, when performed	Х	-
0873T	Revision of a subcutaneously implanted peritoneal ascites pump system, any component (ascites pump, associated		
	peritoneal catheter, associated bladder catheter), including imaging and programming, when performed	X	
0874T	Removal of a peritoneal ascites pump system, including implanted peritoneal ascites pump and indwelling bladder and	Х	
	peritoneal catheters	^	-
0875T	Programming of subcutaneously implanted peritoneal ascites pump system by physician or other qualified health care	Х	
	professional	^	-
0876T	Duplex scan of hemodialysis fistula, computer-aided, limited (volume flow, diameter, and depth, including only body of	Х	_
	fistula)	^	
0877T	Augmentative analysis of chest computed tomography (CT) imaging data to provide categorical diagnostic subtype		
	classification of interstitial lung disease; obtained without concurrent CT examination of any structure contained in	X	-
	previously acquired diagnostic imaging		
0878T	Augmentative analysis of chest computed tomography (CT) imaging data to provide categorical diagnostic subtype		
	classification of interstitial lung disease; obtained with concurrent CT examination of the same structure	×	_
		Α	
0879T	Augmentative analysis of chest computed tomography (CT) imaging data to provide categorical diagnostic subtype	X	-
	classification of interstitial lung disease; radiological data preparation and transmission	~	
0880T	Augmentative analysis of chest computed tomography (CT) imaging data to provide categorical diagnostic subtype		
	classification of interstitial lung disease; physician or other qualified health care professional interpretation and report	X	-
20217			
0881 I	Cryotherapy of the oral cavity using temperature regulated fluid cooling system, including placement of an oral device,	X	-
0000	monitoring of patient tolerance to treatment, and removal of the oral device		
0882T	Intraoperative therapeutic electrical stimulation of peripheral nerve to promote nerve regeneration, including lead	V	
	placement and removal, upper extremity, minimum of 10 minutes; initial nerve (List separately in addition to code for	Х	-
00007	primary procedure)		
0883T	Intraoperative therapeutic electrical stimulation of peripheral nerve to promote nerve regeneration, including lead		
	placement and removal, upper extremity, minimum of 10 minutes; each additional nerve (List separately in addition to	Х	-
	code for primary procedure)		

<sup>\*</sup> These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



Codes	Description	Not Covered	Preauthorization Required
	Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect in edications and should be directed to the Pharmacy link option within the website.	nformation regarding	immunizations, injectable drugs, or
	Esophagoscopy, flexible, transoral, with initial transendoscopic mechanical dilation (eg, nondrug-coated balloon) followed by therapeutic drug delivery by drug-coated balloon catheter for esophageal stricture, including fluoroscopic guidance, when performed	х	-
0885T	Colonoscopy, flexible, with initial transendoscopic mechanical dilation (eg, nondrug-coated balloon) followed by therapeutic drug delivery by drug-coated balloon catheter for colonic stricture, including fluoroscopic guidance, when performed	Х	-
0886T	Sigmoidoscopy, flexible, with initial transendoscopic mechanical dilation (eg, nondrug-coated balloon) followed by therapeutic drug delivery by drug-coated balloon catheter for colonic stricture, including fluoroscopic guidance, when performed	Х	-
0887T	End-tidal control of inhaled anesthetic agents and oxygen to assist anesthesia care delivery (List separately in addition to code for primary procedure)	Х	-
0888T	Histotripsy (ie, non-thermal ablation via acoustic energy delivery) of malignant renal tissue, including imaging guidance	Х	-
0889T	Personalized target development for accelerated, repetitive high-dose functional connectivity MRI–guided theta-burst stimulation derived from a structural and resting-state functional MRI, including data preparation and transmission, generation of the target, motor threshold–starting location, neuronavigation files and target report, review and interpretation	Х	-
0890T	Accelerated, repetitive high-dose functional connectivity MRI–guided theta-burst stimulation, including target assessment, initial motor threshold determination, neuronavigation, delivery and management, initial treatment day	Х	-
0891T	Accelerated, repetitive high-dose functional connectivity MRI–guided theta-burst stimulation, including neuronavigation, delivery and management, subsequent treatment day	Х	-
0892T	Accelerated, repetitive high-dose functional connectivity MRI–guided theta-burst stimulation, including neuronavigation, delivery and management, subsequent motor threshold redetermination with delivery and management, per treatment day	Х	-
0893T	Noninvasive assessment of blood oxygenation, gas exchange efficiency, and cardiorespiratory status, with physician or other qualified health care professional interpretation and report	Х	-
0894T	Cannulation of the liver allograft in preparation for connection to the normothermic perfusion device and decannulation of the liver allograft following normothermic perfusion	Х	-
0895T	Connection of liver allograft to normothermic machine perfusion device, hemostasis control; initial 4 hours of monitoring time, including hourly physiological and laboratory assessments (eg, perfusate temperature, perfusate pH, hemodynamic parameters, bile production, bile pH, bile glucose, biliary bicarbonate, lactate levels, macroscopic assessment)	Х	-
0896T	Connection of liver allograft to normothermic machine perfusion device, hemostasis control; each additional hour, including physiological and laboratory assessments (eg, perfusate temperature, perfusate pH, hemodynamic parameters, bile production, bile pH, bile glucose, biliary bicarbonate, lactate levels, macroscopic assessment) (List separately in addition to code for primary procedure)	Х	-

<sup>\*</sup> These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



Codes	Description	Not Covered	Preauthorization Required
	Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect in	nformation regarding	immunizations, injectable drugs, or
	edications and should be directed to the Pharmacy link option within the website.		
0897T	Noninvasive augmentative arrhythmia analysis derived from quantitative computational cardiac arrhythmia simulations,	X X X X X X X X X X X X X X X X	
	based on selected intervals of interest from 12-lead electrocardiogram and uploaded clinical parameters, including	X	-
	uploading clinical parameters with interpretation and report		
0898T	Noninvasive prostate cancer estimation map, derived from augmentative analysis of image-guided fusion biopsy and		
	pathology, including visualization of margin volume and location, with margin determination and physician	X	-
	interpretation and report		
0899T	Noninvasive determination of absolute quantitation of myocardial blood flow (AQMBF), derived from augmentative		
	algorithmic analysis of the dataset acquired via contrast cardiac magnetic resonance (CMR), pharmacologic stress,	×	_
	with interpretation and report by a physician or other qualified health care professional (List separately in addition to	^	
	code for primary procedure)		
0900T	Noninvasive estimate of absolute quantitation of myocardial blood flow (AQMBF), derived from assistive algorithmic		
	analysis of the dataset acquired via contrast cardiac magnetic resonance (CMR), pharmacologic stress, with	Y	_
	interpretation and report by a physician or other qualified health care professional (List separately in addition to code	^	
	for primary procedure)		
1123F	Advance care planning discussed and documented advance care plan or surrogate decision maker documented in the	v	_
	medical record (dem) (ger, pall cr)	^	<u>-</u>
1124F	Advance care planning discussed and documented in the medical record, patient did not wish or was not able to name	<b>v</b>	
	a surrogate decision maker or provide an advance care plan (	^	-
1125F	Pain severity quantified; pain present (onc)1		-
1126F	Pain severity quantified; no pain present (onc)1	Χ	-
	New episode for condition (nma-no measure associated)		-
	Subsequent episode for condition (nma-no measure associated)	X	-
1130F	Back pain and function assessed, including all of the following: pain assessment and functional status and patient histo	X	-
1134F	Episode of back pain lasting 6 weeks or less (bkp)	Х	-
	Episode of back pain lasting longer than six weeks (bkp)2	Х	-
	Episode of back pain lasting 12 weeks or less (bkp)2	Χ	-
	Episode of back pain lasting longer than 12 weeks (bkp)2	Χ	-
1150F	Documentation that a patient has a substantial risk of death within 1 year (pall cr)	X	-
1151F	Documentation that a patient does not have a substantial risk of death within one year (pall cr)	X	-
1152F	Documentation of advanced disease diagnosis, goals of care prioritize comfort (pall cr)	X	-
	Documentation of advanced disease diagnosis, goals of care do not prioritize comfort (pall cr)	Χ	-
1157F	Advance care plan or similar legal document present in the medical record (coa)	X	-
	Advance care planning discussion documented in the medical record (coa)	Х	-
	Medication list documented in medical record (coa)	X	-
	Rvw meds by rx/dr in rcrd	X	-
	Functional status assessed (coa) (ra)	X	-
	Functional status for dementia assessed and results reviewed (dem)	X	-
	All specified thromboembolic risk factors assessed (afib)	Х	-

<sup>\*</sup> These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



Codes Description	Not Covered	Preauthorization Required
Disclaimer: Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect specialty medications and should be directed to the Pharmacy link option within the website.	nformation regarding	immunizations, injectable drugs, or
1181F Neuropsychiatric symptoms assessed and results reviewed (dem)	Х	_
1182F Neuropsychiatric symptoms, one or more present (dem)	X	
1183F Neuropsychiatric symptoms, absent (dem)	X	-
1200F Seizure type(s) and current seizure frequency(ies) documented (epi)	X	<u> </u>
1205F Etiology of epilepsy or epilepsy syndrome(s) reviewed and documented (epi)	X	-
1220F Patient screened for depression (sud)	X	<u> </u>
1400F Prkns diag rviewed	X	
1450F Symptoms improved or remained consistent with treatment goals since last assessment (hf)	X	<u> </u>
1451F Symptoms demonstrated clinically important deterioration since last assessment (hf)	X	
	X	
1460F Qualifying cardiac event/diagnosis in previous 12 months (cad)	X	
1461F No qualifying cardiac event/diagnosis in previous 12 months (cad)		-
1490F Dementia severity classified, mild (dem)	Х	<del>-</del>
1491F Dementia severity classified, moderate (dem)	X	<del>-</del>
1493F Dementia severity classified, severe (dem)	X	<del>-</del>
1494F Cognition assessed and reviewed (dem)	X	-
1500F Symptom + sign symm polyneuro	X	-
1501F Not initial eval for cond	Х	-
1502F Pt queried pain fxn w/instr	Х	-
1503F Pt queried symp resp insufficient	X	<u>-</u>
1504F Pt has resp insufficiency	X	<u> </u>
1505F Pt has no resp insufficiency	X	<del>-</del>
2000F Blood pressure measured (ckd)(dm)	X	-
2001F Weight recorded (pag)	X	-
2002F Clinical signs of volume overload (excess) assessed (nma - no measure associated)	X	-
2004F Initial examination of the involved joint(s)	Х	-
2010F Vital signs recorded (includes at minimum: temperature, pulse, respiration, and blood pressure)(cap)	Х	-
2014F Mental status assessed (normal/mildly impaired/severely impaired)(cap)	Х	-
2015F Asthma impairment assessed (asthma)	Х	-
2016F Asthma risk assessed (asthma)	X	-
2018F Hydration status assessed (normal/mildly dehydrated/severely dehydrated)	Х	-
2019F Dilated macular exam performed, including documentation of the presence or absence of macular thickening or	Х	-
hemmorrhage		
2020F Dilated fundus evaluation performed within six months prior to cataract surgery (ec)	Х	-
2021F Dilated macular or fundus exam performed, including documentation of the presence or absence of macular edema and level	X	-
2022F Dilated retinal eye exam with interpretation by an ophthalmologist or optometrist documented and reviewed (dm)	Х	-
2023F Dilat rta xm w/o rtnopthy	Х	-

<sup>\*</sup> These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



Codes	Description	Not Covered	Preauthorization Required
	Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect in	formation regarding	immunizations, injectable drugs, or
	edications and should be directed to the Pharmacy link option within the website.		
2024F	Seven standard field stereoscopic photos with interpretation by an ophthalmologist or optemetrist documented and review	Х	-
2025F	F 7 fld rta photo w/o rtnopthy	Χ	-
	Eye imaging validated to match diagnosis from seven standard field stereoscopic photos results documented and reviewed	Х	-
2027F	Optic nerve head evaluation performed (ec)	Х	-
	Foot examination performed (includes examination through visual inspection, sensory exam with monofilament, and pulse	X	-
2029F	Complete physical skin exam performed (ml)	Х	-
	Hydration status documented, normally hydrated (pag)	Х	-
	Hydration status documented, dehydrated (pag)	Χ	-
	Eye img valid w/o rtnopthy	Χ	-
	Tympanic membrane mobility assessed with pneumatic otoscopy or tympanometry (ome)	Χ	-
	Physical examination on the date of the initial visit for low back pain performed, in accordance with specifications (bk	Х	-
2044F	Documentation of mental health assessment prior to intervention (back surgery or epidural steroid injection) or for back	Х	-
2050F	Wound characteristics including size and nature of wound base tissue and amount of drainage prior to debridement documented (cwc)	Х	-
2060F	Patient interviewed directly by evaluating clinician on or before date of diagnosis of major depressive disorder (mdd ad	Х	-
3006F	Chext xray results documented and reviewed (cap)	Χ	-
	Body mass index (bmi), documented (pv)	X	-
	Lipid panel results documented and reviewed (must include total cholesterol, hdl-c, triglycerides and calculated ldl-c)	X	-
3014F	Screening mammography results documented and reviewed	Х	-
	Cervical cancer screening results documented and reviewed (pv)	Х	-
	Patient screened for unhealthy alcohol use using a systematic screening method (pv)	Χ	-
	Colorectal cancer screening results documented and reviewed (pv) includes: fecal occult blood testing annually, flexible	Х	-
3018F	Including location of each polyp, size, number and gross morp	Χ	-
	Left ventricular ejection fraction (lvef) assessment planned post discharge (hf)	Х	-
	Left ventricular function (lvf) assessment (eg, echocardiography, nuclear test, or ventriculography) documented in the medical record (includes quantitative or qualitative ass	X	-
3021F	Left ventricular ejection fraction (lvef) <40% or documentation of moderately or severely depressed left ventricular	Х	-
3022F	Left ventricular ejection fraction (lvef)>=40% or documentation as normal or mildly depressed left ventricular systolic	Х	-
3023F	Spirometry results documented and reviewed (copd)	Χ	

<sup>\*</sup> These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



Codes Description	Not Covered	Preauthorization Required
Disclaimer: Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not refle	ct information regarding	immunizations, injectable drugs, or
pecialty medications and should be directed to the Pharmacy link option within the website.		
3025F Spirometry test results demonstrate fev1/fvc<70% with copd symptoms (eg, dyspnea, cough/sputum, wheezing)	X	-
3027F Spirometry test results demonstrate fev1/fvc>=70% or patient does not have copd symptoms (copd)	X	-
3028F Oxygen saturation results documneted and reviewed (includes assessment through pulse oximetry or arterial blood gas	Х	-
3035F Oxygen saturation ,=88% or a pao2<=55 hg1 (copd)	Х	-
3037F Oxygen saturation > 88% or pao2 > 55mmhg1 (copd)	Х	-
3038F Pulmonary function test performed within 12 months prior to surgery (lung/esop cx)	X	-
3040F Functional expiratory volume (fev1) <40% of predicted value (copd)	Х	-
3042F Functional expiratory volume (fev1) >=40% of predicted value (copd)	Х	-
3044F Most recent hemoglobin a1c level <7.0% (dm)	Х	-
3046F Hemoglobin a1c level > 9.0%	Х	-
3048F Most recent Idl-c less than 100 mg/dl (cad) (dm)	X	-
3049F Most recent Idl-c 100-129 mg/dl (cad) (dm)	X	-
3050F Most recent IdI-c greater than or equal to 130 mg/dl (cad) (dm)	Х	-
3051F Hg a1c>equal 7.0%<8.0%	Х	-
3052F Hg a1c>equal 8.0%	Х	-
3055F Left ventricular ejection fraction (Ivef) less than or equal to 35% (hf)	Х	-
B056F Left ventricular ejection fraction (Ivef) greater than 35% or no Ivef result available (hf)	X	-
B060F Positive microalbuminuria test result documneted and reviewed (dm)	X	-
8061F Negative microalbuminuria test result documented and reviewed (dm)	X	-
9062F Positive macroalbuminuria test result documented and reviewed (dm)	Х	-
B066F Documentation of treatment for nephropathy (eg, patient receiving dialyssi, patient being treated for esrd, crf, arf	Х	-
B072F Low risk for retinopathy (no evidence of retinopathy in the prior year) (dm)	X	-
Pre-surgical (cataract) axial length, corneal power measurement and method of intraocular lens power calculation documen	Х	-
Most recent systolic blood pressure less than 130 mm hg (dm) (htn, ckd, cad)	Х	-
075F Most recent systolic blood pressure 130 - 139 mm hg (dm) (htn, ckd, cad)	Х	-
Most recent systolic blood pressure greater than or equal to 140 mm hg (htn, ckd, cad) (dm)	Х	-
Most recent diastolic blood pressure less than 80 mm hg (htn, ckd, cad) (dm)	Х	-
079F Most recent diastolic blood pressure 80-89 mm hg (htn, ckd, cad) (dm)	Х	-
080F Most recent diastolic blood pressure greater than or equal to 90 mm hg (htn, ckd, cad) (dm)	Х	-
082F Kt/v <1.2 (clearance of urea (kt)/volume (v)) (esrd)	X	-
3083F Kt/v equal to or greater than 1.2 and less than 1.7 (clearance of urea (kt)/volume (v)) (esrd)	X	-
3084F Kt/v >= 1.7 (clearance of urea (kt)/volume (v)) (esrd)	Х	-
3085F Suicide risk assessed (mdd)	Х	-
3088F Major depressive disorder, mild (mdd)	Х	-
3089F Major depressive disorder, moderate (mdd)	Х	-

<sup>\*</sup> These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



Codes Description	Not Covered	Preauthorization Required
Disclaimer: Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect specialty medications and should be directed to the Pharmacy link option within the website.	nformation regarding	immunizations, injectable drugs, or
3090F Major depressive disorder, severe without psychotic features (mdd)	Х	
3091F Major depressive disorder, severe without psychotic features (mdd)	X	<del>-</del>
3092F Major depressive disorder, severe with psycholic realtires (flidd)	X	-
3093F Documentation of new diagnosis of initial or recurrent episode of major depressive disorder (mdd)	X	<u> </u>
3095F Central dual - energy x-ray absorptionmetry (dxa) results documented (op)	X	
3096F Central dual - energy x-ray absorptionmetry (dxa) results documented (op)	X	<del>-</del>
3100F Carotid imaging study report includes direct or indirect reference to measurements of distal internal carotid diameter a	^	<del>-</del>
3 roof   Carolid imaging study report includes direct of indirect reference to measurements of distai internal carolid diameter a	Х	-
3110F Documentation in final ct or mri report of presence or absence of hemorrhage and mass lesion and acute infarction	Х	-
(str) 3111F Ct or mri of the brain performed in the hospital within 24 hours of arrival or performed in an outpatient imaging center,		
to confirm initial diagnosis of stroke, tia or intrac	X	-
3112F Ct or mri of the brain performed greater than 24 hours after arrival to the hospital or performed in an outpatient imaging		
center for purpose other than confirmation of initia	X	-
	Х	
3115F Quantitative results of an evaluation of current level of activity and clinical symptoms (hf)	X	<del>-</del>
3117F Heart failure disease specific structured assessment tool completed (hf)	X	
3118F New york heart association (nyha) class documented (hf)		<u>-</u>
3119F No evaluation of level of activity or clinical symptoms (hf)	X	
3120F 12-lead ecg performed (em)	X	
3126F Esoph bx rprt w/dyspl info		<del>-</del>
3130F Upper gastrointestinal endoscopy performed (gerd)	X	<del>-</del>
3132F Documentation of referral for upper gastrointestinal endoscopy (gerd)	X	-
3140F Upper gastrointestinal endoscopy report indicates suspicion of barrett's esophagus (gerd)	X	<del>-</del>
3141F Upper gastrointestinal endoscopy report indicates no suspicion of barrett's esophagus (gerd)	X	<del>-</del>
3142F Barium swallow test ordered (gerd)	X	-
3150F Forceps esophageal biopsy performed (gerd)	X	-
3155F Cytogenetic testing performed on bone marrow at time of diagnosis or prior to initiating treatment (hem)	X	-
3160F Documentation of iron stores prior to initiating erythropoietin therapy (hem)	X	-
3170F Flow cytometry studies performed at time of diagnosis or prior to initiating treatment (hem)	X	-
3200F Barium swallow test not ordered (gerd)	X	-
3210F Group a strep test performed (phar)	X	-
3215F Patient has documented immunity to hepatitis a (hep-c)	X	<u> </u>
3216F Patient has documented immunity to hepatitis b (hep-c)	X	-
Rna testing for hepatitis c documented as performed within six months prior to initiation of antiviral treatment for hep	Х	-
Hepatitis c quantitative rna testing documented as performed at 12 weeks from initiation of antiviral treatment (hep-c)	Х	-
3230F Documentation that hearing test was performed within 6 months prior to tympanostomy tube insertion (ome)	Х	-

<sup>\*</sup> These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



Codes	Description	Not Covered	Preauthorization Required
	Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect in	nformation regarding	immunizations, injectable drugs, or
-	edications and should be directed to the Pharmacy link option within the website.	1	
3250F	Specimen biopsy site other than anatomic location of primary tumor (eg, liver biopsy, lymph node biopsy) (path)	Х	-
3260F	Pt category (primary tumor), pn category (regional lymph nodes), and histologic grade documented in pathology report (pa	Х	-
3265F	Ribonucleic acid (rna) testing for hepatitis c viremia ordered or results documented (hep c)1	Х	-
	Hepatitis c genotype testing documented as performed prior to initiation of antiviral treatment for hepatitis c (hep c)1	Х	-
3267F	Pathology report includes pt category, pn category, gleason score and statement about margin status (path)	Х	-
	Prostate-specific antigen (psa), and primary tumor (t) stage, and gleason score documented prior to initiation of treatm	Х	-
3269F	Bone scan performed prior to initiation of treatment or at any time since diagnosis of prostate cancer (prca)1	Х	-
	Bone scan not performed prior to initiation of treatment nor at any time since diagnosis of prostate cancer (prca)1	Х	-
3271F	Low risk of recurrence, prostate cancer (prca)1	Х	-
	Intermediate risk of recurrence, prostate cancer (prca)1	Х	-
	High risk of recurrence, prostate cancer (prca)1	Х	-
	Prostate cancer risk of recurrence not determined or neither low, intermediate nor high (prca)1	Х	-
	Serum levels of calcium, phosphorus, intact parathyroid hormone (pth) and lipid profile ordered (ckd)1	Х	-
	Hemoglobin level greater than or equal to 13 g/dl (ckd, esrd)1	Х	-
	Hemoglobin level 11 g/dl to 12.9 g/dl (ckd, esrd)1	Х	-
3281F	Hemoglobin level less than 11 g/dl (ckd, esrd)1	Х	-
	Intraocular pressure (iop) reduced by a value of greater than or equal to 15% from the pre-intervention level (ec)5	Х	-
3285F	Intraocular pressure (iop) reduced by a value less than 15% from the pre-intervention level (ec)5	Х	-
	Falls risk assessment documented (ger)5	Х	-
	Patient is d (rh) negative and unsensitized (prenatal)1	Х	-
	Patient is d (rh) positive or sensitized (prenatal)1	X	-
	Hiv testing ordered or documented and reviewed during the first or second prenatal visit (prenatal)1	X	-
	Abo and rh blood typing documented as performed (pre-cr)	Х	-
	Group b streptococcus (gbs) screening documented as performed during week 35-37 gestation (pre-cr)	X	-
	American joint committee on cancer (ajcc) stage documented and reviewed prior to the initiation of therapy (onc)1	Х	-
3301F	Cancer stage documented in medical record as metastatic and reviewed prior to the initiation of therapy (onc)1	Х	-
3315F	Estrogen receptor (er) or progesterone receptor (pr) positive breast cancer (onc)1	Х	-
	Estrogen receptor (er) and progesterone receptor (pr) negative breast cancer (onc)1	X	-
	Pathology report confirming malignancy documented in the medical record and reviewed prior to the initiation of chemothe	Х	-

<sup>\*</sup> These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



Codes	Description	Not Covered	Preauthorization Required
	E. Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect inedications and should be directed to the Pharmacy link option within the website.	nformation regarding	immunizations, injectable drugs, or
<u> </u>	Pathology report confirming malignancy documented in the medical record and reviewed prior to the initiation of	I I	
3310	radiatio	X	-
2210E	One of the following diagnostic imaging studies ordered: (chest x-ray, ct, ultrasound, mri, pet, or nuclear medicine sca		
3319F	Tone of the following diagnostic imaging studies ordered. (chest x-ray, ct, ditrasound, film, pet, of fluctear medicine sca	X	-
3330E	None of the following diagnostic imaging studies ordered: (chest x-ray, ct, ultrasound, mri, pet, or nuclear medicine sc		
33201	Involle of the following diagnostic imaging studies of defed. (chest x-ray, ct, ditrasound, min, pet, of fidelear medicine sc	X	-
3321F	Ajcc cancer stage 0 or ia melanoma, documented (ml)	Х	-
	Melanoma greater than ajcc stage 0 or ia (ml)	X	-
	Clinical tumor, node and metastases (tnm) staging documented and reviewed prior to surgery (lung/esop cx)	X	-
	Mri or ct scan ordered, reviewed or requested (epi)	X	-
	Preoperative assessment of functional or medical indication(s) for surgery prior to the cataract surgery with intraocula		
30201	Tresperative assessment of fanotional of medical indication(s) for surgery prior to the catalact surgery with intracount	X	-
3328F	Performance status documented and reviewed within 2 weeks prior to surgery(lung/esop cx)	Х	_
	Imaging study ordered (bkp)2	X	-
	Imaging study not ordered (bkp)2	Х	-
	Breast imaging-reporting and data system (bi-rads) assessment category 0, documented (rad)5	Х	-
	Breast imaging-reporting and data system (bi-rads) assessment category 1, documented (rad)5	Х	-
	Breast imaging-reporting and data system (bi-rads) assessment category 2, documented (rad)5	Х	-
	Breast imaging-reporting and data system (bi-rads) assessment category 3, documented (rad)5	X	-
	Mammogram assessment category of "suspicious," documented (rad)	Х	-
	Breast imaging-reporting and data system (bi-rads) assessment category 5, documented (rad)5	X	-
	Mammogram assessment category of "known biopsy proven malignancy", documented (rad)	X	-
	Negative screen for depressive symptoms as categorized by using a standardized depression screening/assessment		
	tool(mdd)	X	-
3352F	No significant depressive symptoms as categorized by using a standardized depression assessment tool (mdd)		
		X	-
3353F	Mild to moderate depressive symptoms as categorized by using a standardized depression screening/assessment tool		
	(mdd)	Х	-
3354F			
	tool (	X	-
3370F	Ajcc breast cancer stage 0, documented (onc)	Х	-
	Ajcc breast cancer stage i: t1mic, t1a or t1b (tumor size ? 1 cm), documented (onc)	Х	-
	Ajcc breast cancer stage i: t1c (tumor size > 1cm to 2 cm), documented (onc)	Х	-
	Ajcc breast cancer stage ii, documented (onc)	X	-
	Ajcc breast cancer stage iii, documented (onc)	X	-
	Ajcc breast cancer stage iv, documented (onc)	X	-
	Ajcc colon cancer, stage 0, documented (onc)	X	_
	Ajcc colon cancer, stage i, documented (onc)	X	-
	Ajcc colon cancer, stage ii, documented (onc)	X	_

<sup>\*</sup> These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



Codes Description	Not Covered	Preauthorization Required
Disclaimer: Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding list	s do not reflect information regarding i	mmunizations, injectable drugs, or
specialty medications and should be directed to the Pharmacy link option within the website.		
3388F Ajcc colon cancer, stage iii, documented (onc)	X	<u> </u>
3390F Ajcc colon cancer, stage iv, documented (onc)	X	-
3394F Quantitative her2 immunohistochemistry (ihc) evaluation of breast cancer consistent with the scoring system	n defined in X	_
the asco/cap guidelines (path)		
3395F Quantitative non-her2 immunohistochemistry (ihc) evaluation of breast cancer (eg, testing for estrogen or pr	ogesterone X	_
receptors [er/pr]) performed (path)9	^	
3450F Dyspnea screened, no dyspnea or mild dyspnea (pall cr)	X	<del>-</del>
3451F Dyspnea screened, moderate or severe dyspnea (pall cr)	X	-
3452F Dyspnea not screened (pall cr)	X	-
3455F Tb screening performed and results interpreted within six months prior to initiation of first-time biologic disea	ise X	_
modifying anti-rheumatic drug therapy for ra (ra)	^	<u>-</u>
3470F Rheumatoid arthritis (ra) disease activity, low (ra)	X	-
3471F Rheumatoid arthritis (ra) disease activity, moderate (ra)	X	-
3472F Rheumatoid arthritis (ra) disease activity, high (ra)	X	-
3475F Disease prognosis for rheumatoid arthritis assessed, poor prognosis documented (ra)	X	-
3476F Disease prognosis for rheumatoid arthritis assessed, good prognosis documented (ra)	X	-
3490F History of aids-defining condition (hiv)	X	-
3491F Hiv indeterminate (infants of undetermined hiv status born of hiv-infected mothers) (hiv)	X	-
3492F History of nadir cd4+ cell count <350 cells/mm (hiv)	X	-
3493F No history of nadir cd4+ cell count <350 cells/mm and no history of aids-defining condition (hiv)	X	-
3494F Cd4+ cell count <200 cells/mm (hiv)	X	-
3495F Cd4+ cell count 200 - 499 cells/mm (hiv)	X	-
3496F Cd4+ cell count >=500 cells/mm (hiv)	X	-
3497F Cd4+ cell percentage <15% (hiv)	X	-
3498F Cd4+ cell percentage >=15% (hiv)	X	-
3500F Cd4+ cell count or cd4+ cell percentage documented as performed (hiv)	X	-
3502F Hiv rna viral load below limits of quantification (hiv)	X	-
3503F Hiv rna viral load not below limits of quantification (hiv)	X	-
3510F Documentation that tuberculosis (tb) screening test performed and results interpreted (hiv)	X	-
3511F Chlamydia and gonorrhea screenings documented as performed (hiv)	X	-
3512F Syphilis screening documented as performed (hiv)	X	-
3513F Hepatitis b screening documented as performed (hiv)	X	-
3514F Hepatitis c screening documented as performed (hiv)	X	-
3515F Patient has documented immunity to hepatitis c (hiv)	Х	-
3517F Hepatitis b virus (hbv) status assessed and results interpreted within one year prior to receiving a first cours	e of anti-tof	
(tumor necrosis factor) therapy (ibd)	X	-
3520F Clostridium difficile testing performed (ibd)	Х	-
3550F Low risk for thromboembolism (afib)	X	-
3551F Intermediate risk for thromboembolism (afib)	X	-

<sup>\*</sup> These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



Codes	Description	Not Covered	Preauthorization Required
	Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect in	nformation regarding	immunizations, injectable drugs, or
-	edications and should be directed to the Pharmacy link option within the website.		
	High risk for thromboembolism (afib)	X	-
3555F	Patient had international normalized ratio (inr) measurement performed (afib)	Х	-
3570F	Final report for bone scintigraphy study includes correlation with existing relevant imaging studies (eg, x-ray, mri, ct	Х	-
3572F	Patient considered to be potentially at risk for fracture in a weight-bearing site (nuc_med)	X	-
3573F	Patient not considered to be potentially at risk for fracture in a weight-bearing site (nuc_med)	Х	-
3650F	Electroencephalogram (eeg) ordered, reviewed or requested (epi)	Х	-
3700F	Psych disorders assessed	Х	-
3720F	Cognit impairment assessed	Χ	-
3725F	Screening for depression performed (dem)	Χ	-
3750F	Patient not receiving dose of corticosteroids greater than or equal to 10mg/day for 60 or greater consecutive days (ibd)	Х	-
	Electrodiag polyneuro6mon	Х	-
	No electrodiag polyneuro6mon	X	-
3753F	Pt has symp plus signs neuropathy	Χ	-
3754F	Screening tests dm done	Χ	-
	Cog and behav imprmnt scrng done	X	-
3756F	Pt /w pseudobulbar affect, sialorrhea or als rltd sysmptom	X	-
3757F	Pt /w no pseudobulbar affect, sialorrhea or als rltd sysmptom	Χ	-
3758F	Pt ref pulmon fx test with peak flow	X	-
3759F	Pt scrn dysphag /wt loss/nutrition	X	-
3760F	Pt w/ dysphag /wt loss/nutr	Х	-
3761F	Pt not exhbt dysphagia, wt loss, or impaired nutrition	Х	-
3762F	Patient is dysarthric	Χ	-
3763F	Patient is not dysarthric	Χ	-
3775F	Adenoma detected screening	X	-
3776F	Adenoma not detect screening	Χ	-
4000F	Tobacco use cessation intervention, counseling (copd, cap, cad, asthma)(dm)(pv)	X	-
	Tobacco use cessation intervention, pharmacologic therapy (copd, cad, cap, pv, asthma) (dm)(pv)	X	-
	Patient education, written/oral, appropriate for patients with heart failure, performed (nma - no measure associated)	Х	-
4004F	Patient screened for tobacco use and received tobacco cessation intervention (counseling, pharmacotherapy, or both), if identified as a tobacco user (pv, cad)	Х	-
4005F	Pharmacologic therapy (other than minerals/vitamins) for osteoporosis prescribed (op)(ibd)	Χ	
	Beta-blocker therapy prescribed or currently being taken (cad,hf)	X	<u> </u>
	Angiotensin converting enzyme (ace) inhibitor or angiotensin receptor blocker (arb) therapy prescribed or currently		<u>-</u>
	being taken (cad, ckd, hf) (dm)	Х	-
4011F	Oral antiplatelet therapy, prescribed (eg, aspirin, clopidogrel/plavix, or comb aspirin and dipyridamole/aggrenox)1	Х	-

<sup>\*</sup> These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



Codes	Description	Not Covered	Preauthorization Required
	Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect in	formation regarding	immunizations, injectable drugs, or
	edications and should be directed to the Pharmacy link option within the website.		
	Warfarin therapy prescribed (nma-no measure associated)	X	<u>-</u>
	Statin therapy prescribed or currently being taken (cad)	Χ	-
4014F	Written discharge instructions provided to heart failure patients discharged home (instructions include all of the	Х	-
	following components: activity level, diet, discharge medica	, ,	
	Persistent asthma, preferred long term control medication or an acceptable alternative treatment, prescribed (nma - no	Х	_
	measure associated) (note: there are no medical exclusio	^	
	Anti-inflammatory/analgesic agent prescribed [use for prescribed or continued medication(s), including otc	X	_
	medication(s)]		
4017F	Gastrointestinal prophylaxis for nsaid use prescribed	Χ	-
4018F	Therapeutic exercise for the involved joint(s) instructed or physical or occupational therapy prescribed	Χ	-
4019F	Documentation of receipt of counseling on exercise and either both calcium and vitamin d use or counseling regarding	Х	
	bot	X	-
4025F	Inhaled bronchodilator prescribed (copd)	Χ	-
	Long term oxygen therapy prescribed (more than fifteen hours per day) (copd)	Χ	-
	Pulmonary rehabilitation exercise training recommended (copd)	Χ	-
	Influenza immunization recommended (copd)(ibd)	Х	-
	Influenza immunization ordered or administered (copd, pv)	Х	-
	Pneumococcal vaccine administer or previously received (copd) (pv)	Х	-
	Documentation of order for cefazolin or cefuroxime for antimicrobial prophylaxis (peri 2)	Х	-
	Documentation that prophylactic antibiotics were neither given within 4 hours prior to surgical incision nor given intra		
	growth and propriy action and action of the second second process and action and growth and action and growth and action action and action action and action a	Х	-
4043F	Documentation that an order was given to discontinue prophylactic antibiotics within 48 hours of surgical end time, card	.,	
10 101	2004. To that are order than given to discontinuo propriytadile artibleide maini. To thouse or eargical orde article care	X	-
4044F	Documentation that an order was given for venous thromboembolism (vte) prophylaxis to be given within 24 hrs prior		
	to in	Χ	-
	Appropriate empiric antibio0	Χ	
	Documentation that prophylactic antibiotics were given within 4 hours prior to surgical incision or given intraoperative		
40401	bocdifieritation that prophylactic antibiotics were given within 4 flours prior to surgical incision or given intraoperative	Χ	-
4047E	Documentation of order for prophylactic parenteral antibiotics to be given within one hour (if fluoroquinolone or vancom		
40476	Documentation of order for prophylactic parenteral antibiotics to be given within one flour (ii fluoroquinolone or varicom	X	-
4049E	Documentation that administration of prophylactic parenteral antibiotic was initiated within one hour (if fluoroquinolon		
40406	Documentation that auministration of prophylactic parenteral antibiotic was initiated within one nour (if indoloquinolon	Χ	-
40405	Decree entation that and a constitute to discontinue much destinentification within 24 hours of a mainly and time man		
4049F	Documentation that order was given to discontinue prophylactic antibiotics within 24 hours of surgical end time, non-	Χ	-
40505	car	.,	
	Hypertension plan of care documented as appropriate (nma - no measure associated)	X	-
	Referred for an arterio-venous (av) fistula (esrd)	X	-
	Hemodialysis via functioning arterio-venous (av) fistula (esrd)	X	-
	Hemodialysis via functioning arterio-venous (av) graft (esrd)	X	-
4054F	Hemodialysis via catheter (esrd)	Χ	_

<sup>\*</sup> These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



Codes Description	Not Covered	Preauthorization Required
Disclaimer: Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not refle	ect information regarding	immunizations, injectable drugs, or
specialty medications and should be directed to the Pharmacy link option within the website.		
4055F Patient receiving peritoneal dialysis (esrd)	X	-
4056F Appropriate oral rehydration solution recommended (pag)	X	-
4058F Pediatric gastroenteritis education provided to caregiver (pag)	X	-
4060F Psychotherapy services provided (mdd)	X	-
4062F Patient referral for psychotherapy documented (mdd)	X	-
4063F Antidepressant pharmacotherapy considered and not prescribed (mdd adol)	X	-
4064F Antidepressant pharmacotherapy prescribed (mdd)	X	<u>-</u>
4065F Antipsychotic pharmacotherapy prescribed (mdd)	X	<u>-</u>
4066F Electroconvulsive therapy (ect) provided (mdd)	X	-
4067F Patient referral for electroconvulsive therapy (ect) documented (mdd)	X	-
4069F Venous thromboembolism (vte) prophylaxis received (ibd)	X	-
4070F Deep vein thrombosis (dvt) prophylaxis received by end of hospital day 2 (str)	X	<u>-</u>
4073F Oral antiplatelet therapy prescribed at discharge (str)	X	-
4075F Anticoagulant therapy prescribed at discharge (str)	X	-
4077F Documentation that tissue plasminogen activator (t-pa) administration was considered (str)	X	-
4079F Documentation that rehabilitation services were considered (str)	Х	-
4084F Aspirin received within 24 hours before emergency department arrival or during emergency department stay (em)	X	-
4086F Aspirin or clopidogrel prescribed or currently being taken (cad)	X	-
4090F Patient receiving erythropoietin therapy (hem)	X	-
4095F Patient not receiving erythropoietin therapy (hem)	X	-
4100F Bisphosphonate therapy, intravenous, ordered or received (hem)	Х	-
4110F Internal mammary artery graft performed for primary, isolated coronary artery bypass graft procedure (cabg)	X	-
4115F Beta blocker administered within 24 hours prior to surgical incision (cabg)	X	-
4120F Antibiotic prescribed or dispensed (uri, phar)	Х	-
4124F Antibiotic neither prescribed nor dispensed (uri, phar)	Х	-
4130F Topical preparations (including otc) prescribed for acute otitis externa (aoe)	X	-
4131F Systemic antimicrobial therapy prescribed (aoe)	Х	-
4132F Systemic antimicrobial therapy not prescribed (aoe)	X	-
4133F Antihistamines or decongestants prescribed or recommended (ome)	X	-
4134F Antihistamines or decongestants neither prescribed nor recommended (ome)	Х	-
4135F Systemic corticosteroids prescribed (ome)	Х	-
4136F Systemic corticosteroids not prescribed (ome)	Х	-
4140F Inhaled corticosteroids prescribed (asthma)	Х	-
4142F Corticosteroid sparing therapy prescribed (ibd)	Х	-
4144F Alternative long-term control medication prescribed (asthma)	Х	-
4145F Two or more anti-hypertensive agents prescribed or currently being taken (cad, htn)	Х	-
4148F Hepatitis a vaccine injection administered or previously received (hep-c)	Х	-
4149F Hepatitis b vaccine injection administered or previously received (hep-c, hiv)	Х	-

<sup>\*</sup> These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



Codes	Description	Not Covered	Preauthorization Required
	Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect in edications and should be directed to the Pharmacy link option within the website.	formation regarding	immunizations, injectable drugs, or
	Patient receiving antiviral treatment for hepatitis c (hep-c)	Х	
	Patient not receiving antiviral treatment for hepatitis c (hep-c)	X	
	Combination peginterferon and ribavirin therapy prescribed (hep-c)	X	
	Hepatitis a vaccine series previously received (hep-c)	X	
	Hepatitis b vaccine series previously received (hep-c)	X	-
	Patient counseled about risks of alcohol use (hep-c)	X	-
	Counseling regarding contraception received prior to initiation of antiviral treatment (hep-c)	X	-
	Patient counseling at a minimum on all of the following treatment options for clinically localized prostate cancer: acti	X	-
4164F	Adjuvant (ie, in combination with external beam radiotherapy to the prostate for prostate cancer) hormonal therapy (gona	Х	-
4165F	Three-dimensional conformal radiotherapy (3d-crt) or intensity modulated radiation therapy (imrt) received (prca)1	Х	-
4167F	Head of bed elevation (30-45 degrees) on first ventilator day ordered (crit)1	Х	-
4168F	Patient receiving care in the intensive care unit (icu) and receiving mechanical ventilation, 24 hours or less (crit)1	Х	-
4169F	Patient either not receiving care in the intensive care unit (icu) or not receiving mechanical ventilation or receiving	Х	-
4171F	Patient receiving erythropoiesis-stimulating agents (esa) therapy (ckd)1	Х	-
	Patient not receiving erythropoiesis-stimulating agents (esa) therapy (ckd)1	Х	-
4174F	Counseling about the potential impact of glaucoma on visual functioning and quality of life, and importance of treatment	Х	-
4175F	Best-corrected visual acuity of 20/40 or better (distance or near) achieved within the 90 days following cataract surger	Х	-
4176F	Counseling about value of protection from uv light and lack of proven efficacy of nutritional supplements in prevention	Х	-
4177F	Counseling about the benefits and/or risks of the age-related eye disease study (areds) formulation for preventing progr	Х	-
4178F	Anti-d immune globulin received between 26 and 30 weeks gestation (prenatal)1	Χ	-
	Tamoxifen or aromatase inhibitor (ai) prescribed (onc)1	Х	-
	Adjuvant chemotherapy referred, prescribed, or previously received for stage iii colon cancer (onc)	Х	-
	Conformal radiation therapy received (onc)1	Χ	-
	Conformal radiation therapy not received (onc)1	Χ	-
4185F	Continuous (12-months) therapy with proton pump inhibitor (ppi) or histamine h2 receptor antagonist (h2ra) received (ger	Х	<u>-</u>
4186F	No continuous (12-months) therapy with either proton pump inhibitor (ppi) or histamine h2 receptor antagonist (h2ra) rec	Х	-
4187F	Disease modifying anti-rheumatic drug therapy prescribed or dispensed (ra)2	Х	-

<sup>\*</sup> These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



Codes	Description	Not Covered	Preauthorization Required
	Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect in	formation regarding	immunizations, injectable drugs, or
-	edications and should be directed to the Pharmacy link option within the website.		
	Appropriate angiotensin converting enzyme (ace)/angiotensin receptor blockers (arb) therapeutic monitoring test ordered	Χ	-
4189F	Appropriate digoxin therapeutic monitoring test ordered or performed (am)2	Χ	-
4190F	Appropriate diuretic therapeutic monitoring test ordered or performed (am)2	Χ	-
4191F	Appropriate anticonvulsant therapeutic monitoring test ordered or performed (am)2	Χ	-
	Patient not receiving glucocorticoid therapy (ra)	X	-
	Patient receiving <10 mg daily prednisone (or equivalent), or ra activity is worsening, or glucocorticoid use is for less than 6 months (ra)	X	-
4194F	Patient receiving >=10 mg daily prednisone (or equivalent) for longer than 6 months, and improvement or no change in disease activity (ra)	Х	-
	Patient receiving first-time biologic disease modifying anti-rheumatic drug therapy for rheumatoid arthritis (ra)	Х	-
	Patient not receiving first-time biologic disease modifying anti-rheumatic drug therapy for rheumatoid arthritis (ra)	Х	-
4200F	External beam radiotherapy as primary therapy to the prostate with or without nodal irradiation (prca)	Х	-
4201F	External beam radiotherapy with or without nodal irradiation as adjuvant or salvage therapy for prostate cancer patient	X	-
4210F	Angiotensin converting enzyme (ace) or angiotensin receptor blockers (arb) medication therapy for 6 months or more (mm)2	Х	-
4220F	Digoxin medication therapy for 6 months or more (mm)2	Х	-
	Diuretic medication therapy for 6 months or more (mm)2	Χ	-
	Anticonvulsant medication therapy for 6 months or more (mm)2	X	-
	Instruction in therapeutic exercise with follow-up by the physician provided to patients during episode of back pain las	Х	-
	Counseling for supervised exercise program provided to patients during episode of back pain lasting longer than 12 weeks	Х	-
4245F	Patient counseled during the initial visit to maintain or resume normal activities (bkp)2	Х	-
4248F	Patient counseled during the initial visit for an episode of back pain against bed rest lasting 4 days or longer (bkp)2	Х	-
4250F	Active warming used intraoperatively for the purpose of maintaining normothermia, or at least one body temperature equal	Х	-
4255F	Duration of general or neuraxial anesthesia 60 minutes or longer, as documented in the anesthesia record (crit)	Х	-
4256F	Duration of general or neuraxial anesthesia less than 60 minutes, as documented in the anesthesia record (crit)	Х	-
4260F	Wound surface culture technique used (cwc)	Х	-
	Tech other than surfc cultr	Χ	-
4265F	Use of wet to dry dressings prescribed or recommended (cwc)	Χ	-
	Use of wet to dry dressings neither prescribed nor recommended (cwc)	Х	-
4267F	Compression therapy prescribed (cwc)	Х	-

<sup>\*</sup> These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



Codes Description	Not Covered	Preauthorization Required
Disclaimer: Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Ac specialty medications and should be directed to the Pharmacy link option within the website.	ditionally, these coding lists do not reflect information regarding im-	munizations, injectable drugs, or
	replacement of compression	
4268F Patient education regarding the need for long term compression therapy including interva stockings received (cwc)	Treplacement of compression X	-
4269F Appropriate method of offloading (pressure relief) prescribed (cwc)	X	
4270F Patient receiving potent antiretroviral therapy for 6 months or longer (hiv)	X	<u>-</u>
4270F Patient receiving potent antiretroviral therapy for less than 6 months or not receiving potent		-
427 TF   Fatient receiving potent antiretrovital therapy for less than 6 months of not receiving pote	X X	-
4274F Influenza immunization administered or previously received (hiv)	X	_
4276F Potent antiretroviral therapy prescribed (hiv)	X	-
4279F Pneumocystis jiroveci pneumonia prophylaxis prescribed (hiv)	X	-
4280F Pneumocystis jiroveci pneumonia prophylaxis prescribed within 3 months of low cd4+ cell	count or percentage (hiv) X	-
4290F Patient screened for injection drug use (hiv)	X	-
4293F Patient screened for high-risk sexual behavior (hiv)	X	-
4300F Patient receiving warfarin therapy for nonvalvular atrial fibrillation or atrial flutter (afib)	X	-
4301F Patient not receiving warfarin therapy for nonvalvular atrial fibrillation or atrial flutter (afib)	X	-
4305F Patient education regarding appropriate foot care and daily inspection of the feet received		-
4306F Patient counseled regarding psychosocial and pharmacologic treatment options for opioic		-
4320F Patient counseled regarding psychosocial and pharmacologic treatment options for alcohologic		-
4322F Caregiver provided with education and referred to additional resources for support (dem)	Х	-
1324F Pt queried prkns complic	X	-
4325F Med txmnt options rvwd w/pt	X	-
4326F Pt asked re symp auto dysfxn	X	-
4328F Pt asked re sleep disturb	X	-
4330F Counseling about epilepsy specific safety issues provided to patient (or caregiver (s)) (ep	X X	-
4340F Counseling for women of childbearing potential with epilepsy (epi)	X	-
4350F Counseling provided on symptom management, end of life decisions, and palliation (dem	) X	-
1400F Rehab thxpy options w/pt	X	-
1450F Self-care education provided to patient (hf)	X	-
1470F Implantable cardioverter-defibrillator (icd) counseling provided (hf)	X	-
1480F Patient receiving ace inhibitor/arb therapy and beta-blocker therapy for 3 months or longe	r (hf) X	-
1481F Patient receiving ace inhibitor/arb therapy and beta-blocker therapy for less than 3 month	s (hf) X	-
4500F Referred to an outpatient cardiac rehabilitation program (cad)	X	-
4510F Previous cardiac rehabilitation for qualifying cardiac event completed (cad)	X	-
4525F Neuropsychiatric intervention ordered (dem)	X	-
1526F Neuropsychiatric intervention received (dem)	X	-
1540F Disease modified pharmacothxpy	X	-
1541F Pt offered tx for pseudobulb	X	-
4550F Noninvas resp support talk	X	-

<sup>\*</sup> These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



Codes	Description	Not Covered	Preauthorization Required
	Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect in	nformation regarding	immunizations, injectable drugs, or
	edications and should be directed to the Pharmacy link option within the website.		
	Nutritional support offered	Х	-
	Pt ref for speech lang path	Х	-
	Pt asst re end life issues	X	-
	Pt recvd inhal anesthetic	X	
	Pt recvd no inhal anesthic	X	-
	Ptw/3+ post-op nausea and vommiting	X	<del>-</del>
	Pt w/o 3+ pot-op nausea and vommiting	X	-
	Pt recvd 2 rx anti-emetagnts	X	-
4559F	1 bodytemp >=35.5 cw/in 30 mins	X	-
4560F	Anesth w/o general or neurax anesth	X	-
4561F	Pt w/ cornonary artery stent	X	-
4562F	Patient does not have coronary artery stent	X	-
4563F	Pt recvd aspirin w/in 24 hours	X	-
5005F	Patient counseled on self - examination for new or changing moles (ml)	Х	-
5010F	Findings of dilated macular or fundus exam communicated to the physician managing the diabetes care (ec)	Х	-
5015F	Documentation of communication that a fracture occurred and that the patient was or should be tested or treated for oste	Х	-
5020F	Treatment summary report communicated to physician(s) managing continuing care and to the patient within one month of co	Х	-
5050F	Treatment plan communicated to provider(s) managing continuing care within one month of diagnosis (ml)5	Х	
	Findings from diagnostic mammogram communicated to practice managing patient; s on-going care within 3 business	X	-
5062F	days of e  Documentation of direct communication of diagnostic mammogram findings by telephone or in person [by the diagnostic imag	Х	-
5100F	Potential risk for fracture communicated to the referring physician within 24 hours of completion of the imaging study (nuc_med)	Х	-
5200F	Consideration of referral for a neurological evaluation of appropriateness for surgical therapy for intractable epilepsy	Х	-
5250F	Asthma discharge plan present (asthma)	Х	_
6005F	Rationale (eg, severity of illness and safety) for level of care (eg, home hospital) documented.	X	-
	Dysphagia screening conducted prior to order for or receipt of any foods, fluids or medication by mouth (str)	X	-
	Patient receiving or eligible to receive foods, fluids or medication by mouth (str)	X	
	Npo (nothing by mouth) ordered (str)	X	-
	All elements of maximal sterile barrier technique followed including: cap and mask and sterile gown and sterile gloves	Х	-
6040F	Use of appropriate radiation dose reduction devices or manual techniques for appropriate moderation of exposure, documen	Х	-
6045E	Radiation exposure or exposure time in final report for procedure using fluoroscopy, documented (rad)5	Х	
	Patient queried and counseled about anti-epileptic drug (aed) side effects (epi)	X	-

<sup>\*</sup> These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



Codes	escription	Not Covered	Preauthorization Required
	lease note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect in	nformation regarding	immunizations, injectable drugs, or
, ,	lications and should be directed to the Pharmacy link option within the website.		
	Pt/caregiver queried falls	X	-
	Pt/caregiver counsel safety	X	-
	imeout to verify correct patient, correct site, and correct procedure, documented (path)9	X	-
	Safety counsel dementia prov	X	-
	Safety counsel dementia ord	X	-
	Counsel risks driving and alternatives	X	-
	Patient not receiving a first course of anti-tnf (tumor necrosis fact0r) therapy (ibd)	X	-
7010F F	Patient information entered into a recall system that includes: target date for the next exam specified and a process to	Х	-
а		Х	-
7025F F	Patient information entered into a reminder system with a target due date for the next mammogram (rad)5	X	-
9001F II	mmunohisto antibod add slid	X	-
9002F A	Nortic aneurysm 5-5.4cm diam	X	-
9003F A	Nortic anrysm5.5-5.9cm diam	X	-
9004F A	Nortic anrysm 6/> cm diam	Х	-
9005F A	sympt carot/vrtbrbas sten	Х	-
9006F S	Sympt sten-tia/strk<120days	Х	-
9007F C	Other carot sten 120 days/>	Х	-
A0021 C	Outside state ambulance serv	Х	-
A0080 N	loninterest escort in non er	Х	-
A0090 II	nterest escort in non er	Х	-
	lonemergency transport taxi	Х	-
A0110 N	lonemergency transport bus	Х	-
	loner transport mini-bus	Х	-
	loner transport wheelch van	Х	-
	lonemergency transport air	Х	-
	loner transport case worker	Х	-
	loner transport parking fees	Х	-
	loner transport lodgng recip	Х	-
	loner transport meals recip	Х	-
	loner transport lodgng escrt	Х	-
	Noner transport meals escort	X	-
	leonatal emergency transport	X	-
	Basic life support mileage	X	-
	Basic support routine suppls	X	-
	Bls defibrillation supplies	X	-
	Advanced life support mileag	X	-
	Als defibrillation supplies	X	-

<sup>\*</sup> These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



Codes Description	Not Covered	Preauthorization Required
Disclaimer: Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not refle	ect information regarding	immunizations, injectable drugs, or
specialty medications and should be directed to the Pharmacy link option within the website.		
A0394 Als iv drug therapy supplies	X	-
A0396 Als esophageal intub suppls	X	-
A0398 Als routine disposble suppls	X	-
A0422 Ambulance 02 life sustaining	X	-
A0428 Bls	-	X
A0888 Noncovered ambulance mileage	X	-
A2001 Innovamatrix ac, per sq cm	X	-
A2002 Mirragen adv wnd mat per sq	X	-
A2003 Bio-connekt wound matrix	X	-
A2004 Xcellistem, 1 mg	X	-
A2005 Microlyte matrix, per sq cm	X	-
A2006 Novosorb synpath per sq cm	X	-
A2007 Restrata, per sq cm	X	-
A2008 Theragenesis, per sq cm	Х	-
A2009 Symphony, per sq cm	X	-
A2010 Apis, per square centimeter	Х	-
A2011 Supra sdrm, per square cm	Х	-
A2012 Suprathel, per sq cm	Х	-
A2013 Innovamatrix fs, per sq cm	Х	-
A2014 Omeza collag per 100 mg	Х	-
A2015 Phoenix wnd mtrx, per sq cm	Х	-
A2016 Permeaderm b, per sq cm	Х	-
A2017 Permeaderm glove, each	Х	-
A2018 Permeaderm c, per sq cm	Х	-
A2019 Kerecis omega3 marigen shield, per square centimeter	Х	-
A2020 Ac5 advanced wound system (ac5)	Х	-
A2021 Neomatrix, per square centimeter	Х	-
A2022 Innovaburn or innovamatrix xl, per square centimeter	Х	-
A2023 Innovamatrix pd, 1 mg	Х	-
A2024 Resolve matrix, per square centimeter	Х	-
A2025 Miro3d, per cubic centimeter	Х	-
A4100 Skin sub fda clrd as dev nos	X	-
A4210 Nonneedle injection device	X	-
A4232 Syringe w/needle insulin 3cc	X	-
A4238 Adju cgm supply allowance	-	Х
A4239 Supply allowance for non-adjunctive, non-implanted continuous glucose monitor (cgm), includes all supplies and		
accessories, 1 month supply = 1 unit of service	-	X
A4250 Urine reagent strips/tablets	Х	-
A4252 Blood ketone test or reagent strip, each	X	

<sup>\*</sup> These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



Codes Description	Not Covered	Preauthorization Required
Disclaimer: Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists	s do not reflect information regarding	immunizations, injectable drugs, or
pecialty medications and should be directed to the Pharmacy link option within the website.	X	
A4261 Cervical cap contraceptive	^	X
A4262 Temporary tear duct plug	- X	
A4264 Permanent implantable contraceptive intratubal occlusion device(s) and delivery system		-
A4266 Diaphragm for contraceptive use	X	-
A4267 Contraceptive supply, condom, male, each	X	-
A4268 Contraceptive supply, condom, female, each		-
A4269 Contraceptive supply, spermicide (e.g., foam, gel), each	X	-
A4287 Disposable collection and storage bag for breast milk, any size, any type, each	X	-
A4305 Drug delivery system >=50 ml	X	-
A4306 Drug delivery system <=5 ml	X	-
A4457 Enema tube, with or without adapter, any type, replacement only, each	X	-
A4465 Non-elastic extremity binder	X	-
A4467 Belt strap sleev grmnt cover	X	-
A4468 Exsufflation belt, includes all supplies and accessories	X	-
A4490 Above knee surgical stocking	X	-
A4495 Thigh length surg stocking	X	-
A4500 Below knee surgical stocking	X	-
A4510 Full length surg stocking	X	-
A4520 Incontinence garment anytype	X	-
A4540 Distal transcutaneous electrical nerve stimulator, stimulates peripheral nerves of the upper arm	X	-
A4553 Nondisp underpads, all sizes	X	-
A4554 Disposable underpads	X	-
A4555 Ca tx e-stim electr/transduc	X	-
A4560 Neuromuscular electrical stimulator (nmes), disposable, replacement only	X	-
A4566 Should sling/vest/abrestrain	X	-
A4570 Splint	X	-
A4575 Hyperbaric o2 chamber disps	X	-
A4580 Cast supplies (plaster)	X	-
A4590 Special casting material	X	-
A4596 Ces system monthly supp	X	-
A4606 Oxygen probe for use with oximeter device, replacement	X	-
A4611 Heavy duty battery	X	-
A4612 Battery cables	Х	-
A4613 Battery charger	Х	-
A4627 Spacer bag/reservoir	Х	-
A4649 Surgical supplies	-	Х
A4670 Auto blood pressure monitor	Х	-
A5508 Diabetic deluxe shoe	X	-

<sup>\*</sup> These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



Codes	escription	Not Covered	Preauthorization Required
	ease note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect	information regarding	immunizations, injectable drugs, or
	cations and should be directed to the Pharmacy link option within the website.		
A6000 N	on-contact wound warming wound cover for use with the non-contact wound warming device and warming card	Х	-
A6025 S	ilicone gel sheet, each	X	-
A6250 S	kin seal protect moisturizr	X	-
A6260 W	ound cleanser any type/size	Х	-
	dhesive bandage, first-aid type, any size, each	X	-
A6544 G	radient compression stocking, garter belt	Х	-
	radient compression stocking/sleeve, not otherwise specified	-	X
A6550 D	ressing set for negative pressure wound therapy electrical pump, stationary or portable, each	-	X
A7023 M	lechanical allergen particle barrier/inhalation filter, cream, nasal, topical	Х	-
A7025 H	igh frequency chest wall oscillation system vest, replacement for use withpatient owned equipment, each	-	X
A7049 E	xpiratory positive airway pressure intranasal resistance valve	X	-
A9152 S	ingle vitamin nos	X	-
A9153 M	lulti-vitamin nos	Х	-
A9156 O	ral mucoadhesive, any type (liquid, gel, paste, etc.), per 1 ml	Х	-
	aturopaths	Х	-
A9268 P	rogrammer for transient, orally ingested capsule	Х	-
A9269 P	rogramable, transient, orally ingested capsule, for use with external programmer, per month	Х	-
A9270 N	on-covered item or service	X	-
A9272 M	lechanical wound suction, disposable, includes dressing, all accessories and components, each	X	-
A9273 H	ot/cold h2obot/cap/col/wrap	X	-
A9274 E	xternal ambulatory insulin delivery system, disposable, each, includes all supplies and accessories	X	-
A9275 H	ome glucose disposable monitor, includes test strips	X	-
A9276 S	ensor; invasive (e.g. subcutaneous), disposable, for use with interstitial continuous glucose monitoring system, one	Х	-
A9277 T	ransmitter; external, for use with interstitial continuous glucose monitoring system	Х	-
	eceiver (monitor); external, for use with interstitial continuous glucose monitoring system	Х	-
	Ionitoring feature/device, stand-alone or integrated, any type, includes all accessories, components and electronics,	Х	-
A9280 A	lert or alarm device, not otherwise classified	Х	-
	eaching/grabbing device, any type, any length, each	X	-
	/ig, any type, each	X	-
	oot pressure off loading/supportive device, any type, each	X	-
	ny hygienic item, device	X	_
	res digital behav thera fda	X	_
	rescription digital visual therapy, software-only, fda cleared, per course of treatment	X	-
	ertility cycl tracking soft	X	-
	xercise equipment	X	-
	ir poly intrauterine foam	X	-

<sup>\*</sup> These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



Codes Description	Not Covered	Preauthorization Required
Disclaimer: Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do specialty medications and should be directed to the Pharmacy link option within the website.	not reflect information regarding in	nmunizations, injectable drugs, o
A9586   Florbetapir f18, diagnostic, per study dose, up to 10 millicuries	l x l	
A9590 Iodine i-131 iobenguane 1mci		X
A9699 Supply of radiopharmaceutical therapeutic imaging agent, not otherwiseclassified		X
A9900 Supply/accessory/service	-	X
A9999 Miscellaneous dme supply or accessory, not otherwise specified		X
34100 Food thickener, administered orally, per ounce	X	-
39999 Parenteral supp not othrws c	- ^	X
C1760 Closure device, vascular (implantable/ insertable)		^ X
C1789 Prothesis, breast (implantable)	-	^ X
C1813 Prothesis, penile, inflatable		^ X
C1818 Integrated keratoprosthesis	-	^ X
	-	X
C1825 Gen, neuro, carot sinus baro	- X	
C1832 Auto cell process sys		X
C1834 Pressure sensor system, im	-	
21840 Lens, intraocular (telescopic)	-	X
Catheter, extravascular tissue ablation, any modality (insertable)	-	X
C2613 Lung bx plug w/deliv sys	-	X
C2616 Brachytherapy seed, yttrium-90	-	X
C2622 Prothesis, penile, non-inflatable	-	X
C2624 Wireless pressure sensor	-	Х
Percutaneous vertebroplasties (bone biopsies included when performed), first cervicothoracic and any additional cervicothoracic or lumbosacral vertebral bodies, unilateral or bilateral injection, inclusive of all imaging guidance		Х
Percutaneous vertebroplasties (bone biopsies included when performed), first lumbosacral and any additional cervicothoracic or lumbosacral vertebral bodies, unilateral or bilateral injection, inclusive of all imaging guidance	-	Х
Percutaneous vertebral augmentations, first thoracic and any additional thoracic or lumbar vertebral bodies, incl cavity creations (fracture reductions and bone biopsies included when performed) using mechanical device (eg, kyphoplasty), unilateral or bilateral cannulations, inclusive of all imaging guidance		Х
Percutaneous vertebral augmentations, first lumbar and any additional thoracic or lumbar vertebral bodies, inclu cavity creations (fracture reductions and bone biopsies included when performed) using mechanical device (eg, kyphoplasty), unilateral or bilateral cannulations, inclusive of all imaging guidance		Х
Placement of endorectal intracavitary applicator for high intensity brachytherapy	-	Х
9751 Microwave bronch, 3d, ebus	-	Χ
9762 Cardiac mri seg dys strain	-	X
9763 Cardiac mri seg dys stress	-	X
59784 Endo sleeve gastro w/tube	X	-
29785 Endo outlet restrict w/tube	X	-

<sup>\*</sup> These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



Codes	Description	Not Covered	Preauthorization Required
	Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect in the code of	nformation regarding	immunizations, injectable drugs, or
	edications and should be directed to the Pharmacy link option within the website.	1	
C9788	Opto-acoustic imaging, breast (including axilla when performed), unilateral, with image documentation, analysis and	X	-
C0700	report, obtained with ultrasound examination		
C9790	Histotripsy (ie, non-thermal ablation via acoustic energy delivery) of malignant renal tissue, including image guidance	Х	-
C9792	Blinded or nonblinded procedure for symptomatic new york heart association (nyha) class ii, iii, iva heart failure;		
	transcatheter implantation of left atrial to coronary sinus shunt using jugular vein access, including all imaging		
	necessary to intra procedurally map the coronary sinus for optimal shunt placement (e.g., tee or ice ultrasound,	X	-
	fluoroscopy), performed under general anesthesia in an approved investigational device exemption (ide) study)		
D0120	Periodic oral examination	Х	-
D0140	Limited oral evaluation - problem-focused	Х	-
D0145	Oral evaluation for a patient under three years of age and counseling with primary caregiver	Х	-
D0150	Comprehensive oral evaluation	Х	-
D0160	Detailed and extensive oral evaluation - problem-focused, by report	Х	=
D0170	Re-evaluation - limited problem focused (established patient; not post-operative visit)	Х	-
D0171	Re-evaluation- post operative office visit	Х	-
D0180	Comprehensive periodontal evaluation - new or established patient	Х	-
D0190	A screening, including state or federally mandated screening, to determine an individual's need to be seen by a dentist	Х	-
	A limited clinical inspection that is performed to identify possible signs of oral or systemic disease, malformation, or	Х	
	injury, and the potential need for referral for diagno		· ·
	Intraoral- complete series of radiographic images	Χ	-
	Intraoral- periapical first radiographic image	Χ	-
D0230	Intraoral- periapical each additional radiographic image	X	-
	Intraoral- occlusal radiographic image	-	X
D0250	Extra-oral 2d projection radiographic image created using a stationary radiation source, and detector	Х	-
D0251	Extra-oral posterior dental radiographic image	Χ	-
	Bitewing- single radiographic image	X	-
	Bitewings- two radiographic images	X	-
D0273	Bitewings- three radiographic images	X	-
D0274	Bitewings- four radiographic images	-	X
	Vertical bitewings- 7 to 8 radiographic images	X	-
	Sialography	X	-
	Temporomandibular joint arthrogram, including injection	Х	-
	Other temporomandibular joint radiographic images, by report	Х	-
D0322	Tomographic survey	Х	-
D0330	Panoramic radiographic image	Х	-
D0340	2d cephalometric radiographic image-acquisition, measurement and analysis	Х	-
D0350	2d oral/facial photographic image obtained intra-orally or extra-orally	Х	<u>-</u>

<sup>\*</sup> These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



Codes Description	Not Covered	Preauthorization Required
Disclaimer: Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect	nformation regarding	immunizations, injectable drugs, or
specialty medications and should be directed to the Pharmacy link option within the website.		
D0351 3d photographic image	Х	-
D0364 Cone beam ct capture and interpretation with limited field of view-less than one whole jaw	X	-
D0365 Cone beam ct capture and interpretation with field of view of one dental arch-mandible	X	-
D0366 Cone beam ct capture and interpretation with field of view of one full dental arch-maxilla, with or without cranium	Х	-
D0367 Cone beam ct capture and interpretation with field of view of both jaws, with or without cranium	Х	-
D0368 Cone beam ct capture and interpretation for tmj series including two or more exposures	Х	-
D0369 Maxillofacial mri capture and interpretation	Х	-
D0370 Maxillofacial ultrasound capture and interpretation	Х	-
D0371 Sialoendoscopy capture and interpretation	Х	-
D0372 Intraoral tomosynthesis - comprehensive seris of rediographic images	Х	-
D0373 Intraoral tomosynthesis - bitewing radiographic image	Х	-
D0374 Intraoral tomosynthesis - periapical radiographic image	Х	-
D0380 Cone beam ct image capture with limited field of view- less than one whole jaw	Х	-
D0381 Cone beam ct image capture with field of view of one full dental arch-mandilbe	Х	-
D0382 Cone beam ct image capture with field of view of one full dental arch-maxilla, with or without cranium	Х	-
D0383 Cone beam ct image capture with field of view of both jaws, with or without cranium	Х	-
D0384 Cone beam ct image capture for tmj series including two or more exposures	Х	-
D0385 Maxillofacial mri image capture	Х	-
D0386 Maxillofacial ultrasound image capture	Х	-
D0387 Intraoral tomosynthesis - comprehensive seris of rediographic images - image capture only	Х	-
D0388 Intraoral tomosynthesis - bitewing radiographic image - image capture only	Х	-
D0389 Intraoral tomosynthesis - periapical radiographic image- image capture only	Х	-
D0391 Interpretation of diagnostic image by a practitioner not associated with capture of the image, including report	Х	-
D0393 Treatment simulation using 3d image volume	Х	-
D0394 Digital subtraction of two or more images or image volumes of the same modality	Х	-
D0395 Fusion of two or more 3d image volumes of one or more modalities	Х	-
D0396 3D printing of a 3D dental surface scan to obtain a physical model.	Х	-
D0411 Hba1c in-office point of service testing	Х	-
D0412 Blood glucose level test-in-office using a glucose meter	Х	-
D0414 Laboratory processing of microbial specimen to include culture and sensitivity studies, preparation and transmission of written report	Х	-
D0415 Bacteriologic studies for determination of pathologic agents	Х	-
D0416 Viral culture	X	-
D0417 Collection and preparation of saliva sample for laboratory diagnostic testing	X	-
D0418 Analysis of saliva sample	X	-
D0419 Assessment of salivary flow by measurement	X	-
D0422 Collection and preparation of genetic sample material for laboratory analysis and report	X	-
D0423 Genetic test for susceptibility to diseases- specimen analysis	X	_

<sup>\*</sup> These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



Codes	Description	Not Covered	Preauthorization Required
	Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect	information regarding	immunizations, injectable drugs, or
	dications and should be directed to the Pharmacy link option within the website.		
	Caries susceptibility tests	X	<del>-</del>
	Diag tst detect mucos abnorm	X	<del>-</del>
	Pulp vitality tests	X	<del>-</del>
	Diagnostic casts	X	-
	Accession of tissue gross examination prep/transmission of written report	X	-
	Accession of tissue gross and microscopic examination prep/trans of report	X	-
	Accession of tissue gross/micro exam assess of surg margins for presence of disease prep/trans of report	X	-
	Decalcification procedure	X	-
	Spec stains for microorganis	X	-
	Spec stains not for microorg	X	-
D0478 I	mmunohistochemical stains	X	<del>-</del>
	Fissue in-situ hybridization	X	-
D0480 F	Processing and interpretation of cytologic smears incl the prep/trans of written report	X	-
	Electron microscopy	X	-
D0482 [	Direct immunofluorescence	X	-
D0483 I	ndirect immunofluorescence	Х	-
D0484	Consult slides prep elsewher	Х	-
D0485 (	Consult inc prep of slides	X	-
	aboratory accession of transepithelial cytologic sample, microscopic examination preparation and transmission of	Х	-
	vritten report Other oral pathology procedures, by report	X	
		^	<u>-</u>
	Non-ionizing diagnostic procedure capable of quantifying, monitoring, and recording changes in structure of enamel, dentin, and cementum	X	-
D0601	Caries risk assessment and documentation, with a finding of low risk	Х	-
	Caries risk assessment and documentation, with a finding of moderate risk	Х	-
	Caries risk assessment and documentation, with a finding of high risk	Х	-
	Cone beam - three-dimensional image reconstruction using existing data, includes multiple images	Х	-
	Panoramic radiographic image – image capture only	X	-
	2-d cephalometric radiographic image – image capture only	X	-
	2-d oral/facial photographic image obtained intra-orally or extra-orally – image capture only	X	_
	B-d photographic image – image capture only	X	_
	Extra-oral posterior dental radiographic image – image capture only	X	_
	ntraoral – occlusal radiographic image – image capture only	X	-
	ntraoral – periapical radiographic image – image capture only	X	-
	ntraoral – bitewing radiographic image – image capture only	X	-
	ntraoral – bitewing radiographic image – image capture only ntraoral – complete series of radiographic images – image capture only	X	
	Ritiatoral – complete series of radiographic images – image capture only 3d dental surface scan -direct	X	<u>-</u>
	3d dental surface scan - indirect	X	-
	3d facial surface scan - Indirect	X	-

<sup>\*</sup> These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



Codes Description	Not Covered	Preauthorization Required
Disclaimer: Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding I	lists do not reflect information regarding	immunizations, injectable drugs, or
specialty medications and should be directed to the Pharmacy link option within the website.		
D0804 3d facial surface scan - indirect	X	-
D0999 Unspecified diagnostic procedure, by report	X	-
D1110 Prophylaxis-adult	X	-
D1120 Prophylaxis-child	X	-
D1206 Topical application of fluoride varnish	X	-
D1208 Topical application of fluoride- excluding varnish	X	-
D1301 3D printing of a 3D dental surface scan to obtain a physical model.	X	-
D1310 Nutritional counseling for the control of dental disease	X	-
D1320 Tobacco counseling for the control and prevention of oral disease	X	-
D1321 Counseling for the control and prevention of adverse oral, behavioral, and systemic health effects associat risk substance use	ted with high-	-
D1330 Oral hygiene instruction	X	-
D1351 Sealant-per tooth	X	-
D1352 Prev resin rest, perm tooth	Х	-
D1353 Sealant repair- per tooth	X	-
D1354 Interim caries arresting medicament application-per tooth	X	-
D1355 Caries preventive medicament application – per tooth	X	-
D1510 Space maintainer-fixed unilateral	X	-
D1516 Space maintainer-fixed-bilateral, maxillary	X	-
D1517 Space maintainer-fixed-bilateral, mandibular	Х	-
D1520 Space maintainer-removable unilateral	X	-
D1526 Space maintainer -removable-bilateral, maxillary	Х	-
D1527 Space maintainer -removable-bilateral, mandibular	X	-
D1551 Re-cement or re-bond bilateral space maintainer-maxillary	X	-
D1552 Re-cement or re-bond bilateral space maintainer-mandibular	X	-
D1553 Re-cement or re-bond unilateral space maintainer-per guadrant	X	-
D1556 Removal of fixed unilateral space maintainer- per quadrant	X	-
D1557 Removal of fixed bilateral space maintainer- maxillary	X	-
D1558 Removal of fixed bilateral space maintainer- mandibular	X	-
D1575 Distal shoe space maintainer-fixed-unilateral	X	-
D1781 Vaccine administration - human papillomavisrus - dose 1	X	-
D1782 Vaccine administration - human papillomavisrus - dose 2	X	-
D1783 Vaccine administration - human papillomavisrus - dose 3	X	-
D1999 Unspecified preventive procedure, by report	X	-
D2140 Amalgam-one surface, permanent	X	-
D2150 Amalgam-two surfaces, permanent	X	-
D2160 Amalgam-three surfaces, permanent	X	-
D2161 Amalgam-fouror more surfaces, permanent	X	-
D2330 Resin-one surface, anterior	X	-

<sup>\*</sup> These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



Codes Description	Not Covered	Preauthorization Required
Disclaimer: Please note that coverage may vary by plan type and may not follow the listed services. These co	•	
specialty medications and should be directed to the Pharmacy link option within the website.		
D2331 Resin-two surfaces, anterior	X	-
D2332 Resin-three surfaces, anterior	X	-
D2335 Resin-fouror more surfacesor involving incisal angle (anterior)	X	-
D2390 Resin-based composite crown, anterior	X	-
D2391 Resin-based composite - one surface, posterior	X	-
D2392 Resin-based composite - two surfaces, posterior	X	-
D2393 Resin-based composite - three surfaces, posterior	X	-
D2394 Resin-based composite - four or more surfaces, posterior	X	-
D2410 Gold foil-one surface	X	-
D2420 Gold foil-two surfaces	X	-
D2430 Gold foil-three surfaces	X	-
D2510 Inlay-metallic-one surface	X	-
D2520 Inlay-metallic-two surfaces	X	-
D2530 Inlay-metallic-three surfaces	X	-
D2542 Onlay - metallic - two surfaces	X	-
D2543 Onlay - metallic - three surfaces	X	-
D2544 Onlay - metallic - four or more surfaces	X	-
D2610 Inlay-porcelain/ceramic-one surface	X	-
D2620 Inlay-porcelain/ceramic-two surfaces	X	-
D2630 Inlay-porcelain/ceramic-three surfaces	X	-
D2642 Onlay - porcelain/ceramic - two surfaces	X	-
D2643 Onlay - porcelain/ceramic - three surfaces	X	-
D2644 Onlay - porcelain/ceramic - four or more surfaces	X	-
D2650 Inlay-composite/resin-one surface (laboratory processed)	X	-
D2651 Inlay-composite/resin-two surfaces (laboratory processed)	X	-
D2652 Inlay-composite/resin-three surfaces (laboratory processed)	X	-
D2662 Onlay - composite/resin - two surfaces (laboratory processed)	X	-
D2663 Onlay - composite/resin - three surfaces (laboratory processed)	X	-
D2664 Onlay - composite/resin - four or more surfaces (laboratory processe	ed) X	-
D2710 Crown resin (laboratory)	X	-
D2712 Crown 3/4 resin-based compos	X	-
D2720 Crown-resin with high noble metal	X	-
D2721 Crown-resin with predominantly base metal	X	-
D2722 Crown-resin with noble metal	X	-
D2740 Crown-porcelain/ceramic	X	-
D2750 Crown-porcelain fused to high noble metal	X	-
D2751 Crown-procelain fused to predominantly base metal	X	
D2752 Crown-porcelain fused to noble metal	X	-
D2753 Crown-porcelain fused to titanium and titanium alloys	X	-

<sup>\*</sup> These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



Codes Description	Not Covered	Preauthorization Required
Disclaimer: Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not re	flect information regarding	immunizations, injectable drugs, or
specialty medications and should be directed to the Pharmacy link option within the website.		
D2780 Crown - 3/4 cast high noble metal	X	-
D2781 Crown - 3/4 cast predominately base metal	X	-
D2782 Crown - 3/4 cast noble metal	X	-
D2783 Crown - 3/4 porcelain/ceramic	X	-
D2790 Crown-full cast high noble metal	X	-
D2791 Crown-full cast predominantly base metal	X	-
D2792 Crown-full cast noble metal	X	-
D2794 Crown-titanium	X	<u>-</u>
D2799 Provisional crown- further treatment or completion of diagnosis necessary prior to final impression	Х	-
D2910 Re-cement or re-bond inlay, onlay, veneer or partial coverage restoration	X	-
D2915 Re-cement or re-bond indirectly fabricated or prefabricated post and core	X	-
D2920 Re-cement or re-bond crown	X	<u>-</u>
D2921 Reattachment of tooth fragment, incisal edge or cusp	X	-
D2928 Prefabricated porcelain/ceramic crown – permanent tooth	X	-
D2929 Prefabricated porcelain/ceramic crown- primary tooth	X	-
D2930 Prefabricated stainless steel crown-primary tooth	Х	-
D2931 Prefabricated stainless steel crown-permanent tooth	Х	-
D2932 Prefabricated resin crown	Х	-
D2933 Prefabricated stainless steel crown with resin window	X	-
D2934 Prefab steel crown primary	X	-
D2940 Protective restoration	Х	-
D2941 Interim therapeutic restoration- primary dentition	X	-
D2949 Restorative foundation for an indirect restoration	X	-
D2950 Core buildup, including any pins when required	X	-
D2951 Pin retention-per tooth, in addition to restoration	Х	-
D2952 Cast post and core in addition to crown	Х	-
D2953 Each additional cast post - same tooth	Х	-
D2954 Prefabricated post and core in addition to crown	Х	-
D2955 Post removal	Х	-
D2957 Each additional prefabricated post - same tooth	Х	-
D2960 Labial veneer (laminate)-chairside	Х	-
D2961 Labial veneer (resin laminate)-laboratory	X	-
D2962 Labial veneer (porcelain laminate)-laboratory	X	-
D2971 Add proc construct new crown	X	_
D2975 Coping	X	-
D2976 A band, typically cemented around a molar tooth after a multi-surface restoration is placed, to add support and		
resistance to fracture until a patient is ready for the full cuspal coverage restoration.	X	-
D2980 Crown repair necessitated by restorative material failure	X	
D2981 Inlay repair necessitated by restorative material failure	X	

<sup>\*</sup> These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



Codes Description	Not Covered	Preauthorization Required
Disclaimer: Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect	t information regarding	immunizations, injectable drugs, or
specialty medications and should be directed to the Pharmacy link option within the website.		
D2982 Onlay repair necessitated by restorative material failure	X	<u> </u>
D2983 Veneer repair necessitated by restorative material failure	X	-
D2989 Excavation of a tooth resulting in the determination of non-restorability	X	<u>-</u>
D2990 Placement of an infiltration resin restoration for strengthening, stabilizing, and/or limiting the progression of the lesion	Х	-
D2991 Preparation of tooth surfaces and topical application of a scaffold to guide hydroxyapatite regeneration.	Х	-
D2999 Unspecified restorative procedure, by report	Х	-
D3110 Pulp cap-direct (excluding final restoration)	Х	-
D3120 Pulp cap-indirect (excluding final restoration)	Х	-
D3220 Therapeutic pulpotomy (excluding final restoration)	Х	-
D3221 Gross pulpal debridement primary and permanent teeth	Х	-
D3222 Partial pulpotomy for apexogenesis - permanent tooth with incomplete root development	Х	-
D3230 Pulpal therapy (resorbable filling) - anterior, primary tooth (exclud	Х	-
D3240 Pulpal therapy (resorbable filling) - posterior, primary tooth (exclu	Х	-
D3310 Anterior (excluding final restoration)	X	-
D3320 Endodontic therapy, premolar tooth (excluding final restoration)	X	-
D3330 Endodontic therapy, molar tooth (excluding final restoration)	X	-
D3331 Treatment of root canal obstruction; non-surgical access	X	-
D3332 Incomplete endodontic therapy; inoperable or fractured tooth	X	-
D3333 Internal root repair of perforation defects	X	-
D3346 Retreatment-anterior, by report	X	-
D3347 Retreatment of previous root canal therapy-premolar	X	-
D3348 Retreatment-molar, by report	X	-
D3351 Apexification/recalcification- initial visit (apical closure/calcific repair of perforations, root resorption, etc.)	X	-
D3352 Apexification/recalcification initial visit (apical closure/calcific repair of perforations, root resorption, pulp space		
disinfection, etc.)	X	-
D3353 Apexification/recalcification-final visit (includes completed root can	Х	-
D3355 Pulpal regeneration- initial visit	X	-
D3356 Pulpal regeneration- interim medication replacement	X	-
D3357 Pulpal regeneration- completion of treatment	X	_
D3410 Apicoectomy-anterior	X	
D3421 Apicoectomy-premolar (first root)	X	-
D3425 Apicoectomy - molar (first root)	X	-
D3426 Apicoectomy - (each additional root)	X	-
D3428 Bone graft in conjunction with periradicular surgery- per tooth, single site	X	-
D3429 Bone graft in conjunction with perhadicular surgery- each additional contiguous tooth in the same surgical site		
	Х	-
D3430 Retrograde filling-per root	X	-
D3431 Biologic materials to aid in soft and osseous tissue regeneration in conjunction with periradicular surgery	X	<u>-</u>

<sup>\*</sup> These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



Codes Description	Not Covered	Preauthorization Required
Disclaimer: Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect	ct information regarding i	mmunizations, injectable drugs, or
specialty medications and should be directed to the Pharmacy link option within the website.	T v T	
D3432 Guided tissue regeneration, resorbable barrier, per site, in conjunction with periradicular surgery	X	-
D3450 Root amputation-per root	X	-
D3460 Endodontic endosseous implant	X	<u>-</u>
D3470 Intentional replantation (including necessary splinting)	X	-
D3471 Surgical repair of root resorption - anterior	X	<del>-</del>
D3472 Surgical repair of root resorption – premolar	X	<u>-</u>
D3473 Surgical repair of root resorption – molar	X	-
D3501 Surgical exposure of root surface without apicoectomy or repair of root resorption – anterior	Х	-
D3502 Surgical exposure of root surface without apicoectomy or repair of root resorption – premolar	X	<u>-</u>
D3503 Surgical exposure of root surface without apicoectomy or repair of root resorption – molar	X	<del>-</del>
D3910 Surgical procedure for isolation of tooth with rubber dam	X	-
D3911 Intraorifice barrier	X	-
D3920 Hemisection (including any root removal), not including root canal the	X	-
D3921 Decoronation or submergence of an erupted tooth	Х	-
D3950 Canal preparation and fitting of preformed dowelor post	Х	-
D3999 Unspecified endodontic procedure, by report	Х	-
D4210 Gingivectomyor gingivoplasty-per quadrant	X	-
D4211 Gingivectomyor gingivoplasty-per tooth	Х	-
D4212 Gingivectomy or gingivoplasty to allow access for restorative procedure, per tooth	Х	-
D4230 Anatomical crown exposure - four or more contiguous teeth or tooth bounded spaces per quadrant	Х	-
D4231 Anatomical crown exposure - one to three teeth or tooth bounded spaces per quadrant	Х	-
D4240 Gingival flap procedure, including root planing-per quadrant	X	-
D4241 Gingival flap procedure, including root planing - one to three teeth, perquadrant	X	-
D4245 Apically positioned flap	X	_
D4249 Crown lengthening-hard and soft tissue, by report	X	-
D4260 Osseous surgery (including elevation of a full thickness flap and closure)- four or more contiguous teeth or tooth		
bounded spaces per quadrant	X	-
D4261 Osseous surgery (including elevation of a full thickness flap and closure)- one to three contiguous teeth or tooth		
bounded spaces per quadrant	X	-
D4263 Bone replacement graft - retained natural tooth - first site in quadrant	X	
D4264 Bone replacement graft - retained natural tooth - each additional site in quadrant	X	<u> </u>
D4265 Biologic materials to aid in soft and osseous tissue regeneration	X	<del>-</del>
	X	-
D4266 Guided tissue regeneration - resorbable barrier, per site, per tooth	X	-
D4267 Guided tissue regeneration - non-resorbable barrier, per site, per too		-
D4268 Surgical revision procedure per tooth	X	-
D4270 Pedicle soft tissue graft procedure	X	-
D4273 Autogenous connective tissue graft procedure (including donor and recipient surgical sites) first tooth, implant, or	X	-
edentulous tooth position in graft		

<sup>\*</sup> These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



Codes Description	Not Covered	Preauthorization Required
Disclaimer: Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect in	nformation regarding	g immunizations, injectable drugs, o
pecialty medications and should be directed to the Pharmacy link option within the website.		
D4274 Mesial/distal wedge procedure, single tooth (when not performed in conjunction with surgical procedures in the same	Х	-
anatomical area)		
Non-autogenous connective tissue graft (including recipient site and donor material) first tooth, implant, or edentulous	Х	_
tooth position in graft		
04276 Combined connective tissue and double pedicle graft	Х	-
D4277 Free soft tissue graft procedure (including recipient and donor surgical sites) first tooth, implant, or edentulous tooth	Х	-
position in graft		
D4278 Free soft tissue graft procedure (including recipient and donor surgical sites), each additional contiguous tooth, implant	Х	-
or edentulous tooth position in same graft site		
D4283 Autogenous connective tissue graft procedure (including donor and recipient surgical sites)- each additional contiguous	Х	_
tooth, implant or edentulous tooth position in same gra	, ,	
D4285 Non-autogenous connective tissue graft procedure (including recipient surgical site and donor material)- each	Х	_
additional contiguous tooth, implant or edentulous tooth position		
04286 Removal of non-resorbable barrier	X	-
04320 Provisional splinting-intracoronal	X	-
04321 Provisional splinting-extracoronal	X	-
04322 Splint - intra-coronal; natural teeth or prosthetic crowns	X	-
04323 Splint - extra-coronal; natural teeth or prosthetic crowns	X	-
D4341 Periodontal scaling and root planing-per quadrant	Χ	-
04342 Periodontal scaling and root planing - one to three teeth, per quadrant	X	•
D4346 Scaling in presence of generalized moderate or severe gingival inflammation- full mouth, after oral evaluation	X	-
04355 Full mouth debridement to enable comprehensive oral evaluation and diagnosis on a subsequent visit	-	X
D4381 Localized delivery of antimicrobial agents via a controlled release vehicle into diseased crevicular tissue, per tooth	Х	-
04910 Periodontal maintenance procedures (following active therapy)	Х	_
04920 Unscheduled dressing change (by someone other than treating dentist)	X	
04921 Gingival irrigation- per quadrant	X	_
04999 Unspecified periodontal procedure, by report	X	_
05110 Complete upper	X	
05120 Complete lower	X	_
D5130 Immediate upper	X	-
D5140 Immediate lower	X	<u>-</u>
D5211 Maxillary partial denture - resin base (including retentive/clasping materilas, rest, and teeth)	X	-
D5211   Maxiliary partial denture - resir base (including retentive/clasping materials, rest, and teeth)	X	
05213 Upper partial-cast metal base with resin saddles (including any conven	X	-
		-
D5214 Lower partial-cast metal base with resin saddles (including any conven	X	-
D5221 Immediate maxillary partial denture- resin base (including any conventional clasps, rests and teeth)	X	-
D5222 Immediate mandibular partial denture- resin base (including any conventional clasps, rests and teeth)	λ	-

<sup>\*</sup> These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



Codes	Description	Not Covered	Preauthorization Required
	Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect in	nformation regarding	immunizations, injectable drugs, or
	edications and should be directed to the Pharmacy link option within the website.		
D5223	Immediate maxillary partial denture- cast metal framework with resin denture bases (including any conventional clasps,	X	<u>-</u>
	rests and teeth	, ,	
D5224	Immediate mandibular partial denture- cast metal framework with resin denture bases (including any conventional	l x	_
	clasps, rests and teeth		
	Maxillary part denture flex	Х	-
	Mandibular part denture flex	X	-
	Immediate maxillary partial denture - flexible base (including any clasps, rests and teeth)	X	-
	Immediate mandibular partial denture - flexible base (including any clasps, rests and teeth)	X	-
	Removable unilateral partial denture-one piece cast metal (including clasps and teeth), maxillary	X	-
D5283	Removable unilateral partial denture-one piece cast metal (including clasps and teeth), mandibular	X	-
D5284	Removable unilateral partial denture-one piece flexible base (including clasps and teeth) – per quadrant	X	-
D5286	Removable unilateral partial denture-one piece resin (including clasps and teeth) – per quadrant	X	-
D5410	Adjust complete denture-upper	X	-
D5411	Adjust complete denture-lower	X	-
D5421	Adjust partial denture-upper	X	-
D5422	Adjust partial denture-lower	Х	-
D5511	Repair broken complete denture base, mandibular	Х	-
D5512	Repair broken complete denture base, maxillary	Х	-
D5520	Replace missingor broken teeth-complete denture (each tooth)	Х	-
D5611	Repair resin partial denture base, mandibular	Х	-
D5612	Repair resin partial denture base, maxillary	Х	-
D5621	Repair cast partial framework, mandibular	Х	-
	Repair cast partial framework, maxillary	Х	-
	Repair or replace broken retentive/clasping materials per tooth	Х	-
	Replace broken teeth-per tooth	Х	-
	Add tooth to existing partial denture	Х	-
	Add clasp to existing partial denture- per tooth	Х	-
	Replace all teeth and acrylic on cast metal framework (maxillary)	Х	-
	Replace all teeth and acrylic on cast metal framework (mandibular)	Х	-
	Rebase complete upper denture	Х	-
	Rebase complete lower denture	X	-
	Rebase upper partial denture	X	-
	Rebase lower partial denture	X	-
	Rebase hybrid prosthesis	X	-
	Reline upper complete denture (chairside)	X	-
	Reline lower complete denture (chairside)	X	-
	Reline upper partial denture (chairside)	X	-
	Reline lower partial denture (chairside)	X	-
	Reline upper complete denture (laboratory)	X	

<sup>\*</sup> These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



Codes Description	Not Covered	Preauthorization Required
Disclaimer: Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these	e coding lists do not reflect information regarding	immunizations, injectable drugs, or
specialty medications and should be directed to the Pharmacy link option within the website.		
D5751 Reline lower complete denture (laboratory)	X	-
D5760 Reline upper partial denture (laboratory)	X	-
D5761 Reline lower partial denture (laboratory)	X	-
D5765 Soft liner for complete or partial removable denture - indirect	X	-
D5810 Interim complete denture (upper)	X	-
D5811 Interim complete denture (lower)	X	-
D5820 Interim partial denture (upper)	X	-
D5821 Interim partial denture (lower)	X	-
D5850 Tissue conditioning, upper-per denture unit	X	-
D5851 Tissue conditioning, lower-per denture unit	X	-
D5862 Precision attachment, by report	X	-
D5863 Overdenture- complete maxillary	X	-
D5864 Overdenture- partial maxillary	X	-
D5865 Overdenture- complete mandibular	X	-
D5866 Overdenture- partial mandibular	X	-
D5867 Replacement of replaceable part of semi-precision/attachment (m/f component)	X	-
D5875 Modification of removable prosthesis following implant surgery	-	X
D5876 Add metal substructure to acrylic full denture (per arch)	X	-
D5899 Unspecified removable prosthodontic procedure, by report	Х	-
D5911 Facial moulage (sectional)	X	-
D5912 Facial moulage (complete)	X	-
D5913 Nasal prosthesis	X	-
D5914 Auricular prosthesis	Х	-
D5915 Orbital prosthesis	X	-
D5916 Ocular prosthesis	X	-
D5919 Facial prosthesis	Х	-
D5922 Nasal septal prosthesis	Х	-
D5923 Ocular prosthesis, interim	X	-
D5924 Cranial prosthesis	Х	-
D5925 Facial augmentation implant prosthesis	X	-
D5926 Nasal prosthesis, replacement	Х	-
D5927 Auricular prosthesis, replacement	Х	-
D5928 Orbital prosthesis, replacement	X	-
D5929 Facial prosthesis, replacement	X	_
D5931 Obturator prosthesis, surgical	X	_
D5932 Obturator prosthesis, definitive	X	_
D5933 Obturator prosthesis, modification	X	_
D5934 Mandibular resection prosthesis with guide flange	X	-
D5935 Mandibular resection prosthesis without guide flange	X	

<sup>\*</sup> These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



Codes	Description	Not Covered	Preauthorization Required
	Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not refle	ect information regarding	immunizations, injectable drugs, or
	edications and should be directed to the Pharmacy link option within the website.		
	Obturator/prosthesis, interim	X	-
	Trismus appliance (not for tm treatment)	X	-
	Feeding aid	X	<u> </u>
	Speech aid prosthesis, pediatric	X	<u>-</u>
	Speech aid prosthesis, adult	X	-
	Palatal augmentation prosthesis	X	<del>-</del>
D5955	Palatal lift prosthesis, definitive	X	-
	Palatal lift prosthesis, interim	X	-
D5959	Palatal lift prosthesis, modification	X	-
D5960	Speech aid prosthesis, modification	X	-
D5982	Surgical stent	X	-
D5983	Radiation carrier	X	-
D5984	Radiation shield	X	-
D5985	Radiation cone locator	Х	-
D5986	Fluoride gel carrier	X	-
D5987	Commissure splint	Х	-
D5988	Surgical splint	Х	-
D5991	Vesiculobullous disease medicament carrier	Х	-
D5992	Adjust max prost appliance	Х	-
	Main/clean max prosthesis	Х	-
	Periodontal medicament carrier with peripheral seal – laboratory processed – maxillary	Х	-
	Periodontal medicament carrier with peripheral seal – laboratory processed – mandibular	Х	-
	Unspecified maxillofacial prosthesis, by report	Х	-
D6010	Surgical placement of implant body: endosteal implant. see also 21248	Х	-
	Second stage implant surgery	Х	-
	Surgical placement of interim implant body for transitional prosthesis: endosteal implant	Х	-
	Surgical placement of mini implant	Х	-
	Subperiosteal implant	Х	-
	Transosseous implant	Х	-
	Includes placement and removal. a healing cap is not an interim abutment	Х	-
	Implant connecting bar	X	-
	Prefabricated abutment- includes modification and placement	X	-
	Custom fabricated abutment- includes placement	X	-
	Abutment supported porcelain/ceramic crown	X	-
	Abutment supported porcelain fused to metal crown (high noble metal)	X	-
	Abutment supported porcelain fused to metal crown (predominantly base metal)	X	-
	Abutment supported porcelain fused to metal crown (noble metal)	X	-
	Abutment supported cast metal crown (high noble metal)	X	
	Abutment supported cast metal crown (predominantly base metal)	X	<u> </u>

<sup>\*</sup> These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



OI	Percentalism	Not Covered	Durandhadiad Daminad
	Description	Not Covered	Preauthorization Required
	Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect in edications and should be directed to the Pharmacy link option within the website.	nformation regarding	g immunizations, injectable drugs, or
	Abutment supported cast metal crown (noble metal)	Х	-
	Implant supported porcelain/ceramic crown	Х	-
	Implant supported porcelain fused to metal crown (titanium/alloy high noble metal)	X	-
D6067	Implant supported metal crown (titanium/alloy high noble metal)	Х	-
26068	Abutment supported retainer for porcelain/ceramic fpd	Х	-
06069	Abutment supported retainer for porcelain fused to metal fpd (high noble metal)	X	-
D6070	Abutment supported retainer for porcelain fused to metal fpd (predominately base metal)	Х	-
D6071	Abutment supported retainer for porcelain fused to metal fpd (noble metal)	X	-
06072	Abutment supported retainer for cast metal fpd (high noble metal)	Х	-
D6073	Abutment supported retainer for cast metal fpd (predominately base metal)	Х	-
06074	Abutment supported retainer for cast metal fpd (noble metal)	Х	-
D6075	Implant supported retainer for ceramic fpd	Х	-
D6076	Implant supported retainer for porcelain fused to metal fpd (titanium/alloy or high noble metal)	Х	-
	Implant supported retainer for cast metal fpd (titanium/alloy or high noble metal)	X	-
D6080	Implant maintenance procedures, when prostheses are removed and reinserted, including cleansing of prostheses and	Х	_
	abutments	Λ	
D6081	Scaling and debridement in the presence of inflammation of mucositis of a single implant, including cleaning of the	Х	_
	implant surfaces, without flap entry and closure	Λ	
	Implant supported crown-porcelain fused to predominantly base alloys	X	-
	Implant supported crown-porcelain fused to noble alloys	X	-
	Implant supported crown-porcelain fused to titanium and titanium alloys	X	-
D6085	Provisional implant crown	X	-
D6086	Implant supported crown-predominantly base alloys	X	-
D6087	Implant supported crown-noble alloys	X	-
D6088	Implant supported crown-titanium and titanium alloys	X	-
D6089	Accessing and retorquing loose implant screw - per screw	X	-
D6090	Repair implant, by report	X	-
D6091	Replacement of semi-precision or precision attachment (male or female component) of implant/abutment supported prosthesi	X	-
26092	Re-cement or re-bond implant/abutment supported crown	Х	_
	Re-cement or re-bond implant/abutment supported fixed partial denture	X	_
	Abut support crown titanium	X	_
	Repair implant abutment, by report. see also code 21299	X	_
	Remove broken implant retaining screw	X	-
	Abutment supported crown-porcelain fused to titanium and titanium alloys	X	-
	Implant supported retainer-porcelain fused to predominantly base alloys	X	-
	Implant supported retainer for fpd-porcelain fused to noble alloys	X	-
	implant dapported retainer for the percelain raced to hobic allege	<b>^</b> \	

<sup>\*</sup> These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



Codes Des	scription	Not Covered	Preauthorization Required
	ase note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect	t information regarding	immunizations, injectable drugs, or
	ations and should be directed to the Pharmacy link option within the website.		
	bridement of a peri-implant defect or defects surrounding a single implant, and surface cleaning of the exposed	X	-
	plant surfaces, including flap entry and closure		
	bridement and osseous contouring of a peri-implant defect- or defects surrounding a single implant and includes	X	-
	rface cleaning of the exposed implant surfaces		
	ne graft for repair of peri-implant defect- does not include flap entry and closure.	X	-
D6104 Pla	acement of a barrier membrane, or biologic materials to aid in osseous regeneration are reported separately	X	-
D6105 Re	moval of implant body not requiring bone removal nor flap elevation	Х	-
	ided tissue regeneration - resorbable barrier, per implant	Х	-
	ided tissue regeneration - non-resorbable barrier, per implant	Х	-
	plant/abutment supported removable denture for edentulous arch-maxillary	Х	-
	plant/ abutment supported removable denture for edentulous arch- mandibular	Х	-
	plant/ abutment supported removable denture for partially edentulous arch- maxillary	Х	-
	plant/ abutment supported removable denture for partially edentulous arch- mandibular	Х	-
	plant/ abutment supported fixed denture for edentulous arch- maxillary	Х	-
	plant/ abutment supported fixed denture for edentulous arch- mandibular	Х	-
	plant/ abutment supported fixed denture for partially edentulous arch- maxillary	Х	-
	plant/ abutment supported fixed denture for partially edentulous arch- mandibular	Х	-
	plant/abutment supported interim fixed denture for edentulous arch ¿ mandibular	Х	-
	plant/abutment supported interim fixed denture for edentulous arch ¿ maxillary	Х	-
	plant supported retainer -porcelain fused to titanium and titanium alloys	Х	-
	plant supported retainer for metal fpd -predominantly base alloys	Х	-
	plant supported retainer for metal fpd -noble alloys	Х	-
	plant supported retainer for metal fpd -titanium and titanium alloys	Х	-
	idio/surgical implant index	Х	-
	mi-precision abutment – placement	Х	-
	mi-precision attachment – placement	Х	-
	ut support retainer titani	Х	-
	utment supported retainer-porcelain fused to titanium and titanium alloys	Х	-
	placement of restorative material used to close an access opening of a screw-retained implant supported		
	osthesis, per implant	X	-
	emove interim implant component	Х	-
	specified implant procedure, by report	X	-
	ntic-indirect resin based	X	-
	ntic-cast high noble metal	X	-
	ntic-cast predominantly base metal	X	-
	ntic-cast noble metal	X	
	ntic titanium	X	-
	ntic-porcelain fused to high noble metal	X	

<sup>\*</sup> These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



Codes Description	Not Covered	Preauthorization Required
Disclaimer: Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists d	lo not reflect information regarding	immunizations, injectable drugs, or
specialty medications and should be directed to the Pharmacy link option within the website.		
D6241 Pontic-porcelain fused to predominantly base metal	X	-
D6242 Pontic-porcelain fused to noble metal	X	-
D6243 Pontic-porcelain fused to titanium and titanium alloys	X	-
D6245 Pontic - porcelain/ceramic	X	-
D6250 Pontic-resin with high noble metal	X	-
D6251 Pontic-resin with predominantly base metal	X	<u>-</u>
D6252 Pontic-resin with noble metal	X	-
D6253 Provisional pontic- further treatment or completion of diagnosis necessary prior to final impression	X	<u>-</u>
D6545 Retainer-cast metal for acid etched fixed prosthesis	X	<u>-</u>
D6548 Retainer - porcelain/ceramic for resin bonded fixed prosthesis	X	-
D6549 Resin retainer- for resin bonded fixed prosthesis	X	-
D6600 Retainer inlay-porcelain/ceramic, two surfaces	X	-
D6601 Retainer inlay - porcelain/ceramic, three or more surfaces	X	-
D6602 Retainer inlay - cast high noble metal, two surfaces	X	-
D6603 Retainer inlay - cast high noble metal, three or more surfaces	X	-
D6604 Retainer inlay - cast predominantly base metal, two surfaces	X	-
D6605 Retainer inlay - cast predominantly base metal, three or more surfaces	X	-
D6606 Retainer inlay - cast noble metal, two surfaces	Х	-
D6607 Retainer inlay - cast noble metal, three or more surfaces	X	-
D6608 Retainer onlay - porcelain/ceramic, two surfaces	X	-
D6609 Retainer onlay - porcelain/ceramic, three or more surfaces	Х	-
D6610 Retainer onlay - cast high noble metal, two surfaces	X	-
D6611 Retainer onlay - cast high noble metal, three or more surfaces	Х	_
D6612 Retainer onlay - cast predominantly base metal, two surfaces	Х	-
D6613 Retainer onlay - cast predominantly base metal, three or more surfaces	Х	-
D6614 Retainer onlay - cast noble metal, two surfaces	Х	-
D6615 Retainer onlay - cast noble metal, three or more surfaces	Х	-
D6624 Retainer inlay titanium	Х	-
D6634 Retainer onlay titanium	Х	-
D6710 Retainer crown-indirect resin based composite	Х	-
D6720 Retainer crown-resin with high noble metal	Х	-
D6721 Retainer crown-resin with predominantly base metal	X	-
D6722 Retainer crown-resin with noble metal	X	-
D6740 Retainer crown - porcelain/ceramic	X	-
D6750 Retainer crown-porcelain fused to high noble metal	X	-
D6751 Retainer crown-porcelain fused to predominantly base metal	X	-
D6752 Retainer crown-porcelain fused to noble metal	X	_
D6753 Retainer crown-porcelain fused to titanium and titanium alloys	X	-
D6780 Retainer crown-3/4 cast high noble metal	X	-

<sup>\*</sup> These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



Codes Description	Not Covered	Preauthorization Required
Disclaimer: Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do no	t reflect information regarding	immunizations, injectable drugs, or
specialty medications and should be directed to the Pharmacy link option within the website.		
D6781 Retainer crown - 3/4 cast predominately based metal	X	-
D6782 Retainer crown - 3/4 cast noble metal	X	-
D6783 Retainer crown - 3/4 porcelain/ceramic	X	-
D6784 Retainer crown 3/4-titanium and titanium alloys	X	-
D6790 Retainer crown-full cast high noble metal	X	-
D6791 Retainer crown-full cast predominantly base metal	Х	-
D6792 Retainer crown-full cast noble metal	X	-
D6793 Provisional retainer crown- further treatment or completion of diagnosis necessary prior to final impression	X	-
D6794 Retainer crown titanium	X	-
D6920 Connector bar	X	-
D6930 Re-cement or re-bond fixed partial denture	X	-
D6940 Stress breaker	X	-
D6950 Precision attachment	X	-
D6980 Fixed partial denture repair, necessitated by restorative material failure	X	-
D6985 Pediatric partial denture, fixed	X	-
D6999 Unspecified fixed prosthodontic procedure, by report	X	-
D7111 Extraction, coronal remnants - primary tooth	X	-
D7140 Extraction, erupted tooth or exposed root (elevation and/or forceps removal)	Х	-
D7210 Extraction, erupted tooth requiring removal of bone and/or sectioning of tooth, and including elevation of	V	
mucoperiopsteal flap if indicated.	X	<del>-</del>
D7220 Removal of impacted tooth-soft tissue	Х	-
D7230 Removal of impacted tooth-partially bony	Х	-
D7240 Removal of impacted tooth-completely bony	Х	-
D7241 Removal of impacted tooth-completely bony, with unusual surgical compl	Х	-
D7250 Removal of residual tooth roots (cutting procedure)	Х	-
D7251 Coronectomy	Х	-
D7260 Oral antral fistula closure	Х	-
D7261 Primary closure of a sinus perforation	Х	-
D7270 Tooth re-implantation and/or stabilization of accidentally evulsedor d	Х	-
D7272 Tooth transplantation	Х	-
D7280 Exposure of an unerupted tooth	Х	-
D7282 Mobilization of erupted or malpositioned tooth to aid eruption	X	-
D7283 Place device impacted tooth	X	_
D7284 Excisional biopsy of minor salivary glands	X	_
D7285 Incisional biopsy of oral tissue-hard (bone, tooth)	X	_
D7286 Incisional biopsy of oral tissue-soft	X	-
D7287 Cytology sample collection	X	-
D7288 Brush biopsy	X	-
D7290 Surgical repositioning of teeth	X	

<sup>\*</sup> These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



Codes Description	Not Covered	Preauthorization Required
Disclaimer: Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not be the code of the code	ot reflect information regarding	immunizations, injectable drugs, or
specialty medications and should be directed to the Pharmacy link option within the website.		
D7291 Transseptal fiberotomy	X	<u>-</u>
D7292 Placement of temporary anchorage device (screw retained plate) requiring flap; includes device removal	X	-
D7293 Placement of temporary anchorage device requiring flap; includes device removal	X	<u>-</u>
D7294 Placement of temporary anchorage device without flap; includes device removal	X	<u>-</u>
D7295 Bone harvest,auto graft proc	X	-
D7296 Corticotomy ¿ one to three teeth or tooth spaces, per quadrant	X	-
D7297 Corticotomy ¿ four or more teeth or tooth spaces, per quadrant	X	-
D7298 Removal of temporary anchorage device (screw retained plate), requiring flap	X	-
D7299 Removal of temporary anchorage device, requiring flap	X	-
D7300 Removal of temporary anchorage device without flap	X	-
D7310 Alveoloplasty in conjunction with extractions - per quadrant	X	-
D7311 Alveoloplasty w/extract 1-3	X	<u>-</u>
D7320 Alveoloplasty not in conjunction with extractions - per quadrant	X	-
D7321 Alveoloplasty not w/extracts	X	-
D7340 Vestibuloplasty-ridge extension (second epithelialization)	X	-
D7350 Vestibuloplasty-ridge extension (including soft tissue grafts, muscle	X	-
D7410 Radical excision-lesion diameter up to 1.25 cm	Х	-
D7411 Excision of benign lesion greater than 1.25 cm	X	-
D7412 Excision of benign lesion, complicated	X	-
D7413 Excision of malignant lesion up to 1.25 cm	X	-
D7414 Excision of malignant lesion greater than 1.25 cm	Х	-
D7415 Excision of malignant lesion, complicated	Х	-
D7440 Excision of malignant tumor-lesion diameter up to 1.25 cm	Х	-
D7441 Excision of malignant tumor-lesion diameter greater than 1.25 cm	X	-
D7450 Removal of odontogenic cystor tumor-lesion diameter up t0 1.25 cm	Х	-
D7451 Removal of odontogenic cystor tumor-lesion diameter greater than 1.25	Х	-
D7460 Removal of nonodontogenic cystor tumor-lesion diameter up to 1.25 cm	X	-
D7461 Removal of nonodontogenic cystor tumor-lesion diameter greater than 1.	X	-
D7465 Destruction of lesion(s) by physicalor chemical methods, by report	X	-
D7471 Removal of exostosis - per site	X	-
D7472 Removal of torus palatinus	X	_
D7473 Removal of torus mandibularis	X	_
D7485 Reduction of osseous tuberosity	X	-
D7490 Radical resection of mandible with bone graft	X	
D7509 Marsupialization of odontogenic cyst	X	<u> </u>
D7509 Incision and drainage of abscess-intraoral soft tissue	X	<u> </u>
D7510 Inicision and drainage of abscess-intraoral soft tissue	X	
D7511 Inicision/drain abscess initia  D7520 Incision and drainage of abscess-extraoral soft tissue	X	<u>-</u>
D7520 Incision and drainage of abscess-extraoral soft tissue  D7521 Incision/drain abscess extra	X	<u>-</u>

<sup>\*</sup> These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



Codes Description	Not Covered	Preauthorization Required
Disclaimer: Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, t	these coding lists do not reflect information regarding	immunizations, injectable drugs, or
specialty medications and should be directed to the Pharmacy link option within the website.		
D7530 Removal of foreign body, skin,or subcutaneous areolar tissue	X	-
D7540 Removal of reaction-producing foreign bodies-musculoskeletal system	X	-
D7550 Sequestrectomy for osteomyelitis	X	-
D7560 Maxillary sinusotomy for removal of tooth fragmentor foreign body	X	-
D7610 Maxilla-open reduction (teeth immobilized if present)	Х	-
D7620 Maxilla-closed reduction (teeth immobilized if present)	X	-
D7630 Mandible-open reduction (teeth immobilized if present)	X	-
D7640 Mandible-closed reduction (teeth immobilized if present)	X	-
D7650 Malar and/or zygomatic arch-open reduction	X	-
D7660 Malar and/or zygomatic arch-closed reduction	X	-
D7670 Alveolus-stabilization of teeth, open reduction splinting	X	-
D7671 Alveolus - open reduction, may include stabilization of teeth	X	-
D7680 Facial bones-complicated reduction with fixation and mul- tiple surgic	X	-
D7710 Maxilla-open reduction	X	-
D7720 Maxilla-closed reduction	X	-
D7730 Mandible-open reduction	X	-
D7740 Mandible-closed reduction	X	-
D7750 Malar and/or zygomatic arch-open reduction	X	-
D7760 Malar and/or zygomatic arch-closed reduction	X	-
D7770 Alveolus-stabilization of teeth, open reduction splinting	X	-
D7771 Alveolus, closed reduction stabilization of teeth	X	-
D7780 Facial bones - complicated reduction with fixation and multiple approaches	X	-
D7810 Open reduction of dislocation	X	-
D7820 Closed reduction of dislocation	X	-
D7830 Manipulation under anesthesia	X	-
D7840 Condylectomy	X	-
D7850 Surgical discectomy; with/without implant	X	-
D7852 Disc repair	X	-
D7854 Synovectomy	X	-
D7856 Myotomy	X	-
D7858 Joint reconstruction	X	-
D7860 Arthrotomy	X	-
D7865 Arthroplasty	X	-
D7870 Arthrocentesis	X	-
D7871 Non-arthroscopic lysis and lavage	X	-
D7872 Arthroscopy-diagnosis, withor without biopsy	X	-
D7873 Arthroscopy: lavage and lysis of adhesions	X	-
D7874 Arthroscopy: disc repositioning and stabilizationo	X	-
D7875 Arthroscopy: synovectomy	X	-

<sup>\*</sup> These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



Codes	Description	Not Covered	Preauthorization Required
	Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect in		<u> </u>
	edications and should be directed to the Pharmacy link option within the website.		
D7876	Arthroscopy: discectomy	X	-
D7877	Arthroscopy: debridement	Х	-
D7880	Occlusal orthotic appliance	Х	-
D7881	Oclussal orthotic device adjustment	X	-
D7899	Unspecified tmd therapy, by report	X	-
D7910	Suture of recent small wounds up to 5 cm	Х	-
D7911	Complicated suture-up to 5 cm	Х	-
	Complicated suture-greater than 5 cm	Х	-
D7920	Skin grafts (identify defect covered, location, and type of graft)	Х	-
D7921	Collection and application of autologous blood concentrate product	Х	-
	Placement of intra-socket biological dressing to aid in hemostasis or clot stabilization, per site	Х	-
	A guide is stabilized to the teeth and/or the bone to allow for virtual guidance of osteotomy.	Х	-
	Osteoplasty-for orthognathic deformities	Х	-
	Osteotomy-ramus, closed	Х	-
	Osteotomy-ramus, open with bone graft	Х	-
	Osteotomy-segmentedor subapical-per sextantor quadrant	Х	-
	Osteotomy-body of mandible	Х	-
	Lefort i (maxilla-total)	Х	-
	Lefort i (maxilla-segmented)	Х	-
	Lefort iior lefort iii (osteoplasty of facial bones for midface hypopl	Х	-
	Lefort iior lefort iii-with bone graft	Х	-
	Osseous, osteoperiosteal, periosteal, or cartilage graft of the mandibl	Х	-
	Sinus augmentation with bone or bone substitutes via a lateral open approach	Х	-
	The augmentation of the sinus to increase alveolar height by vertical access through the ridge crest by raising the floor		
	of the sinus and grafting as necessary. this include	Х	-
D7953	Bone replacement graft	Х	-
	Repair of maxillofacial soft and hard tissue defects	X	-
	Guided tissue regeneration, edentulous area - resorbable barrier, per site	Х	-
	Guided tissue regeneration, edentulous area - non-resorbable barrier, per site	Х	-
	Buccal / labial frenectomy (frenulectomy)	Х	-
	Lingual frenectomy (frenulectomy)	Х	-
	Frenuloplasty	X	-
	Excision of hyperplastic tissue-per arch	X	-
	Excision of pericoronal gingiva	X	-
	Surgical reduction of fibrous tuberosity	X	-
	Non surgical sialolithotomy	X	-
	Surgical sialolithotomy	X	-
	Excision of salivary gland	X	-
	Sialodochoplasty	X	

<sup>\*</sup> These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



Codes Description	Not Covered	Preauthorization Required
Disclaimer: Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding	<u> </u>	•
specialty medications and should be directed to the Pharmacy link option within the website.		
D7983 Closure of salivary fistula	X	-
D7990 Emergency tracheotomy	X	-
D7991 Coronoidectomy	X	-
D7993 Surgical placement of craniofacial implant – extra oral	X	-
D7994 Surgical placement: zygomatic implant	X	-
D7995 Synthetic graft - mandible or facial bones, by report	X	-
D7996 Implant - mandible for augmentation purposes	X	-
D7997 Appliance removal (not by dentist who placed appliance) incl removal of archbar	X	-
D7998 Intraoral placement of a fixation device not in conjunction with a fracture	X	-
D7999 Unspecified oral surgery procedure, by report	X	-
D8010 Limited orthodontic treatment of the primary dentition	X	-
D8020 Limited orthodontic treatment of the transitional dentition	X	-
D8030 Limited orthodontic treatment of the adolescent dentition	X	-
D8040 Limited orthodontic treatment of the adult dentition	X	-
D8050 Interceptive orthodontic treatment of the primary dentition	X	-
D8060 Interceptive orthodontic treatment of the transitional dentition	X	-
D8070 Comprehensive orthodontic treatment of the transitional dentition	X	-
D8080 Comprehensive orthodontic treatment of the adolescent dentition	X	-
D8090 Comprehensive orthodontic treatment of the adult dentition	X	-
D8210 Removable appliance therapy	X	-
D8220 Fixed appliance therapy	X	-
D8660 Pre-orthodintic treatment examination to monitor growth and development	X	-
D8670 Periodic orthodontic treatment visit (as part of contract)	X	-
D8680 Orthodontic retention (removal of appliances, construction and placem	X	-
D8681 Removable orthodontic retainer adjustment	X	-
D8690 Orthodontic treatment (alternative billing to a contract fee)	X	-
D8695 Removal of fixed orthodontic appliances for reasons other than completion of treatment	X	-
D8696 Repair of orthodontic appliance-maxillary	X	-
D8697 Repair of orthodontic appliance-mandibular	X	-
D8698 Re-cement or re-bond fixed retainer-maxillary	X	-
D8699 Re-cement or re-bond fixed retainer-mandibular	X	-
D8701 Repair of fixed retainer, includes reattachment-maxillary	X	-
D8702 Repair of fixed retainer, includes reattachment-mandibular	X	-
D8703 Replacement of lost or broken retainer-maxillary	X	-
D8704 Replacement of lost or broken retainer-mandibular	X	-
D8999 Unspecified orthodontic procedure, by report	X	-
D9110 Palliative (emergency) treatment of dental pain-minor procedures	X	-
D9120 Fixed partial denture sectioning	X	-
D9130 Temporomandibular joint dysfunction-non-invasive physical therapies	X	<u> </u>

<sup>\*</sup> These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



Codes Description	Not Covered	Preauthorization Required
Disclaimer: Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding	lists do not reflect information regarding	immunizations, injectable drugs, or
specialty medications and should be directed to the Pharmacy link option within the website.		
D9210 Local anesthesia n0t in conjunction with operativeor surgical procedu	X	-
D9211 Regional block anesthesia	X	-
D9212 Trigeminal division block anesthesia	X	-
D9215 Lcl ansthsa w oprtv or srgcl prcdrs	X	-
D9219 Evaluation for moderate sedation, deep sedation or general anesthesia	X	-
D9222 Deep sedation/general anesthesia ¿ first 15 minutes	X	-
D9223 Deep sedation/general anesthesia-each subsequent 15 minute increment	X	-
D9230 Inhltn ntrs oxd/anlgsa, anxlyss	X	-
D9239 Intravenous moderate (conscious) sedation/analgesia ¿ first 15 minutes	X	-
D9243 Intravenous moderate (conscious) sedation/analgesia-each subsequent 15 minute increment	X	-
D9248 Non-intravenous conscious sedation	X	-
D9310 Consultation (diagnostic service provided by dentistor physician other	X	-
D9311 Consultation with a medical health care professional	X	-
D9410 House call	X	-
D9420 Hsptl or asc call	X	-
D9430 Office visit for observation (during regularly scheduled hours) no oth	X	-
D9440 Office visit-after regularly scheduled hours	X	-
D9450 Case presentation, detailed and extensive treatment planning	X	-
D9610 Therapeutic drug injection, by report	X	-
D9612 Therapeutic parenteral drugs, two or more administrations, different medications	X	-
D9613 Infiltration of sustained release therapeutic drug-single or multiple sites	X	-
D9630 Drugs or medicaments dispensed in the office for home use	X	-
D9910 Application of desensitizing medicaments	Х	-
D9911 Application of desensitizing resin for cervical and/or root surface per tooth	X	-
D9912 Pre-visit patient screening	X	-
D9920 Behavior management, by report	Х	-
D9930 Treatment of complications (postsurgical) - unusual circumstances, by	X	-
D9932 Cleaning and inspection of removable complete denture, maxillary	X	-
D9933 Cleaning and inspection of removable complete denture, mandibular	Х	-
D9934 Cleaning and inspection of removable partial denture, maxillary	X	-
D9935 Cleaning and inspection of removable partial denture, mandibular	X	-
D9938 Fabrication of a custom removable clear plastic temporary aesthetic appliance	X	-
D9939 Placement of a custom removable clear plastic temporary aesthetic appliance	X	_
D9941 Fabrication of athletic mouthquards	X	-
D9942 Repair/reline occlusal guard	X	-
D9943 Occlusal guard adjustment	X	_
D9944 Occlusal guard-hard appliance, full arch	X	_
D9945 Occlusal guard-soft appliance, full arch	X	
D9946 Occlusal guard-hard appliance, partial arch	X	

<sup>\*</sup> These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



Codes	Description	Not Covered	Preauthorization Required
	Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect in	formation regarding	immunizations, injectable drugs, or
	edications and should be directed to the Pharmacy link option within the website.		
	Custom sleep apnea appliance fabrication and placement	Х	-
	Adjustment of custom sleep apnea appliance	Χ	-
	Repair of custom sleep apnea appliance	Χ	-
	Occlusion analysis-mounted case	Χ	-
	Occlusal adjustment-limited	Χ	<u>-</u>
	Occlusal adjustment-complete	Χ	-
	Reline custom sleep apnea appliance (indirect)	Χ	-
D9954	Device for use immediately after removing a mandibular advancement device to aid in relieving muscle/jaw pain and occlusal changes.	Х	-
D9955	Post-delivery visit for titration of a mandibular advancement device and to subsequently evaluate the patient's response to treatment, integrity of the device, and management of side effects.	Х	-
D9956	Sleep apnea test, for patients who are at risk for sleep related breathing disorders and appropriate candidates, as allowed by applicable laws. Also, to help the dentist in defining the optimal position of the mandible.	Х	-
D9957	Screening activities, performed alone or in conjunction with another evaluation, to identify signs and symptoms of sleep- related breathing disorders.	Х	-
D9961	Duplicate/copy patient's records	Χ	-
	Enamel microabrasion	Χ	-
D9971	Odontoplasty 1-2 teeth; includes removal of enamel projections	Χ	-
	External bleaching- per arch- perfmored in offic	Χ	-
D9973	External bleaching - per tooth	Χ	-
	Internal bleaching - per tooth	Χ	-
	External bleaching for home application, per arch; includes materials and fabrication of custom trays	Χ	-
	Sales tax	Χ	-
	Missed appointment	Х	-
	Cancelled appointment	Х	-
	Certified translation or sign-certified translation or sign-language services per visit	Х	-
	Dental case management- addressing appointment compliance barriers	Х	-
	Dental case management- care coordination	Χ	-
	Dental case management- motivational interviewing	Х	-
	Dental case management- patient education to improve oral health literacy	Χ	-
	Teledentistry ¿ synchronous; real-time encounter	Х	-
	Teledentistry asynchronous; information stored and forwarded to dentist for subsequent review	Х	-
	Dental case management-patients with special health care needs	X	-
	Unspecified adjunctive procedure, by report	X	-
	Crutch, underarm, articulating, spring assisted, each	X	-
	Enclosed walker w rear seat	X	-
	Walker, battery power wheels	X	-
	Seat lift mechanism placed over or on top of toilet, any type	X	

<sup>\*</sup> These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



Codes	Description	Not Covered	Preauthorization Required
	Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect	information regarding	immunizations, injectable drugs, or
	edications and should be directed to the Pharmacy link option within the website.	1 1	
	Press pad alternating w/ pum	-	X
	Pressure pad alternating pum	-	X
	Press underlay alter w/pump	-	X
	Protector heel or elbow	Х	<u>-</u>
	Powered air flotation bed	-	X
	Air fluidized bed	-	X
	Therapeutic lightbox, minimum 10,000 lux, table top model	X	-
	Water circ heat pad w pump	X	<u> </u>
	Water circ cold pad w pump	X	-
	Infrared heating pad system	X	<del>-</del>
E0231	Non-contact wound warming device (temperature control unit, ac adapter and power cord) for use with warming card and wou	Х	-
E0232	Warming card for use with the non-contact wound warming device and non-contact wound warming wound cover	Х	-
E0239	Hydrocollator unit portable	X	-
E0240	Bath/shower chair, with or without wheels, any size	Х	-
E0241	Bath tub wall rail	Х	-
E0242	Bath tub rail floor	Х	-
E0243	Toilet rail	Х	-
E0244	Toilet seat raised	Х	-
E0245	Tub stool or bench	Х	-
E0246	Transfer tub rail attachment	Х	-
	Transfer bench for tub or toilet with or without commode opening	Х	-
	Transfer bench, heavy duty, for tub or toilet with or without commode opening	Х	-
	Hosp bed fixed ht w/ mattres	-	X
	Hosp bed fixd ht w/o mattres	_	X
	Hospital bed var ht w/ mattr	_	X
	Hospital bed var ht w/o matt	_	X
	Hosp bed semi-electr w/ matt	_	X
	Hosp bed semi-electr w/o mat	_	X
	Hosp bed total electr w/ mat	_	X
	Hosp bed total elec w/o matt	_	X
	Hospital bed institutional t	Х	-
	Bed board	X	<u> </u>
	Over-bed table	X	
	Powered pres-redu air mattrs		X
	Bed cradle	-	X
	Hosp bed fx ht w/o rails w/m	-	^ X
	Hosp bed fx ht w/o rail w/o	-	X

<sup>\*</sup> These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



Codes	Description	Not Covered	Preauthorization Required
	Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect in	formation regarding	immunizations, injectable drugs, or
	edications and should be directed to the Pharmacy link option within the website.	T	
	Hosp bed var ht w/o rail w/o	-	X
	Hosp bed var ht w/o rail w/	-	X
	Hosp bed semi-elect w/ mattr	-	X
	Hosp bed semi-elect w/o matt	-	X
	Hosp bed total elect w/ matt	-	X
	Hosp bed total elect w/o mat	-	X
	Pediatric crib, hospital grade, fully enclosed	-	X
	Hospital bed, heavy duty, extra wide, with weight capacity 350-600 lbs w/rails w/o mattress	-	Χ
	Hospital bed, extra heavy duty, extra wide, with weight capacity greater than 600 lbs w/rails w/o mattress	-	X
E0304	Hospital bed, extra heavy duty, extra wide, with weight capacity greater than 600 lbs w/rails w/mattress	-	Χ
E0305	Rails bed side half length	-	X
E0310	Rails bed side full length	-	Χ
0315	Bed accessory brd/tbl/supprt	-	Χ
0328	Hospital bed, pediatric, manual, 360 degree side enclosures, top of headboard, footboard and side rails up to 24 inches	-	Х
0329	Hospital bed, pediatric, electric or semi-electric, 360 degree side enclosures, top of headboard, footboard and side rai	-	Х
0350	Control unit bowel system	Х	-
0352	Disposable pack w/bowel syst	Х	-
	Air elevator for heel	Х	-
0371	Nonpower mattress overlay	-	Χ
	Powered air mattress overlay	-	Χ
	Nonpowered pressure mattress	-	Χ
	Oximeter device for measuring blood oxygen levels non-invasively	Х	-
	Topical ox deliver sys, nos	Х	-
	Schest shell	Х	-
	Chest wrap	Х	_
	Rocking bed w/ or w/o side r	-	Х
	Home ventilator, any type, used with invasive interface, (e.g., tracheostomy tube)	-	X
	Home ventilator, any type, used with non-invasive interface, (e.g., mask, chest shell)	-	X
	Home vent multi-function	_	X
	Respiratory assist device, bi-level pressure capability, without backup rate	_	X
	Respiratory assist device, bi-level pressure capability, with back-up rate	_	X
	Respiratory assist device, bi-level pressure capability, with backup rate	_	X
	Intrapulmonary percussive ventilation system and related accessories	Х	^
	Cough stimulating device, alternating positive and negative airway pressure	-	X
	High frequency chest wall oscillation air-pulse generator system, (includeshoses and vest), each	-	X
	Oral device/appliance used to reduce upper airway collapsibility, adjustable or non-adjustable, prefabricated, includes	X	-

<sup>\*</sup> These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



Codes	Description	Not Covered	Preauthorization Required
	Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect in	formation regarding	immunizations, injectable drugs, or
	edications and should be directed to the Pharmacy link option within the website.		
E0486	Oral device/appliance used to reduce upper airway collapsibility, adjustable or non-adjustable, custom fabricated, inclu	-	X
	Power source and control electronics unit for oral device/appliance for neuromuscular electrical stimulation of the tongue muscle, controlled by phone application	Х	-
E0493	Oral device/appliance for neuromuscular electrical stimulation of the tongue muscle, used in conjunction with the power source and control electronics unit, controlled by phone application, 90-day supply	Х	-
E0530	Electronic positional obstructive sleep apnea treatment, with sensor, includes all components and accessories, any type	Х	-
E0561	Humidifier, non-heated, used with positive airway pressure device	-	Χ
	Humidifier, heated, used with positive airway pressure device	-	X
E0601	Cont airway pressure device	-	X
E0635	Patient lift electric	-	X
E0636	Multipositional patient support system, with integrated lift, patientaccessible controls	-	X
E0637	Combination sit to stand frame/table system, any size including pediatric, with seat lift feature, with or without wheels	Х	-
	Standing frame/table system, one position (e.g. upright, supine or prone stander), any size including pediatric, with or without wheels	Х	-
E0641	Standing frame/table system, multi-position (e.g. three-way stander), any size including pediatric, with or without wheels	Х	-
	Standing frame/table system, mobile (dynamic stander), any size including pediatric	Х	-
	Pneum compressor segmental	-	X
E0652	Pneum compres w/cal pressure	-	X
E0655	Pneumatic appliance half arm	-	X
E0656	Segmental pneumatic appliance for use with pneumatic compressor, trunk	-	X
E0657	Segmental pneumatic appliance for use with pneumatic compressor, chest	-	Χ
	Seg pneumatic appl full leg	-	X
E0668	Seg pneumatic appl full arm	-	X
	Seg pneumatic appli half leg	-	X
	Segmental pneumatic appliance for use with pneumatic compressor, half	-	X
	Pressure pneum appl full leg	-	X
	Pressure pneum appl full arm	-	X
	Pressure pneum appl half leg	-	X
	Pneumatic compression device, high pressure, rapid inflation/deflation cycle	Х	-
	Intermittent limb compression device (includes all accessories), not otherwise specified	Х	-
	Non-pneumatic sequential compression garment, trunk	-	X
	Ultraviolet light therapy system panel, includes bulbs/lamps, timer and eyeprotection, 6 foot panel	-	X
	Safety equipment, device or accessory, any type	Χ	-
	Restraints any type	Х	-
E0711	Upper extremity medical tubing/lines enclosure or covering device, restricts elbow range of motion	Χ	-

<sup>\*</sup> These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



odes Description	Not Covered	Preauthorization Required
isclaimer: Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect	information regarding	immunizations, injectable drugs, o
pecialty medications and should be directed to the Pharmacy link option within the website.		
E0732 Cranial electrotherapy stimulation (ces) system, any type	X	-
E0738 Upper extremity rehab	X	-
E0739 Rehab sys active assist rt	X	-
E0746 Electromyograph biofeedback	X	-
E0747 Elec osteogen stim not spine	-	Χ
E0748 Elec osteogen stim spinal	-	Χ
E0749 Elec osteogen stim implanted	-	Χ
E0755 Electronic salivary reflex s	Х	-
E0760 Osteogen ultrasound stimltor	-	Χ
50761 Non-thermal pulsed high frequency radiowaves, high peak power electromagneticenergy treatment device	Х	-
E0762 Transcutaneous electrical joint stimulation device system, includes all accessories	Х	-
E0764 Functional neuromuscular stimulator, transcutaneous stimulation of muscles of ambulation with computer control, used for	-	Х
0782 Non-programble infusion pump	_	Х
70783 Programmable infusion pump	_	X
E0784 Ext amb infusn pump insulin	_	X
E0785 Replacement impl pump cathet	_	X
10786 Implantable pump replacement	<del> </del>	X
50830 Ambulatory traction device	Х	-
50840 Tract frame attach headboard	X	_
0850 Traction stand free standing	X	_
10856 Cervical traction device, cervical collar with inflatable air bladder	X	
10920 Fracture frame attached to b	- ^	X
0936 Continuous passive motion exercise device for use other than knee	Х	- X
0970 Wheelchair no. 2 footplates	X	
0983 Manual wheelchair accessory, power add-on to convert manual wheelchair to motorized	-	X
10984 Manual wheelchair accessory, power add-on to convert manual wheelchair to motorized	<del>                                     </del>	X
0985 Wheelchair accessory, seat lift mechanism	<del>                                     </del>	X
10988 Manual wheelchair accessory, lever-activated, wheel drive, pair	<del>                                     </del>	X
1003 Wheelchair accessory, power seating system, recline only, without shear	-	X
	<del>                                     </del>	X
1004 Wheelchair accessory, power seating system, recline only, with mechanical shear		X
1005 Wheelchair accessory, power seating system, recline only, with power shear	<del>-</del> -	
1006 Wheelchair accessory, power seating system, combination tilt and recline, w/o shear reduction	<del>                                     </del>	X
1009 Wheelchair accessory, addition to power seating system, mechanically linked leg	- 1	X
1011 Modification to pediatric wheelchair, width adjustment package (not to bedispensed with initial chair)	- 1	X
Heavy duty shock absorber for heavy duty or extra heavy duty manual wheelchair,each	- 1	X
Heavy duty shock absorber for heavy duty or extra heavy duty power wheelchair,each	-	X
Multi-positional patient transfer system, with integrated seat, operated by care giver, patient weight capacity up to an	-	X

<sup>\*</sup> These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



Codes Description	Not Covered	Preauthorization Required
Disclaimer: Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect	nformation regarding im	munizations, injectable drugs, or
specialty medications and should be directed to the Pharmacy link option within the website.		
E1036 Multi-positional patient transfer system, extra-wide, with integrated seat, operated by caregiver, patient weight capaci	-	X
E1085 Hemi-wheelchair fixed arms	Х	-
E1086 Hemi-wheelchair detachable a	X	-
E1089   Wheelchair lightwt fixed arm	X	-
E1130 Whichr stand fxd arm ft rest	X	-
E1140 Wheelchair standard detach a	X	-
E1220 Whlchr special size/constrc	-	Χ
E1230 Power operated vehicle	-	Χ
E1239 Ped power wheelchair nos	-	Χ
E1250 Wheelchair lightwt fixed arm	X	-
E1260 Wheelchair lightwt foot rest	X	-
E1285 Wheelchair heavy duty fixed	X	-
E1290 Wheelchair hvy duty detach a	X	-
E1300 Whirlpool portable	X	-
E1301 Whirlpool tub, walk-in, portable	Х	-
E1310 Whirlpool non-portable	-	Χ
E1399 Durable medical equipment mi	-	Х
E1699 Dialysis equipment unspecifi	-	Χ
E1802 Dynamic adjustable forearm pronation/supination device, includes soft interfacematerial	-	Χ
E1840 Dynamic adjustable shoulder flexion/abduction/rotation device, includes soft interface material	-	Χ
E1841 Static str shldr dev rom adj	-	Χ
E1905 Virtual reality cognitive behavioral therapy device (cbt), including pre-programmed therapy software	X	-
E2102 Adjunctive continuous glucose monitor or receiver	-	Χ
E2103 Non-adjunctive, non-implanted continuous glucose monitor or receiver	-	Χ
Pulse generator system for tympanic treatment of inner ear endolymphatic fluid	-	Χ
E2298 Pwr seat elev sys for crt	-	Χ
2301 Power wheelchair accessory, power standing system	X	-
Power wheelchair accessory, hand control interface, multiple mechanical switches	-	Χ
2324 Power wheelchair accessory, chin cup for chin control interface	-	Χ
Power wheelchair accessory, sip and puff interface, nonproportional	-	Χ
2329 Power wheelchair accessory, head control interface, contact switch mechanism, nonproportional	-	Χ
2330 Power wheelchair accessory, head control interface, proximity switch mechanism, nonproportional	-	Χ
Power wheelchair accessory, attendant control, proportional, including all electronics and hardware	-	Х
Power wheelchair accessory, nonstandard seat frame width, 20-23 inches	-	Х
Power wheelchair accessory, nonstandard seat frame width, 24-27 inches	-	Х
Power wheelchair accessory, nonstandard seat frame depth, 20 or 21 inches	-	Х
Power wheelchair accessory, nonstandard seat frame depth, 22-25 inches	-	Х
Power wheelchair accessory, electronic interface to operate speech generating device	-	Х

<sup>\*</sup> These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



Codes Description	Not Covered	Preauthorization Required
Disclaimer: Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect the code of the	ect information regarding	immunizations, injectable drugs, or
specialty medications and should be directed to the Pharmacy link option within the website.		
E2371 Power wheelchair accessory, group 27 sealed lead acid battery, (e.g. gel cell, absorbed glassmat), each	-	X
E2381 Power wheelchair accessory, pneumatic drive wheel tire, any size, replacement only, each	-	X
E2382 Power wheelchair accessory, tube for pneumatic drive wheel tire, any size, replacement only, each	-	X
E2383 Power wheelchair accessory, insert for pneumatic drive wheel tire (removable), any type, any size, replacement only eac	-	X
E2384 Power wheelchair accessory, pneumatic caster tire, any size, replacement only, each	-	X
E2402 Negative pressure wound therapy electrical pump, stationary or portable	-	X
E2502 Speech generating device, digitized speech, using pre-recorded messages, 8-20 min.	-	X
E2504 Speech generating device, digitized speech, using pre-recorded messages, 20-40 min.	-	X
E2506 Speech generating device, digitized speech, using pre-recorded messages, over 40 min.	-	X
E2508 Speech generating device, synthesized speech, requiring message formulation by spelling	-	X
E2510 Speech generating device, synthesized speech, permitting multiple methods	-	X
E2511 Speech generating software program, for personal computer or personal digital assistant	-	X
E2512 Accessory for speech generating device, mounting system	-	Χ
E2599 Accessory for speech generating device, not otherwise classified	-	X
E2610 Powered w/c cushion	Х	-
E3000 Speech volume modulation system, any type, including all components and accessories	Х	_
E8000 Posterior gait trainer	Х	-
E8001 Upright gait trainer	Х	-
E8002 Anterior gait trainer	Х	-
G0028 Doc med rsn no scr tob	Х	-
G0029 No tob scr/cess int	Х	-
G0030 Pt scr tob & cess int	Х	-
G0031 Pall serv during meas	Х	-
G0032 2+ antipsy schiz	Х	-
G0033 2+ benzo seiz	Х	-
G0034 Pall serv during meas	Х	-
G0035 Pt ed pos 23	Х	-
G0036 Pt/ptn decln assess	Х	-
G0037 Pt not able to participate	Х	-
G0038 Clin pt no ref	Х	-
G0039 Pt no ref, rn spec	Х	-
G0040 Pt phys/occ therapy	Х	-
G0041 Pt/ptn decln referral	X	-
G0042 Ref to therapy	X	-
G0043 Pt mech pros ht valv	X	-
G0044 Pt mitral stenosis	X	-
G0045 Mrs 90 days post stk	X	-
G0046 No mrs 90 days post stk	X	_

<sup>\*</sup> These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



Codes Description		Not Covered	Preauthorization Required
	y plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect in	nformation regarding	immunizations, injectable drugs, or
specialty medications and should be directed to the	e Pharmacy link option within the website.		
G0047 Ped blunt hd traum		Х	-
G0048 Pall serv during meas		X	-
G0049 Main hemo in-cntr		X	-
G0050 Pt w/ Imted life expec		X	-
G0051 Pt hospice mnth		X	<u> </u>
G0052 Pt peri dialysis dur mo		X	<u> </u>
G0053 Adv rheum pt care mvp		X	<del>-</del>
G0054 Strk cr prev pos outcme m	νр	X	<del>-</del>
G0055 Adv care heart dx mvp		X	-
G0056 Opt chronic dx mang mvp		Χ	-
G0057 Best pct pt safety em mvp		Χ	-
G0058 Imprv care le jnt repr mvp		Χ	-
G0059 Pt sfty pos exp w aneth my	/p	X	-
G0060 Allergy/immunology ss		X	-
G0061 Anesthesiology ss		Χ	-
G0062 Audiology ss		Х	-
G0063 Cardiology ss		X	-
G0064 Cert nurse midwife ss		Х	-
G0065 Chiropractic ss		X	-
G0066 Clinical social work ss		X	-
G0067 Dentistry ss		Х	-
G0068 Adm of infusion drug in ho	me	-	X
G0069 Professional services for the	ne administration of subcutaneous immunotherapy for each infusion drug administration		
	ual's home, each 15 minutes	-	X
	ne administration of chemotherapy for each infusion drug administration calendar day in the		
individual's home, each 15	,,	-	X
G0076 Care manag h vst new pt 2		Х	-
G0077 Care manag h vst new pt 3		Х	-
G0078 Care manag h vst new pt		Х	-
G0079 Care manag h vst new pt 6		Х	-
G0080 Care manag h vst new pt 7		X	-
G0081 Care man h v ext pt 20 mi	• · · · · · · · · · · · · · · · · · · ·	X	-
G0082 Care man h v ext pt 30 m		X	-
G0083 Care man h v ext pt 45 m		X	-
G0084 Care man h v ext pt 60 m		X	-
G0085 Care man h v ext pt 75 m		X	-
G0086 Care man home care plan	30 m	X	-
G0087 Care man home care plan		X	_
G0088 Adm iv drug 1st home visit		-	X

<sup>\*</sup> These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



Codes	Description	Not Covered	Preauthorization Required
	Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect in	nformation regardin	g immunizations, injectable drugs, o
	edications and should be directed to the Pharmacy link option within the website.		1
	Adm subq drug 1st home visit	-	X
	Adm iv chemo 1st home visit	-	X
	Colon ca scrn; barium enema	X	-
	Partial hosp prog service	-	X*
	Hhcp-serv of pt,ea 15 min	-	X
	Hhcp-serv of ot,ea 15 min	-	X
	Hhcp-svs of s/l path,ea 15mn	-	X
	Services of clinical social worker in home health or hospice settings, each 15 minutes	-	X
0157	Hhc pt assistant ea 15	-	Χ*
0158	Hhc ot assistant ea 15	-	X*
0159	Hhc pt maint ea 15 min	-	X
30160	Hhc occup therapy ea 15	-	X
0219	Pet img wholebody melanoma nonco	X	-
	Pet imaging, any site, not otherwise specified	X	-
90238	Therapeutic procedures to improve respiratory function, other than described by g0237, one on one, face to face, per	-	Х
0249	Provision of test materials and equipment for home inr monitoring to patientwith mechanical heart valve(s) who meets med	-	Х
0252	Pet imaging, full and partial-ring pet scanners only, for initial diagnosis ofbreast cancer and/or surgical planning for	Х	-
0255	Current perception threshold/sensory nerve conduction test, (snct) per limb, any nerve	Х	-
	Pild/placebo control clin tr	-	Х
0277	Hbot, full body chamber, 30m	-	Х
0282	Electrical stimulation, (unattended), to one or more areas, for wound careother than described in g0281	Х	-
	Electrical stimulation (unattended), to one or more areas for indication(s)other than wound care, as part of a therapy p	-	X*
0295	Electromagnetic stimulation, to one or more areas	Х	-
	Immunize counsel 5-15 min	Х	-
	Immunize counsel 16-30 mins	Х	-
	Immunize couns < 21yr 5-15 m	Х	-
	Immunize couns < 21yr 6-30 m	Х	-
	Counsel immune <21 16-30 m	Х	-
0315	Counsel immune <21 5-15 m	Х	-
	Facility services for dental rehabilitation procedure(s) performed on a patient who requires monitored anesthesia (e.g., general, intravenous sedation (monitored anesthesia care) and use of an operating room	-	Х
30339	Image guided robotic linear accelerator base sterotactic radiosurgery, complete course therapy in one session, or first	-	X
30340	Image guided robotic linear accelerator based stereotactic radiosurgery, delivery including collimator changes and custo	_	X

<sup>\*</sup> These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



Codes Description	Not Covered	Preauthorization Required
Disclaimer: Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not re	flect information regarding ir	mmunizations, injectable drugs, or
specialty medications and should be directed to the Pharmacy link option within the website.		
G0428 Collagen meniscus implant procedure for filling meniscal defects (e.g., cmi, collagen scaffold, menaflex)	X	<u>•</u>
G0452 Molecular pathology procedure; physician interpretation and report	-	X
G0453 Continuous intraoperative neurophysiology monitoring, from outside the operating room (remote or nearby), per	_	Χ
patient, (attention directed exclusively to one patient) each 15		
G0490 Home visit rn, lpn by rhc/fq	X	-
G1001 Cdsm evicore	X	-
G1002 Cdsm medcurrent	X	-
G1003 Cdsm medicalis	X	-
G1004 Cdsm ndsc	X	-
G1007 Cdsm aim	X	-
G1008 Cdsm cranberry pk	Х	-
G1010 Cdsm stanson	X	-
G1011 Cdsm qualified nos	X	-
G1012 Cdsm agilemd	X	-
G1013 Cdsm evidencecare	X	-
G1014 Cdsm inveniga	X	-
G1015 Cdsm reliant	Х	-
G1016 Cdsm speed of care	X	-
G1017 Cdsm healthhelp	X	-
G1018 Cdsm infinx	Х	-
G1019 Cdsm logicnets	X	-
G1020 Cdsm curbside	Х	-
G1021 Cdsm ehealthline	Х	-
G1022 Cdsm intermountain	Х	-
G1023 Cdsm persivia	Х	-
G1024 Cdsm radrite	Х	-
G1025 Pt mnth 1 mcp prov	Х	-
G1026 Pt hemo > 3mo	Х	-
G1027 Pt hemo < 3mo	Х	-
G1028 Take home supply 8mg per 0.1	Х	-
G2001 Post d/c h vst new pt 20 m	Х	-
G2002 Post-d/c h vst new pt 30 m	X	_
G2003 Post-d/c h vst new pt 45 m	X	-
G2004 Post-d/c h vst new pt 40 m	X	-
G2005   Post-d/c h vst new pt 75 m	X	_
G2006 Post-d/c h vst ext pt 20 m	X	-
G2007 Post-d/c h vst ext pt 20 m	X	
G2008 Post-d/c h vst ext pt 45 m	X	-
G2009 Post-d/c h vst ext pt 60 m	X	

<sup>\*</sup> These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



Codes Description	Not Covered	Preauthorization Required
Disclaimer: Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect the listed services are updated quarterly.	ect information regarding	immunizations, injectable drugs, or
specialty medications and should be directed to the Pharmacy link option within the website.  G2013 Post-d/c h vst ext pt 75 m	X	
G2014 Post-d/c care plan overs 30m	X	-
G2015 Post-d/c care plan overs 60m	X	<u>-</u>
G2020 Services for high intensity clinical services associated with the initial engagement and outreach of beneficiaries		-
assigned to the sip component of the pcf model (do not bill with chronic care management codes)	X	-
G2081 Pt 66+ snp or ltc pos > 90d	X	-
G2082 Visit esketamine 56m or less	-	Х
G2083 Visit esketamine, > 56m	-	X
G2090 Pt 66+ frailty and med dem	Х	-
G2091 Pt 66+ frailty and adv ill	X	-
G2092 Ace arb arni	X	-
G2093 Med doc rsn no ace arn arni	X	-
G2094 Pt rsn no ace arn arni	X	-
G2095 Sys rsn no ace arn arni	Х	-
G2096 No rsn ace arb arni	X	-
G2097 Child dx uri 3d of other dx	X	-
G2098 Pt 66+ frailty and med dem	X	-
G2099 Pt 66+ frailty and adv ill	X	-
G2100 Pt 66+ frailty and med dem	X	-
G2101 Pt 66+ frailty and adv ill	X	-
G2105 Pt 66+ It ints > 90	X	-
G2106 Pt 66+ It ints > 90	X	-
G2107 Pt 66+ frailty and adv ill	X	-
G2108 Pt 66+ It ints > 90	X	-
G2109 Pt 66+ frailty and med dem	X	<u>-</u>
G2110 Pt 66+ frailty and adv ill	X	-
G2112 Pred<=5 mg ra glu <6m	X	<u>-</u>
G2113 Pred>5 mg >6m, no chg da	X	<u>-</u>
G2115 Pt 66+ frailty and med dem	X	<u>-</u>
G2116 Pt 66+ frailty and adv ill	X	<u>-</u>
G2118 Pt 81+ frailty	X	-
G2121 Psy dep anx ap and icd asse	X	-
G2122 Psy/dep/anx/apandicd noasse	X	-
G2125 Pt 81+ frailty	X	-
G2126 Pt 66+ frailty adv ill	X	-
G2127 Pt 66+ frailty med dem	X	-
G2128 No aspirin med rsn	X	-
G2129 No bp outpt	X	<u>-</u>

<sup>\*</sup> These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



Codes Description	Not Covered	Preauthorization Required
Disclaimer: Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not refle		<u> </u>
specialty medications and should be directed to the Pharmacy link option within the website.		
G2136 Bk pain vas 6-20wk = 3	X	-
G2137 Bk pain vas 6-20wk > 3	X	-
G2138 Bk pain vas 9-15mo = 3	X	-
G2139 Bk pain vas 9-20mo > 3	X	-
G2140 Leg pain vas 6-20wk = 3	X	-
G2141 Leg pain vas 6-20wk > 3	X	-
G2142 Fs odi 9-15mo postop<= 22	X	-
G2143 Fs odi 9-15mo > 22	X	-
G2144 Fs odi 6-20wk postop > 22	X	-
G2145 Fsodi 6-20wk >22 or chg 30pt	X	-
G2146 Leg pain vas 9-15mo <= 3	X	-
G2147 Leg pain vas 9-15mo > 3	X	-
G2148 Mpm used	X	-
G2149 No mpm med rsn	X	-
G2150 No mpm	X	-
G2151 Dx degen neuro	X	-
G2152 Res change sc =0	X	-
G2167 Res change sc < 0	X	-
G2168 Svs by pt in home health	-	X*
G2169 Svs by ot in home health	-	X*
G2172 All inclusive payment for services related to highly coordinated and integrated opioid use disorder (oud) treatment	V	
services furnished for the demonstration project	X	<del>-</del>
G2173 Uri w comorb 12m oth dx	Х	-
G2174 Uri new rx antibiotic 30d	X	-
G2175 Pt comorb dx 12m of epi	Х	-
G2176 Outpt ed obs w inpt admit	X	-
G2177 Bronch w rx antibx 30d	X	-
G2178 Pt not elig low neuro ex	X	-
G2179 Med doc rsn no low ex	X	-
G2180 Inelig footwr eval	X	-
G2181 Bmi not doc medrsn ptref	X	-
G2182 Pt 1st biolog antirheum	X	-
G2183 Doc pt unable comm	X	-
G2184 No caregiver	X	-
G2185 Caregiver dem trained	X	-
G2186 Pt ref app rsrcs	X	-
G2187 Clin ind img hd trauma	X	-
G2188 Pt 50 yrs w/clin ind hd	X	-
G2189 Img hd abnml neuro exam	Х	<u> </u>

<sup>\*</sup> These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



Codes Description	Not Covered	Preauthorization Required
Disclaimer: Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, t	these coding lists do not reflect information regarding	immunizations, injectable drugs, or
specialty medications and should be directed to the Pharmacy link option within the website.		
G2190 Ind img hd rad neck	X	-
G2191 Ind img hd pos hd ache	X	-
G2192 >55 yrs temp hd ache	X	-
G2193 <6yr new onset hd ache	X	-
G2194 New hdache ped pt dis	X	-
G2195 Occip hdache child	X	-
G2196 Screen unhithy etoh use	X	-
G2197 Screen hithy etoh use	X	-
G2198 Med rsn no unhlthy etoh	X	-
G2199 Not scrn etoh no rsn	X	-
G2200 Unhlthy etoh rcvd couns	X	-
G2201 Med rsn no brief couns	X	-
G2202 No rsn no brief couns	X	-
G2203 Med rsn no etoh couns	X	-
G2204 Pt 50-85 w/ scope	X	-
G2205 Preg drng adjv trtmt	X	-
G2206 Adjv trtmt chemo her2	X	-
G2207 Rsn no trtmt chem her2	X	-
G2208 No trtmt chemo and her2	X	-
G2209 Refused to participate	X	-
G2210 No neck fs prom no rsn	X	-
G4000 Dermatology ss	X	-
G4001 Diagnostic rad ss	Х	-
G4002 Ep cardio ss	Х	-
G4003 Emergency med ss	X	-
G4004 Endocrinology ss	Х	-
G4005 Family medicine ss	Х	-
G4006 Gastroenterology ss	X	-
G4007 General surgery ss	Х	-
G4008 Geriatrics ss	Х	-
G4009 Hospitalists ss	X	-
G4010 Infectious disease ss	X	-
G4011 Internal medicine ss	X	-
G4012 Interventional rad ss	X	-
G4013 Mentl/behav health ss	X	-
G4014 Nephrology ss	X	-
G4015 Neurology ss	X	-
G4016 Neurosurgical ss	X	-
G4017 Nutrition/dietician ss	X	-

<sup>\*</sup> These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



Codes Desc	ription	Not Covered	Preauthorization Required
	e note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect	information regarding	immunizations, injectable drugs, or
	ons and should be directed to the Pharmacy link option within the website.	<del></del>	
G4018 Ob/g		X	-
	ology/hema ss	X	-
	thalmology ss	Х	-
	opedic surgery ss	Х	-
	aryngology ss	Х	<u> </u>
G4023 Path		X	<u>-</u>
G4024 Pedi		Х	-
	sical medicine ss	Х	-
	s/occ therapy ss	Х	-
	tic surgery ss	X	-
G4028 Podi		X	-
G4029 Prev	ventive medicine ss	X	-
G4030 Pulm	nonology ss	X	-
G4031 Radi	iation oncology ss	X	-
G4032 Rhe	umatology ss	X	-
G4033 Skille	ed nursing facility ss	Х	-
G4034 Spee	ech language path ss	Х	-
G4035 Thor	racic surgery ss	X	-
G4036 Urge	ent care ss	Х	-
G4037 Urole	ogy ss	Х	-
G4038 Vaso	cular surgery ss	X	-
G8395 Left	ventricular ejection fraction (lvef) >= 40% or documentation as normal or mildly depressed left ventricular systoli	Х	-
G8396 Left	ventricular ejection fraction (Ivef) not performed or documented	Х	-
G8397 Dilat	ted macular or fundus exam performed, including documentation of the presence or absence of macular edema level	Х	-
	ent with central dual-energy x-ray absorptiometry (dxa) results documented or ordered or pharmacologic therapy	Х	-
	ent with central dual-energy x-ray absorptiometry (dxa) results not documented or not ordered or pharmacologic	Х	-
	er extremity neurological exam performed and documented	Х	-
	er extremity neurological exam not performed	X	_
	twear evaluation performed and documented	X	-
	twear evaluation was not performed	X	-
	ician documented that patient was not an eligible candidate for footwear evaluation measure	X	-
	>= 30 was calculated and a follow-up plan was documented in the medical record	X	-
	< 22 was calculated and a follow-up plan was documented in the medical record	X	-
	>= 30 or < 22 was calculated, but no follow-up plan was documented in the medical record	X	-
	< 30 and >= 22 was calculated and documented	X	_

<sup>\*</sup> These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



Codes	Description	Not Covered	Preauthorization Required
	Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect in edications and should be directed to the Pharmacy link option within the website.	formation regarding	immunizations, injectable drugs, or
	Bmi not calculated	Х	
	Doc cur meds by prov	X	-
	Cur meds not document	X	-
		X	-
	8430 Documentation that patient is not eligible for medication assessment  8431 Positive screen for clinical depression using an age appropriate standardized tool and a follow-up plan documented	Х	-
G8432	No documentation of clinical depression screening using an age appropriate standardized tool	Х	-
	Screening for clinical depression using an age appropriate standardized tool not documented, patient not eligible/appropriate	Х	-
G8450	Beta-blocker therapy prescribed for patients with left ventricular ejection fraction (Ivef) <40% or documentation as mod	Х	-
G8451	Clinician documented patient with left ventricular ejection fraction (lvef) <40% or documentation as moderately or sever	Х	-
G8452	Beta-blocker therapy not prescribed for patients with left ventricular ejection fraction (lvef) <40% or documentation as	Х	-
G8465	High risk of recurrence of prostate cancer	Х	-
	Angiotensin converting enzyme (ace) inhibitor or angiotensin receptor blocker (arb) therapy prescribed	X	-
	Angiotensin converting enzyme (ace) inhibitor or angiotensin receptor blocker (arb) therapy not prescribed for reasons	X	-
G8475	Angiotensin converting enzyme (ace) inhibitor or angiotensin receptor blocker (arb) therapy not prescribed, reason not	Х	-
G8476	Most recent blood pressure has a systolic measurement of <130 mm/hg and a diastolic measurement of <80 mm/hg	Х	-
G8477	Most recent blood pressure has a systolic measurement of >=130 mm/hg and/or a diastolic measurement of >=80 mm/hg	Х	-
G8478	Blood pressure measurement not performed or documented, reason not specified	Х	-
	Influenza immunization administered or previously received	Х	-
G8483	Influenza immunization was not ordered or administered for reasons documented by clinician	X	-
G8484	Influenza immunization was not ordered or administered, reason not specified	Χ	-
G8506	Patient receiving angiotensin converting enzyme (ace) inhibitor or angiotensin receptor blocker (arb) therapy	X	-
G8510	Negative screen for clinical depression using an age appropriate standardized tool, follow-up not required	Χ	-
G8511	Positive screen for clinical depression using an age appropriate standardized tool documented, follow up plan not documented, reason not specified	Х	-
G8535	No documentation of an elder maltreatment screen, patient not eligible	Х	-
G8536	No documentation of an elder maltreatment screen, reason not specified	Х	-
G8539	Documentation of a current functional outcome assessment using a standardized tool and documentation of a care plan based on identified deficiencies	Х	-
G8540	Documentation that the patient is not eligible for a functional outcome assessment using a standardized tool	Х	-

<sup>\*</sup> These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



Codes	Description	Not Covered	Preauthorization Required
	Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect in	formation regarding	immunizations, injectable drugs, or
	edications and should be directed to the Pharmacy link option within the website.		
G8541	No documentation of a current functional outcome assessment using a standardized tool, reason not specified	X	-
	Documentation of a current functional outcome assessment using a standardized tool; no functional deficiencies identified, care plan not required	Х	-
G8543	Documentation of a current functional outcome assessment using a standardized tool; no documentation of a care plan, reas	Х	-
G8559	Patient referred to a physician (preferably a physician with training in disorders of the ear) for an otologic evaluatio	X	-
G8560	Patient has a history of active drainage from the ear within the previous 90 days	Х	-
G8561	Patient is not eligible for the referral for otologic evaluation for patients with a history of active drainage measure	Х	-
G8562	Patient does not have a history of active drainage from the ear within the previous 90 days	Χ	-
	Patient not referred to a physician (preferably a physician with training in disorders of the ear) for an otologic evalu	Х	-
G8564	Patient was referred to a physician (preferably a physician with training in disorders of the ear) for an otologic evalu	Х	-
G8565	Verification and documentation of sudden or rapidly progressive hearing loss	Х	-
	Patient is not eligible for the "referral for otologic evaluation for sudden or rapidly progressive hearing loss" measur	Х	-
G8567	Patient does not have verification and documentation of sudden or rapidly progressive hearing loss	Χ	-
	Patient was not referred to a physician (preferably a physician with training in disorders of the ear) for an otologic e	Х	-
G8569	Prolonged intubation (>24 hrs) required	Χ	-
G8570	Prolonged intubation (>24 hrs) not required	Χ	-
	Developed postoperative renal failure or required dialysis	Χ	-
G8576	No postoperative renal failure/dialysis not required	Χ	-
G8577	Reexploration required due to mediastinal bleeding with or without tamponade, graft occlusion, valve dysfunction or other cardiac reason	Х	-
G8578	Reexploration not required due to mediastinal bleeding with or without tamponade, graft occlusion, valve dysfunction or other cardiac reason	Х	-
G8598	Aspirin or another antithrombotic therapy used	Χ	-
	Aspirin or another antithrombotic therapy not used, reason not otherwise specified	Χ	-
	Iv t-pa initiated within three hours (<= 180 minutes) of time last known well	Χ	-
	Iv t-pa not initiated within three hours (<= 180 minutes) of time last known well for reasons documented by clinician	Х	-
G8602	Iv t-pa not initiated within three hours (<= 180 minutes) of time last known well, reason not specified	Χ	-
	Pharm ther osteo rx	Χ	-
	No pharm ther osteo rx	Χ	-
	Fun stat score knee >= 0	Χ	-

<sup>\*</sup> These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



Codes	escription	Not Covered	Preauthorization Required
	lease note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect in	nformation regarding	immunizations, injectable drugs, or
	lications and should be directed to the Pharmacy link option within the website.		
	fun stat score knee < 0	X	-
	Rafs crs ki no scor no surv	Х	-
	un stat score hip >= 0	Χ	-
	un stat score hip < 0	X	<u>-</u>
	Rafs crs hi no scor no surv	X	-
	un stat score le >= 0	X	-
G8656 F	un stat score le < 0	X	-
G8658 F	un stat score le not done	Χ	-
G8659 F	un stat score ls >= 0	Χ	-
G8660 F	un stat score ls < 0	Χ	-
G8661 F	un stat score ls pt no elg	X	-
G8662 R	Rafs crs lbi no scor no surv	Χ	-
G8663 F	un stat score shdl >=0	X	-
G8664 F	un stat score shdl < 0	X	-
G8666 R	Rafs crs si no scor no surv	X	-
38667 F	un stat score ue >=0	Х	-
G8668 F	un stat score ue < 0	Х	-
G8670 R	Rafs crs ewh no scor no surv	Χ	-
G8694 L	eft ventricular ejection fraction (lvef) < 40%	Х	-
G8708 F	Patient not prescribed or dispensed antibiotic	Х	-
G8709 F	Patient prescribed or dispensed antibiotic for documented medical reason(s)	Х	-
G8710 F	Patient prescribed or dispensed antibiotic	Χ	-
	Prescribed or dispensed antibiotic	Х	-
G8712 A	Antibiotic not prescribed or dispensed	Х	_
G8721 P	eport (primary tumor), pn category (regional lymph nodes), and histologic grade were documented in pathology	Х	-
	Medical reason(s) documented for not including pt category, pn category and histologic grade in the pathology report	Х	-
38723 S	Specimen site is other than anatomic location of primary tumor	Х	-
38724 P	Pt category, pn category and histologic grade were not documented in the pathology report, reason not otherwise pecified	Х	-
	Occumentation of a positive elder maltreatment screen and documented follow-up plan	Х	-
	Ider maltreatment screen documented as negative, no follow-up required	X	-
	Elder maltreatment screen documented as positive, follow-up plan not documented, reason not specified	X	-
38749 A	Absence of signs of melanoma (cough, dyspnea, tenderness, localized neurologic signs such as weakness, jaundice or any other sign suggesting systemic spread) or absence of syp	X	-
	Most recent systolic blood pressure < 140 mmhg	Х	-
	Most recent systolic blood pressure >= 140 mmhg	X	-
	Nost recent diastolic blood pressure < 90 mmhg	X	

<sup>\*</sup> These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



Codes D	escription	Not Covered	Preauthorization Required
	ease note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect in	formation regarding	
	cations and should be directed to the Pharmacy link option within the website.		
	lost recent diastolic blood pressure >= 90 mmhg	X	<del>-</del>
	o documentation of blood pressure measurement, reason not otherwise specified	Χ	-
G8783 B	lood pressure screening performed as recommended by the defined screening interval	Χ	-
G8785 B	lood pressure screening not performed as recommended by screening interval, reason not otherwise specified	X	-
G8797 S	pecimen site other than anatomic location of esophagus	Х	-
G8798 S	pecimen site other than anatomic location of prostate	Х	-
	erformance of transabdominal or transvaginal ultrasound	Х	-
	ransabdominal or transvaginal ultrasound not performed for reasons documented by clinician	Х	-
	erformance of transabdominal or transvaginal ultrasound not ordered, reason not specified	Х	-
	tatin therapy not prescribed for documented reasons	Х	-
	tatin medication prescribed at discharge	Х	-
	tatin therapy not prescribed at discharge, reason not specified	Х	-
	atient discharge to home no later than postoperative day #7	Х	-
	atient not discharged to home by postoperative day #7	X	-
	atient discharge to home no later than postoperative day #2 following evar	X	-
	atient not discharge to home by postoperative day #2 following evar	X	-
	atient discharged to home no later than postoperative day #2 following cea	X	-
	atient not discharged to home by postoperative day #2	X	-
	leep apnea symptoms assessed, including presence or absence of snoring and daytime sleepiness	X	-
	ocumentation of reason(s) for not performing an assessment of sleep symptoms (e.g., patient didn't have initial		
	aytime sleepiness, patient visits between initial testing and	X	-
	leep apnea symptoms not assessed, reason not otherwise specified	Х	-
	pnea hypopnea index (ahi) or respiratory disturbance index (rdi) measured at the time of initial diagnosis	X	_
	ocumentation of reason(s) for not measuring an apnea hypopnea index (ahi) or a respiratory disturbance index (rdi)		
	t the time of initial diagnosis	Х	-
G8844 A	pnea hypopnea index (ahi) or respiratory disturbance index (rdi) not measured at the time of initial diagnosis, reason ot specified	X	-
	ositive airway pressure therapy prescribed	Х	-
G8846 M	loderate or severe obstructive sleep apnea (apnea hypopnea index (ahi) or respiratory disturbance index (rdi) of 15 or reater)	X	-
)	ocumentation of reason(s) for not prescribing positive airway pressure therapy	Х	-
	ositive airway pressure therapy not prescribed, reason not otherwise specified	X	-
	bjective measurement of adherence to positive airway pressure therapy, documented	X	_
	ositive airway pressure therapy prescribed	X	-
	ocumentation of reason(s) for not objectively measuring adherence to positive airway pressure therapy	X	_
G8855 O	bjective measurement of adherence to positive airway pressure therapy not performed, reason not otherwise pecified	X	-
	eferral to a physician for an otologic evaluation performed	Х	

<sup>\*</sup> These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



	Description	Not Covered	Preauthorization Required
	Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect ir edications and should be directed to the Pharmacy link option within the website.	formation regarding	immunizations, injectable drugs, o
	Patient is not eligible for the referral for otologic evaluation measure (e.g., patients who are already under the care of a		
30031	physician for acute or chronic dizziness)	X	-
20050	Referral to a physician for an otologic evaluation not performed, reason not specified	Χ	
	Patients not assessed for risk of bone loss, reason not otherwise specified	X	<u> </u>
	Pneumococcal vaccine administered or previously received	X	
	Documentation of medical reason(s) for not administering or previously receiving pneumococcal vaccine (e.g., patient		<del>_</del>
20000	allergic reaction, potential adverse drug reaction)	X	-
38866	Documentation of patient reason(s) for not administering or previously receiving pneumococcal vaccine (e.g., patient		
30000	refusal)	Х	-
38867	Pneumococcal vaccine not administered or previously received, reason not otherwise specified	Х	-
	Patient has documented immunity to hepatitis b and is receiving a first course of anti-tnf therapy	X	-
	Clinician diagnosed breast cancer preoperatively by a minimally invasive biopsy method	X	-
	Documentation of reason(s) for not performing minimally invasive biopsy to diagnose breast cancer preoperatively	V	
		Х	-
38877	Clinician did not attempt to achieve the diagnosis of breast cancer preoperatively by a minimally invasive biopsy	V	
	method, reason not otherwise specified	Х	-
38878	Sentinel lymph node biopsy procedure performed	X	-
	Documentation of reason(s) sentinel lymph node biopsy not performed	X	-
	Stage of breast cancer is greater than t1n0m0 or t2n0m0	X	-
38882	Sentinel lymph node biopsy procedure not performed	X	_
38883	Biopsy results reviewed, communicated, tracked and documented	X	-
38884	Clinician documented reason that patient's biopsy results were not reviewed	X	-
38885	Biopsy results not reviewed, communicated, tracked or documented	Х	-
38907	Patient documented not to have experienced any of the following events: a burn prior to discharge; a fall within the	Х	
	facility; wrong site/side/patient/procedure/implant event;	^	-
38908	Patient documented to have received a burn prior to discharge	Χ	-
38909	Patient documented not to have received a burn prior to discharge	X	-
38910	Patient documented to have experienced a fall within asc	X	-
38911	Patient documented not to have experienced a fall within ambulatory surgical center	X	-
38912	Patient documented to have experienced a wrong site, wrong side, wrong patient, wrong procedure or wrong implant	Х	
	event	^	<u>-</u>
38913	Patient documented not to have experienced a wrong site, wrong side, wrong patient, wrong procedure or wrong	Х	
	implant event	^	<u>-</u>
38914	Patient documented to have experienced a hospital transfer or hospital admission upon discharge from asc	X	-
38915	Patient documented not to have experienced a hospital transfer or hospital admission upon discharge from asc	Х	<u> </u>
		, ,	
20040	Patient with preoperative order for iv antibiotic surgical site infection (ssi ) prophylaxis, antibiotic initiated on time	X	

<sup>\*</sup> These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



Codes	Description	Not Covered	Preauthorization Required
	Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect ir edications and should be directed to the Pharmacy link option within the website.	nformation regarding	immunizations, injectable drugs, or
	Patient with preoperative order for iv antibiotic surgical site infection (ssi ) prophylaxis, antibiotic not initiated on time		
00317	T alient with preoperative order for iv antibiotic surgical site infection (ssr) prophylaxis, antibiotic not initiated on time	X	-
G8918	Patient without preoperative order for iv antibiotic surgical site infection ( ssi ) prophylaxis	Х	-
	Left ventricular ejection fraction (lvef) < 40% or documentation of moderately or severely depressed left ventricular	Х	
	systolic function	^	-
G8924	Spirometry test results demonstrate fev1/fvc <60% with copd symptoms (e.g, dyspnea, cough/sputum, wheezing)	X	-
G8934	Left ventricular ejection fraction (Ivef) <40% or documentation of moderately or severely depressed left ventricular	Х	-
00005	systolic function		
J8935	Clinician prescribed angiotensin converting enzyme (ace) inhibitor or angiotensin receptor blocker (arb) therapy	Х	-
G8936	Clinician documented that patient was not an eligible candidate for angiotensin converting enzyme (ace) inhibitor or	Х	-
0000=	angiotensin receptor blocker (arb) therapy		
G8937	Clinician did not prescribe angiotensin converting enzyme (ace) inhibitor or angiotensin receptor blocker (arb) therapy,	X	-
20041	reason not given Elder maltreatment screen documented, patient not eligible for follow-up	Х	
		X	<u>-</u>
	Documented functional outcomes assessment and care plan within the previous 30 days	X	<del>-</del>
	Ajcc melanoma cancer stage 0 through iic melanoma	Χ	<del>-</del>
G8946	Minimally invasive biopsy method attempted but not diagnostic of breast cancer (e.g., high risk lesion of breast such as atypical ductal hyperplasia, lobular neoplasia, atypic	X	-
G8950	Pre-hypertensive or hypertensive blood pressure reading documented, indicated follow-up documented	Х	-
	Pre-hypertensive or hypertensive blood pressure reading documented, indicated follow-up not documented, reason not	X	-
CODE	given Most recent assessment of adequacy of volume management	Х	
	Patient receiving maintenance hemodialysis in an outpatient dialysis facility	X	-
	Assessment of adequacy of volume management not documented, reason not given	X	-
	Cardiac stress imaging test primarily performed on low-risk surgery patient for preoperative evaluation within 30 days	^	-
30901	preceding this surgery	X	-
G8962	Cardiac stress imaging test performed on patient for any reason including those who did not have low risk surgery or		
	test that was performed more than 30 days preceding low ri	Х	-
G8963	Cardiac stress imaging performed primarily for monitoring of asymptomatic patient who had pci wihin 2 years	Х	-
	Cardiac stress imaging test performed primarily for any other reason than monitoring of asymptomatic patient who had	Х	
	pci wthin 2 years (e.g., symptomatic patient, patient grea	Χ	-
38965	Cardiac stress imaging test primarily performed on low chd risk patient for initial detection and risk assessment	Х	-
	Cardiac stress imaging test performed on symptomatic or higher than low chd risk patient or for any reason other than	Х	-
	initial detection and risk assessment		
8967ن	Warfarin or another oral anticoagulant that is fda approved prescribed	X	-

<sup>\*</sup> These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



Codes Description		Not Covered	Preauthorization Required
Disclaimer: Please note that coverage may vary by plan type and may not follow the listed service specialty medications and should be directed to the Pharmacy link option within the website.	s. These codes are updated quarterly. Additionally, these coding lists do not reflect inf	ormation regarding	immunizations, injectable drugs, or
G8968 Documentation of medical reason(s) for not prescribing war	arin or another oral anticoadulant that is fda approved not		
prescribed (e.g., allergy, risk of bleeding, transient o	anii oi anomei orai anticoaguiant mat is ida approved not	Х	-
G8969 Documentation of patient reason(s) for not prescribing warfa	urin or another oral anticoagulant that is fda annroyed (e.g.		
economic, social, and/or religious impediments, nonco	initi di andinei diai anticoaguiani inalis ida approved (e.g.,	X	-
G8970 No risk factors or one moderate risk factor for thromboembo	lism	Χ	
G9001 Mccd, initial rate		X	_
G9002 Mccd,maintenance rate		X	_
G9003 Mccd, risk adj hi, initial		X	
G9004 Mccd, risk adj Io, initial		X	
G9005 Mccd, risk adj, maintenance		X	
G9006 Mccd, home monitoring		X	
G9007 Mccd, sch team conf		X	
G9008 Mccd, by coor-care ovrsght		X	<u> </u>
G9009 Coordinated care fee, risk adjusted maintenance, level 3		X	
G9010 Coordinated care fee, risk adjusted maintenance, level 3		X	<u> </u>
General Coordinated care fee, risk adjusted maintenance, level 5		X	<del>-</del>
		X	<u> </u>
G9012 Other specified case mgmt G9013 Esrd demo basic bundle level i		X	-
	olated convices	X	-
G9014 Esrd demo expanded bundle including venous access and I G9016 Demo-smoking cessation coun	elated services	X	<u>-</u>
<u> </u>	sing at the time of concer diagnosis or requirence	X	-
G9050 Oncology; primary focus of visit; work up, evaluation, or sta			<del>-</del>
G9051 Oncology; primary focus of visit; treatment decision making	arter disease is staged or restaged, discussion of treatment	X	-
G9052 Oncology; primary focus of visit; surveillance for disease red	currence for patient who has completed definitive cancer	Х	-
G9053 Oncology; primary focus of visit; expectant management of	patient with evidence of cancer	Х	-
G9054 Oncology; primary focus of visit; supervising, coordinating o	r managing care of patient with terminal cancer	Х	-
G9055 Oncology; primary focus of visit; other, unspecified service i	not otherwise listed	Х	-
G9056 Oncology; practice guidelines; management adheres to guidelines	elines	Х	-
G9057 Oncology; practice guidelines; management differs from gui		Х	-
G9058 Oncology; practice guidelines; management differs from gui	delines because the treating physician disagrees with	Х	-
G9059 Oncology; practice guidelines; management differs from gui	delines because the patient, after being offered treatment	Х	-
G9060 Oncology; practice guidelines; management differs from gu	idelines associated with patient comorbid illness	Х	-
G9061 Oncology; practice guidelines; patients condition not addres		Х	-
G9062 Oncology; practice guidelines; management differs from gui		Х	-

<sup>\*</sup> These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



	Description		Preauthorization Required
	Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect edications and should be directed to the Pharmacy link option within the website.	ect information regarding imr	nunizations, injectable drugs, o
	Oncology; disease status; limited to non small cell lung cancer; extent of disease initially established as stage 1	Х	-
9064	Oncology; disease status; limited to non small cell lung cancer; extent of disease initially established as stage ii	Х	-
9065	Oncology; disease status; limited to non small cell lung cancer; extent of disease initially established as stage iii	Х	-
9066	Oncology; disease status; limited to non small cell lung cancer; stage iii b-iv at diagnosis, metastatic	Х	-
9067	Oncology; disease status; limited to non small cell lung cancer; extent of disease unknown, under evaluation	Х	-
9068	Oncology; disease status; limited to small cell and combined small cell/non small cell	Х	-
9069	Oncoloyg; disease status; small cell lung cancer, limited to small cell and combined small cell/non small cell	Х	-
9070	Oncology; disease status; small cell lung cancer, limited to small cell and combined small cell/non small	Х	-
	Oncology; disease status; invasive female breast cancer; adenocarcinoma as predominant cell type	Х	-
	Oncology; disease status; invasive female breast cancer; adenocarcinoma as predominant cell type	Х	-
	Oncology; disease status; invasive female breast cancer; adenocarcinoma as predominant cell type	Х	-
9074	Oncology; disease status; invasive female breast cancer; adenocarcinoma as predominant cell type	Х	-
	Oncology; disease status; invasive female breast cancer; adenocarcinoma as predominant cell type	Х	-
9077	Oncology; disease status; prostate cancer, limited to adenocarcinoma as predominant cell type	Х	_
9078	Oncology; disease status; prostate cancer, limited to adenocarcinoma as predominant cell type	Х	-
9079	Oncology; disease status; prostate cancer, limited to adenocarcinoma as predominant cell type	Х	-
9080	Oncology; disease status; prostate cancer, limited to adenocarcinoma	Х	-
9083	Oncoloyg; disease status; prostate cancer limited to adenocarcinoma; extent of disease unknown	Х	-
9084	Oncology; disease status; colon cancer, limited to invasive cancer, adenocarcinoma as predominant cell type	Х	-
9085	Oncology; disease status; colon cancer, limited to invasive cancer, adenocarcinoma as predominant cell type	Х	-
9086	Oncology; disease status; colon cancer, limited to invasive cancer, adenocarcinoma as predominant cell type	Х	-
9087	Oncology; disease status; colon cancer, limited to invasive cancer, adenocarcinoma as predominant cell type	Х	-
9088	Oncology; disease status; colon cancer, limited to invasive cancer, adenocarcinoma as predominant cell type	Х	-
9089	Oncology; disease status; colon cancer, limited to invasive cancer, adenocarcinoma as predominant cell type	Х	-
9090	Oncology; disease status; rectal cancer, limited to invasive cancer, adenocarcinoma as predominant cell type	Х	-
9091	Oncology; disease status; rectal cancer, limited to invasive cancer, adenocarcinoma as predominant cell type	Х	-

<sup>\*</sup> These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



Codes	Description	Not Covered	Preauthorization Required
	Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect in edications and should be directed to the Pharmacy link option within the website.	nformation regarding	immunizations, injectable drugs, or
	Oncoloyg; disease status; rectal cancer, limited to invasive cancer, adenocarcinoma as predominant cell type		
03032	oncoloyg, disease status, rectal cancer, limited to invasive cancer, adenocalcinoma as predominant centifie	Х	-
G9093	Oncology; disease status; rectal cancer, limited to invasive cancer, adenocarcinoma as predominant cell type	Х	-
00001			
G9094	Oncology; disease status; rectal cancer, limited to invasive cancer, adenocarcinoma as predominant cell type	Х	-
G9095	Oncology; disease status; rectal cancer, limited to invasive cancer, adenocarcinoma as predominant cell type	Х	-
G9096	Oncology; disease status; esophageal cancer, limited to adenocarcinoma or squamous cell carcinoma	Х	-
G9097	Oncology; disease status; esophageal cancer, limited to adenocarcinoma or squamous cell carcinoma	Х	-
G9098	Oncology; disease status; esophageal cancer, limited to adenocarcinoma or squamous cell carcinoma as predominant cell ty	Х	-
G9099	Oncology; disease status; esophageal cancer, limited to adenocarcinoma or squamous cell carcinoma	Х	-
	Oncology; disease status; gastric cancer, limited to adenocarcinoma as predominant cell type	X	_
	Oncology; disease status; gastric cancer, limited to adenocarcinoma as predominant cell type	X	-
	Oncology; disease status; gastric cancer, limited to adenocarcinoma as predominant cell type	Х	-
	Oncology; disease status; gastric cancer, limited to adenocarcinoma as predominant cell type	X	-
	Oncology; disease status; gastric cancer, limited to adenocarcinoma as predominant cell type	Х	-
	Oncology; disease status, pancreatic cancer, limited to adenocarcinoma as predominant cell type	Х	-
	Oncology; disease status; pancreatic cancer, limited to adenocarcinoma	Х	-
	Oncology; disease status; pancreatic cancer, limited to adenocarcinoma; u nresectable at diagnosis	Х	-
	Oncology; disease status; pancreatic cancer, limited to adenocarcinoma; extent of disease unknown	Х	-
	Oncoloyg; disease status; head and neck cancer, limited to cancers of oral cavity, pharynx and larynx with squamous cell	Х	-
	Oncology; disease status; head and neck cancer, limited to cancers of oral cavity, pharynx and larynx with squamous cell	Х	-
G9111	Oncology; disease status; head and neck cancer, limited to cancers of oral cavity, pharynx and larynx with squamous cell	Х	-
G9112	Oncology; disease status; head and neck cancer, limited to cancers of oral cavity, pharynx and larynx with squamous cell	Х	-
G9113	Oncology; disease status, ovarian cancer, limited to epithelial cancer, pathologic stage ia-b	Х	-
	Oncology; disease status; ovarian cancer, limited to epithelial cancer; pathologic stage ia-b	Х	-
	Oncology; disease status; ovarian cancer, limited to epithelial cancer; pathologic stage iii-iv	Х	-
	Oncology; disease status; ovarian cancer, limited to epithelial cancer; evidence of disease progression	Х	-
	Oncology; disease status; ovarian cancer, limited to epithelial cancer; extent of disease unknown	Х	-
	Oncology; disease status; non hodgkins lymphoma, limited to follicular lymphoma, mantle cell lymphoma	Х	-
	Oncology; disease status; non hodgkins lymphoma, limited to follicular lymphoma, mantle cell lymphoma	Х	-
	Oncology; disease status; non hodgkins lymphoma, limited to follicular lymphoma, mantle cell lymphoma	Х	-

<sup>\*</sup> These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



Codes	Description	Not Covered	Preauthorization Required
	Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect	information regarding	j immunizations, injectable drugs, o
	dications and should be directed to the Pharmacy link option within the website.		
39126	Oncology; disease statu; ovarian cancer, limited to pathologically stage patients with epithelial cancer, stage ia/ib	Х	-
	Oncology; disease status; limited to multiple myeloma, systemic disease; stage ii or higher	Х	-
	Oncology; disease status; chronic myelogenous leukemia, limited to philadelphia chromosome positive and/or bcr-abl	Х	-
	Oncoloyg; disease status; limited to multiple myeloma, systemic disease; extent of disease unknown	Х	-
	Oncology; disease status; invasive female breast cancer (does not include ductal carcinoma in situ); adenocarcinoma as p	Х	-
39132	Oncology; disease status; prostate cancer, limited to adenocarcinoma; hormone-refractory/androgen-independent (e.g., ris	Х	<del>-</del>
G9133	Oncology; disease status; prostate cancer, limited to adenocarcinoma; hormone-responsive; clinical metastases or m1 at d	Х	-
G9134	Oncology; disease status; non-hodgkin's lymphoma, any cellular classification; stage i, ii at diagnosis, not relapsed, n	Х	-
G9135	Oncology; disease status; non-hodgkin's lymphoma, any cellular classification; stage iii, iv, not relapsed, not refracto	Х	-
	Oncology; disease status; non-hodgkin's lymphoma, transformed from original cellular diagnosis to a second cellular clas	Х	-
	Oncology; disease status; non-hodgkin's lymphoma, any cellular classification; relapsed/refractory (for use in a medicar	Х	-
	Oncology; disease status; non-hodgkin's lymphoma, any cellular classification; diagnostic evaluation, stage not determin	Х	-
	Oncology; disease status; chronic myelogenous leukemia, limited to philadelphia chromosome positive and/or bcr-abl	Х	-
39140	Equal to or greater than 4 hours; weather or other conditions must prevent transfer or the case falls into a category of	Х	-
9143	Wayfarin responsiveness testing by genetic technique using any method, any number of specimen(s)	-	Х
	Outpatient intravenous insulin treatment (oivit) either pulsatile or continuous, by any means, guided by the results of measurements for: respiratory quotient; and/or, urine	Х	-
	National committee for quality assurance - level 1 medical home	X	-
	National committee for quality assurance - level 2 medical home	Х	-
	National committee for quality assurance - level 3 medical home	X	
	Mapcp demonstration - state provided services	Х	-
	Mapcp demonstration - community health teams	Х	-
	Mapcp demonstration - physician incentive pool	Х	-
	Transesophageal doppler used for cardiac monitoring	Х	-
	Bpci home visit	X	-
	Beta not given no reason	X	
39189	Beta pres or already taking	X	

<sup>\*</sup> These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



Codes Description	Not Covered	Preauthorization Required
Disclaimer: Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, the		
specialty medications and should be directed to the Pharmacy link option within the website.		
G9190 Medical reason for no beta	X	-
G9191 Pt reason for no beta	X	-
G9192 System reason for no beta	X	-
G9196 Med reason for no ceph	X	-
G9197 Order for ceph	X	-
G9198 No order for ceph no reason	X	-
G9212 Doc of dsm-iv init eval	X	-
G9213 No doc of dsm-iv	X	-
G9223 Pjp proph ordered cd4 low	X	-
G9225 Norsn no foot exam	X	-
G9226 3 comp foot exam completed	X	-
G9227 Docrsn no care plan	X	-
G9228 Gc chl syp documented	X	-
G9229 Ptrsn no gc chl syp test	X	-
G9230 Norsn for gc chl syp test	X	-
G9231 Doc esrd dia trans preg	X	-
G9242 Doc viral load >=200	X	-
G9243 Doc viral load <200	X	-
G9246 No med visit in 24mo	X	-
G9247 1 med visit in 24mo	X	-
G9250 Doc of pain comfort 48hr	X	-
G9251 Doc no pain comfort 48hr	X	-
G9254 Doc pt dischg >2d	X	-
G9255 Doc pt dischg <=2d	X	-
G9273 Sys<140 and dia<90	X	-
G9274 Bp out of nrml limits	X	-
G9275 Doc of non tobacco user	X	-
G9276 Doc of tobacco user	X	-
G9277 Doc daily aspirin or contra	X	-
G9278 Doc no daily aspirin	X	-
G9279 Pne scrn done doc vac done	X	-
G9280 Pne not given norsn	X	-
G9281 Pne scrn done doc not ind	X	-
G9282 Doc medrsn no histo type	X	-
G9283 Hist type doc on report	X	-
G9284 No hist type doc on report	X	-
G9285 Site not small cell lung ca	X	-
G9286 Doc antibio order w in 7d	X	-
G9287 No doc antibio order w in 7d	X	<u> </u>

<sup>\*</sup> These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



odes Description	Not Covered	Preauthorization Required
sclaimer: Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. A	dditionally, these coding lists do not reflect information regarding	immunizations, injectable drugs, or
pecialty medications and should be directed to the Pharmacy link option within the website.		
G9288 Doc medrsn no hist type rpt	X	-
G9289 Doc type nsm lung ca	X	-
G9290 No doc type nsm lung ca	X	-
G9291 Not nsm lung ca	X	-
G9292 Medrsn no pt category	X	-
G9293 No pt category on report	X	<u> </u>
G9294 Pt cat and thck on report	X	-
G9295 Non cutaneous loc	X	-
G9296 Doc share dec prior proc	X	-
G9297 No doc share dec prior proc	X	-
G9298 Eval risk vte card 30d prior	X	-
G9299 No eval riskk vte card prior	X	-
G9305 No interv req for leak	X	-
G9306 Interv req for leak	X	-
S9307 No ret for surg w in 30d	X	-
G9308 Unplnd ret to surg w in 30d	X	-
9309 No unplnd hosp readm in 30d	X	-
99310 Unplnd hosp readm in 30d	X	-
99311 No surg site infection	X	-
System Surgical site infection	X	-
99313 Docrsn not first line amox	X	-
99314 Norsn not first line amox	X	-
99315 Doc first line amox	X	-
99316 Doc comm risk calc	X	-
99317 No doc comm risk calc	X	-
9318 Image std nomenclature	X	-
S9319 Image not std nomenclature	Х	-
9321 Doc count of ct in 12mo	X	-
9322 No doc count of ct in 12mo	Х	-
S9341 Srch for ct w in 12 mos	Х	-
S9342 No srch for ct in 12mo norsn	Х	-
S9344 Sysrsn no dicom srch	X	-
G9345 Follow up pulm nod	X	-
G9347 No follow up pulm nod norsn	X	-
G9351 Doc >1 sinus ct w 90d dx	X	-
G9352 Not >1 sinus ct w 90d dx	X	_
G9353 Medrsn >1 sinus ct w 90d dx	X	-
G9354 Norsn >1 sinus ct w 90d dx	X	-
G9355 No early ind/delivery	X	

<sup>\*</sup> These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



Codes Description	Not Covered	Preauthorization Required
Disclaimer: Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these codes are updated quarterly.		
specialty medications and should be directed to the Pharmacy link option within the website.		, ,
G9356 Early ind/delivery	X	-
G9357 Pp eval/edu perf	X	-
G9358 Pp eval/edu not perf	X	-
G9359 Neg mgd pos tb notact	X	-
G9360 No doc of neg or man pos tb	X	-
G9361 Medical indication for elective delivery or early induction	X	-
G9364 Sinus caus bac inx	X	-
G9367 2high risk med ord	X	-
G9368 2high risk no ord	X	-
G9380 Off assis eol iss	X	-
G9382 No off assis eol	X	-
G9383 Recd scrn hcv infec	X	-
G9384 Doc med reas no offer eol	X	-
G9385 Doc pt reas not rec hcv srn	X	-
G9386 Scrn hcv infec not recd	X	-
G9393 Ini phq9 >9 remiss <5	X	-
G9394 Dx bipol, death, nhres, hosp	X	-
G9395 Ini phq9 >9 no remiss >=5	X	-
G9396 Ini phq9 >9 not assess	X	-
G9402 Recd f/u w/in 30d disch	X	-
G9403 Doc reas no 30 day f/u	X	-
G9404 No 30 day f/u	X	-
G9405 Recd f/u w/in 7d dc	X	-
G9406 Doc reas no 7d f/u	X	-
G9407 No 7d f/u	X	-
G9408 Card tamp w/in 30d	X	-
G9409 No card tamp e/in 30d	X	-
G9410 Admit w/in 180d req remov	X	-
G9411 No admit w/in 180d req remov	X	-
G9412 Admit w/in 180d req surg rev	X	-
G9413 No admit req surg rev	X	-
G9414 Idose menig vac btwn 11 & 13	X	-
G9415 No 1dose meni vac btwn 11&13	X	-
G9416 Tdap or td or 1tet/dipth	X	-
G9417 No tdap or td or 1tet/dipth	X	-
G9418 Lungcx bx rpt docs class	X	-
G9419 Med reas no rpt histo type	X	-
G9420 Spec site no lung	X	-
G9421 Lung cx bx rpt no doc class	X	-

<sup>\*</sup> These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



Codes Description	Not Covered	Preauthorization Required
Disclaimer: Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not refle		•
specialty medications and should be directed to the Pharmacy link option within the website.	oc imorridatori rogaranig	, immunizatione, injectable druge, or
G9422 Rpt doc class histo type	Х	-
G9423 Med reas rpt no histo type	Х	-
G9424 Site no lung or lung cx	Х	-
G9425 Spec rpt no doc class histo	Х	-
G9426 Impr med time edarr pain med	Х	-
G9427 No impro med time pain med	Х	-
G9428 Rpt pt cat and pt1	Х	-
G9429 Doc med reas no pt cat	Х	-
G9430 Spec site no cutaneous	X	-
G9431 No pt cat and pt1	Х	-
G9432 Asth controlled	Х	-
G9434 Asth not controlled	Х	-
G9451 1x scrn hcv infect	Х	-
G9452 Doc med reas no scrn hcv	Х	-
G9453 Pt reas no hcv infect	Х	-
G9454 No hcv infect srn	Х	-
G9455 Abd imag w/us, ct or mri	Х	-
G9456 Doc med pt reas no hcc scrn	Х	-
G9457 No abd imag w/o reason	Х	-
G9458 Tob user recd cess interv	X	1
G9459 Tob non-user	X	1
G9460 No tob assess or cess inter	X	1
G9468 No recd cortico>=10mg/d >60d	X	1
G9470 No rec cortico>60d 1rx 600mg	X	-
G9471 W/in 2yr dxa not order	X	-
G9473 Services performed by chaplain in the hospice setting, each 15 minutes	X	-
G9474 Services performed by dietary counselor in the hospice setting, each 15 minutes	X	-
G9475 Services performed by other counselor in the hospice setting, each 15 minutes	X	-
G9476 Services performed by volunteer in the hospice setting, each 15 minutes	X	-
G9477 Services performed by care coordinator in the hospice setting, each 15 minutes	X	<u>-</u>
G9478 Services performed by other qualified therapist in the hospice setting, each 15 minutes	X	<u>-</u>
G9479 Services performed by qualified pharmacist in the hospice setting, each 15 minutes	X	-
G9480 Admission to medicare care choice model program (mccm)	X	-
G9481 Remote e/m new pt 10mins	X	-
G9482 Remote e/m new pt 20mins	X	-
G9483 Remote e/m new pt 30mins	X	-
G9484 Remote e/m new pt 45mins	X	<u>-</u>
G9485 Remote e/m new pt 60mins	X	-
G9486 Remote e/m est. pt 10mins	X	-

<sup>\*</sup> These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



Decisioner: Please note that coverage may vary by pite hipse and may not float to the stead services. These cades are updated quantety. Additionally, these cading lists do not reflect information regarding immunications, injectable thus precisions and value to all control to the Pharmacy inspectable thus processing and the part of the part	Codes Description	Not Covered	Preauthorization Required
G9488   Remote e/m est, pt 15mins   X   -		formation regarding	immunizations, injectable drugs, or
Gestable   Remote e/m est. pt 25mins   X	· · · · · · · · · · · · · · · · · · ·	X	
G9489   Remote e/m est. pt 40mins   X			<u> </u>
G9491   Joint replac mod home visit   Company   Compan			
Seen pre-operatively by anesthesiologist or proxy prior to the day of surgery			
G9498   Antibiotic regimen prescribed   X   - G9500   Radiation exposure indices, exposure time or number of fluorographic images in final report for procedures using fluoroscopy, documented   X   - G9501   Radiation exposure indices, exposure time or number of fluorographic images not documented in final report for procedure using fluoroscopy, reason not given   X   - G9502   Med reas no perf foot exam   X   - G9502   Med reas no perf foot exam   X   - G9504   Doc reas no hibv status   X   - G9505   Antibiotic regimen prescribed within 10 days after onset of symptoms for documented medical reason   X   - G9506   Antibiotic regimen prescribed within 10 days after onset of symptoms for documented medical reason   X   - G9506   Antibiotic regimen prescribed   X   - G9507   Doc reas on statin or contra   X   - G9508   Documentation that the patient is not on a statin medication   X   - G9508   Documentation that the patient is not on a statin medication   X   - G9508   Documentation that the patient is not on a statin medication   X   - G9509   Remission at twelve months as demonstrated by a twelve month (+/-30 days) phq-9 score of less than 5   X   - G9510   Remission at twelve months as demonstrated by a twelve month denominator identification period   X   - G9511   Individual had a pdc of 0.8 or greater   A   - G9512   Individual had a pdc of 0.8 or greater   X   - G9513   Individual did not have a pdc of 0.8 or greater   X   - G9514   Patient required a return to the operating room within 90 days of surgery   X   - G9515   Patient did not require a return to the operating room within 90 days of surgery   X   - G9516   Patient did not achieve an improvement in visual acuity, from their preoperative level, within 90 days of surgery, reason not given   C9518   Documentation of active injection drug use   C9519   Patient did not achieve an improvement in visual acuity, from their preoperative level, within 90 days of surgery, reason not given   C9519   Patient did not achieve an improvement visits and inpatient			
Radiation exposure indices, exposure time or number of fluorographic images in final report for procedures using fluoroscopy, documented  Radiation exposure indices, exposure time or number of fluorographic images not documented in final report for procedure using fluoroscopy, reason not given  Rediation exposure indices, exposure time or number of fluorographic images not documented in final report for procedure using fluoroscopy, reason not given  Rediation exposure indices, exposure time or number of fluorographic images not documented in final report for procedure using fluoroscopy, reason not given  Rediation exposure indices, exposure time or number of fluorographic images not documented in final report for procedure using fluoroscopy, reason not given  Rediation exposure indices, exposure time or number of fluorographic images not documented in final report for procedure using fluoroscopy, documented in final report for procedure in final report for procedure in final report for procedure vising fluoroscopy, documented in final report for procedure vising fluoroscopy, as a constant of the case on procedure vision fluoroscopy, as a constant of the case on procedure vision fluoroscopy, as a constant of the case on procedure as a constant or control of the case on procedure in the constant or control of the case on procedure vision and the fluoroscopy of the procedure vision and the procedure vision and the procedure vision and the procedure vision and the procedure vision of the procedure			
fluoroscopy, documented  Acidation exposure indices, exposure time or number of fluorographic images not documented in final report for procedure using fluoroscopy, reason not given  Seption Med reas no perf foot exam  Gestor Deceas no hibts status  Acide Seption Michibiotic regimen prescribed within 10 days after onset of symptoms for documented medical reason  Acide Seption Michibiotic regimen prescribed within 10 days after onset of symptoms for documented medical reason  Acide Seption Michibiotic regimen prescribed within 10 days after onset of symptoms for documented medical reason  Acide Seption Michibiotic regimen prescribed within 10 days after onset of symptoms for documented medical reason  Acide Seption Michibiotic regimen prescribed within 10 days after onset of symptoms for documented medical reason  Acide Seption Michibiotic regimen prescribed within 10 days after onset of symptoms for documented medical reason  Acide Seption Michibiotic regimen prescribed within 10 days after onset of symptoms for documented medical reason  Acide Seption Michibiotic regimen prescribed within 10 days after onset of symptoms for documented medical reason  Acide Seption Michibiotic regimen prescribed within 10 days after onset of symptoms for documented medical reason  Acide Seption Michibiotic regimen prescribed within 10 days after onset of symptoms for documented medical reason  Acide Seption Michibiotic regimen prescribed within 10 days after onset of symptoms for documented medical reason  Acide Seption Michibiotic regimen prescribed within 10 days after onset of less than 5  Acide Seption Michibiotic regimen prescribed within 10 days of surgery  Acide Seption Michibiotic regimen prescribed within 10 days of surgery  Acide Seption Michibiotic regimen prescribed within 10 days after onset of less than 10 days of surgery  Acide Seption Michibiotic Regiment of Seption Michibiotic Regiment of Seption Michibiotic Regiment Regim			
Radiation exposure indices, exposure time or number of fluorographic images not documented in final report for procedure using fluoroscopy, reason not given   X   -		X	-
procedure using fluoroscopy, reason not given    Sociation   Soci			
G9502   Med reas no perf foot exam		X	-
G9504   Doc reas no hbv status   G9505   Antibiotic regimen preseribed within 10 days after onset of symptoms for documented medical reason   X   G9506   Biologic immune response modifier prescribed   X   G9507   Doc reas on statin or contra   X   G9507   Doc reas on statin or contra   X   G9508   Biologic immune response modifier prescribed   X   G9509   Documentation that the patient is not on a statin medication   X   G9509   Remission at twelve months as demonstrated by a twelve month (+/-30 days) phq-9 score of less than 5   X   G9510   Remission at twelve months as demonstrated by a twelve month (+/-30 days) phq-9 score of less than 5   X   G9511   Index date phq-9 score greater than 9 documented during the twelve month denominator identification period   X   G9511   Individual had a pdc of 0.8 or greater   X   G9512   Individual had a pdc of 0.8 or greater   X   G9513   Individual did not have a pdc of 0.8 or greater   X   G9514   Patient required a return to the operating room within 90 days of surgery   X   G9515   Patient did not require a return to the operating room within 90 days of surgery   X   G9516   Patient did not require a return to the operating room within 90 days of surgery   X   G9517   Patient did not achieve an improvement in visual acuity, from their preoperative level, within 90 days of surgery, reason not given   X   G9518   Documentation of active injection drug use   X   G9519   Final ref +/- 1.0 w/in 90d   X   G9520   Refract not			
Antibiotic regimen prescribed within 10 days after onset of symptoms for documented medical reason			<del>-</del>
G9506   Biologic immune response modifier prescribed   X   -			<del>-</del>
G9507   Doc reas on statin or contra   X   - G9508   Documentation that the patient is not on a statin medication   X   - G9509   Remission at twelve months as demonstrated by a twelve month (+/-30 days) phq-9 score of less than 5   X   - G9510   Remiss12m not phq-9 score <5   X   - G9511   Index date phq-9 score greater than 9 documented during the twelve month denominator identification period   X   - G9512   Individual had a pdc of 0.8 or greater   X   - G9513   Individual did not have a pdc of 0.8 or greater   X   - G9514   Patient required a return to the operating room within 90 days of surgery   X   - G9515   Patient did not require a return to the operating room within 90 days of surgery   X   - G9516   Patient achieved an improvement in visual acuity, from their preoperative level, within 90 days of surgery, reason not given   X   - G9518   Documentation of active injection drug use   X   - G9519   Final ref +/- 1.0 w/in 90d   X   - G9519   Final ref +/- 1.0 w/in 90d   X   - G9520   Refract not +/- 1.0 w/in 90d   X   - G9521   Total number of emergency department visits and inpatient hospitalizations less than two in the past 12 months   X   - G9529   Patient with minor blunt head trauma had an appropriate indication(s) for a head ct   X   - G9529   Patient with minor blunt head trauma had an appropriate indication(s) for a head ct   X   - G9531   Pt doc   X   - G9532   Pt doc   X   - G9532   Pt doc   X   - G9533			<del>-</del>
G9508 Documentation that the patient is not on a statin medication  X - G9509 Remission at twelve months as demonstrated by a twelve month (+/-30 days) phq-9 score of less than 5  X - G9510 Remis12m not phq-9 score <5  X - G9511 Index date phq-9 score greater than 9 documented during the twelve month denominator identification period  X - G9512 Individual had a pdc of 0.8 or greater  X - G9513 Individual had a pdc of 0.8 or greater  X - G9514 Patient required a return to the operating room within 90 days of surgery  X - G9515 Patient did not require a return to the operating room within 90 days of surgery  X - G9516 Patient achieved an improvement in visual acuity, from their preoperative level, within 90 days of surgery, reason not given  G9518 Documentation of active injection drug use  X - G9519 Final ref +/- 1.0 w/in 90d  X - G9520 Refract not +/- 1.0 w/in 90d  Total number of emergency department visits and inpatient hospitalizations less than two in the past 12 months or patient not screened, reason not given  G9520 Patient with minor blunt head trauma had an appropriate indication(s) for a head ct  X - G9531 Pt doc  X - G9531 Pt doc  X - G9531 Pt doc			<del>-</del>
Remission at twelve months as demonstrated by a twelve month (+/-30 days) phq-9 score of less than 5  X -39510 Remis12m not phq-9 score <5  X -1 Remis12m not phq-9 score <5  X -2 Remis12m not phq-9 score greater than 9 documented during the twelve month denominator identification period  X -2 Remis12m not phq-9 score greater than 9 documented during the twelve month denominator identification period  X -2 Remis12m not phq-9 score greater than 9 documented during the twelve month denominator identification period  X -2 Remis12m not phq-9 score greater than 9 documented during the twelve month denominator identification period  X -2 Refined the phq-9 score greater than 9 documented during the twelve month denominator identification period  X -2 Refined the phq-9 score greater than 9 documented during the twelve month denominator identification period  X -2 Refined the phq-9 score greater than 9 documented during the twelve month denominator identification period  X -2 Refined the phq-9 score greater than 9 documented during the twelve month denominator identification period  X -2 Refined the phq-9 score greater than 9 documented during the twelve month denominator identification period  X -2 Refined the phq-9 score greater than 9 documented during the twelve month denominator identification period  X -2 Refined the phq-9 score greater  X -2 Refined the phq-9 score greater than 9 documented or greater than two in the past 12 months  X -2 Refined the phq-9 score greater than two in the past 12 months  X -2 Refined the phq-9 score greater than two in the past 12 months  X -2 Refined the phq-9 score greater than two in the past 12 months  X -2 Refined the phq-9 score greater than two in the past 12 months  X -2 Refined the phq-9 score greater than two in the past 12 months  X -2 Refined the phq-9 score greater than two in the past 12 months  X -2 Refined the phq-9 score greater than two in the past 12 months  X -2 Refined the phq-9 score greater  X -3 Refined the phq-9 score greater  X -4 Refined the phq-9 score grea			<del>-</del>
Remis12m not phq-9 score <5   X   -			<del>-</del>
Index date phq-9 score greater than 9 documented during the twelve month denominator identification period			<del>-</del>
Individual had a pdc of 0.8 or greater			<del>-</del>
Individual did not have a pdc of 0.8 or greater			<del>-</del>
G9514 Patient required a return to the operating room within 90 days of surgery  A C9515 Patient did not require a return to the operating room within 90 days of surgery  A C9516 Patient achieved an improvement in visual acuity, from their preoperative level, within 90 days of surgery  A Patient did not achieve an improvement in visual acuity, from their preoperative level, within 90 days of surgery, reason not given  A C9518 Documentation of active injection drug use  A C9519 Final ref +/- 1.0 w/in 90d  A C9520 Refract not +/- 1.0 w/in 90d  A C9521 Total number of emergency department visits and inpatient hospitalizations less than two in the past 12 months  A C9522 Total number of emergency department visits and inpatient hospitalizations equal to or greater than two in the past 12 months  A C9529 Patient with minor blunt head trauma had an appropriate indication(s) for a head ct  A C9530 Patient presented within 24 hours of a minor blunt head trauma with a gcs score of 15 and had a head ct ordered for trauma by an emergency care provider  A C9531 Pt doc  A C9531 Pt doc  A C9531 Pt doc  A C9533 Pt doc  A C9534 A C9535 A C9			<del>-</del>
G9515 Patient did not require a return to the operating room within 90 days of surgery  G9516 Patient achieved an improvement in visual acuity, from their preoperative level, within 90 days of surgery  Reference in the first of the past 12 months  G9517 Patient did not achieve an improvement in visual acuity, from their preoperative level, within 90 days of surgery, reason not given  G9518 Documentation of active injection drug use  X  G9519 Final ref +/- 1.0 w/in 90d  X  G9520 Refract not +/- 1.0 w/in 90d  X  G9521 Total number of emergency department visits and inpatient hospitalizations less than two in the past 12 months  X  G9522 Total number of emergency department visits and inpatient hospitalizations equal to or greater than two in the past 12 months  G9529 Patient with minor blunt head trauma had an appropriate indication(s) for a head ct  G9530 Patient presented within 24 hours of a minor blunt head trauma with a gcs score of 15 and had a head ct ordered for trauma by an emergency care provider  G9531 Pt doc  X  -  G9531 Pt doc  X  -  G9533 Pt doc			<del>-</del>
G9516 Patient achieved an improvement in visual acuity, from their preoperative level, within 90 days of surgery  Patient did not achieve an improvement in visual acuity, from their preoperative level, within 90 days of surgery, reason not given  G9518 Documentation of active injection drug use  Symbol Spinal ref +/- 1.0 w/in 90d  Refract not +/- 1.0 w/in 90d  Refract not +/- 1.0 w/in 90d  Total number of emergency department visits and inpatient hospitalizations less than two in the past 12 months  Total number of emergency department visits and inpatient hospitalizations equal to or greater than two in the past 12 months  Total number of emergency department visits and inpatient hospitalizations equal to or greater than two in the past 12 months or patient not screened, reason not given  G9529 Patient with minor blunt head trauma had an appropriate indication(s) for a head ct  Ref9530 Patient presented within 24 hours of a minor blunt head trauma with a gcs score of 15 and had a head ct ordered for trauma by an emergency care provider  Ref9531 Pt doc  X -			-
Patient did not achieve an improvement in visual acuity, from their preoperative level, within 90 days of surgery, reason not given  G9518 Documentation of active injection drug use  G9519 Final ref +/- 1.0 w/in 90d  Refract not +/- 1.0 w/in 90d  X  G9520 Refract not +/- 1.0 w/in 90d  X  G9521 Total number of emergency department visits and inpatient hospitalizations less than two in the past 12 months  X  G9522 Total number of emergency department visits and inpatient hospitalizations equal to or greater than two in the past 12 months or patient not screened, reason not given  G9529 Patient with minor blunt head trauma had an appropriate indication(s) for a head ct  G9530 Patient presented within 24 hours of a minor blunt head trauma with a gcs score of 15 and had a head ct ordered for trauma by an emergency care provider  G9531 Pt doc  X  -			-
not given  G9518 Documentation of active injection drug use  X  G9519 Final ref +/- 1.0 w/in 90d  X  G9520 Refract not +/- 1.0 w/in 90d  X  G9521 Total number of emergency department visits and inpatient hospitalizations less than two in the past 12 months  X  G9522 Total number of emergency department visits and inpatient hospitalizations equal to or greater than two in the past 12 months or patient not screened, reason not given  G9529 Patient with minor blunt head trauma had an appropriate indication(s) for a head ct  G9530 Patient presented within 24 hours of a minor blunt head trauma with a gcs score of 15 and had a head ct ordered for trauma by an emergency care provider  G9531 Pt doc  X  -  -  -  -  -  -  -  -  -  -  -  -		Х	-
G9518 Documentation of active injection drug use  G9519 Final ref +/- 1.0 w/in 90d  G9520 Refract not +/- 1.0 w/in 90d  G9521 Total number of emergency department visits and inpatient hospitalizations less than two in the past 12 months  X  G9522 Total number of emergency department visits and inpatient hospitalizations equal to or greater than two in the past 12 months  X  G9522 Total number of emergency department visits and inpatient hospitalizations equal to or greater than two in the past 12 months or patient not screened, reason not given  G9529 Patient with minor blunt head trauma had an appropriate indication(s) for a head ct  G9530 Patient presented within 24 hours of a minor blunt head trauma with a gcs score of 15 and had a head ct ordered for trauma by an emergency care provider  G9531 Pt doc  X  -		Χ	-
G9519 Final ref +/- 1.0 w/in 90d  G9520 Refract not +/- 1.0 w/in 90d  X - G9521 Total number of emergency department visits and inpatient hospitalizations less than two in the past 12 months  X - G9522 Total number of emergency department visits and inpatient hospitalizations equal to or greater than two in the past 12 months or patient not screened, reason not given  G9529 Patient with minor blunt head trauma had an appropriate indication(s) for a head ct G9530 Patient presented within 24 hours of a minor blunt head trauma with a gcs score of 15 and had a head ct ordered for trauma by an emergency care provider  G9531 Pt doc  X - G9531 Pt doc		Х	-
Refract not +/- 1.0 w/in 90d  G9521 Total number of emergency department visits and inpatient hospitalizations less than two in the past 12 months  X  -  G9522 Total number of emergency department visits and inpatient hospitalizations equal to or greater than two in the past 12 months or patient not screened, reason not given  G9529 Patient with minor blunt head trauma had an appropriate indication(s) for a head ct  G9530 Patient presented within 24 hours of a minor blunt head trauma with a gcs score of 15 and had a head ct ordered for trauma by an emergency care provider  G9531 Pt doc  X  -  C9533 Pt doc			-
Total number of emergency department visits and inpatient hospitalizations less than two in the past 12 months  Total number of emergency department visits and inpatient hospitalizations equal to or greater than two in the past 12 months or patient not screened, reason not given  G9529 Patient with minor blunt head trauma had an appropriate indication(s) for a head ct  G9530 Patient presented within 24 hours of a minor blunt head trauma with a gcs score of 15 and had a head ct ordered for trauma by an emergency care provider  G9531 Pt doc  X  -  X  -  X  -  X  -  X  -  X  -  X  -  X  -  X  -  X  -  X  -  X  -  X  -  X  -  -			-
months or patient not screened, reason not given  G9529 Patient with minor blunt head trauma had an appropriate indication(s) for a head ct  G9530 Patient presented within 24 hours of a minor blunt head trauma with a gcs score of 15 and had a head ct ordered for trauma by an emergency care provider  G9531 Pt doc  X  -  X  -  X  -  X  -  X  -  X  -  X  -  X  -  The doc			-
Patient with minor blunt head trauma had an appropriate indication(s) for a head ct  Patient presented within 24 hours of a minor blunt head trauma with a gcs score of 15 and had a head ct ordered for trauma by an emergency care provider  Pt doc  X  - X  - X  - X  - X  - X		Х	-
G9530 Patient presented within 24 hours of a minor blunt head trauma with a gcs score of 15 and had a head ct ordered for trauma by an emergency care provider  G9531 Pt doc  X  -  X  -		X	
G9531 Pt doc X -	G9530 Patient presented within 24 hours of a minor blunt head trauma with a gcs score of 15 and had a head ct ordered for		-
G9533 Patient with minor blunt head trauma did not have an appropriate indication(s) for a head ct		X	<del>-</del>

<sup>\*</sup> These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



	Description	Not Covered	Preauthorization Required
	Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect in dications and should be directed to the Pharmacy link option within the website.	formation regarding	g immunizations, injectable drugs, o
	Documentation of system reason(s) for ordering an advanced brain imaging study (i.e., needed as part of a clinical		
		X	-
	trial; other clinician ordered the study)	V	
	Intent for potential removal at time of placement	X	-
	Patient alive 3 months post procedure	X	-
	Filter removed within 3 months of placement	X	-
	Documented re-assessment for the appropriateness of filter removal within 3 months of placement	Х	-
	Documentation of at least two attempts to reach the patient to arrange a clinical re-assessment for the appropriateness	Χ	-
	of filter removal within 3 months of placement		
	No filt remov w/in 3mos plcm	X	-
	Cys ren les or adren	Х	-
	No f/u rec image study	Х	-
	Doc med rsn for f/u imag	Χ	-
	lmag rec	Χ	-
	lmag no les	X	-
	Incidental thyroid nodule < 1.0 cm noted in report	X	-
	Prior thyroid disease diagnosis	Χ	-
9554	Final reports for ct or mri of the chest or neck or ultrasound of the neck with follow-up imaging recommended	X	•
9555	Doc med reas no follow imag	Χ	1
9556	Final reports for ct or mri of the chest or neck or ultrasound of the neck with follow-up imaging not recommended	Х	-
9557	Final reports for ct or mri studies of the chest or neck or ultrasound of the neck without a thyroid nodule < 1.0 cm noted	Х	-
9580	Door to puncture time of less than 2 hours	Х	-
	Door to puncture time of greater than 2 hours, no reason given	X	-
	Pediatric patient with minor blunt head trauma classified as low risk according to the pecarn prediction rules	X	-
	Patient presented within 24 hours of a minor blunt head trauma with a gcs score of 15 and had a head ct ordered for		
	trauma by an emergency care provider	Х	-
	Doc shnt/tum/coag	Х	-
	Hd inj >24h/gcs >15/no res	X	-
	Pediatric patient with minor blunt head trauma not classified as low risk according to the pecarn prediction rules	X	-
9598	Aortic aneurysm 5.5 - 5.9 cm maximum diameter on centerline formatted ct or minor diameter on axial formatted ct	Х	-
9599	Aortic aneurysm 6.0 cm or greater maximum diameter on centerline formatted ct or minor diameter on axial formatted ct	Х	-
0602	Patient survey score improved from baseline following treatment	Х	_
	Patient survey results not available	X	-
	Patient survey results not available  Patient survey score did not improve from baseline following treatment	X	-
CUOR	Intraoperative cystoscopy performed to evaluate for lower tract injury	X	-

<sup>\*</sup> These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



Codes Des	cription	Not Covered	Preauthorization Required
	se note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect in	formation regarding	immunizations, injectable drugs, or
	tions and should be directed to the Pharmacy link option within the website.	•	
G9607  Pat	ient is not eligible (e.g., patient death during procedure, absent urethra or an otherwise inaccessible bladder)	X	-
	aoperative cystoscopy not performed to evaluate for lower tract injury	Χ	-
	cumentation of an order for anti-platelet agents or p2y12 antagonists	Χ	-
	c md rsn no antipla/p2y12	X	-
	der for anti-platelet agents or p2y12 antagonists was not documented, reason not otherwise specified	Χ	-
G9612 Pho	otodocumentation of one or more cecal landmarks to establish a complete examination	X	-
G9613 Doo	cumentation of post-surgical anatomy (e.g., right hemicolectomy, ileocecal resection, etc.)	X	-
G9614 No	photodocumentation of cecal landmarks to establish a complete examination	Χ	-
G9618 Doo kind	cumentation of screening for uterine malignancy or those that had an ultrasound and/or endometrial sampling of any	Х	-
	ient not screened for uterine malignancy, or those that have not had an ultrasound and/or endometrial sampling of vkind, reason not given	Х	-
G9621 Pat	ient identified as an unhealthy alcohol user when screened for unhealthy alcohol use using a systematic screening thod and received brief counseling	Х	-
G9622 Pat	ient not identified as an unhealthy alcohol user when screened for unhealthy alcohol use using a systematic eening method	Х	-
G9623 Doo	cumentation of medical reason(s) for not screening for unhealthy alcohol use (e.g., limited life expectancy, other dical reasons)	Х	-
G9624 Pat	ient not screened for unhealthy alcohol screening using a systematic screening method or patient did not receive of counseling, reason not given	Х	-
	ient sustained bladder injury at the time of surgery or subsequently up to 1 month post-surgery	Х	
39626 Pt r		X	
	ient did not sustained bladder injury at the time of surgery or subsequently up to 1 month post-surgery	X	
	ient sustained major viscus injury at the time of surgery or subsequently up to 1 month post-surgery	X	
39629 Pt r		X	
	ient did not sustain major viscus injury at the time of surgery or subsequently up to 1 month post-surgery	X	_
	ient sustained ureter injury at the time of surgery or discovered subsequently up to 1 month post-surgery	X	
39632 Pt r		X	-
	ient did not sustain ureter injury at the time of surgery or subsequently up to 1 month post-surgery	X	-
	c >1 dose reduc tech	X	-
	doc >1 dose reduc tech	X	-
	rrent cigarette smokers	X	-
	ctive surgery	X	-
	ients who abstained from smoking prior to anesthesia on the day of surgery or procedure	X	-
	ients who did not abstain from smoking prior to anesthesia on the day of surgery or procedure	X	-
	ients with 90 day mrs score of 0 to 2	X	-
	ients with 90 day mrs score greater than 2	X	-
	ori tool doc w/benchmk	X	

<sup>\*</sup> These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



Codes Description	Not Covered	Preauthorization Required
Disclaimer: Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect specialty medications and should be directed to the Pharmacy link option within the website.	information regardin	g immunizations, injectable drugs, or
G9651 Psori tool doc/no bnchmk met	Х	_
G9654 Monitored anesthesia care (mac)	X	_
G9655 A transfer of care protocol or handoff tool/checklist that includes the required key handoff elements is used	X	_
G9656 Patient transferred directly from anesthetizing location to pacu	X	_
G9658 A transfer of care protocol or handoff tool/checklist that includes the required key handoff elements is not used	Х	-
G9659 >85y no hx colo ca/rsn scope	Х	-
G9660 Doc med rsn scope pt >85y	Х	-
G9661 >85y scope othr rsn	Х	-
G9662 Previously diagnosed or have an active diagnosis of clinical ascvd	Х	-
G9663 Fast/dir Idl <= 190 mg/dl	Х	-
G9664 Patients who are currently statin therapy users or received an order (prescription) for statin therapy	Х	-
G9665 Patients who are not currently statin therapy users or did not receive an order (prescription) for statin therapy	Х	-
G9666 The highest fasting or direct Idl-c laboratory test result of 70?189 mg/dl in the measurement period or two years prior to the beginning of the measurement period	Х	-
G9674 Patients with clinical ascvd diagnosis	Х	-
G9675 Patients who have ever had a fasting or direct laboratory result of IdI-c = 190 mg/dl	X	-
G9676 40-75y w/type 1/2 w/ldl-c rs	Х	-
G9679 Acute care pneumonia	Х	-
G9680 Acute care congestive heart	Х	-
G9681 Acute care chronic obstruct	X	-
G9682 Acute care skin infection	Х	-
G9683 Acute care fluid or electrol	X	-
G9684 Acute care urinary tract inf	X	-
G9685 Acute nursing facility care	Х	-
G9687 Hospice anytime msmt per	X	-
G9688 Pt w/hosp anytime msmt per	X	-
G9689 Inpt elect carotid intervent	X	-
G9690 Pt rec hospice dur msmt per	X	-
G9691 Pt hosp dur msmt period	X	-
G9692 Hosp recd by pt dur msmt per	X	-
G9693 Pt use hosp during msmt per	X	-
G9694 Hosp srv used pt in msmt per	X	-
G9695 Long act inhal bronchdil pre	Х	-
G9696 Med rsn no presc bronchdil	X	-
G9697 Pt rsn no presc bronchdil	X	-
G9698 Sys rsn no presc bronchdil	X	-
G9699 Long inhal bronchdil no pres	X	-
G9700 Pt is w/hosp during msmt per	Х	-

<sup>\*</sup> These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



Codes Description	Not Covered	Preauthorization Required
Disclaimer: Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Addition	onally, these coding lists do not reflect information regarding	immunizations, injectable drugs, or
specialty medications and should be directed to the Pharmacy link option within the website.		
G9702 Pt use hosp during msmt per	X	<u>-</u>
G9703 Child anbx 30 prior dx phary	X	-
G9704 Ajcc br ca stg i: t1 mic/t1a	Х	<del>-</del>
G9705 Ajcc br ca stg ib	Х	-
G9706 Low recur prost ca	X	-
G9707 Pt had hosp dur msmt per	X	-
G9708 Bilat mast/hx bi /unilat mas	X	-
G9709 Hosp srv used pt in msmt per	X	-
G9710 Pt prov hosp srv msmt per	X	-
G9711 Pt hx tot col or colon ca	X	-
G9712 Doc med rsn presc anbx	X	-
G9713 Pt use hosp during msmt per	X	-
G9714 Pt is w/hosp during msmt per	X	-
G9715 Pt w/hosp anytime msmt per	X	-
G9716 Bmi not norm, no follow, doc	X	-
G9717 Doc dx depr/dx bipol, no scr	X	-
G9718 Hospice anytime msmt per	X	-
G9719 Pt not ambul/immob/wc	Х	-
G9720 Hospice anytime msmt per	Х	-
G9721 Pt not ambul/immob/wc	Х	-
G9722 Doc hx renal fail or cr+ >4	Х	-
G9723 Hosp recd by pt dur msmt per	Х	-
G9724 Pt w/doc use anticoag mst yr	Х	-
G9725 Pt w/hosp anytime msmt per	Х	-
G9726 Refused to participate	Х	-
G9727 Pt unable cmplt knee fs prom	X	-
G9728 Refused to participate	Х	-
G9729 Pt unbl cmplt hip fs prom	Х	-
G9730 Refused to participate	Х	-
G9731 Pt unbl cmplt ft/ank fs prom	Х	-
G9732 Refused to participate	Х	-
G9733 Pt unbl cmplt lb fs prom	X	-
G9734 Refused to participate	X	-
G9735 Pt unbl cmplt shid fs prom	X	-
G9736 Refused to participate	X	-
G9737 Pt unbl cmplt ewh fs prom	X	-
G9740 Hosp srv to pt dur msmt per	X	-
G9741 Pt w/hosp anytime msmt per	X	-
G9744 Pt not elig, dx htn	X	-

<sup>\*</sup> These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



Codes Description	Not Covered	Preauthorization Required
Disclaimer: Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. A	Additionally, these coding lists do not reflect information regarding	g immunizations, injectable drugs, or
specialty medications and should be directed to the Pharmacy link option within the website.	Τ	
G9745 Doc rsn no scr high bp	X	-
G9746 Mit sten, valve or trans af	X	-
G9751 Pt died w/in 24 mos rpt time	X	-
G9752 Urgent surgery	X	-
G9753 Doc no dicom, ct other fac	X	-
G9754 Incid pulm nodule	X	-
G9755 Doc med rsn for imaging	X	-
G9756 Surg proc w/silicone oil	X	-
G9757 Surg proc w/silicone oil	X	-
G9758 Hospice or term phase	X	-
G9760 Pt w/hosp anytime msmt per	X	-
G9761 Pt w/hosp anytime msmt per	X	-
G9762 Pt had hpv b/t 9-13 yr	X	-
G9763 Pt no hpv b/t 9-13 yr	X	-
G9764 Pt tx oral syst/bio med psor	X	-
G9765 Pt decl chan/conind or <6m	X	-
G9766 Cva stroke dx tx transf fac	X	-
G9767 Hosp new dx cva consid evst	X	-
G9768 Pt w/hosp anytime msmt per	X	-
G9769 Bn den 2yr/got ost med/ther	X	-
G9770 Perip nerve block	X	-
G9771 Anes end, 1 temp >35.5(95.9)	X	-
G9772   Doc med rsn no temp >= 35.5	X	-
G9773 No temp >35.5(95.9), anes	X	-
G9774 Pt had hyst	X	-
G9775 Recd 2 anti-emet pre/intraop	X	-
G9776 Doc med rsn no proph antiem	X	-
G9777 Pt no antiemet pre/intraop	X	-
G9778 Pts dx w/pregn	X	-
G9779 Pts breastfeeding	X	-
G9780 Pts dx w/rhabdomyolysis	X	-
G9781 Doc rsn no statin	X	-
G9782 Hx dx fam/pure hypercholes	X	-
G9784 Path/derm 2nd opin bx	X	-
G9785 Path report sent	X	-
G9786 Path report not sent	X	-
G9787 Pt alive lst day msmt yr	X	-
G9788   Most rct bp = 140/90</td <td>X</td> <td>-</td>	X	-
G9789 Record bp ip, er, urg/self	X	-

<sup>\*</sup> These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



Codes	Description	Not Covered	Preauthorization Required
	Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect	U	· ·
	nedications and should be directed to the Pharmacy link option within the website.		
G9790	Most rct bp >/= 140/90	X	-
G9791	Most rct tob stat free	Х	-
G9792	Most rct tob stat not free	X	-
G9793	Pt on daily asa/antiplat	Х	-
G9794	Doc med rsn no asa/antiplat	Х	-
G9795	Pt no daily asa/antiplat	X	-
G9796	Pt not currently on statin	Х	-
G9797	Pt currently on statin	X	-
G9805	Pt w/hosp anytime msmt per	X	-
G9806	Pt recd cerv cyto/hpv	Х	-
G9807	Pt no recd cerv cyto/hpv	X	-
G9808	Pt no asthm cont med mst per	X	-
G9809	Pt w/hosp anytime msmt per	X	-
G9810	Pdc 75% w/asth cont med	X	-
G9811	No pdc 75% w/asth cont med	Х	-
G9812	Pt died during inpt/30d aft	X	-
G9813	Pt not died w/in 30d of proc	X	-
G9818	Doc sex activity	Х	-
G9819	Pt w/hosp anytime msmt per	X	-
G9820	Doc chlam scr test w/follow	X	-
G9821	No doc chlam scr ts w/follow	Х	-
G9822	Endo abl proc yr prev ind dt	X	-
G9823	Endo smpl/hyst bx res doc	X	-
G9824	Endo smpl/hyst bx res no doc	X	-
G9830	Her-2 pos	X	-
G9831	Ajcc stg brt ca dx ii or iii	X	-
G9832	Brt ca dx i, no t1/t1a/t1b	X	-
G9838	Pt met dis at dx	X	-
G9839	Anti-egfr mon anti ther	X	-
G9840	Kras tst bfr beg anti moab	X	-
G9841	No kras tst bfr beg ant moab	X	-
G9842	Pt met dis at dx	X	-
	Kras gene mut	X	-
	Pt no recd anti-egfr ther	X	-
	Pt recd anti-egfr ther	X	-
G9846	Pt died from cancer	X	-
	Pt recd chemo last 14d life	X	-
	Pt no chemo last 14d life	X	-
G9852	Pt died from cancer	X	-

<sup>\*</sup> These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



Codes Description	Not Covered	Preauthorization Required
Disclaimer: Please note that coverage may vary by plan type and may not follow the listed services. These codes are update	ated quarterly. Additionally, these coding lists do not reflect information regard	ing immunizations, injectable drugs, or
specialty medications and should be directed to the Pharmacy link option within the website.		
G9853 Icu stay last 30d life	X	-
G9854 No icu stay last 30d life	X	-
G9858 Pt enroll hospice	X	-
G9859 Pt died from cancer	X	-
G9860 Pt less 3d hospice	X	-
G9861 Pt more than 3d hospice	X	-
G9862 Doc rsn no 10 yr follow	X	-
G9868 Receipt and analysis of remote, asynchronous images for dermatologic and/o	or ophthalmologic evaluation, for use	_
under the next generation aco model, less than 10 minutes		
G9869 Receipt and analysis of remote, asynchronous images for dermatologic and/o	or ophthalmologic evaluation, for use	_
under the next generation aco model, 10-20 minutes		_
G9870 Receipt and analysis of remote, asynchronous images for dermatologic and/o	or ophthalmologic evaluation, for use	
under the next generation aco model, 20 or more minutes	^	_
G9873 1 em core session	X	-
G9874 4 em core sessions	X	-
G9875 9 em core sessions	X	-
G9876 2 em core ms mo 7-9 no wl	X	-
G9877 2 em core ms mo 10-12 no wl	X	-
G9878 2 em core ms mo 7-9 wl	Х	-
G9879 2 em core ms mo 10-12 wl	X	-
G9880 Em 5 percent wl	X	-
G9881 Em 9 percent wl	Х	-
G9882 2 em ongoing ms mo 13-15 wl	Х	-
G9883 2 em ongoing ms mo 16-18 wl	Х	-
G9884 2 em ongoing ms mo 19-21 wl	Х	-
G9885 2 em ongoing ms mo 22-24 wl	Х	-
G9890 Em bridge payment	Х	-
G9891 Em session reporting	Х	-
G9892 Doc pt rsn no dil mac exam	Х	-
G9893 No mac exam	Х	-
G9894 Adr dep thrpy prescribed	Х	-
G9895 Doc med rsn no adr dep thrpy	Х	-
G9896 Doc pt rsn no adr dep thrpy	Х	-
G9897 Pt nt prsc adr dep thrpy rng	X	-
G9898 Pt 66+ snp or ltc pos	X	-
G9899 Scrn mam perf rslts doc	X	-
G9900 Scrn mam perf rslts not doc	X	_
G9901 Pt 66+ snp or Itc pos	X	-
G9902 Pt scrn tbco and id as user	X	<del> </del>

<sup>\*</sup> These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



Codes Description	Not Covered	Preauthorization Required
Disclaimer: Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, the		<u> </u>
specialty medications and should be directed to the Pharmacy link option within the website.		
G9903 Pt scrn tbco id as non user	X	-
G9904 Doc med rsn no tbco scrn	X	-
G9905 No pt tbco scrn rng	X	-
G9906 Pt recv tbco cess interv	X	-
G9907 Doc med rsn no tbco interv	X	-
G9908 No pt tbco cess interv rng	X	-
G9909 Doc med rsn no tbco interv	X	-
G9910 Pt 66+ snp or ltc pos	X	-
G9911 Node neg pre/post syst ther	X	-
G9912 Hbv status assesed and int	X	-
G9913 No hbv status assesd and int	X	-
G9914 Pt receiving anti-tnf agent	X	-
G9915 No documntd hbv results rcd	X	-
G9916 Funct status past 12 months	X	-
G9917 Adv dem crgvr limited	X	-
G9918 No funct stat perf, rsn nos	X	-
G9919 Scrn nd pos nd prov of rec	X	-
G9920 Scrning perf and negative	X	-
G9921 No or part scrn nd rng or os	X	-
G9922 Sfty cncrns scrn nd mit recs	X	-
G9923 Safty cncrns scrn and neg	X	-
G9925 No scrn prov rsn nos	X	-
G9926 Sfty cncrns scrn but no recs	X	-
G9927 Doc no warf /fda pt trial	X	-
G9928 No warf or fda drug presc	X	-
G9929 Trs/rev af	X	-
G9930 Com care	X	-
G9931 No chad or chad scr 0 or 1	X	-
G9932 Doc pt rsn no tb scrn recrds	X	-
G9938 Pt 66+ snp or ltc pos	X	-
G9939 Same path/derm perf biopsy	X	-
G9940 Doc reas no statin therapy	X	-
G9942 Adtl spine proc on same date	X	-
G9943 Bk pn nt msr vas scl pre/pst	X	-
G9945 Pt w/cancer scoliosis	X	-
G9946 Bk pain no vas	X	-
G9948 Adtl spine proc on same date	X	-
G9949 Leg pain no vas	X	-
G9954 Pt >2 rsk fac post-op vomit	X	-

<sup>\*</sup> These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



Codes Description	Not Covered	Preauthorization Required
Disclaimer: Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Ad	ditionally, these coding lists do not reflect information regarding	immunizations, injectable drugs, or
specialty medications and should be directed to the Pharmacy link option within the website.		
G9955 InhInt anesth only for induc	X	-
G9956 Combo thrpy of >= 2 prophly	X	-
G9957 Doc med rsn no combo thrpy	X	-
G9958 No combo prohpyl thrp for pt	X	-
G9959 Systemic antimicro not presc	X	-
G9960 Med rsn sys antimi nt rx	X	-
G9961 Systemic antimicro presc	X	-
G9962 Embolization doc separatly	X	-
G9963 Embolization not doc separat	X	-
G9964 Pt recv >=1 well-chld visit	X	-
G9965 No well-chld vist recv by pt	X	-
G9968 Pt refrd 2 pvdr/spclst in pp	X	-
G9969 Pvdr rfrd pt rprt rcvd	X	-
G9970 Pvdr rfrd pt no rprt rcvd	X	-
G9974 Dil mac exam performed	X	-
G9975 Doc med rsn no mac exm perf	X	-
G9976 Doc pat rsn no mac exm perf	X	-
G9977 Dil mac exam no perf rsn nos	X	-
G9978 Remote e/m new pt 10 mins	X	-
G9979 Remote e/m new pt 20 mins	X	-
G9980 Remote e/m new pt 30 mins	X	-
G9981 Remote e/m new pt 45 mins	X	-
G9982 Remote e/m new pt 60 mins	Х	-
G9983 Remote e/m est. pt 10 mins	X	-
G9984 Remote e/m est. pt 15 mins	X	-
G9985 Remote e/m est. pt 25 mins	Х	-
G9986 Remote e/m est. pt 40 mins	X	-
G9987 Bpci advanced in home visit	Х	-
G9988 Pall serv during meas	Х	-
G9989 Med rsn no pneum vax	Х	-
G9990 No pneum vax admin 60+	X	-
G9991 Pneum vax admin 60+	X	-
G9992 Pall serv during meas	X	-
G9993 Pall serv during meas	X	-
G9994 Pall serv during meas	X	-
G9995 Pall serv during meas	X	-
G9996 Doc pt pal or hospice	X	-
G9997 Doc pt preg dur msrmt pd	X	-
G9998 Doc med rsn <3 colon	X	-

<sup>\*</sup> These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



Codes Description	Not Covered	Preauthorization Required
Disclaimer: Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, the	hese coding lists do not reflect information regarding	immunizations, injectable drugs, or
specialty medications and should be directed to the Pharmacy link option within the website.		
G9999 Doc sys rsn <3 colon	X	-
H0001 Alcohol and/or drug assess	Х	-
H0002 Alcohol and/or drug screenin	X	-
H0003 Alcohol and/or drug screenin	X	-
H0004 Alcohol and/or drug services	X	-
H0005 Alcohol and/or drug services	X	-
H0006 Alcohol and/or drug services	X	-
H0007 Alcohol and/or drug services	X	-
H0008 Alcohol and/or drug services	X	-
H0009 Alcohol and/or drug services	X	-
H0010 Alcohol and/or drug services	X	-
H0011 Alcohol and/or drug services	X	-
H0012 Alcohol and/or drug services	X	-
H0013 Alcohol and/or drug services	X	-
H0014 Alcohol and/or drug services	X	-
H0015 Alcohol and/or drug services	X	-
H0016 Alcohol and/or drug services	X	-
H0017 Alcohol and/or drug services	X	-
H0018 Alcohol and/or drug services	X	-
H0019 Alcohol and/or drug services	X	-
H0020 Alcohol and/or drug services	X	-
H0021 Alcohol and/or drug training	X	-
H0022 Alcohol and/or drug interven	X	-
H0023 Alcohol and/or drug outreach	X	-
H0024 Alcohol and/or drug preventi	X	-
H0025 Alcohol and/or drug preventi	X	-
H0026 Alcohol and/or drug preventi	X	-
H0027 Alcohol and/or drug preventi	X	-
H0028 Alcohol and/or drug preventi	X	-
H0029 Alcohol and/or drug preventi	X	-
H0030 Alcohol and/or drug hotline	X	-
H0031 Mental health assessment, by non-physician	X	-
H0032 Mental health service plan development by non-physician	X	-
H0033 Oral medication administration, direct observation	X	-
H0034 Medication training and support, per 15 minutes	X	-
H0035 Mental health partial hospitalization, treatment, less than 24 hours	X	-
H0036 Community psychiatric supportive treatment, face-to-face, per 15 minutes	X	-
H0037 Community psychiatric supportive treatment program, per diem	Х	-
H0038 Self-help/peer services, per 15 minutes	X	-

<sup>\*</sup> These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



Codes Description	Not Covered	Preauthorization Required
Disclaimer: Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding		
specialty medications and should be directed to the Pharmacy link option within the website.		, ,
H0039 Assertive community treatment, face-to-face, per 15 minutes	X	-
H0040 Assertive community treatment program, per diem	X	-
H0041 Foster care, child, non-therapeutic, per diem	X	-
H0042 Foster care, child, non-therapeutic, per month	X	-
H0043 Supported housing, per diem	X	-
H0044 Supported housing, per month	X	-
H0045 Respite care services, not in the home, per diem	X	-
H0046 Mental health services, not otherwise specified	X	-
H0047 Alcohol and/or other drug abuse services, not otherwise specified	X	-
H0048 Alcohol and/or other drug testing: collection and handling only, specimensother than blood	X	-
H0049 Alcohol/drug screening	X	-
H0050 Alcohol/drug service 15 min	X	-
H0051 Traditional healing service	X	-
H1000 Prenatal care, at-risk assessment	X	-
H1001 Prenatal care, at-risk enhanced service; antepartum management	X	-
H1002 Prenatal care, at-risk enhanced service; care coordination	X	-
H1003 Prenatal care, at-risk enhanced service; education	X	-
H1004 Prenatal care, at-risk enhanced service; follow-up home visit.	X	-
H1005 Prenatal care, at-risk enhanced service package (includes h1001-h1004)	X	-
H1010 Non-medical family planning education, per session	X	-
H1011 Family assessment by licensed behavioral health professional for state definedpurposes	X	-
H2000 Comprehensive multidisciplinary evaluation	X	-
H2001 Rehabilitation program, per 1/2 day	X	-
H2010 Comprehensive medication services, per 15 minutes	X	-
H2011 Crisis intervention service, per 15 minutes	X	-
H2012 Behavioral health day treatment, per hour	X	-
H2013 Psychiatric health facility service, per diem	X	-
H2014 Skills training and development, per 15 minutes	X	-
H2015 Comprehensive community support services, per 15 minutes	X	-
H2016 Comprehensive community support services, per diem	X	-
H2017 Psychosocial rehabilitation services, per 15 minutes	X	-
H2018 Psychosocial rehabilitation services, per diem	X	-
H2019 Therapeutic behavioral services, per 15 minutes	X	-
H2020 Therapeutic behavioral services, per diem	X	-
H2021 Community-based wrap-around services, per 15 minutes	X	-
H2022 Community-based wrap-around services, per diem	X	-
H2023 Supported employment, per 15 minutes	X	
H2024 Supported employment, per diem	X	-
H2025 Ongoing support to maintain employment, per 15 minutes	X	-

<sup>\*</sup> These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



Codes Description	Not Covered	Preauthorization Required
Disclaimer: Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect	information regarding	immunizations, injectable drugs, or
specialty medications and should be directed to the Pharmacy link option within the website.	1 7 1	
H2026 Ongoing support to maintain employment, per diem	X	-
H2027 Psychoeducational service, per 15 minutes	X	-
H2028 Sexual offender treatment service, per 15 minutes	X	-
H2029 Sexual offender treatment service, per diem	X	-
H2030 Mental health clubhouse services, per 15 minutes	X	<u> </u>
H2031 Mental health clubhouse services, per diem	X	<u> </u>
H2032 Activity therapy, per 15 minutes	X	-
H2033 Multisystemic therapy for juveniles, per 15 minutes	X	<del>-</del>
H2034 Alcohol and/or drug abuse halfway house services, per diem	X	<del>-</del>
H2035 Alcohol and/or other drug treatment program, per hour	X	-
H2036 Alcohol and/or other drug treatment program, per diem	X	-
H2037 Developmental delay prevention activities, dependent child of client, per 15 minutes	X	-
H2038 Skill train and dev/diem	X	-
H2040 Coordinated specialty care, team-based, for first episode psychosis, per month	X	-
H2041 Coordinated specialty care, team-based, for first episode psychosis, per encounter	X	-
K0005 Ultralightweight wheelchair	-	X
K0010 Stnd wt frame power whichr	-	X
K0011 Stnd wt pwr whichr w control	-	X
K0012 Ltwt portbl power whichr	-	X
K0108 W/c component-accessory nos	-	X
K0553 Ther cgm supply allowance	-	X
K0554 Ther cgm receiver/monitor	-	X
K0606 Automatic external defibrillator, with integrated electrocardiogram analysis, garment type	-	X
K0740 Repair or nonroutine service for oxygen equipment requiring the skill of a technician, labor component, per 15 minutes	Х	-
K0800 Pov group 1 std up to 300 lbs	-	Χ
K0801 Pov group 1 hd 301-450 lbs	-	X
K0802 Pov group 1 vhd 451-600 lbs	_	X
K0806 Pov group 2 std up to 300lbs	_	X
K0807 Pov group 2 hd 301-450 lbs	-	X
K0808 Pov group 2 vhd 451-600 lbs	_	X
K0812 Power operated vehicle noc	_	X
K0813 Pwc gp 1 std port seat/back	_	X
K0814 Pwc gp 1 std port cap chair	_	X
K0815 Pwc gp 1 std seat/back	_	X
K0816 Pwc gp 1 std cap chair	<del>                                     </del>	X
K0820 Pwc gp 2 std port seat/back	+ - +	X
K0821 Pwc gp 2 std port searback  K0821 Pwc gp 2 std port cap chair	_	X
K0822 Pwc gp 2 std seat/back		X

<sup>\*</sup> These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



Codes	Description	Not Covered	Preauthorization Required
	Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect	t information regarding	immunizations, injectable drugs, or
	redications and should be directed to the Pharmacy link option within the website.		
	Pwc gp 2 std cap chair	-	X
	Pwc gp 2 hd seat/back	-	X
	Pwc gp 2 hd cap chair	-	X
	Pwc gp2 vhd seat/back	-	X
	Pwc gp 2 vhd cap chair	-	X
	Pwc gp 2 xtra hd seat/back	-	X
	Pwc gp 2 xtra hd cap chair	-	X
	Pwc gp2 std seat elevate s/b	-	Χ
	Pwc gp2 std seat elevate cap	-	X
	Pwc gp2 std sing pow opt s/b	-	Χ
	Pwc gp2 std sing pow opt cap	-	X
	Pwc gp 2 hd sing pow opt s/b	-	X
K0838	Pwc gp 2 hd sing pow opt cap	-	X
K0839	Pwc gp2 vhd sing pow opt s/b	-	X
K0840	Pwc gp2 xhd sing pow opt s/b	-	X
K0841	Pwc gp2 std mult pow opt s/b	-	Х
K0842	Pwc gp2 std mult pow opt cap	-	X
	Pwc gp2 hd mult pow opt s/b	-	Χ
K0848	Pwc gp 3 std seat/back	-	X
	Pwc gp 3 std cap chair	-	Х
	Pwc gp 3 hd seat/back	-	Χ
	Pwc gp 3 hd cap chair	-	Х
	Pwc gp 3 vhd seat/back	-	Х
	Pwc gp 3 vhd cap chair	-	X
	Pwc gp 3 xhd seat/back	-	Χ
	Pwc gp 3 xhd cap chair	-	X
	Pwc gp3 std sing pow opt s/b	-	X
	Pwc gp3 std sing pow opt cap	-	X
	Pwc gp3 hd sing pow opt s/b	_	X
	Pwc gp3 hd sing pow opt cap	_	X
	Pwc gp3 vhd sing pow opt s/b	_	X
	Pwc gp3 std mult pow opt s/b		X
	Pwc gp3 hd mult pow opt s/b	-	X
	Pwc gp3 vhd mult pow opt s/b	+	X
	Pwc gp3 xhd mult pow opt s/b		X
	Pwc gp 4 std seat/back	-	X
	Pwc gp 4 std cap chair	-	X
	Pwc gp 4 hd seat/back	-	X
	Pwc gp 4 vhd seat/back		X

<sup>\*</sup> These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



Codes Description	Not Covered	Preauthorization Required
Disclaimer: Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarte	rly. Additionally, these coding lists do not reflect information regarding	g immunizations, injectable drugs, or
specialty medications and should be directed to the Pharmacy link option within the website.		
K0877 Pwc gp4 std sing pow opt s/b	-	X
K0878 Pwc gp4 std sing pow opt cap	<u> </u>	X
K0879 Pwc gp4 hd sing pow opt s/b	-	X
K0880 Pwc gp4 vhd sing pow opt s/b	-	X
K0884 Pwc gp4 std mult pow opt s/b	-	X
K0885 Pwc gp4 std mult pow opt cap	-	X
K0886 Pwc gp4 hd mult pow s/b	-	X
K0890 Pwc gp5 ped sing pow opt s/b	-	X
K0891 Pwc gp5 ped mult pow opt s/b	-	X
K0898 Power wheelchair noc	-	X
K0900 Cstm dme other than wheelchr	-	X
K1001 Electronic posa treatment	X	-
K1002 Ces system w/supplies access	X	-
K1003 Whirlpool tub walkin portabl	X	-
K1004 Lo freq us diathermy device	X	-
K1005 Disp col sto bag breast milk	X	-
K1007 Bil hkaf pc s/d micro sensor	-	X
K1009 Speech volume modulation sys	X	-
K1018 External upper limb tremor stimulator of the peripheral nerves of the wrist	-	X
K1020 Non-invasive vagus nerve stimulator	-	X
K1022 Endoskel posit rotat unit	-	X
K1024 Non pneum comp control cal	-	X
K1025 Non pneum compress full arm	-	X
K1026 Mech allergen parti barrier	Х	-
K1027 Oral dev without fix mech	-	Х
K1028 Power source and control electronics unit for oral device/appliance for neuromuscular tongue muscle for the reduction of snoring and obstructive sleep apnea, controlled by		-
K1029 Oral device/appliance for neuromuscular electrical stimulation of the tongue muscle, source and control electronics unit, controlled by phone application, 90-day supply		-
K1030 External recharging system for battery (internal) for use with implanted cardiac contra replacement only	ctility modulation generator, X	-
K1031 Non-pneumatic compression controller without calibrated gradient pressure	-	X
K1032 Non-pneumatic sequential compression garment, full leg	-	X
K1033 Non-pneumatic sequential compression garment, half leg	-	X
K1035 Molecular diagnostic test reader, nonprescription self-administered and self-collected cleared	use, fda approved, authorized or X	-
K1036 Supplies and accessories (e.g., transducer) for low frequency ultrasonic diathermy tre	eatment device, per month X	-
K1037 Docking station for oral dev	X	-

<sup>\*</sup> These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



Codes	Description	Not Covered	Preauthorization Required
	Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect	t information regarding	immunizations, injectable drugs, o
	edications and should be directed to the Pharmacy link option within the website.		
L0480	Tlso, triplanar control, one piece rigid plastic shell without interface liner, with multiple straps and closures, poster	-	X
L0482	Tlso, triplanar control, one piece rigid plastic shell with interface liner,multiple straps and closures, posterior exte	-	Х
_0484	Tlso, triplanar control, two piece rigid plastic shell without interface liner, with multiple straps and closures, poster	-	X
_0486	Tlso, triplanar control, two piece rigid plastic shell with interface liner, multiple straps and closures, posterior exte	-	X
	Ctlso a-p-l control molded	-	Χ
.0710	Ctlso a-p-l control w/ inter	-	X
.0810	Halo cervical into jckt vest	-	Х
0820	Halo cervical into body jack	-	Χ
.0830	Halo cerv into milwaukee typ	-	X
0859	Addition to halo procedure, magnetic resonance image compatible systems, rings abd pins, any material	-	Χ
	Protective body sock each	Х	-
.0999	Add to spinal orthosis nos	-	X
1000	Ctlso milwauke initial model	-	Х
.1005	Tension based scoliosis orthosis and accessory pads, includes fitting and adjustment	-	Χ
1200	Furnsh initial orthosis only	-	X
1300	Body jacket mold to patient	-	Х
.1310	Post-operative body jacket	-	X
1499	Spinal orthosis nos	-	Χ
.1681	Hip orthosis, bilateral hip joints and thigh cuffs, adjustable flexion, extension, abduction control of hip joint, postoperative hip abduction type, prefabricated item that has been trimmed, bent, molded, assembled, or otherwise customized to fit a specific patient by an individual with expertise	-	X
1690	Combination bilateral ho	-	Χ
1844	Ko w/adj jt rot cntrl molded	-	Χ
2005	Knee ankle foot orthosis, any material, single or double upright, stance control, automatic lock and swing phase release, any type activation, includes ankle joint, any type,	-	X
2006	Kaf sng/dbl swg/stn mcpr cus	-	Χ
.2034	Knee ankle foot orthosis, full plastic, single upright, with or without free motion knee, medial lateral rotation contro	-	X
2036	Kafo plas doub free knee mol	-	Х
	Kafo plas sing free knee mol	-	X
2038	Kafo w/o joint multi-axis an	-	Х
	Kafo fem fx cast molded to p	-	Х
2627	Plastic mold recipro hip & c	-	Х
2628	Metal frame recipro hip & ca	-	Х
2840	Tibial length sock fx or equ	Х	-

<sup>\*</sup> These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



	Description	Not Covered	Preauthorization Require
	Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect in	nformation regarding	g immunizations, injectable drugs,
<u> </u>	dications and should be directed to the Pharmacy link option within the website.	V	
	Femoral Igth sock fx or equa	Х	- V
	Lower extremity orthosis nos	-	X
	Orthopedic ftwear ladies oxf	X	-
	Orthoped ladies shoes dpth i	X	-
	Ladies shoes hightop depth i	X	-
	Orthopedic mens shoes oxford	X	-
	Orthopedic mens shoes dpth i	X	-
	Mens shoes hightop depth inl	X	-
	Woman's shoe oxford brace	-	Х
	Trans shoe solid stirrup exi	-	X
	Shoe dennis browne splint bo	-	X
	Orthopedic shoe modifica nos	-	X
	Hinge ext/flex wrist finger	-	X
3904	Whfo electric custom fitted	-	X
	Sewho airplan desig abdu pos	1	X
3961	Shoulder elbow wrist hand orthosis, shoulder cap design, without joints, may include soft interface, straps, custom fabr	-	Х
3967	Shoulder elbow wrist hand orthosis, abduction positioning (airplane design), thoracic component and support bar, without	-	X
3971	Shoulder elbow wrist hand orthosis, shoulder cap design, includes one or more nontorsion joints, elastic bands,	-	Х
3973	Shoulder elbow wrist hand orthosis, abduction positioning (airplane design), thoracic component and support bar, nclude	-	Х
3975	Shoulder elbow wrist hand finger orthosis, shoulder cap design, without joints, may include soft interface, straps, cust	-	Х
3976	Shoulder elbow wrist hand finger orthosis, abduction positioning (airplane design), thoracic component and support par.	-	Х
3977	Shoulder elbow wrist hand finger orthosis, shoulder cap design, includes one or more nontorsion joints, elastic bands, t	-	Х
3978	Shoulder elbow wrist hand finger orthosis, abduction positioning (airplane design), thoracic component and support par.	-	Х
3999	Upper limb orthosis nos	-	Х
	Mold socket ank hgt w/ toe f	-	X
	Tibial tubercle hgt w/ toe f	-	X
	Ank symes mold sckt sach ft	-	X
	Symes met fr leath socket ar	_	X
	Molded socket shin sach foot	_	X
	Plast socket its/thgh lacer	_	X
	Mold sckt ext knee shin sach		X

<sup>\*</sup> These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



Codes Description	Not Covered	Preauthorization Required
Disclaimer: Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not		
specialty medications and should be directed to the Pharmacy link option within the website.	0 0	, ,
L5160 Mold socket bent knee shin s	-	Х
L5200 Kne sing axis fric shin sach	-	Х
L5210 No knee/ankle joints w/ ft b	-	X
L5220 No knee joint with artic ali	-	X
L5230 Fem focal defic constant fri	-	Х
L5250 Hip canad sing axi cons fric	-	X
L5270 Tilt table locking hip sing	-	Х
L5280 Hemipelvect canad sing axis	-	Х
L5301 Below knee, molded socket, shin, sach foot, endoskeletal system	-	Х
L5312 Knee disarticulation (or through knee), molded socket, single axis knee, pylon, sach foot, endoskeletal system	-	Х
L5321 Above knee, molded socket, open end, sach foot, endoskeletal system, single axis knee	-	Х
L5331 Hip disarticulation, canadian type, molded socket, endoskeletal system, hip joint, single axis knee, sach foot	-	Х
L5341 Hemipelvectomy, canadian type, molded socket, endoskeletal system, hip joint, single axis knee, sach foot	-	X
L5500 Init bk ptb plaster direct	-	X
L5505 Init ak ischal plstr direct	-	Х
L5510 Prep bk ptb plaster molded	-	X
L5520 Perp bk ptb thermopls direct	-	X
L5530 Prep bk ptb thermopls molded	-	Х
L5535 Prep bk ptb open end socket	-	Х
L5540 Prep bk ptb laminated socket	-	Х
L5560 Prep ak ischial plast molded	-	Х
L5570 Prep ak ischial direct form	-	Х
L5580 Prep ak ischial thermo mold	-	Х
L5585 Prep ak ischial open end	-	Х
L5590 Prep ak ischial laminated	-	X
L5595 Hip disartic sach thermopls	-	Х
L5600 Hip disart sach laminat mold	-	X
L5610 Above knee hydracadence	-	X
L5611 Ak 4 bar link w/fric swing	-	X
L5613 Ak 4 bar ling w/hydraul swig	-	Х
L5614 4-bar link above knee w/swng	-	Х
L5616 Ak univ multiplex sys frict	-	Х
L5639 Below knee wood socket	-	Χ
L5643 Hip flex inner socket ext fr	-	Χ
L5649 Isch containmt/narrow m-l so	-	Χ
L5651 Ak flex inner socket ext fra	-	Х
L5673 Addition to lower extremity, below knee/above knee, custom fabricated	-	Х

<sup>\*</sup> These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



Codes	Description	Not Covered	Preauthorization Required
	Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect	information regarding	immunizations, injectable drugs, or
	edications and should be directed to the Pharmacy link option within the website.		
	Addition to lower extremity, below knee/above knee, custom fabricated	-	X
	Addition to lower extremity, below knee/above knee, custom fabricated socket insert	-	X
L5683	Addition to lower extremity, below knee/above knee, custom fabricated socket insert	-	X
L5700	Replace socket below knee	-	X
L5701	Replace socket above knee	-	X
L5702	Replace socket hip	-	X
L5703	Ankle, symes, molded to patient model, socket without solid ankle cushion heel (sach) fott, replacement only	-	X
L5707	Custm shape cover hip disart	-	Х
L5724	Knee-shin exo fluid swing ph	-	X
L5726	Knee-shin ext jnts fld swg e	-	X
	Knee-shin fluid swg & stance	-	X
	Knee-shin pneum/hydra pneum	-	X
	Addition to lower limb prosthesis, vacuum pump, residual limb volume managementand moisture evacuation system	-	Х
L5782	Addition to lower limb prosthesis, vacuum pump, residual limb volume managementand moisture evacuation system, heavy dut	-	Х
1.5783	Add low ext mec limb vol sys	_	X
	Exoskel hip ultra-light mate	_	X
	Endo knee-shin hydral swg ph	_	X
	Endo knee-shin polyc mch sta	_	X
	Endo knee-shin frct swg & st	_	X
	Endo knee-shin pneum swg frc	_	X
	Endo knee-shin fluid swing p	_	X
	Miniature knee joint	_	X
	Endo knee-shin fluid swg/sta	_	X
	Endo knee-shin pneum/swg pha	_	X
	Multi-axial knee/shin system	-	X
	Addition endoskletl knee-shi	-	Х
	Knee-shin sys stance flexion	-	X
	Addition to endoskeletal, knee-shin system, hydraulic stance extension,dampening feature, adjustable	-	Χ
	Elec knee-shin swing/stance	-	Х
	Elec knee-shin swing only	-	X
	Addition to lower extremity prosthesis, endoskeletal knee shin system, microprocessor control feature, stance phase only	-	X
L5859	Addition to lower extremity prosthesis, endoskeletal knee-shin system, powered and programmable flexion/extension assist control, includes any type motor(s)	-	Х
L5930	High activity knee frame	-	Х
	Endo hip ultra-light materia		X

<sup>\*</sup> These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



Codes	Description	Not Covered	Preauthorization Required
	Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect in the code of	nformation regarding	immunizations, injectable drugs, or
	edications and should be directed to the Pharmacy link option within the website.	<del> </del>	
	Endo poly hip, pneu/hyd/rot	-	X
	Above knee flex cover system	-	X
	Hip flexible cover system	- 1	X
	Multiaxial ankle w dorsiflex	- 1	X
L5973	Endoskeletal ankle foot system, microprocessor controlled feature, dorsiflexion and/or plantar flexion control, includes	-	X
L5979	Multi-axial ankle/ft prosth	-	X
L5980	Flex foot system	-	X
L5981	Flex-walk sys low ext prosth	-	X
L5984	Endoskeletal axial rotation	-	X
L5987	Shank ft w vert load pylon	-	X
L5988	Vertical shock reducing pylo	-	X
L5990	Addition to lower extremity prosthesis, user adjustable heel height	-	Χ
L5991	Addition to lower extremity prostheses, osseointegrated external prosthetic connector	-	X
L5999	Lowr extremity prosthes nos	-	X
L6026	Part hand myo exclu term dev	-	X
L6050	Wrst mld sck flx hng tri pad	-	X
L6055	Wrst mold sock w/exp interfa	-	X
L6100	Elb mold sock flex hinge pad	-	X
L6110	Elbow mold sock suspension t	-	X
L6120	Elbow mold doub splt soc ste	-	X
L6130	Elbow stump activated lock h	-	X
L6200	Elbow mold outsid lock hinge	-	X
L6205	Elbow molded w/ expand inter	-	X
L6250	Elbow inter loc elbow forarm	-	X
L6300	Shider disart int lock elbow	-	X
L6310	Shoulder passive restor comp	-	X
L6320	Shoulder passive restor cap	-	X
L6350	Thoracic intern lock elbow	-	X
	Thoracic passive restor comp	-	X
L6370	Thoracic passive restor cap	-	X
L6400	Below elbow prosth tiss shap	-	X
L6450	Elb disart prosth tiss shap	-	Χ
L6500	Above elbow prosth tiss shap	-	Χ
L6550	Shldr disar prosth tiss shap	-	Χ
L6570	Scap thorac prosth tiss shap	-	Χ
L6580	Wrist/elbow bowden cable mol	-	Χ
L6582	Wrist/elbow bowden cbl dir f	-	Χ
L6584	Elbow fair lead cable molded	-	Х

<sup>\*</sup> These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



Codes	Description	Not Covered	Preauthorization Required
	Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect in	formation regarding	immunizations, injectable drugs, or
	dications and should be directed to the Pharmacy link option within the website.		
	Elbow fair lead cable dir fo	-	X
	Shdr fair lead cable molded	-	X
	Shdr fair lead cable direct	-	X
	Addition to upper extremity prosthesis, external powered, additional switch, any type	-	X
	Upper extremity addition, flexion/extension and rotation wrist unit	-	X
	Upper extremity addition to prosthesis, electric locking feature, only for usewith manually powered elbow	-	X
L6646	Upper extremity addition, shoulder joint, multipositional locking, flexion,adjustable abduction friction control, for us	-	X
L6648	Upper extremity addition, shoulder lock mechanism, external powered actuator	-	Χ
	Heavy duty control cable	-	X
L6693	Lockingelbow forearm cntrbal	-	Х
L6694	Elbow socket ins use w/lock	-	X
L6712	Terminal device, hook, mechanical, voluntary closing, any material, any size, lined or unlined, pediatric	-	X
	Terminal device, hand, mechanical, voluntary opening, any material, any size, pediatric	-	Х
L6714	Terminal device, hand, mechanical, voluntary closing, any material, any size, pediatric	-	Х
	Terminal device model #5xa	-	X
L6721	Terminal device, hook or hand, heavy duty, mechanical, voluntary opening, any 'material, any size, lined or unlined	-	Х
L6722	Terminal device, hook or hand, heavy duty, mechanical, voluntary closing, any 'material, any size, lined or unlined	-	Х
	Electric hand, switch or myoelectric controlled, independently articulating digits, any grasp pattern or combination of grasp patterns, includes motor(s)	-	Х
	Automatic grasp feature, additional to upper limb prosthetic terminal device.	-	X
	Microprocessor control feature, addition to upper limb prosthesis terminal device	-	X
	Replacement socket, below elbow/wrist disarticulation, molded to patient model, for use with or without external power	-	Х
L6884	Replacement socket, above elbow disarticulation, molded to patient model, for use with or without external power	-	Х
L6885	Replacement socket, shoulder disarticulation/interscapular thoracic, molded to patient model, for use with or without ex	-	Х
L6890	Production glove	_	Х
	Wrist disarticul switch ctrl	-	X
	Wrist disart myoelectronic c	-	X
	Below elbow switch control	_	X
	Below elbow myoelectronic ct	_	X
	Elbow disarticulation switch	_	X
	Elbow disart myoelectronic c	_	X
	Above elbow switch control	_	X
	Above elbow myoelectronic ct	_	X

<sup>\*</sup> These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



Codes Description	Not Covered	Preauthorization Required
Disclaimer: Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding list	sts do not reflect information regarding	immunizations, injectable drugs, or
specialty medications and should be directed to the Pharmacy link option within the website.		
L6960 Shldr disartic switch contro	-	X
L6965 Shldr disartic myoelectronic	-	X
L6970 Interscapular-thor switch ct	-	X
L6975 Interscap-thor myoelectronic	-	X
L7007 Electric hand, switch or myoelectric controlled, adult	-	Χ
L7008 Electric hand, switch or myoelectric, controlled, pediatric	-	X
L7009 Electric hook, switch or myoelectric controlled, adult	-	X
L7040 Prehensile actuator hosmer s	-	X
L7045 Electron hook child michigan	-	X
L7170 Electronic elbow hosmer swit	-	X
L7180 Electronic elbow utah myoele	-	Χ
L7181 Electronic elbo simultaneous	-	X
L7185 Electron elbow adolescent sw	-	X
L7186 Electron elbow child switch	-	X
L7190 Elbow adolescent myoelectron	-	X
L7191 Elbow child myoelectronic ct	-	X
L7259 Electronic wrist rotator any	-	X
L7499 Upper extremity prosthes nos	-	X
L7600 Prosthetic donning sleeve, any material, each	X	-
L7900 Vacuum erection system	X	-
L7902 Tension ring, for vacuum erection device, any type, replacement only, each	X	-
L8010 Mastectomy sleeve	X	-
L8031 Breast prosthesis, silicone or equal, with integral adhesive	X	-
L8033 Nipple prosthesis custom, ea	X	-
L8035 Custom breast prosthesis	X	-
L8040 Nasal prosthesis	-	X
L8041 Midfacial prosthesis	-	X
L8042 Orbital prosthesis	-	X
L8043 Upper facial prosthesis	-	Х
L8044 Hemi-facial prosthesis	-	Х
L8045 Auricular prosthesis	-	Х
L8046 Partial facial prosthesis	-	Χ
L8047 Nasal septal prosthesis	-	Χ
L8048 Unspec maxillofacial prosth	-	Χ
L8049 Repair maxillofacial prosth	-	X
L8410 Sheath above knee	-	X
L8465 Shrinker upper limb	-	X
L8499 Unlisted misc prosthetic ser	-	X
L8511 Insert for indwelling tracheoesophageal prosthesis, with or without valve, replacement only	-	X

<sup>\*</sup> These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



Codes Description	Not Covered	Preauthorization Required
Disclaimer: Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect is specialty medications and should be directed to the Pharmacy link option within the website.	nformation regarding	immunizations, injectable drugs, or
L8512 Gelatin capsules or equivalent, for use with tracheoesophageal voice prosthesis	_ [	X
L8515 Gel cap app device for trach	_	X
L8600 Implant breast silicone/eq	_	X
L8605 Tissue expander implant	_	X
L8609 Artificial cornea	_	X
L8614 Cochlear device/system	_	X
L8615 Coch implant headset replace	_	X
L8616 Coch implant microphone repl	_	X
_8617 Coch implant trans coil repl	-	X
_8618 Coch implant tran cable repl	_	X
.8619 Cochlear implant, external speech processor and controller, integrated system, replacement	-	X
.8621 Repl zinc air battery	_	X
	-	X
_8624 Lithium ion battery for use with cochlear implant device speech processor, ear level, replacement, each	-	Χ
.8627 Cochlear implant, external speech processor, component, replacement	-	Х
.8629 Transmitting coil and cable, integrated, for use with cochlear implant device, replacement	-	Х
.8630 Metacarpophalangeal implant	-	Х
.8631 Metacarpal phalangeal joint replacement, two or more pieces, metal	-	Х
_8641 Metatarsal joint implant	-	Χ
.8658 Interphalangeal joint implnt	-	X
.8659 Interphalangeal finger joint replacement, 2 or more pieces, metal	-	Χ
.8670 Vascular graft, synthetic	-	Х
.8679 Imp neurosti pls gn any type	-	X
.8680 Implantable neurostimulator electrode (with any number of contact points), each	X	-
.8681 Patient programmer (external) for use with implantable programmable neurostimulator pulse generator	-	Χ
.8682 Implantable neurostimulator radiofrequency receiver	-	Χ
.8683 Radiofrequency transmitter (external) for use with implantable neurostimulator radiofrequency receiver	-	Χ
L8684 Radiofrequency transmitter (external) for use with implantable sacral root neurostimulator receiver for bowel and bladde	-	X
.8685 Implantable neurostimulator pulse generator, single array, rechargeable, includes extension	Х	_
.8686 Implantable neurostimulator pulse generator, single array, non-rechargeable, includes extension	Х	-
.8687 Implantable neurostimulator pulse generator, dual array, rechargeable, includes extension	X	-
.8688 Implantable neurostimulator pulse generator, dual array, non-rechargeable, includes extension	Х	-
.8689 External recharging system for implanted neurostimulator, replacement only prosthetic implant, not otherwise specified	-	Х
	-	Χ
L8691 Auditory osseointegrated device, external sound processor, replacement	_	X

<sup>\*</sup> These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



Codes Description	·	Preauthorization Required
Disclaimer: Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect i pecialty medications and should be directed to the Pharmacy link option within the website.	nformation regarding ir	nmunizations, injectable drugs, o
L8692 Auditory osseointedgrated device, external sound processor, used without osseiontegration, body worn, includes		
headband	X	-
	-	X
.8699 Prosthetic implant nos	-	Χ
.8701 Pow ue rom dev ewh uprt cust	-	Х
.8702 Pow ue rom dev ewhf uprt cus	-	Х
9900 O&p supply/accessory/service	-	Х
10001 Advancing cancer care mips value pathways	Х	-
10002 Optimal care for kidney health mips value pathways	Х	-
10003 Optimal care for patients with episodic neurological conditions mips value pathways	Х	-
10004 Supportive care for neurodegenerative conditions mips value pathways	Х	-
10005 Promoting wellness mips value pathways	X	-
10010 Enhancing oncology model (eom) monthly enhanced oncology services (meos) payment for eom enhanced services	Х	-
10075 Cellular therapy	Х	-
0076 Prolotherapy	Х	-
0100 Intragastric hypothermia	Х	-
0300 lv chelationtherapy	Х	-
10301 Fabric wrapping of aneurysm	Х	-
1003 Tb screening performed and results interpreted within twelve months prior to initiation of first-time biologic disease	V	
modifying anti-rheumatic drug therapy for ra	X	-
11004 Doc med rsn no srn tb	Х	-
1005 Tb screening not performed or results not interpreted, reason not given	Х	-
1006 Disease activity not assessed, reason not given	Х	-
1007   >=50% of total number of a patient's outpatient ra encounters assessed	Х	-
1008   <50% of total number of a patient's outpatient ra encounters assessed	Х	-
11009 Dc eoc doc med rec	Х	-
1010 Dc eoc doc med rec	X	-
1011 Dc eoc doc med rec	Х	-
1012 Dc eoc doc med rec	X	-
1013 Dc eoc doc med rec	X	-
11014 Dc epi care doc medrec	X	-
1016 Female patients unable to bear children	X	-
1017 Patient admitted to palliative care services	X	-
11018 Pt dx hst cr pt sk lg cr scr	X	-
11019 Adl pt mj dep ds rs 12 phq<5	Х	-
11020 Adl pt mj dep ds no rs 12 mo	Х	-
11021 Patient had only urgent care visits during the performance period	Х	-
11027 Imaging of the head (ct or mri) was obtained	Х	<u> </u>

<sup>\*</sup> These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



Codes Description  Disclaimer Places acts that average may very by plan type and may act follow the listed services. These codes are undeted quarterly. Additionally, these coding lists do not reflect the code of the code o	Not Covered	Preauthorization Required
Disclaimer: Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect specialty medications and should be directed to the Pharmacy link option within the website.	information regarding	immunizations, injectable drugs, or
M1028 Documentation of patients with primary headache diagnosis and imaging other than ct or mri obtained	Х	-
M1029 Imaging of the head (ct or mri) was not obtained, reason not given	Х	-
M1032 Adults currently taking pharmacotherapy for oud	Х	-
M1034 Adults who have at least 180 days of continuous pharmacotherapy with a medication prescribed for oud without a gap of more than seven days	Х	-
M1035 Adults who are deliberately phased out of medication assisted treatment (mat) prior to 180 days of continuous treatment	Х	-
M1036 Adults who have not had at least 180 days of continuous pharmacotherapy with a medication prescribed for oud without a gap of more than seven days	Х	-
M1037 Patients with a diagnosis of lumbar spine region cancer at the time of the procedure	Х	-
M1038 Patients with a diagnosis of lumbar spine region fracture at the time of the procedure	X	-
M1039 Patients with a diagnosis of lumbar spine region infection at the time of the procedure	Х	-
M1040 Patients with a diagnosis of lumbar idiopathic or congenital scoliosis	Х	-
M1041 Patient had cancer, fracture or infection related to the lumbar spine or patient had idiopathic or congenital scoliosis	Х	-
M1043 Fs no odi 9-15mo	Х	-
M1045 Fs oks 9-15mo = 37	Х	-
M1046 Fs oks 9-15mo = 37	Х	-
M1049 Fs wth scr no odi pre and p	Х	-
M1051 Patient had cancer, fracture or infection related to the lumbar spine or patient had idiopathic or congenital scoliosis	Х	-
M1052 Lg pn not meas w/ vas 1yr po	Х	-
M1054 Patient had only urgent care visits during the performance period	Х	-
M1055 Aspirin or another antiplatelet therapy used	Х	-
M1056 Presc antico med in pp	Х	-
M1057 Aspirin or another antiplatelet therapy not used, reason not given	Х	-
M1058 Patient was a permanent nursing home resident at any time during the performance period	Х	-
M1059 Patient was in hospice or receiving palliative care at any time during the performance period	Х	-
M1060 Patient died prior to the end of the performance period	Х	-
M1067 Hospice services for patient provided any time during the measurement period	Х	-
M1068 Adults who are not ambulatory	Х	-
M1069 Patient screened for future fall risk	Х	-
M1070 Patient not screened for future fall risk, reason not given	Х	-
M1071 Patient had any additional spine procedures performed on the same date as the lumbar discectomy/laminotomy	Х	-
M1072 Rom rad therapy anal, pc	X	-
M1073 Rom rad therapy anal, to	Х	-
M1074 Rom rad therapy bladder, pc	X	-
M1075 Rom rad therapy bladder, tc	Х	-

<sup>\*</sup> These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



Codes Description	Not Covered	Preauthorization Required
Disclaimer: Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quar	terly. Additionally, these coding lists do not reflect information regarding	g immunizations, injectable drugs, or
specialty medications and should be directed to the Pharmacy link option within the website.	Γ	
M1076 Rom rad ther bone mets, pc	X	-
M1077 Rom rad ther bone mets, to	X	-
M1078 Rom rad ther brain mets, pc	X	-
M1079 Rom rad ther brain mets, tc	X	-
M1080 Rom rad therapy breast, pc	X	-
M1081 Rom rad therapy breast, tc	X	-
M1082 Rom rad therapy cervical, pc	X	-
M1083 Rom rad therapy cervical, tc	X	-
M1084 Rom rad therapy cns, pc	X	-
M1085 Rom rad therapy cns, tc	X	-
M1086 Rom rad ther colorectal, pc	X	-
M1087 Rom rad ther colorectal, tc	X	-
M1088 Rom rad ther head/neck, pc	X	-
M1089 Rom rad ther head/neck, tc	X	-
M1094 Rom rad therapy lung, pc	X	-
M1095 Rom rad therapy lung, to	X	-
M1096 Rom rad therapy lymphoma, pc	X	-
M1097 Rom rad therapy lymphoma, tc	X	-
M1098 Rom rad therapy pancreas, pc	X	-
M1099 Rom rad therapy pancreas, pc	X	-
M1100 Rom rad therapy prostate, pc	Х	-
M1101 Rom rad therapy prostate, tc	X	-
M1102 Rom rad therapy gi, pc	X	-
M1103 Rom rad therapy gi, to	X	-
M1104 Rom rad therapy uterus, pc	X	-
M1105 Rom rad therapy uterus, to	X	-
M1106 Start eoc doc med rec	Х	-
M1107 Docu dx degen neuro	X	-
M1108 Oc ni pt 1-2 vis	Х	-
M1109 Oc ni pt dc 1-2 vis	Х	-
M1110 Oc ni pt selfdc 1-2 vis	Х	-
M1111 Start eoc doc med rec	Х	-
M1112 Docu dx degen neuro	X	-
M1113 Oc ni pt 1-2 vis	X	-
M1114 Oc ni pt dc 1-2 vis	X	-
M1115 Oc ni pt selfdc 1-2 vis	X	-
M1116 Start eoc doc med rec	X	-
M1117 Docu dx degen neuro	X	-
M1118 Oc ni pt 1-2 vis	X	-

<sup>\*</sup> These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



Codes Description	Not Covered	Preauthorization Required
Disclaimer: Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect specialty medications and should be directed to the Pharmacy link option within the website.	information regarding	g immunizations, injectable drugs, or
M1119 Oc ni pt dc 1-2 vis	X	_
M1120 Oc ni pt selfdc 1-2 vis	X	<u>-</u>
M1121 Start eoc doc med rec	X	<u>-</u>
M1122 Docu dx degen neuro	X	<u> </u>
M1123 Oc ni pt 1-2 vis	X	
M1124 Oc ni pt dc 1-2 vis	X	<u> </u>
M1125 Oc ni pt selfdc 1-2 vis	X	
M1126 Start eoc doc med rec	X	<u> </u>
M1127 Docu dx degen neuro	X	-
M1128 Oc ni pt 1-2 vis	X	-
M1129 Oc ni pt dc 1-2 vis	X	-
M1130 Oc ni pt self dc 1-2 vis	X	-
M1131 Docu dx degen neuro	X	
U U	X	-
M1132 Oc ni pt 1-2 vis	X	<u>-</u>
M1133 Oc ni pt dc 1-2 vis		-
M1134 Oc ni pt self dc 1-2 vis	X	-
M1135 Start eoc doc med rec	X	-
M1141 Fs no oks	X	-
M1142 Emerge cases	X	<del>-</del>
M1143 Ni rehab med chiro	X	<u>-</u>
M1146 Ongoing care not ind	X	-
M1147 Care not poss med rsn	X	-
M1148 Pt self dschg	X	-
M1149 No neck fs prom incap	Х	-
M1150 Left ventricular ejection fraction (lvef) less than or equal to 40% or documentation of moderately or severely depressed	1 X	-
left ventricular systolic function		
M1151 Patients with a history of heart transplant or with a left ventricular assist device (lvad)	X	-
M1152 Patients with a history of heart transplant or with a left ventricular assist device (Ivad)	X	-
M1153 Patient with diagnosis of osteoporosis on date of encounter	X	-
M1154 Hospice services provided to patient any time during the measurement period	Х	-
M1155 Patient had anaphylaxis due to the pneumococcal vaccine any time during or before the measurement period	X	-
M1156 Patient received active chemotherapy any time during the measurement period	Х	-
M1157 Patient received bone marrow transplant any time during the measurement period	X	-
M1158 Patient had history of immunocompromising conditions prior to or during the measurement period	Х	-
M1159 Hospice services provided to patient any time during the measurement period	X	-
M1160 Patient had anaphylaxis due to the meningococcal vaccine any time on or before the patient's 13th birthday	X	-
M1161 Patient had anaphylaxis due to the tetanus, diphtheria or pertussis vaccine any time on or before the patient's 13th birthday	Х	-

<sup>\*</sup> These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



	Description	Not Covered	Preauthorization Required
	Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect in dications and should be directed to the Pharmacy link option within the website.	nformation regarding	immunizations, injectable drugs, o
	Patient had encephalitis due to the tetanus, diphtheria or pertussis vaccine any time on or before the patient's 13th		
	birthday	X	-
	Patient had anaphylaxis due to the hpv vaccine any time on or before the patient's 13th birthday	Х	
	Patients with dementia any time during the patient's history through the end of the measurement period	X	_
	Patients who use hospice services any time during the measurement period	X	_
	Pathology report for tissue specimens produced from wide local excisions or re-excisions	X	_
	In hospice or using hospice services during the measurement period	X	_
M1168	Patient received an influenza vaccine on or between july 1 of the year prior to the measurement period and june 30 of the measurement period	X	-
И1169	Documentation of medical reason(s) for not administering influenza vaccine (e.g., prior anaphylaxis due to the influenza vaccine)	Х	-
<i>I</i> 1170	Patient did not receive an influenza vaccine on or between july 1 of the year prior to the measurement period and june 30 of the measurement period	Х	-
/11171	Patient received at least one td vaccine or one tdap vaccine between nine years prior to the encounter and the end of the measurement period	Х	-
	Documentation of medical reason(s) for not administering td or tdap vaccine (e.g., prior anaphylaxis due to the td or tdap vaccine or history of encephalopathy within seven days after a previous dose of a td-containing vaccine)	Х	-
	Patient did not receive at least one td vaccine or one tdap vaccine between nine years prior to the encounter and the end of the measurement period	Х	-
<i>I</i> 1174	Patient received at least one dose of the herpes zoster live vaccine or two doses of the herpes zoster recombinant vaccine (at least 28 days apart) anytime on or after the patient's 50th birthday before or during the measurement period	Х	-
<i>I</i> 1175	Documentation of medical reason(s) for not administering zoster vaccine (e.g., prior anaphylaxis due to the zoster vaccine)	Х	-
	Patient did not receive at least one dose of the herpes zoster live vaccine or two doses of the herpes zoster recombinant vaccine (at least 28 days apart) anytime on or after the patient's 50th birthday before or during the measurement period	Х	-
/11177	Patient received any pneumococcal conjugate or polysaccharide vaccine on or after their 60th birthday and before the end of the measurement period	Х	-
11178	Documentation of medical reason(s) for not administering pneumococcal vaccine (e.g., prior anaphylaxis due to the pneumococcal vaccine)	Х	-
11179	Patient did not receive any pneumococcal conjugate or polysaccharide vaccine, on or after their 60th birthday and before or during measurement period	Х	-
	Patients on immune checkpoint inhibitor therapy	Х	<u>-</u>
11181	Grade 2 or above diarrhea and/or grade 2 or above colitis	X	-
11182	Patients not eligible due to pre-existing inflammatory bowel disease (ibd) (e.g., ulcerative colitis, crohn's disease)	Х	

<sup>\*</sup> These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



	Description	Not Covered	Preauthorization Required
	Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect in edications and should be directed to the Pharmacy link option within the website.	formation regarding	immunizations, injectable drugs, or
	Documentation of immune checkpoint inhibitor therapy held and corticosteroids or immunosuppressants prescribed or		
	administered	X	-
	Documentation of medical reason(s) for not prescribing or administering corticosteroid or immunosuppressant		
11104	treatment (e.g., allergy, intolerance, infectious etiology, pancreatic insufficiency, hyperthyroidism, prior bowel surgical		
		X	-
	interventions, celiac disease, receiving other medication, awaiting diagnostic workup results for alternative etiologies,		
11105	other medical reasons/contraindication)  Documentation of immune checkpoint inhibitor therapy not held and/or corticosteroids or immunosuppressants		
		X	-
	prescribed or administered was not performed, reason not given	V	
	Patients who have an order for or are receiving hospice or palliative care	X	-
	Patients with a diagnosis of end stage renal disease (esrd)	X	<del>-</del>
	Patients with a diagnosis of chronic kidney disease (ckd) stage 5	Х	-
	Documentation of a kidney health evaluation defined by an estimated glomerular filtration rate (egfr) and urine albumin- creatinine ratio (uacr) performed	Χ	-
	Documentation of a kidney health evaluation was not performed or defined by an estimated glomerular filtration rate		
	(egfr) and urine albumin-creatinine ratio (uacr)	Χ	-
11191	Hospice services provided to patient any time during the measurement period	Х	-
	Patients with an existing diagnosis of squamous cell carcinoma of the esophagus	X	_
	Surgical pathology reports that contain impression or conclusion of or recommendation for testing of mmr by		+
11150	immunohistochemistry, msi by dna-based testing status, or both	Χ	-
11194	Documentation of medical reason(s) surgical pathology reports did not contain impression or conclusion of or		
	recommendation for testing of mmr by immunohistochemistry, msi by dna-based testing status, or both tests were not		
	included (e.g., patient will not be treated with checkpoint inhibitor therapy, no residual carcinoma is present in the	X	_
	sample [tissue exhausted or status post neoadjuvant treatment], insufficient tumor for testing)	Λ	
	sample [tissue exhausted of status post neodajavant treatment], insumoient tumor for testing)		
11195	Surgical pathology reports that do not contain impression or conclusion of or recommendation for testing of mmr by	V	
	immunohistochemistry, msi by dna-based testing status, or both, reason not given	Χ	-
	Initial (index visit) numeric rating scale (nrs), visual rating scale (vrs), or itchyquant assessment score of greater than	V	
	or equal to 4	Χ	-
11197	Itch severity assessment score is reduced by 2 or more points from the initial (index) assessment score to the follow-	V	
	up visit score	Χ	-
11198	Itch severity assessment score was not reduced by at least 2 points from initial (index) score to the follow-up visit score	V	
	or assessment was not completed during the follow-up encounter	X	-
	Patients receiving rrt	Χ	-
	Ace inhibitor (ace-i) or arb therapy prescribed during the measurement period	Χ	-
	Documentation of medical reason(s) for not prescribing ace inhibitor (ace-i) or arb therapy during the measurement		
	period (e.g., pregnancy, history of angioedema to ace-i, other allergy to ace-i and arb, hyperkalemia or history of		
	hyperkalemia while on ace-i or arb therapy, acute kidney injury due to ace-i or arb therapy), other medical reasons)	X	-

<sup>\*</sup> These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



	Description	Not Covered	Preauthorization Required
	Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect in edications and should be directed to the Pharmacy link option within the website.	nformation regarding	immunizations, injectable drugs, or
	Documentation of patient reason(s) for not prescribing ace inhibitor or arb therapy during the measurement period,		
WITZOZ	(e.g., patient declined, other patient reasons)	X	-
M1203	Ace inhibitor or arb therapy not prescribed during the measurement period, reason not given	Х	-
	Initial (index visit) numeric rating scale (nrs), visual rating scale (vrs), or itchyquant assessment score of greater than		
	or equal to 4	X	-
M1205	Itch severity assessment score is reduced by 2 or more points from the initial (index) assessment score to the follow-	.,	
	up visit score	X	-
M1206	Itch severity assessment score was not reduced by at least 2 points from initial (index) score to the follow-up visit score		
	or assessment was not completed during the follow-up encounter	Х	-
M1207	Number of patients screened for food insecurity, housing instability, transportation needs, utility difficulties, and	Х	
	interpersonal safety	X	-
M1208	Number of patients not screened for food insecurity, housing instability, transportation needs, utility difficulties, and	Х	
	interpersonal safety	^	-
M1209	At least two orders for high-risk medications from the same drug class, (table 4), not ordered	X	-
M1210	At least two orders for high-risk medications from the same drug class, (table 4), not ordered	Χ	-
M1211	Most recent hemoglobin a1c level > 9.0%	X	-
	Hemoglobin a1c level is missing, or was not performed during the measurement period (12 months)	Χ	-
M1213	No history of spirometry results with confirmed airflow obstruction (fev1/fvc < 70%) and present spirometry is >= 70%	Х	-
M1214	Spirometry results with confirmed airflow obstruction (fev1/fvc < 70%) documented and reviewed	Х	-
	Documentation of medical reason(s) for not documenting and reviewing spirometry results (e.g., patients with dementia	V	
	or tracheostomy)	Х	-
M1216	No spirometry results with confirmed airflow obstruction (fev1/fvc < 70%) documented and/or no spirometry performed	Х	
	with results documented during the encounter	^	-
M1217	Documentation of system reason(s) for not documenting and reviewing spirometry results (e.g., spirometry equipment	Х	
	not available at the time of the encounter)	^	-
M1218	Patient has copd symptoms (e.g., dyspnea, cough/sputum, wheezing)	X	-
	Anaphylaxis due to the vaccine on or before the date of the encounter	Χ	-
M1220	Dilated retinal eye exam with interpretation by an ophthalmologist or optometrist or artificial intelligence (ai)	Х	
	interpretation documented and reviewed; with evidence of retinopathy	^	-
M1221	Dilated retinal eye exam with interpretation by an ophthalmologist or optometrist or artificial intelligence (ai)	х	
	interpretation documented and reviewed; without evidence of retinopathy	^	-
	Glaucoma plan of care not documented, reason not otherwise specified	X	-
	Glaucoma plan of care documented	X	-
	Intraocular pressure (iop) reduced by a value less than 20% from the pre-intervention level	X	-
	Intraocular pressure (iop) reduced by a value of greater than or equal to 20% from the pre-intervention level	X	-
	lop measurement not documented, reason not otherwise specified	X	-
M1227	Evidence-based therapy was prescribed	X	-

<sup>\*</sup> These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



Codes	Description	Not Covered	Preauthorization Required
	Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect in	nformation regarding	immunizations, injectable drugs, or
	edications and should be directed to the Pharmacy link option within the website.	I I	
M1228	Patient, who has a reactive hcv antibody test, and has a follow up hcv viral test that detected hcv viremia, has hcv	X	-
111000	treatment initiated within 3 months of the reactive hcv antibody test		
M1229	Patient, who has a reactive hcv antibody test, and has a follow up hcv viral test that detected hcv viremia, is referred	Х	-
	within 1 month of the reactive hcv antibody test to a clinician who treats hcv infection		
M1230	Patient has a reactive hcv antibody test and does not have a follow up hcv viral test, or patient has a reactive hcv	X	
	antibody test and has a follow up hcv viral test that detects hcv viremia and is not referred to a clinician who treats hcv		-
	infection within 1 month and does not have how treatment initiated within 3 months of the reactive how antibody test,	, ,	
	reason not given		
	Patient receives hcv antibody test with nonreactive result	X	<u> </u>
	Patient receives hcv antibody test with reactive result	X	-
M1233	Patient does not receive hcv antibody test or patient does receive hcv antibody test but results not documented, reason	X	_
	not given		
	Patient has a reactive hcv antibody test, and has a follow up hcv viral test that does not detect hcv viremia	X	-
M1235	Documentation or patient report of hcv antibody test or hcv rna test which occurred prior to the performance period	Х	
			-
M1236	Baseline mrs > 2	X	-
M1237	Patient reason for not screening for food insecurity, housing instability, transportation needs, utility difficulties, and	Х	
	interpersonal safety (e.g., patient declined or other patient reasons)	^	-
M1238	Documentation that administration of second recombinant zoster vaccine could not occur during the performance		
	period due to the recommended 2-6 month interval between doses (i.e, first dose received after october 31)	Х	-
M1239	Patient did not respond to the question of patient felt heard and understood by this provider and team	Х	-
	Patient did not respond to the question of patient felt this provider and team put my best interests first when making	V	
	recommendations about my care	Х	-
M1241	Patient did not respond to the question of patient felt this provider and team saw me as a person, not just someone		
	with a medical problem	Х	-
M1242	Patient did not respond to the question of patient felt this provider and team understood what is important to me in my	.,	
	life	Х	-
M1243	Patient provided a response other than "completely true" for the question of patient felt heard and understood by this		
	provider and team	Х	-
M1244	Patient provided a response other than "completely true" for the question of patient felt this provider and team put my		
	best interests first when making recommendations about my care	Х	-
M1245	Patient provided a response other than "completely true" for the question of patient felt this provider and team saw me		
	as a person, not just someone with a medical problem	X	-
M1246	Patient provided a response other than "completely true" for the question of patient felt this provider and team	_	
2 10	understood what is important to me in my life	Х	-
M1247	Patient responded "completely true" for the question of patient felt this provider and team put my best interests first		
1V1 1 4 7 /	when making recommendations about my care	X	-

<sup>\*</sup> These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



	escription	Not Covered	Preauthorization Required
	ease note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect i	nformation regarding	immunizations, injectable drugs, or
-	cations and should be directed to the Pharmacy link option within the website.	1	
	atient responded "completely true" for the question of patient felt this provider and team saw me as a person, not just	X	_
	omeone with a medical problem		
	atient responded "completely true" for the question of patient felt this provider and team understood what is important	X	_
	o me in my life		
M1250 P	atient responded as "completely true" for the question of patient felt heard and understood by this provider and team	Х	-
M1251 P	atients for whom a proxy completed the entire hu survey on their behalf for any reason (no patient involvement)	Х	-
	atients who did not complete at least one of the four patient experience hu survey items and return the hu survey	Х	_
	ithin 60 days of the ambulatory palliative care visit	^	
	atients who respond on the patient experience hu survey that they did not receive care by the listed ambulatory	×	_
	alliative care provider in the last 60 days (disavowal)		
	atients who were deceased when the hu survey reached them	X	-
M1255 P	atients who have another reason for visiting the clinic [not prenatal or postpartum care] and have a positive		
рі	regnancy test but have not established the clinic as an ob provider (e.g., plan to terminate the pregnancy or seek	X	-
	renatal services elsewhere)		
M1256 P	rior history of known cvd	X	-
M1257 C	vd risk assessment not performed or incomplete (e.g., cvd risk assessment was not documented), reason not	Х	
	therwise specified	^	-
M1258 C	vd risk assessment performed, have a documented calculated risk score	X	-
M1259 P	atients listed on the kidney-pancreas transplant waitlist or who received a living donor transplant within the first year	Х	
fo	ollowing initiation of dialysis	^	-
M1260 P	atients who were not listed on the kidney-pancreas transplant waitlist or patients who did not receive a living donor	Х	
	ansplant within the first year following initiation of dialysis	^	-
	atients that were on the kidney or kidney-pancreas waitlist prior to initiation of dialysis	X	-
/11262 P	atients who had a transplant prior to initiation of dialysis	X	-
/11263 P	atients in hospice on their initiation of dialysis date or during the month of evaluation	X	-
	atients age 75 or older on their initiation of dialysis date	X	=
/1265 C	ms medical evidence form 2728 for dialysis patients: initial form completed	X	-
/1266 P	atients admitted to a skilled nursing facility (snf)	Х	-
/1267 P	atients not on any kidney or kidney-pancreas transplant waitlist or is not in active status on any kidney or kidney-		
pa	ancreas transplant waitlist as of the last day of each month during the measurement period	X	-
	atients on active status on any kidney or kidney-pancreas transplant waitlist as of the last day of each month during	V	
	ne measurement period	Х	-
	eceiving esrd mcp dialysis services by the provider on the last day of the reporting month	Х	-
	atients not on any kidney or kidney-pancreas transplant waitlist as of the last day of each month during the		
	neasurement period	X	-
	atients with dementia at any time prior to or during the month	Х	-

<sup>\*</sup> These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



Codes	Description	Not Covered	Preauthorization Required
	Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect in	nformation regarding	immunizations, injectable drugs, or
	edications and should be directed to the Pharmacy link option within the website.		
M1272	Patients on any kidney or kidney-pancreas transplant waitlist as of the last day of each month during the measurement period	Х	-
M1273	Patients who were admitted to a skilled nursing facility (snf) within one year of dialysis initiation according to the cms- 2728 form	Х	-
M1274	Patients who were admitted to a skilled nursing facility (snf) during the month of evaluation were excluded from that month	Х	-
M1275	Patients determined to be in hospice were excluded from month of evaluation and the remainder of reporting period	Х	-
M1276	Bmi documented outside normal parameters, no follow-up plan documented, no reason given	Х	-
	Colorectal cancer screening results documented and reviewed	Х	_
	Elevated or hypertensive blood pressure reading documented, and the indicated follow-up is documented	Х	-
	Elevated or hypertensive blood pressure reading documented, indicated follow-up not documented, reason not given	Х	-
M1280	Women who had a bilateral mastectomy or who have a history of a bilateral mastectomy or for whom there is evidence of a right and a left unilateral mastectomy	Х	-
M1281	Blood pressure reading not documented, reason not given	Х	-
	Patient screened for tobacco use and identified as a tobacco non-user	X	-
	Patient screened for tobacco use and identified as a tobacco user	X	-
	Patients age 66 or older in institutional special needs plans (snp) or residing in long term care with pos code 32, 33, 34, 54, or 56 for more than 90 consecutive days during the measurement period	X	-
M1285	Screening, diagnostic, film, digital or digital breast tomosynthesis (3d) mammography results were not documented and reviewed, reason not otherwise specified	Х	-
M1286	Bmi is documented as being outside of normal parameters, follow-up plan is not completed for documented medical reason	Х	-
M1287	Bmi is documented below normal parameters and a follow-up plan is documented	Х	-
	Documented reason for not screening or recommending a follow-up for high blood pressure	X	-
	Patient identified as tobacco user did not receive tobacco cessation intervention during the measurement period or in the six months prior to the measurement period (counseling and/or pharmacotherapy)	Х	-
M1290	Patient not eligible due to active diagnosis of hypertension	Х	-
	Patients 66 years of age and older with at least one claim/encounter for frailty during the measurement period and a		
W11201	dispensed medication for dementia during the measurement period or the year prior to the measurement period	Х	-
M1292	Patients 66 years of age and older with at least one claim/encounter for frailty during the measurement period and either one acute inpatient encounter with a diagnosis of advanced illness or two outpatient, observation, ed or nonacute inpatient encounters on different dates of service with an advanced illness diagnosis during the measurement period or the year prior to the measurement period	Х	-
M1293	Bmi is documented above normal parameters and a follow-up plan is documented	Х	-
	Normal blood pressure reading documented, follow-up not required	Х	-
	Patients with a diagnosis or past history of total colectomy or colorectal cancer	Х	-

<sup>\*</sup> These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



Codes	Description	Not Covered	Preauthorization Required
	Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect in	formation regarding	immunizations, injectable drugs, or
	edications and should be directed to the Pharmacy link option within the website.		
	Bmi is documented within normal parameters and no follow-up plan is required	Х	-
	Bmi not documented due to medical reason or patient refusal of height or weight measurement	Х	<u>-</u>
M1298	Documentation of patient pregnancy anytime during the measurement period prior to and including the current encounter	X	-
M1299	Influenza immunization administered or previously received	Х	-
M1300	Influenza immunization was not administered for reasons documented by clinician (e.g., patient allergy or other		
	medical reasons, patient declined or other patient reasons, vaccine not available or other system reasons)	Х	-
M1301	Patient identified as a tobacco user received tobacco cessation intervention during the measurement period or in the six months prior to the measurement period (counseling and/or pharmacotherapy)	Х	-
M1302	Screening, diagnostic, film digital or digital breast tomosynthesis (3d) mammography results documented and reviewed	Х	_
M1303	Hospice services provided to patient any time during the measurement period	Х	<u>-</u>
	Patient did not receive any pneumococcal conjugate or polysaccharide vaccine on or after their 19th birthday and		
WITOUT	before the end of the measurement period	Х	-
M1305	Patient received any pneumococcal conjugate or polysaccharide vaccine on or after their 19th birthday and before the end of the measurement period	Х	-
M1306	Patient had anaphylaxis due to the pneumococcal vaccine any time during or before the measurement period	Х	-
	Documentation stating the patient has received or is currently receiving palliative or hospice care	X	-
	Influenza immunization was not administered, reason not given	X	-
	Palliative care services provided to patient any time during the measurement period	X	-
	Patient screened for tobacco use and received tobacco cessation intervention during the measurement period or in the	,	
	six months prior to the measurement period (counseling, pharmacotherapy, or both), if identified as a tobacco user	X	-
M1311	Anaphylaxis due to the vaccine on or before the date of the encounter	Х	
	Patient not screened for tobacco use	Х	-
	Tobacco screening not performed or tobacco cessation intervention not provided during the measurement period or in	Х	_
	the six months prior to the measurement period		
M1314	Bmi not documented and no reason is given	Х	-
	Colorectal cancer screening results were not documented and reviewed; reason not otherwise specified	Х	<u>-</u>
	Current tobacco non-user	X	-
	Patients who are counseled on connection with a csp and explicitly opt out	X	-
M1318	Patients who did not have documented contact with a csp for at least one of their screened positive hrsns within 60 days after screening or documentation that there was no contact with a csp	X	-
M1319	Patients who had documented contact with a csp for at least one of their screened positive hrsns within 60 days after screening	Х	-
M1320	Patients who screened positive for at least 1 of the 5 hrsns	Х	-
	Patients who were not seen within 7 weeks following the date of injection for follow up or who did not have a		
	documented iop or no plan of care documented if the iop was >25 mm hg	X	-

<sup>\*</sup> These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



Codes	Description	Not Covered	Preauthorization Required
	Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect in	formation regarding	immunizations, injectable drugs, or
	edications and should be directed to the Pharmacy link option within the website.		
M1322	Patients seen within 7 weeks following the date of injection and are screened for elevated intraocular pressure (iop)	X	-
	with tonometry with documented iop =<25 mm hg for injected eye		
M1323	Patients seen within 7 weeks following the date of injection and are screened for elevated intraocular pressure (iop)	Х	-
	with tonometry with documented iop >25 mm hg and a plan of care was documented		
M1324	Patients who had an intravitreal or periocular corticosteroid injection (e.g., triamcinolone, preservative-free	X	_
	triamcinolone, dexamethasone, dexamethasone intravitreal implant, or fluocinolone intravitreal implant)	,,	
M1325	Patients who were not seen for reasons documented by clinician for patient or medical reasons (e.g., inadequate time		
	for follow-up, patients who received a prior intravitreal or periocular steroid injection within the last six (6) months and	X	_
	had a subsequent iop evaluation with iop <25mm hg within seven (7) weeks of treatment)	^	
M1326	Patients with a diagnosis of hypotony	Х	-
M1327	Patients who were not appropriately evaluated during the initial exam and/or who were not re-evaluated within 8 weeks	Х	
		^	-
M1328	Patients with a diagnosis of acute vitreous hemorrhage	X	-
M1329	Patients with a post-operative encounter of the eye with the acute pvd within 2 weeks before the initial encounter or 8	Х	
	weeks after initial acute pvd encounter	Χ .	-
M1330	Documentation of patient reason(s) for not having a follow up exam (e.g., inadequate time for follow up)	Х	-
	Patients who were appropriately evaluated during the initial exam and were re-evaluated no later than 8 weeks from	V	
	initial exam	Χ	-
M1332	Patients who were not appropriately evaluated during the initial exam and/or who were not re-evaluated within 2 weeks	Х	_
	Acute vitreous hemorrhage	Х	-
M1334	Patients with a post-operative encounter of the eye with the acute pvd within 2 weeks before the initial encounter or 2	X	_
	weeks after initial acute pvd encounter		
	Documentation of patient reason(s) for not having a follow up exam (e.g., inadequate time for follow up)	X	-
M1336	Patients who were appropriately evaluated during the initial exam and were re-evaluated no later than 2 weeks	Х	
			-
M1337	Acute pvd	X	-
M1338	Patients who had follow-up assessment 30 to 180 days after the index assessment who did not demonstrate positive	Х	
	improvement or maintenance of functioning scores during the performance period	^	-
M1339	Patients who had follow-up assessment 30 to 180 days after the index assessment who demonstrated positive	Х	
	improvement or maintenance of functioning scores during the performance period	^	-
M1340	Index assessment completed using the 12-item whodas 2.0 or sds during the denominator identification period	V	
		Χ	-
M1341	Patients who did not have a follow-up assessment or did not have an assessment within 30 to 180 days after the index		
	assessment during the performance period	Χ	-
M1342	Patients who died during the performance period	Х	-
	Patients who are at pam level 4 at baseline or patients who are flagged with extreme straight line response sets on the		
	pam	X	-

<sup>\*</sup> These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



Codes	Description	Not Covered	Preauthorization Required
	Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect in	formation regarding	immunizations, injectable drugs, or
	edications and should be directed to the Pharmacy link option within the website.		
M1344	Patients who did not have a baseline pam score and/or a second score within 6 to 12 month of baseline pam score	Χ	-
M1345	Patients who had a baseline pam score and a second score within 6 to 12 month of baseline pam score	Х	-
M1346	Patients who did not have a net increase in pam score of at least 6 points within a 6 to 12 month period	X	-
M1347	Patients who achieved a net increase in pam score of at least 3 points in a 6 to 12 month period (passing)	Χ	-
M1348	Patients who achieved a net increase in pam score of at least 6-points in a 6 to 12 month period (excellent)	Χ	=
M1349	Patients who did not have a net increase in pam score of at least 3 points within 6 to 12 month period	Х	-
M1350	Patients who had a completed suicide safety plan initiated, reviewed or updated in collaboration with their clinician (concurrent or within 24 hours) of the index clinical encounter	Х	-
M1351	Patients who had a suicide safety plan initiated, reviewed, or updated and reviewed and updated in collaboration with the patient and their clinician concurrent or within 24 hours of clinical encounter and within 120 days after initiation	х	-
M1352	Suicidal ideation and/or behavior symptoms based on the c-ssrs or equivalent assessment	Х	-
M1353	Patients who did not have a completed suicide safety plan initiated, reviewed or updated in collaboration with their	Х	_
	clinician (concurrent or within 24 hours) of the index clinical encounter	^	<u>-</u>
M1354	Patients who did not have a suicide safety plan initiated, reviewed, or updated or reviewed and updated in collaboration with the patient and their clinician concurrent or within 24 hours of clinical encounter and within 120 days after initiation	Х	-
M1355	Suicide risk based on their clinician's evaluation or a clinician-rated tool	X	-
M1356	Patients who died during the measurement period	Х	-
M1357	Patients who had a reduction in suicidal ideation and/or behavior upon follow-up assessment within 120 days of index assessment	Х	-
M1358	Patients who did not have a reduction in suicidal ideation and/or behavior upon follow-up assessment within 120 days of index assessment	Х	-
M1359	Index assessment during the denominator period when the suicidal ideation and/or behavior symptoms or increased suicide risk by clinician determination occurs and a non-zero c-ssrs score is obtained	Х	-
/1360	Suicidal ideation and/or behavior symptoms based on the c-ssrs	Х	-
	Suicide risk based on their clinician's evaluation or a clinician-rated tool	Х	-
	Patients who died during the measurement period	Х	-
	Patients who did not have a follow-up assessment within 120 days of the index assessment	Х	-
	Calculated 10-year ascvd risk score of = 20 percent during the performance period	Х	-
	Patient encounter during the performance period with hospice and palliative care specialty code 17	Х	-
	Focusing on women's health mips value pathway	Χ	-
	Quality care for the treatment of ear, nose, and throat disorders mips value pathway	Χ	-
	Prevention and treatment of infectious disorders including hepatitis c and hiv mips value pathway	Χ	-
	Quality care in mental health and substance use disorders mips value pathway	Χ	-
	Rehabilitative support for musculoskeletal care mips value pathway	Χ	-
	Blood component/product noc	-	Х
	Power module combo vad, rep	-	Х

<sup>\*</sup> These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



Codes Description	Not Covered	Preauthorization Required
Disclaimer: Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect	t information regarding	immunizations, injectable drugs, or
specialty medications and should be directed to the Pharmacy link option within the website.	т т	
Q0480 Driver for use with pneumatic ventricular assist device, replacement only	-	X
Q0481 Microprocessor control unit for use with electric ventricular assist device, replacement only	-	X
Q0482 Microprocessor control unit for use with electric/pneumatic combination ventricular assist device, replacement only	-	X
Q0483 Monitor/display module for use with electric ventricular assist device, replacement only	-	Χ
Q0484 Monitor/display module for use with electric or electric/pneumatic ventricular assist device, replacement only	-	X
Q0489 Power pack base for use with electric/pneumatic ventricular assist device, replacement only	-	X
Q0495 Battery/power pack charger for use with electric or electric/pneumatic ventricular assist device, replacement only	-	Х
Q0496 Battery, other than lithium-ion, for use with electric or electric/pneumatic ventricular assist device, replacement only	-	Х
Q0508 Miscellaneous supply or accessory for use with an implanted ventricular assist device	-	X
Q4047 Cast supplies, short leg splint, pediatric (0-10 years), plaster	-	Χ
Q4050 Cast supplies, for unlisted types and materials of casts	-	Х
Q9001 Va chaplain assessment	Х	-
Q9002 Va chaplain counsel individu	Х	-
Q9003 Va chaplain counsel group	Х	-
Q9004 Va whole health partner serv	Х	-
S0201 Partial hospitalization services, less than 24 hours, per diem	Х	-
S0207 Paramedic intercept, non-hospital based als service, non-voluntary, non-transport	Х	-
S0208 Paramedic intercept, hospital-based als service (non-voluntary), non transport	Х	-
S0209 Wheelchair van, mileage, per mile	Х	-
S0215 Non-emergency transportation; mileage	Х	-
S0220 Medical conference by physic	Х	-
S0221 Medical conference, 60 min	Х	-
S0250 Comprehensive geriatric assessment and treatment planning performed by assessment team	Х	-
S0255 Hospice referral visit (advising patient and family of care options) performed by nurse, social worker, or other designa	Х	-
S0257 End of life counseling	Х	-
60260 History and physical (outpatient or office) related to surgical procedure (list separately in addition to code for appro	Х	-
S0265 Genetic counseling, under physician supervision, each 15 minutes	Х	-
Physician management f patient home care standard monthly case rate per 30 days	X	-
S0271 Physician management of patient home care hospice monthly case rate per 30 days	Х	-
S0272 Physician management of patient home care episodic care monthly case rate per 30 days	Х	-
S0273 Physician visit at members home outside of a capitation arrangement	Х	-
S0274 Nurse practioner visit at members home outside of a capitation arrangement	Х	-
S0280 Medical home program, comprehensive care coordination and planning, initial plan	Х	-
S0281 Medical home program, comprehensive care coordination and planning, maintenance of plan	Х	-

<sup>\*</sup> These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



Codes	Description	Not Covered	Preauthorization Required
	Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect in	nformation regarding	immunizations, injectable drugs, or
	redications and should be directed to the Pharmacy link option within the website.		
	Colonoscopy consultation performed prior to a screening colonoscopy procedure	Х	-
S0302	Completed early periodic screening diagnosis and treatment (epsdt) service (list in addition to code for appropriate eva	X	-
S0310	Hospitalist services (list separately in addition to code for appropriate evaluation and management service.)	Х	-
S0311	Comprehensive management and care coordination for advanced illness, per calendar month	X	-
S0315	Disease management program, initial assessment and initiation of program	Х	-
S0316	Disease management program, followup assessment	Х	-
S0317	Disease management program; per diem	Х	-
	Telephone calls by reg nurse to disease management program member	Х	-
	Lifestyle modification program for management for coronary artery disease, including all supportive services; first quar	Х	-
S0341	Lifestyle modification program for management for coronary artery disease, including all supportive services; second or	Х	-
S0342	Lifestyle modification program for management for coronary artery disease, including all supportive services; fourth qua	Х	-
S0353	Treatment planning and care coordination management for cancer initial treatment	-	Х
	Treatment planning and care coordination management for cancer established patient with a change of regimen	-	Х
S0390	Routine foot care; removal and/or trimming of corns, calluses and/or nails andpreventive maintenance in specific medical	Х	-
S0395	Impression casting of a foot performed by a practitioner other than the manufacturer of the orthotic	Х	-
S0400	Global fee for extracorporeal shock wave lithortripsy treatment of kidney stone(s)	X	-
30500	Disposable contact lens, per lens	Х	-
30504	Single vision prescription lens (safety, athletic, or sunglass), per lens	Х	-
30506	Bifocal vision prescription lens (safety, athletic, or sunglass), per lens	X	-
30508	Trifocal vision prescription lens (safety, athletic, or sunglass), per lens	X	-
30510	Non-prescription lens (safety, athletic, or sunglass), per lens	X	-
30512	Daily wear specialty contact lens, per lens	X	-
30514	Color contract lens, per lens	X	-
30515	Scleral lens, liquid bandage device, per lens	X	-
30516	Safety eyeglass frames	X	-
30518	Sunglasses frames	X	-
30580	Polycarbonate lens (list this code in addition to the basic code for the lens)	X	-
30581	Nonstandard lens (list this code in addition to the basic code for the lens)	Χ	-
S0590	Integral lens service, miscellaneous services reported separately	X	-
30592	Comprehensive contact lens evaluation	Х	
S0595	Dispensing new spectacle lenses for patient supplied frame	Х	-
	Phakic intraocular lens for correction of refractive error	Х	-
S0601	Screening proctoscopy	Х	-

<sup>\*</sup> These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



Codes Description	Not Covered	Preauthorization Required
Disclaimer: Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect	information regarding	immunizations, injectable drugs, or
specialty medications and should be directed to the Pharmacy link option within the website.		
S0610 Annual gynecological examina	X	-
S0612 Annual gynecological examina	X	-
S0613 Annual gynecological examination; clinical breast examination without pelvic examination	Х	-
S0618 Audiometry for hearing aid evaluation to determine the level and degree of hearing loss	X	-
S0620 Routine ophthalmological exa	X	-
S0621 Routine ophthalmological exa	X	-
S0622 Physical exam for college, new or established patient (list separately in addition to appropriate evaluation and managem	X	-
S0630 Removal of sutures	Х	-
S0800 Laser in situ keratomileusis	Х	-
S0810 Photorefractive keratectomy	Х	-
S0812 Phototheraputic keratectomy (ptk)	Х	-
S1001 Deluxe item, patient aware (list in addition to code for basic item)	Х	-
S1002 Customized item (list in addition to code for basic item)	Х	-
S1015 Iv tubing extension set	Х	-
S1016 Non-pvc intravenous administ	Х	-
S1030 Continuous noninvasive glucose monitoring device, purchase (for physician interpretation of data, use cpt code)	Х	-
S1031 Continuous noninvasive glucose monitoring device, rental, including sensor, sensor replacement, and download to monitor	Х	-
S1034 Art pancreas system	Х	-
S1035 Art pancreas inv disp sensor	Х	-
S1036 Art pancreas ext transmitter	Х	-
S1037 Art pancreas ext receiver	Х	-
S1040 Cranial remodeling orthosis, rigid w/soft interface material	Х	-
S1091 Stent, non-coronary, temporary, with delivery system (propel)	Х	-
S2053 Transplantation of small int	Х	-
S2054 Transplantation of multivisc	Х	-
S2055 Harvesting of donor multivis	Х	-
S2060 Lobar lung transplantation	Х	-
S2061 Donor lobectomy (lung)	Х	-
S2065 Simultaneous pancreas kidney transplantation	Х	-
S2066 Breast reconstruction with gluteal artery perforator (gap) flap, including harvesting of the flap, microvascular transfe	Х	-
S2067 Breast reconstruction of a single breast with "stacked" depp inferior epigastric perforator (diep) flap(s) and/or glutea	Х	-
S2068 Breast reconstruction with deep inferior epigastric perforator (diep) flap, including microvascular anastomosis and clos	Х	-
S2070 Cystourethroscopy, with ureteroscopy and/or pyeloscopy; with endoscopic laser	Х	-

<sup>\*</sup> These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



Codes Description	Not Covered	Preauthorization Required
Disclaimer: Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect in	nformation regarding	immunizations, injectable drugs, or
specialty medications and should be directed to the Pharmacy link option within the website.		
S2079 Laparoscopic esophagomyotomy (heller type)	X	-
S2080 Laser-assisted uvulopalatoplasty (laup)	X	-
S2083 Adjustment of gastric band diameter via subcutaneous port by injection or aspiration of saline	X	-
S2095 Transcatheter occlusion or embolization for tumor destruction, percutaneous, any method	X	<u>-</u>
S2102 Islet cell tissue transplant	X	-
S2103 Adrenal tissue transplant	X	-
S2107 Adoptive immunotherapy i.e. development of specific anti-tumor reactivity (e.g.tumor-infiltrating lymphocyte therapy) pe	Х	-
S2112 Arthroscopy, knee, surgical for harvesting of cartilage (chondrocyte cells)	Х	-
S2115 Osteotomy, periacetabular, with internal fixation	Х	-
S2117 Arthroereisis, subtalar	X	-
S2118 Metal-on-metal total hip resurfacing, including acetabular and femoral components	X	-
S2120 Low density lipoprotein(IdI)	X	-
S2140 Cord blood harvesting	X	-
S2142 Cord blood-derived stem-cell	X	-
S2150 Bone marrow or blood-derived peripheral stem cell harvesting and transplantation, allogenic or autologous, including phe	Х	-
S2152 Solid organ(s), complete or segmental, single organ or combination of organs; deceased or living donor(s), procurement,	Х	-
S2202 Echosclerotherapy	Х	_
S2205 Minimally invasive direct co	X	<u> </u>
S2206 Minimally invasive direct co	X	-
S2207 Minimally invasive direct co	X	-
S2208 Minimally invasive direct co	X	-
S2209 Minimally invasive direct co	X	-
	X	<u>-</u>
S2225 Myringotomy, laser-assisted S2230 Implantation of magnetic component of semi-implantable hearing device on ossicles in middle ear	X	-
	X	<u>-</u>
S2235 Implantation of auditory brain stem implant S2260 Induced abortion, 17 to 24 weeks, any surgical method	X	<u>-</u>
		-
S2265 Abortion for fetal indication, 25-28 weeks	X	<u>-</u>
S2266 Abortion for fetal indication, 29-31 weeks	X	
S2267 Abortion for fetal induction, 32 weeks or greater	X	<del>-</del>
S2300 Arthroscopy, shoulder, surgi	X	-
S2325 Hip core decompression	X	-
S2340 Chemodenervation of abductor	X	-
S2341 Chemodenervation of adductor muscle(s) of vocal cord	Х	-
S2342 Nasal endoscopy for post-operative debridement following functional endoscopic sinus surgery, nasal and/or sinus cavity(	Х	-
S2348 Decompress disc rf lumbar	Х	-

<sup>\*</sup> These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



S2350 Diskectomy, anterior, with d S2400 Repair, congenital hernia in the fetus, procedure performed in utero S2401 Repair, congenital hernia in the fetus, procedure performed in utero S2401 Repair, congenital consist adenomation in the fetus, procedure performed in utero S2402 Repair, congenital cytic adenomation malformation in the fetus, procedure performed in utero X - S2403 Repair, congenital cytic adenomation in the fetus, procedure performed in utero X - S2404 Repair, congenital cytic adenomation malformation in the tero X - S2405 Repair of sacrococcygeal teratoma in the fetus, procedure performed in utero X - S2406 Repair, extralobar pulmonary sequestration in the fetus, procedure performed in utero X - S2407 Repair, congenital malformation of fetus, procedure performed in utero X - S2408 Repair, congenital malformation of letus, procedure performed in utero X - S2409 Repair, congenital malformation of letus, procedure performed in utero X - S2409 Repair, congenital malformation of letus, procedure performed in utero X - S2409 Repair, congenital malformation of letus, procedure performed in utero X - S2409 Repair, congenital malformation of letus, procedure performed in utero X - S2409 Repair, congenital malformation of letus, procedure performed in utero X - S2409 Repair, congenital malformation of letus, procedure performed in utero X - S2409 Repair, extralobarce the performation utero X - S2409 Repair, extralobarce th	Codes Description	Not Covered	Preauthorization Required
S2350 Diskectomy, anterior, with d S2400 Repair, congenital hernia in the fetus, procedure performed in utero S2401 Repair, congenital hernia in the fetus, procedure performed in utero S2401 Repair, congenital consist adenomation in the fetus, procedure performed in utero S2402 Repair, congenital cytic adenomation malformation in the fetus, procedure performed in utero X - S2403 Repair, congenital cytic adenomation in the fetus, procedure performed in utero X - S2404 Repair, congenital cytic adenomation malformation in the tero X - S2405 Repair of sacrococcygeal teratoma in the fetus, procedure performed in utero X - S2406 Repair, extralobar pulmonary sequestration in the fetus, procedure performed in utero X - S2407 Repair, congenital malformation of fetus, procedure performed in utero X - S2408 Repair, congenital malformation of letus, procedure performed in utero X - S2409 Repair, congenital malformation of letus, procedure performed in utero X - S2409 Repair, congenital malformation of letus, procedure performed in utero X - S2409 Repair, congenital malformation of letus, procedure performed in utero X - S2409 Repair, congenital malformation of letus, procedure performed in utero X - S2409 Repair, congenital malformation of letus, procedure performed in utero X - S2409 Repair, congenital malformation of letus, procedure performed in utero X - S2409 Repair, extralobarce the performation utero X - S2409 Repair, extralobarce th		information regarding	immunizations, injectable drugs, or
Diskectomy, anterior, with d   X   -	specialty medications and should be directed to the Pharmacy link option within the website.		
S2400 Repair, congenital hernia in the fetus, procedure performed in utero			-
Repair, urinary tract obstruction in the fetus, procedure performed in utero   X   -			-
Repair, congenital cystic adenomatorid malformation in the fetus, procedure performed in utero   X   -	S2400 Repair, congenital hernia in the fetus, procedure performed in utero	Х	-
Repair, extratobar pulmonary sequestration in the fetus, procedure performed in utero  Repair, myelomeningocele in the fetus, procedure performed in utero  X -  \$2405 Repair of sacrococcygeal teratoma in the fetus, procedure performed in utero  X -  \$2405 Repair, congenital mailformation of fetus, procedure performed in utero  X -  \$2406 Repair, congenital mailformation of fetus, procedure performed in utero, not otherwise classified  X -  \$2407 Repair, congenital mailformation of fetus, procedure performed in utero, not otherwise classified  X -  \$2408 Sepair, congenital mailformation of fetus, procedure performed in utero  X -  \$2409 Surgical techniques requiring use of robotic surgical system (list separately in addition to code for primary procedure  X -  \$25000 Diabetic indicator; retinal eye exam, dilated, bilateral  X -  \$25000 Diabetic indicator; retinal eye exam, dilated, bilateral  X -  \$25000 Diabetic indicator; retinal eye exam, dilated, bilateral  X -  \$25000 Diabetic indicator; retinal eye exam, dilated, bilateral  X -  \$25000 Diabetic indicator; retinal eye exam, dilated, bilateral  X -  \$25000 Diabetic indicator; retinal eye exam, dilated, bilateral  X -  \$25000 Diabetic indicator; retinal eye exam, dilated, bilateral  X -  \$25000 Diabetic indicator; retinal eye exam, dilated, bilateral  X -  \$25000 Diabetic indicator; retinal eye exam, dilated, bilateral  X -  \$25000 Diabetic indicator; retinal eye exam, dilated, bilateral  X -  \$25000 Diabetic indicator; retinal eye exam, dilated, bilateral  X -  \$25000 Diabetic indicator; retinal eye exam, dilated, bilateral  X -  \$25000 Diabetic indicator; retinal eye exam, dilated, bilateral  X -  \$25000 Diabetic indicator; retinal eye exam, dilated, bilateral examples in the paratery of the paratery (an example example)  X -  \$25000 Diabetic indicator; retinal eye exam, dilated, bilateral examples in the paratery of the paratery o	S2401 Repair, urinary tract obstruction in the fetus, procedure performed in utero		-
Repair, myelomeningocele in the fetus, procedure performed in utero Repair of sacrococcygeal teratoma in the fetus, procedure performed in utero Repair of sacrococcygeal teratoma in the fetus, procedure performed in utero Repair, congenital malformation of fetus, procedure performed in utero, not otherwise classified  X -  S2411 Fetoscopic laser therapy for treatment of twin-to-twin transfusion syndrome X -  S2900 Surgical techniques requiring use of robotic surgical system (list separately in addition to code for primary procedure X -  S3000 Diabetic indicator; retinal eye exam, dilated, bilateral X -  S3005 Performance measurement, evaluation of patient self assessment, depression X -  S3600 Stat laboratory request (situations other than s3601) X -  S3601 Emergency stat laboratory chapters for patient who is homebound or residing in a nursing facility X -  S3620 Newborn metabolic screening X -  S3621 Emergency stat laboratory chapters for patient who is homebound or residing in a nursing facility X -  S3623 Esinophil count, blood direct X -  S3630 Esinophil count, blood direct X -  S3630 Esinophil count, blood direct X -  S3630 Salva test, hormone level; X -  S3652 Saliva test, hormone level; X -  S3652 Saliva test, hormone level; X -  S3653 Antisperm antibodies test (immunobead) X -  S3870 Sastrointestinal fat absorpt X -  S3880 Das optimization by area under the curve (auc) analysis, for infusional 5-fluorouracil X -  S3881 Das analysis for germline mutations of the ret proto-oncogene X -  S3884 Das analysis for permine mutations of the ret proto-oncogene X -  S3884 Das analysis for permine mutations of the ret proto-oncogene X -  S3884 Genetic testing for not hippel-lindau disease X -  S3884 Genetic testing for homoglobin e beta-thalassemia X -  S3885 Genetic testing for homoglobin e beta-thalassemia X -  S3886 Genetic testing for homoglobin e beta-thalassemia X -  S3886 Genetic testing for homoglobin beta-thalassemia X -  S3887 Genetic testing for homoglobin e beta-thalassemia X -  S3888 Genetic testing f	S2402 Repair, congenital cystic adenomatoid malformation in the fetus, procedure performed in utero	X	-
Repair of sacrococygeal teratoma in the fetus, procedure performed in utero   X   Section   Repair, congenital malformation of fetus, procedure performed in utero, not otherwise classified   X   Section   X   S	S2403 Repair, extralobar pulmonary sequestration in the fetus, procedure performed in utero	X	-
Repair, congenital malformation of fetus, procedure performed in utero, not otherwise classified X - S2411 Fetoscopic laser therapy for treatment of twin-to-twin transfusion syndrome X - S2900 Surgical techniques requiring use of robotic surgical system (list separately in addition to code for primary procedure X - S3000 Diabetic indicator; retinal eye exam, dilated, bilateral X - S3005 Performance measurement, evaluation of patient self assessment, depression X - S3000 Stat laboratory request (situations other than s3601) X - S3001 Emergency stat laboratory charge for patient who is homebound or residing in a nursing facility X - S3001 Emergency stat laboratory charge for patient who is homebound or residing in a nursing facility X - S3001 Emergency stat laboratory charge for patient who is homebound or residing in a nursing facility X - S3001 Engency stat laboratory charge for patient who is homebound or residing in a nursing facility X - S3001 Engency stat laboratory charge for patient who is homebound or residing in a nursing facility X - S3001 Engency stat laboratory charge for patient who is homebound or residing in a nursing facility X - S3001 Engency state state of the patient of the same state of the same st	S2404 Repair, myelomeningocele in the fetus, procedure performed in utero	X	-
Fetoscopic laser therapy for treatment of twin-to-twin transfusion syndrome   X   -	S2405 Repair of sacrococcygeal teratoma in the fetus, procedure performed in utero	X	-
Surgical techniques requiring use of robotic surgical system (list separately in addition to code for primary procedure X	S2409 Repair, congenital malformation of fetus, procedure performed in utero, not otherwise classified	X	-
Diabetic indicator; retinal eye exam, dilated, bilateral  \$3005 Performance measurement, evaluation of patient self assessment, depression  \$X\$ - \$36005 Stat laboratory request (situations other than \$3601)  \$\$\$2600 Newborn metabolic screening  \$\$\$\$3601 Emergency stat laboratory charge for patient who is homebound or residing in a nursing facility  \$	S2411 Fetoscopic laser therapy for treatment of twin-to-twin transfusion syndrome	Х	-
S3000   Performance measurement, evaluation of patient self assessment, depression	S2900 Surgical techniques requiring use of robotic surgical system (list separately in addition to code for primary procedure	Х	-
S3800 Stat laboratory request (situations other than s3601)  X - S3601 Emergency stat laboratory charge for patient who is homebound or residing in a nursing facility X - S3620 Newborn metabolic screening X - S3620 Newborn metabolic screening X - S3630 Eosinophil count, blood direct X - S3630 Saliva test, hormone level; X - S3630 Saliva test, hormone level; X - S3630 Saliva test, hormone level; X - S3630 Eosinophil count, blood stest (immunobead) X - S3630 Eosinophil count, blood stest (immunobead) X - S3630 Eosinophil count, blood stest (immunobead) X - S3630 Eosinophil call absorpt X - Eosinophil call absorpt X - Eosinoph	S3000 Diabetic indicator; retinal eye exam, dilated, bilateral	Х	-
Emergency stat laboratory charge for patient who is homebound or residing in a nursing facility	S3005 Performance measurement, evaluation of patient self assessment, depression	X	-
Sact	S3600 Stat laboratory request (situations other than s3601)	Х	-
Eosinophil count, blood direct  X - S3645 Hiv-1 antibody testing of or X - S3655 Saliva test, hormone level; X - S3652 Saliva test, hormone level; X - S3653 Antisperm antibodies test (immunobead) X - S3654 Antisperm antibodies test (immunobead) X - S3702 Bose optimization by area under the curve (auc) analysis, for infusional 5-fluorouracil X - S3702 Dose optimization by area under the curve (auc) analysis, for infusional 5-fluorouracil X - S3800 Genetic testing for amyotrophic lateral sclerosis (als) X - S3840 Dna analysis for germline mutations of the ret proto-oncogene X - S3841 Genetic testing for retinoblastoma X - S3842 Genetic testing for von hippel-lindau disease X - S3843 Dna analysis of the connexin 26 gene (gjb2) for susceptibility to congenital, profound deafness X - S3844 Dna analysis of the connexin 26 gene (gjb2) for susceptibility to congenital, profound deafness X - S3845 Genetic testing for alpha-thalassemia X - S3846 Genetic testing for nemoglobin e beta-thalassemia X - S3847 Genetic testing for nemoglobin e beta-thalassemia X - S3848 Genetic testing for niemann-pick disease X - S3849 Genetic testing for niemann-pick disease X - S3850 Genetic testing for niemann-pick disease X - S3851 Genetic testing for niemann-pick disease X - S3852 Dna analysis for apoe epilson 4 allele for susceptibility to alzheimer's disease X - S3853 Genetic testing for myotonic muscular dystrophy X - S3864 Gene expression profiling panel for use in the management of breast cancer treatment Genetic testing, sodium channel, voltage-gated, type v, alpha subunit (scn5a) and variants for suspected brugada Syndrom	S3601 Emergency stat laboratory charge for patient who is homebound or residing in a nursing facility	X	-
Hiv-1 antibody testing of or   X   -	S3620 Newborn metabolic screening	Х	-
Sa650 Saliva test, hormone level;  S3652 Saliva test, hormone level;  X -  S3655 Saliva test, hormone level;  X -  S3655 Antisperm antibodies test (immunobead)  X -  S3708 Satrointestinal fat absorpt  X -  S3722 Dose optimization by area under the curve (auc) analysis, for infusional 5-fluorouracil  X -  S3800 Genetic testing for amyotrophic lateral sclerosis (als)  X -  S3840 Dna analysis for germline mutations of the ret proto-oncogene  X -  S3841 Genetic testing for retinoblastoma  X -  S3842 Genetic testing for von hippel-lindau disease  X -  S3843 Dna analysis of the connexin 26 gene (gjb2) for susceptibility to congenital, profound deafness  X -  S3844 Genetic testing for hemoglobin e beta-thalassemia  X -  S3845 Genetic testing for hemoglobin e beta-thalassemia  X -  S3846 Genetic testing for niemann-pick disease  X -  S3847 Genetic testing for niemann-pick disease  X -  S3848 Dna analysis for apoe epilson 4 allele for susceptibility to alzheimer's disease  X -  S3850 Genetic testing for myotonic muscular dystrophy  X -  S3851 Genetic testing for myotonic muscular dystrophy  X -  S3852 Genetic testing, sodium channel, voltage-gated, type v, alpha subunit (scn5a) and variants for suspected brugada syndrom	S3630 Eosinophil count, blood direct	Х	-
Sa652 Saliva test, hormone level;  S3655 Antisperm antibodies test (immunobead)  X - S3708 Gastrointestinal fat absorpt  X - S3722 Dose optimization by area under the curve (auc) analysis, for infusional 5-fluorouracil  X - S3800 Genetic testing for amyotrophic lateral sclerosis (als)  X - S3840 Dna analysis for germline mutations of the ret proto-oncogene  X - S3841 Genetic testing for retinoblastoma  X - S3842 Genetic testing for von hippel-lindau disease  X - S3843 Dna analysis of the connexin 26 gene (gjb2) for susceptibility to congenital, profound deafness  X - S3844 Dna analysis of the connexin 26 gene (gjb2) for susceptibility to congenital, profound deafness  X - S3845 Genetic testing for alpha-thalassemia  X - S3846 Genetic testing for hemoglobin e beta-thalassemia  X - S3849 Genetic testing for niemann-pick disease  X - S3849 Genetic testing for niemann-pick disease  X - S3850 Genetic testing for sickle cell anemia  X - S3850 Genetic testing for myotonic muscular dystrophy  X - S3853 Genetic testing for myotonic muscular dystrophy  X - S3854 Genetic testing for myotonic muscular dystrophy  X - S3855 Genetic testing for myotonic muscular dystrophy  X - S3856 Gene expression profiling panel for use in the management of breast cancer treatment  X - S3851 Genetic testing, sodium channel, voltage-gated, type v, alpha subunit (scn5a) and variants for suspected brugada  Syndrom	S3645 Hiv-1 antibody testing of or	X	-
S3655 Antisperm antibodies test (immunobead)  X - S3708 Gastrointestinal fat absorpt  X - S3708 Obse optimization by area under the curve (auc) analysis, for infusional 5-fluorouracil  X - S3800 Genetic testing for amyotrophic lateral sclerosis (als)  X - S3840 Dna analysis for germline mutations of the ret proto-oncogene  X - S3841 Genetic testing for retinoblastoma  X - S3842 Genetic testing for von hippel-lindau disease  X - S3843 Dna analysis of the connexin 26 gene (gjb2) for susceptibility to congenital, profound deafness  X - S3844 Dna analysis of the connexin 26 gene (gjb2) for susceptibility to congenital, profound deafness  X - S3845 Genetic testing for alpha-thalassemia  X - S3846 Genetic testing for hemoglobin e beta-thalassemia  X - S3847 Genetic testing for niemann-pick disease  X - S3848 Genetic testing for niemann-pick disease  X - S3850 Genetic testing for sickle cell anemia  X - S3851 Genetic testing for apoe epilson 4 allele for susceptibility to alzheimer's disease  X - S3853 Genetic testing for myotonic muscular dystrophy  X - S3854 Gene expression profiling panel for use in the management of breast cancer treatment  X - S3851 Genetic testing, sodium channel, voltage-gated, type v, alpha subunit (scn5a) and variants for suspected brugada  S3851 Senetic testing, sodium channel, voltage-gated, type v, alpha subunit (scn5a) and variants for suspected brugada  S3851 Senetic testing, sodium channel, voltage-gated, type v, alpha subunit (scn5a) and variants for suspected brugada	S3650 Saliva test, hormone level;	Х	-
S3708 Gastrointestinal fat absorpt  X - S3722 Dose optimization by area under the curve (auc) analysis, for infusional 5-fluorouracil  X - S3800 Genetic testing for amyotrophic lateral sclerosis (als)  X - S3840 Dna analysis for germline mutations of the ret proto-oncogene  X - S3841 Genetic testing for retinoblastoma  X - S3842 Genetic testing for von hippel-lindau disease  X - S3843 Dna analysis of the connexin 26 gene (gjb2) for susceptibility to congenital, profound deafness  X - S3845 Genetic testing for alpha-thalassemia  X - S3846 Genetic testing for hemoglobin e beta-thalassemia  X - S3849 Genetic testing for niemann-pick disease  X - S3849 Genetic testing for niemann-pick disease  X - S3850 Genetic testing for sickle cell anemia  X - S3851 Dna analysis for apoe epilson 4 allele for susceptibility to alzheimer's disease  X - S3853 Genetic testing for myotonic muscular dystrophy  X - S3854 Gene expression profiling panel for use in the management of breast cancer treatment  X - S3861 Genetic testing, sodium channel, voltage-gated, type v, alpha subunit (scn5a) and variants for suspected brugada  X - S3861 Genetic testing, sodium channel, voltage-gated, type v, alpha subunit (scn5a) and variants for suspected brugada  X -	S3652 Saliva test, hormone level;	X	-
S3722 Dose optimization by area under the curve (auc) analysis, for infusional 5-fluorouracil  X - S3800 Genetic testing for amyotrophic lateral sclerosis (als)  X - S3840 Dna analysis for germline mutations of the ret proto-oncogene  X - S3841 Genetic testing for retinoblastoma  X - S3842 Genetic testing for von hippel-lindau disease  X - S3843 Dna analysis of the connexin 26 gene (gjb2) for susceptibility to congenital, profound deafness  X - S3844 Genetic testing for alpha-thalassemia  X - S3845 Genetic testing for alpha-thalassemia  X - S3846 Genetic testing for hemoglobin e beta-thalassemia  X - S3849 Genetic testing for niemann-pick disease  X - S3850 Genetic testing for sickle cell anemia  X - S3851 Dna analysis for apoe epilson 4 allele for susceptibility to alzheimer's disease  X - S3852 Genetic testing for myotonic muscular dystrophy  X - S3853 Genetic testing for myotonic muscular dystrophy  X - S3854 Gene expression profiling panel for use in the management of breast cancer treatment  X - S3861 Genetic testing, sodium channel, voltage-gated, type v, alpha subunit (scn5a) and variants for suspected brugada  X -	S3655 Antisperm antibodies test (immunobead)	Х	-
S3800 Genetic testing for amyotrophic lateral sclerosis (als)  S3840 Dna analysis for germline mutations of the ret proto-oncogene  X  S3841 Genetic testing for retinoblastoma  X  S3842 Genetic testing for von hippel-lindau disease  X  S3844 Dna analysis of the connexin 26 gene (gjb2) for susceptibility to congenital, profound deafness  X  S3845 Genetic testing for alpha-thalassemia  X  S3846 Genetic testing for hemoglobin e beta-thalassemia  X  S3849 Genetic testing for niemann-pick disease  X  S3850 Genetic testing for niemann-pick disease  X  S3851 Genetic testing for sickle cell anemia  X  S3852 Dna analysis for apoe epilson 4 allele for susceptibility to alzheimer's disease  X  S3853 Genetic testing for myotonic muscular dystrophy  S3854 Gene expression profiling panel for use in the management of breast cancer treatment  X  S3861 Genetic testing, sodium channel, voltage-gated, type v, alpha subunit (scn5a) and variants for suspected brugada  x  S3861 Genetic testing, sodium channel, voltage-gated, type v, alpha subunit (scn5a) and variants for suspected brugada  x  S3861 Genetic testing, sodium channel, voltage-gated, type v, alpha subunit (scn5a) and variants for suspected brugada	S3708 Gastrointestinal fat absorpt	Х	-
S3840 Dna analysis for germline mutations of the ret proto-oncogene  S3841 Genetic testing for retinoblastoma  X S3842 Genetic testing for von hippel-lindau disease  S3844 Dna analysis of the connexin 26 gene (gjb2) for susceptibility to congenital, profound deafness  X S3845 Genetic testing for alpha-thalassemia  X S3846 Genetic testing for hemoglobin e beta-thalassemia  X S3849 Genetic testing for niemann-pick disease  X S3850 Genetic testing for niemann-pick disease  X S3850 Genetic testing for sickle cell anemia  X S3851 Dna analysis for apoe epilson 4 allele for susceptibility to alzheimer's disease  X S3853 Genetic testing for myotonic muscular dystrophy  S3854 Gene expression profiling panel for use in the management of breast cancer treatment  S3851 Genetic testing, sodium channel, voltage-gated, type v, alpha subunit (scn5a) and variants for suspected brugada  S3851 Syndrom	S3722 Dose optimization by area under the curve (auc) analysis, for infusional 5-fluorouracil	Х	-
S3841 Genetic testing for retinoblastoma  X - S3842 Genetic testing for von hippel-lindau disease  X - S3844 Dna analysis of the connexin 26 gene (gjb2) for susceptibility to congenital, profound deafness  X - S3845 Genetic testing for alpha-thalassemia  X - S3846 Genetic testing for hemoglobin e beta-thalassemia  X - S3849 Genetic testing for niemann-pick disease  X - S3850 Genetic testing for sickle cell anemia  X - S3852 Dna analysis for apoe epilson 4 allele for susceptibility to alzheimer's disease  X - S3853 Genetic testing for myotonic muscular dystrophy  X - S3854 Gene expression profiling panel for use in the management of breast cancer treatment  S3861 Genetic testing, sodium channel, voltage-gated, type v, alpha subunit (scn5a) and variants for suspected brugada syndrom	S3800 Genetic testing for amyotrophic lateral sclerosis (als)	Х	-
S3842 Genetic testing for von hippel-lindau disease  S3844 Dna analysis of the connexin 26 gene (gjb2) for susceptibility to congenital, profound deafness  S3845 Genetic testing for alpha-thalassemia  S3846 Genetic testing for hemoglobin e beta-thalassemia  S3849 Genetic testing for niemann-pick disease  S3850 Genetic testing for niemann-pick disease  S3851 Dna analysis for apoe epilson 4 allele for susceptibility to alzheimer's disease  S3852 Dna analysis for myotonic muscular dystrophy  S3853 Genetic testing for myotonic muscular dystrophy  S3854 Gene expression profiling panel for use in the management of breast cancer treatment  S3851 Genetic testing, sodium channel, voltage-gated, type v, alpha subunit (scn5a) and variants for suspected brugada syndrom	S3840 Dna analysis for germline mutations of the ret proto-oncogene	Х	-
S3842 Genetic testing for von hippel-lindau disease  S3844 Dna analysis of the connexin 26 gene (gjb2) for susceptibility to congenital, profound deafness  S3845 Genetic testing for alpha-thalassemia  S3846 Genetic testing for hemoglobin e beta-thalassemia  S3849 Genetic testing for niemann-pick disease  S3850 Genetic testing for niemann-pick disease  S3851 Dna analysis for apoe epilson 4 allele for susceptibility to alzheimer's disease  S3852 Dna analysis for myotonic muscular dystrophy  S3853 Genetic testing for myotonic muscular dystrophy  S3854 Gene expression profiling panel for use in the management of breast cancer treatment  S3851 Genetic testing, sodium channel, voltage-gated, type v, alpha subunit (scn5a) and variants for suspected brugada syndrom	S3841 Genetic testing for retinoblastoma	Х	-
S3844 Dna analysis of the connexin 26 gene (gjb2) for susceptibility to congenital, profound deafness  S3845 Genetic testing for alpha-thalassemia  S3846 Genetic testing for hemoglobin e beta-thalassemia  S3849 Genetic testing for niemann-pick disease  S3850 Genetic testing for sickle cell anemia  S3850 Dna analysis for apoe epilson 4 allele for susceptibility to alzheimer's disease  S3851 Genetic testing for myotonic muscular dystrophy  S3853 Gene expression profiling panel for use in the management of breast cancer treatment  S3851 Genetic testing, sodium channel, voltage-gated, type v, alpha subunit (scn5a) and variants for suspected brugada syndrom		Х	-
S3845 Genetic testing for alpha-thalassemia  S3846 Genetic testing for hemoglobin e beta-thalassemia  X S3849 Genetic testing for niemann-pick disease  X S3850 Genetic testing for sickle cell anemia  X S3851 Dna analysis for apoe epilson 4 allele for susceptibility to alzheimer's disease  X S3853 Genetic testing for myotonic muscular dystrophy  S3854 Gene expression profiling panel for use in the management of breast cancer treatment  X S3851 Genetic testing, sodium channel, voltage-gated, type v, alpha subunit (scn5a) and variants for suspected brugada syndrom		Х	-
S3846 Genetic testing for hemoglobin e beta-thalassemia  X S3849 Genetic testing for niemann-pick disease  X S3850 Genetic testing for sickle cell anemia  X S3852 Dna analysis for apoe epilson 4 allele for susceptibility to alzheimer's disease  X S3853 Genetic testing for myotonic muscular dystrophy  X S3854 Gene expression profiling panel for use in the management of breast cancer treatment  X S3861 Genetic testing, sodium channel, voltage-gated, type v, alpha subunit (scn5a) and variants for suspected brugada syndrom		Х	-
S3849 Genetic testing for niemann-pick disease  S3850 Genetic testing for sickle cell anemia  S3851 Dna analysis for apoe epilson 4 allele for susceptibility to alzheimer's disease  S3852 Dna analysis for apoe epilson 4 allele for susceptibility to alzheimer's disease  S3853 Genetic testing for myotonic muscular dystrophy  S3854 Gene expression profiling panel for use in the management of breast cancer treatment  S3851 Genetic testing, sodium channel, voltage-gated, type v, alpha subunit (scn5a) and variants for suspected brugada syndrom		Х	-
S3850 Genetic testing for sickle cell anemia  S3852 Dna analysis for apoe epilson 4 allele for susceptibility to alzheimer's disease  S3853 Genetic testing for myotonic muscular dystrophy  S3854 Gene expression profiling panel for use in the management of breast cancer treatment  S3851 Genetic testing, sodium channel, voltage-gated, type v, alpha subunit (scn5a) and variants for suspected brugada syndrom	S3849 Genetic testing for niemann-pick disease		-
S3852 Dna analysis for apoe epilson 4 allele for susceptibility to alzheimer's disease  S3853 Genetic testing for myotonic muscular dystrophy  S3854 Gene expression profiling panel for use in the management of breast cancer treatment  S3861 Genetic testing, sodium channel, voltage-gated, type v, alpha subunit (scn5a) and variants for suspected brugada syndrom	S3850 Genetic testing for sickle cell anemia	Х	-
S3853 Genetic testing for myotonic muscular dystrophy S3854 Gene expression profiling panel for use in the management of breast cancer treatment S3861 Genetic testing, sodium channel, voltage-gated, type v, alpha subunit (scn5a) and variants for suspected brugada syndrom  X S3861 Support testing, sodium channel, voltage-gated, type v, alpha subunit (scn5a) and variants for suspected brugada Syndrom			-
S3854 Gene expression profiling panel for use in the management of breast cancer treatment  S3861 Genetic testing, sodium channel, voltage-gated, type v, alpha subunit (scn5a) and variants for suspected brugada syndrom	S3853 Genetic testing for myotonic muscular dystrophy		-
S3861 Genetic testing, sodium channel, voltage-gated, type v, alpha subunit (scn5a) and variants for suspected brugada syndrom			-
	S3861 Genetic testing, sodium channel, voltage-gated, type v, alpha subunit (scn5a) and variants for suspected brugada	Х	-
	S3865 Comprehensive gene sequence analysis for hypertrophic cardiomyopathy	X	

<sup>\*</sup> These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



Codes	Description	Not Covered	Preauthorization Required
	Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect in	nformation regarding	g immunizations, injectable drugs, or
	edications and should be directed to the Pharmacy link option within the website.	1	
S3866	Genetic analysis for a specific gene mutation for hypertrophic cardiomyopathy (hcm) in an individual with a known hcm	X	-
00070	mu		
53870	Comparative genomic hybrization (cgh) microarray testing for developmental delay, autism spectrum disorder and/or mental	Χ	-
S3900	Surface electromyography (emg)	Х	-
	Ballistocardiogram	Х	-
	Masters two step	Х	-
	Interim labor facility global (labor occurring but not resulting in delivery)	Х	-
	In vitro fertilization; including but not limited to identification and incubation of mature oocytes, fertilization with	Х	-
S4013	Complete cycle, gamete intrafallopian transfer (gift), case rate	X	-
	Complete cycle, zygote intrafallopian transfer (zift), case rate	X	-
	Complete in vitro fertilization cycle, case rate	X	-
	Frozen in vitro fertilization cycle, case rate	X	-
	Incomplete cycle, treatment cancelled prior to stimulation, case rate	X	_
	Frozen embryo transfer procedure cancelled before transfer, case rate	X	_
	In vitro fertilization procedure cancelled before aspiration, case rate	X	_
	In vitro fertilization, procedure cancellation after aspiration, case rate	X	_
	Assisted oocyte fertilization, case rate	X	
	Donor egg cycle, incomplete, case rate	X	
	Donor services for in vitro fertilization (sperm or embryo), case rate	X	
	Procurement of donor sperm from sperm bank	X	
	Storage of previously frozen embryos	X	
	Microsurgical epididymal sperm aspiration (mesa)	X	
	Sperm procurement and cryopreservation services; initial visit	X	
	Sperm procurement and cryopreservation services; subsequent visit	X	
	Stimulated intrauterine insemination (iui), case rate	X	
	Cryopreserved embryo transfer, case rate	X	
	Monitoring and storage of cryopreserved embryos, per 30 days	X	
	Ovulation mgmt per cycle	X	
	Insertion of levonorgestrel-releasing intrauterine system	X	
	Penile contractur devic manu	X	-
	Contraceptive intrauterine device (e.g., progestacert iud), including implants and supplies	X	
	Nicotine patches, legend	X	
	Nicotine patches, non-legend	X	
	Contraceptive pills for birth control	X	-
	Smoking cessation gum	X	<u>-</u>
	Home infusion therapy, routine service of infusion device (e.g., pump maintenance)	X	<u>-</u>
	Home infusion therapy, routine service of infusion device (e.g., pump maintenance)  Home infusion therapy, repair of infusion device (e.g., pump repair)	X	-

<sup>\*</sup> These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



Codes Description	Not Covered	Preauthorization Required
Disclaimer: Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additional	•	•
specialty medications and should be directed to the Pharmacy link option within the website.		
S5100 Day care services, adult, per 15 minutes	X	-
S5101 Day care services, adult, per half day	X	-
S5102 Day care services, adult, per diem	X	-
S5105 Day care services, center based, not incl in program fee, per diem	X	-
S5108 Home care training to home care client, per 15 minutes	X	-
S5109 Home care training to home care client, per 15 minutes per session	X	-
S5110 Home care training, family, per 15 minutes	X	-
S5111 Home care training, family, per session	X	-
S5115 Home care training, non-family, per 15 minutes	X	-
S5116 Home care training, non-family, per session	X	-
S5120 Chore services, per 15 minutes	X	-
S5121 Home care training, family, per diem	X	-
S5125 Attendant care services, per 15 minutes	X	-
S5126 Attendant care services, per diem	X	-
S5130 Homemaker service, nos, per 15 minutes	X	-
S5131 Homemaker services, nos, per diem	X	-
S5135 Companion care, adult, per 15 minutes	X	-
S5136 Companion care, adult, per diem	X	-
S5140 Foster care, adult, per diem	X	-
S5141 Foster care, adult, per month	X	-
S5145 Foster care, therapeutic, child, per diem	X	-
S5146 Foster care, therapeutic, child, per month	X	-
S5150 Unskilled respite care, not hospice, per 15 minutes	X	-
S5151 Unskilled respite care, not hospice, per diem	X	-
S5160 Emergency response system, installation and testing	X	-
S5161 Emergency response system, service fee per month	X	-
S5162 Emergency response system, purchase only	X	-
S5165 Home modifications, per service	X	-
S5170 Home delivered meals, including preparation, per meal	X	-
S5175 Laundry service, external, professional, per order	X	-
S5180 Home health respiratory therapy, initial evaluation	X	-
S5181 Home health respiratory therapy, nos, per diem	X	-
S5185 Medication reminder services, no face to face, per month	X	-
S5190 Wellness assessment, performed by non-physician	X	-
S5199 Personal care item, nos, each	X	-
S5550 Insulin, rapid onset, 5 units	X	-
S5551 Insulin, most rapid onset (lispro or aspart); 5 units	X	-
S5552 Insulin, intermediate acting (nph or lente); 5 units	X	-
S5553 Insulin, long acting; 5 units	X	-

<sup>\*</sup> These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



Codes	Description	Not Covered	Preauthorization Required
	Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect	information regarding	immunizations, injectable drugs, or
	edications and should be directed to the Pharmacy link option within the website.	1 , 1	
	Insulin delivery device, reusable pen; 1.5 ml size	X	-
	Insulin delivery device, reusable pen; 3 ml size	X	-
	Insulin cartridge for use in insulin delivery device other than pump; 150 units	Х	-
	Insulin cartridge for use in insulin delivery device other than pump; 300 units	X	-
	Insulin delivery device, disposable pen (including insulin); 1.5 ml size	X	<u> </u>
	Insulin delivery device, disposable pen (including insulin); 3 ml size	X	-
	Scleral application of tantalum ring(s) for localization of lesions for proton beam therapy	X	-
	Magnetic source imaging	X	-
	Magnetic resonance cholangiopancreatography (mrcp)	Х	-
	Topographic brain mapping	X	-
	Magnetic resonance imaging (mri), low-field	X	-
S8055	Ultrasound guidance for multifetal pregnancy reduction(s), technical component (only to be used with the physician doing	Х	-
S8080	Scintimammography	Х	-
	Fluorine-18 fluorodeoxygluco	X	-
	Electron beam computed tomog	X	_
	Portable peak flow meter	X	-
	Asthma kit (including but not limited to portable peak expiratory flow meter, instructional vide, brochure, and/or space	X	-
S8100	Holding chamber or spacer for use with an inhaler or nebulizer; without mask	Х	-
	Holding chamber or spacer for use with an inhaler or nebulizer; with mask	Х	-
	Peak expiratory flow rate (p	Х	-
	Oxygen contents, gaseous, 1 unit equals 1 cubic foot	Х	-
	Oxygen contents, liquid, 1 unit equals 1 pound	Х	-
	Interferential current stimulator, 2 channel	X	-
	Interferential current stimulator, 4 channel	X	-
	Flutter device	Х	-
	Swivel adaptor	X	-
	Tracheotomy supply, not otherwise classified	X	-
	Mucus trap	X	-
	Haberman feeder for cleft lip/palate	X	_
	Enuresis alarm, using auditory buzzer and/or vibration device	X	-
	Infect control supplies nos	X	_
	Supplies for home delivery of infant	X	-
	Gradient pressure aid (sleeve and glove combination), custom made	X	-
	Gradient pressure aid (sleeve and glove combination), ready made	X	-
	Gradient pressure aid (sleeve), custom made, medium weight	X	-
	Gradient pressure aid (sleeve), custom made, heavy weight	X	
	Gradient pressure aid (sleeve), custom made, neavy weight  Gradient pressure aid (sleeve), ready made	X	

<sup>\*</sup> These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



Codes Description	Not Covered	Preauthorization Required
Disclaimer: Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reconstitute and in a size of the code of the c	eflect information regarding	immunizations, injectable drugs, or
specialty medications and should be directed to the Pharmacy link option within the website.		
S8425 Gradient pressure aid (glove), custom made, medium weight	X	-
S8426 Gradient pressure aid (glove), custom made, heavy weight	X	-
S8427 Gradient pressure aid (glove), ready made	X	-
S8428 Gradient pressure aid (gauntlet), ready made	X	-
S8429 Gradient pressure exterior wrap	X	<u>-</u>
S8430 Padding for compression bandage, roll	X	-
S8431 Compression bandage, roll	X	<del>-</del>
S8450 Splint, prefabricated, digit (specify digit by use of modifier)	X	-
S8451 Splint, prefabricated, wrist or ankle	X	-
S8452 Splint, prefabricated, elbow	X	-
S8460 Camisole, post-mastectomy	X	-
S8490 Insulin syringes (100 syringes, any size)	X	-
S8930 Auricular electrostim	X	-
S8940 Equestrian/hippotherapy, per session	X	-
S8948 Application of a modality (requiring constant provider attendance) to one or	X	-
S8950 Complex lymphedema therapy,	Х	-
S8990 Physical or manipulative therapy performed for maintenance rather than restoration	Х	-
S8999 Resuscitation bag	Х	-
S9001 Home uterine monitor with or	X	-
S9002 Intra-vag motion sens biofk	X	-
S9007 Ultrafiltration monitor	Х	-
S9024 Paranasal sinus ultrasound	X	-
S9025 Omnicardiogram/cardiointegra	X	-
S9034 Extracorporeal shockwave lithotripsy for gall stones (if performed with ercp,	X	-
S9055 Procuren or other growth fac	X	-
S9056 Coma stimulation per diem	X	_
S9061 Medical supplies and equipme	X	
S9083 Global fee urgent care centers	X	
S9088 Services provided in urgent	X	
S9090 Vertebral axial decompressio	X	
S9097 Home visit for wound care	X	
S9098 Home visit, phototherapy services (e.g., bililite), including equipment rental, nursing services, blood draw, supplies		-
S9110 Telemonitoring of patient in their home, including all necessary equipment; computer system, connections, and software; maintenance; patient education and support; per	Х	-
S9117 Back school, per visit	Х	-
S9122 Home health aide or certifie	X	-
S9123 Nursing care, in the home; b	X	_
S9124 Nursing care, in the home; b	X	-

<sup>\*</sup> These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



Codes Description		Not Covered	Preauthorization Required
	may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists	do not reflect information regarding	immunizations, injectable drugs, or
specialty medications and should be directed to the Pharmacy lin	k option within the website.	l v l	
S9125 Respite care, in the home, p		X	
S9126 Hospice care, in the home, p		X	-
S9127 Social work visit, in the ho		X	<u>-</u>
S9128 Speech therapy, in the home,		X	<u>-</u>
S9129 Occupational therapy, in the		X	-
S9131 Physical therapy, in the home, per die	PM	X	-
S9140 Diabetic management program,		X	-
S9141 Diabetic management program,		X	-
S9145 Insulin pump initiation, instruction in in	nitial use of pump (pump not included)	X	-
S9150 Evaluation by ocularist		X	-
S9152 Speech therapy, re-evaluation		X	-
	(do not use this code with any home infusion per diem code)	X	<u>-</u>
S9209 Home management of preterm prema		X	-
S9211 Home management of gestational hyp	pertension	X	-
S9212 Home management of postpartum hy	pertension	X	-
S9213 Home management of preeclampsia		X	-
S9214 Home management of gestational dia	betes	X	-
S9341 Home therapy; enteral nutrition; via g	ravity	X	-
S9342 Home therapy; enteral nutrition via pu	mp	X	-
S9343 Home therapy; enteral nutrition via bo	lus	X	-
S9381 Delivery or service to high risk areas	requiring escort or extra protection, per visit	X	-
S9401 Anticoagulation clinic, inclusive of all	services except laboratory tests, persession	X	-
S9430 Pharmacy compounding and dispens	ing services	X	-
S9432 Med food non inborn err meta		X	-
S9433 Medical food nutritionally complete, a	dministered orally, providing 100% of nutritional intake	X	-
S9434 Modified solid food supplements for in	nborn errors of metabolism	X	-
S9436 Childbirth preparation/lamaze classes	s, non-physician provider, per session	X	-
S9437 Childbirth refresher classes, non-phys	sician provider, per session	X	-
S9438 Cesarean birth classes, non-physicial	n provider, per session	X	-
S9439 Vbac (vaginal birth after cesarean) cla	asses, non-physician provider, per session	X	-
S9441 Asthma education, non-physician pro		X	-
S9442 Birthing classes, non-physician provid	ler, per session	X	-
S9443 Lactation classes, non-physical provide		X	-
S9444 Parenting classes, non-physician pro-	•	Х	-
	sified, non-physician provider, individual, per session	Х	-
	sified, non-physician provider, group, per session	Х	-
S9447 Infant safety (including cpr) classes, r		Х	-
S9449 Weight management classes, non-ph		X	-
S9451 Exercise classes, non-physician prov		X	_

<sup>\*</sup> These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



Codes	Description	Not Covered	Preauthorization Required
	Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect in	nformation regarding	immunizations, injectable drugs, or
	edications and should be directed to the Pharmacy link option within the website.		
	Nutrition classes, non-physician provider, per session	Х	-
	Smoking cessation classes, non-physician provider, per session	Х	-
	Stress management classes, non-physician provider, per session	Х	-
	Diabetic management program,	X	<u>-</u>
	Diabetic management program,	X	-
	Diabetic management program,	X	<del>-</del>
S9470	Nutritional counseling, diet	X	-
S9472	Cardiac rehabilitation progr	X	-
S9473	Pulmonary rehabilitation pro	X	-
S9474	Enterostomal therapy by a re	Х	-
S9475	Ambulatory setting substance	Х	-
S9476	Vestibular rehabilitation program, non-physician provider, per diem	Х	-
	Intensive outpatient psychia	Х	-
	Family stabilization services, per 15 minutes	Х	-
	Crisis intervention mental health services, per hour	Х	-
	Crisis intervention mental h	X	-
	Routine venipuncture for collection of specimen(s), single home bound, nursing home, or skilled nursing facility patient	Х	
S9563	Home injectable therapy, immunotherapy, including administrative services, professional pharmacy services, care coordination, and all necessary supplies and equipment (drugs and nursing visits coded separately), per diem	Х	
20000			
	Services by a journal-listed christian science practitioner for the purpose of healing, per diem	X	-
	Christian sci nurse visit	X	-
	Air ambulanc nonemerg fixed	X	-
	Air ambulan nonemerg rotary	X	-
	Health club membership, annual	X	-
	Transplant related lodging, meals and transportation, per diem	Х	-
	Lodging, per diem, not otherwise specified	Х	-
	Meals, per diem, not otherwise specified	X	-
	Medical records copying fee, administrative	X	-
	Medical records copying fee, per page	X	-
S9986	Not medically necessary service (patient is aware that service not medically necessary)	X	-
S9988	Services provided as part of a phase i clinical trial	X	-
S9989	Services provided outside of the united states of america (list in addition to code(s) for service(s)	Х	-
S9990	Services provided as part of	Х	-
	Services provided as part of	Х	-
	Transportation costs to and	Х	-
	Lodging costs (e.g. hotel ch	X	-
	Meals for clinical trial par	X	_

<sup>\*</sup> These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



Codes	Description	Not Covered	Preauthorization Required
	Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect in	formation regarding	immunizations, injectable drugs, or
	edications and should be directed to the Pharmacy link option within the website.		
	Sales tax	Х	-
	Private duty/independent nursing service(s) - licensed, up to 15 minutes	Х	-
	Nursing assessment/evaluation	Χ	-
	Rn services, up to 15 minutes	X	<u> </u>
	Lpn/lvn services, up to 15 minutes	Χ	-
	Services of a qualified nursing aide, up to 15 minutes	X	<del>-</del>
	Respite care services, up to 15 minutes	Χ	-
	Alcohol and/or substance abuse services, family/couple counseling	X	-
T1007	Alcohol and/or substance abuse services, treatment plan development and/or modification	Χ	-
T1009	Child sitting services for children of the individual receiving alcohol and/or substance abuse services	X	-
T1010	Meals for individuals receiving alcohol and/or substance abuse services (when meals not included in the program)	Χ	-
T1012	Alcohol and/or substance abuse services, skills development	Χ	-
T1013	Sign language or oral interpreter services	Χ	-
T1014	Telehealth transmission, per minute, professional services bill separately	Χ	-
T1015	Clinic visit/encounter, all-inclusive	Χ	-
T1016	Case management, each 15 minutes	Χ	-
T1017	Targeted case management, each 15 minutes	Х	-
T1018	School-based individualized education program (iep) services, bundled	Х	-
T1019	Personal care services, per 15 minutes, not for an inpatient or resident of ahospital, nursing facility, icf/mr or imd,	Х	-
T1020	Personal care services, per diem, not for an inpatient or resident of ahospital, nursing facility, icf/mr or imd, part o	Х	-
T1021	Home health aide or certified nurse assistant, per visit	Х	-
	Contracted home health agency services, all services provided under contract, per day	X	-
	Screening to determine the appropriateness of consideration of an individual for participation in a specified program, pr	X	-
T1024	Evaluation and treatment by an integrated, specialty team contracted to providecoordinated care to multiple or severely	Х	-
T1025	Intensive, extended multidisciplinary services provided in a clinic setting tochildren with complex medical, physical, m	Х	-
T1026	Intensive, extended multidisciplinary services provided in a clinic setting tochildren with complex medical, physical, m	Х	-
T1027	Family training and counseling for child development, per 15 minutes	Χ	-
T1028	Assessment of home, physical and family environment, to determine suitabilityto meet patient's medical needs	Х	-
	Comprehensive environmental lead investigation, not including laboratoryanalysis, per dwelling	Χ	-
T1030	Nursing care, in the home, by registered nurse, per diem	X	-
T1031	Nursing care, in the home, by licensed practical nurse, per diem	Χ	-

<sup>\*</sup> These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



Codes Desc	ription	Not Covered	Preauthorization Required
	e note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect	information regarding	immunizations, injectable drugs, or
,	ons and should be directed to the Pharmacy link option within the website.	1 1	
	doula brth wrk per 15 min	X	-
	doula brth wrk per diem	X	-
	nm bh clinic svc per diem	X	-
	nm bh clinic svc per month	Х	-
T1502 Adm	ninistration of oral, intramuscular and/or subcutaneous medication by healthcare agency/professional, per visit	X	-
T1503 Adm	ninistration of medication other than oral and/or injectable by a health care agency professional per visit	Х	-
T1505 Elec	med comp dev, noc	Х	-
T1999 Misc	cellaneous therapeutic items and supplies, retail purchases, not otherwiseclassified; identify product in "remarks"	Х	-
T2001 Non-	-emergency transportation; patient attendant/escort	X	-
	-emergency transportation; per diem	Х	-
T2003 Non-	-emergency transportation; encounter/trip	Х	-
T2004 Non-	-emergency transport; commercial carrier, multi-pass	Х	-
	-emergency transportation; non-ambulatory stretcher van	Х	-
T2007 Tran	nsportation waiting time, air ambulance and non-emergency vehicle, one-half(1/2) hour increments	Х	-
	admission screening and resident review (pasrr) level i id screening, per screen	Х	-
	admission screening and resident review (pasrr) level ii eval, per eval	Х	-
T2012 Hab	ilitation, educational; waiver, per diem	Х	-
	ilitation, educational, waiver; per hour	Х	-
T2014 Habi	ilitation, prevocational, waiver; per diem	Х	-
T2015 Hab	ilitation, prevocational, waiver; per hour	Х	-
T2016 Hab	ilitation, residential, waiver; per diem	Х	-
T2017 Hab	ilitation, residential, waiver; 15 minutes	Х	-
T2018 Hab	ilitation, supported employment, waiver; per diem	Х	-
T2019 Habi	ilitation, supported employment, waiver; per 15 minutes	Х	-
T2020 Day	habilitation, waiver; per diem	Х	-
T2021 Day	habilitation, waiver; per 15 minutes	Х	-
T2022 Case	e management, per month	Х	-
	geted case management; per month	Х	-
T2024 Serv	rice assessment/plan of care development, waiver	Х	-
	ver services; not otherwise specified (nos)	Х	-
T2026 Spec	cialized childcare, waiver; per diem	Х	-
	cialized childcare, waiver; per 15 minutes	X	-
	cialized supply, not otherwise specified, waiver	Х	-
	cialized medical equipment, not otherwise specified, waiver	Х	-
	sted living, waiver; per month	Х	-
	sted living; waiver, per diem	Х	-
	idential care, not otherwise specified (nos), waiver; per month	Х	-

<sup>\*</sup> These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



Codes Description	Not Covered	Preauthorization Required
Disclaimer: Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding list		
specialty medications and should be directed to the Pharmacy link option within the website.		
T2033 Residential care, not otherwise specified (nos), waiver; per diem	X	-
T2034 Crisis intervention, waiver; per diem	X	-
T2035 Utility services to support medical equipment and assistive technology/devices, waiver	X	-
T2036 Therapeutic camping, overnight, waiver; each session	X	-
T2037 Therapeutic camping, day, waiver; each session	X	-
T2038 Community transition, waiver; per service	X	-
T2039 Vehicle modifications, waiver; per service	X	-
T2040 Financial management, self-directed, waiver; per 15 minutes	X	-
T2041 Supports brokerage, self-directed, waiver; per 15 minutes	X	-
T2042 Hospice routine home care; per diem	X	-
T2043 Hospice continuous home care; per hour	X	-
T2044 Hospice inpatient respite care; per diem	X	-
T2045 Hospice general inpatient care; per diem	X	-
T2046 Hospice long term care, room and board only; per diem	X	-
T2047 Hab prevo waiver per 15	X	-
T2048 Behavioral health; long-term care residential (non-acute care in a residential program, per diem	X	-
T2049 Non-emergency transportation; stretcher van, mileage; per mile	X	-
T2050 Financial mgt waiver/diem	X	-
T2051 Support broker waiver/diem	X	-
T2101 Human breast milk processing, storage and distribution only	X	-
T4521 Adult size brief/diaper sm	X	-
T4522 Adult size brief/diaper med	X	-
T4523 Adult size brief/diaper lg	X	-
T4524 Adult size brief/diaper xl	X	-
T4525 Adult size pull-on sm	X	-
T4526 Adult size pull-on med	X	-
T4527 Adult size pull-on lg	X	-
T4528 Adult size pull-on xl	X	-
T4529 Ped size brief/diaper sm/med	X	-
T4530 Ped size brief/diaper lg	X	-
T4531 Ped size pull-on sm/med	X	-
T4532 Ped size pull-on lg	X	-
T4533 Youth size brief/diaper	Х	-
T4534 Youth size pull-on	Х	-
T4535 Disposable liner/shield/pad	Х	-
T4536 Reusable pull-on any size	Х	-
T4537 Reusable underpad bed size	Х	-
T4538 Diaper serv reusable diaper	X	-
T4539 Reuse diaper/brief any size	X	-

<sup>\*</sup> These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



9		Not Comment	Duranth arientian Danning I
	description	Not Covered	Preauthorization Required
	lease note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect lications and should be directed to the Pharmacy link option within the website.	information regarding	immunizations, injectable drugs, or
	Reusable underpad chair size	Х	-
	arge disposable underpad	X	-
	Small disposable underpad	X	-
	Disposable incontinence product, brief/diaper, bariatric, each	X	-
	Adlt disp und/pull on abv xl	X	-
	ncontinence product, disposable, penile wrap, each	X	-
	Positioning seat for persons with special orthopedic needs, for use in vehicles	X	-
	Supply, not otherwise specified	X	-
	Eyeglasses delux frames	X	-
	ens single vision not oth c	-	X
	Critical lens hydrophil photoch	Х	-
	Contact lens, hydrophilic, with blue-violet filter, per lens	X	-
	Contact lens/es other type	-	Х
	Hand held low vision aids	Х	-
	Single lens spectacle mount	X	-
	Telescop/othr compound lens	X	-
	Reduction of eye prosthesis	-	X
	Scleral cover shell	-	X
	Deluxe lens feature	Х	-
	Jv lens/es	-	X
	Eye glass case	Х	-
	Scratch resistant coating	Х	-
	Airror coating, any type, solid, gradient or equal, any lens material, per lens	Х	-
	Polarization, any lens material, per lens	Х	-
	Progressive lens per lens	Х	-
	Specialty occupational multifocal lens, per lens	Х	-
	Astigmatism correcting function of intraocular lens	Х	-
V2788 F	Presbyopia correcting function of intraocular lens	Х	-
V2799 N	Miscellaneous vision service	-	X
V5008 H	Hearing screening	Х	-
	Assessment for hearing aid	Х	-
V5011 F	learing aid fitting/checking	Х	-
	Hearing aid repair/modifying	Х	-
	Conformity evaluation	Х	-
	Body-worn hearing aid air	Х	-
	Body-worn hearing aid bone	Х	-
	learing aid monaural in ear	Х	-
	Behind ear hearing aid	Х	-
	Glasses air conduction	Х	-

<sup>\*</sup> These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



Codes Description	Not Covered	Preauthorization Required
Disclaimer: Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, the	ese coding lists do not reflect information regarding	immunizations, injectable drugs, or
specialty medications and should be directed to the Pharmacy link option within the website.		
V5080 Glasses bone conduction	X	<u>-</u>
V5090 Hearing aid dispensing fee	X	-
V5095 Semi-implantable middle ear hearing prosthesis	X	-
V5100 Body-worn bilat hearing aid	X	-
V5110 Hearing aid dispensing fee	Х	<u>-</u>
V5120 Body-worn binaur hearing aid	X	<u>-</u>
V5130 In ear binaural hearing aid	X	-
V5140 Behind ear binaur hearing ai	X	-
V5150 Glasses binaural hearing aid	X	-
V5160 Dispensing fee binaural	X	-
V5171 Hearing aid, contralateral routing device, monaural, in the ear (ite)	X	-
V5172 Hearing aid, contralateral routing device, monaural, in the canal (itc)	X	-
V5181 Hearing aid, contralateral routing device, monaural, behind the ear (bte)	X	-
V5190 Glasses cros hearing aid	X	-
V5200 Cros hearing aid dispens fee	X	-
V5211 Hearing aid, contralateral routing system, binaural, ite/ite	X	-
V5212 Hearing aid, contralateral routing system, binaural, ite/itc	X	-
V5213 Hearing aid, contralateral routing system, binaural, ite/bte	X	-
V5214 Hearing aid, contralateral routing system, binaural, itc/itc	X	-
V5215 Hearing aid, contralateral routing system, binaural, itc/bte	X	-
V5221 Hearing aid, contralateral routing system, binaural, bte/bte	Х	-
V5230 Glasses bicros hearing aid	X	-
V5240 Dispensing fee bicros	Х	-
V5241 Dispensing fee, monaural healing aid, any type	X	-
V5242 Hearing aid, analog, monaural, cic (completely in the ear canal)	Х	-
V5243 Hearing aid, analog, monaural, itc (in the canal)	X	-
V5244 Hearing aid, digitally programmable analog, monaural, cic	X	-
V5245 Hearing aid, digitally programmable analog, monaural, itc	X	-
V5246 Hearing aid, digitally programmable analog, monaural, ite (in the ear)	X	-
V5247 Hearing aid, digitally programmable analog, monaural, bte (behind the ear)	X	-
V5248 Hearing aid, analog, binaural, cic	X	-
V5249 Hearing aid, analog, binaural, itc	X	-
V5250 Hearing aid, digitally programmable analog, binaural, cic	X	-
V5251 Hearing aid, digitally programmable analog, binaural, itc	X	-
V5252 Hearing aid, digitally programmable binaural, ite	X	-
V5253 Hearing aid, digitally programmable binaural, ite	X	-
V5254 Hearing aid, digital, monaural, cic	X	-
V5255 Hearing aid, digital, monaural, itc	X	
V5256 Hearing aid, digital, monaural, ite	X	

<sup>\*</sup> These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23



Codes Description	Not Covered	Preauthorization Required
isclaimer: Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not recovered the control of the codes are updated quarterly.	eflect information regarding	g immunizations, injectable drugs, o
pecialty medications and should be directed to the Pharmacy link option within the website.		
V5257 Hearing aid, digital, monaural, bte	X	1
V5258 Hearing aid, digital, binaural, cic	X	-
V5259 Hearing aid, digital, binaural, itc	X	-
V5260 Hearing aid, digital, binaural, ite	X	-
V5261 Hearing aid, digital, binaural, bte	X	-
V5262 Hearing aid, disposable, and type, monaural	X	-
V5263 Hearing aid, disposable, and type, binaural	X	-
V5264 Ear mold/insert, not disposable, any type	X	-
V5265 Ear mold/insert, disposable, any type	X	-
V5266 Battery for use in hearing device	X	-
V5267   Hearing aid supplies/accessories	X	-
V5268 Assistive listening device, telephone amplifier, any type	X	-
V5269 Assistive listening device, alerting, any type	X	-
V5270 Assistive listening device, television amplifier, any type	X	•
/5271 Assistive listening device, television caption decoder	Х	-
V5272 Assistive listening device, tdd	X	•
V5273 Assistive listening device, for use with cochlear implant	Х	-
V5274 Assistive listening devise, not otherwise specified	Х	-
V5275 Ear impression, each	Х	-
V5281 Assistive listening device, personal fm/dm system, monaural, (1 receiver, transmitter, microphone), any type	Х	-
V5282 Assistive listening device, personal fm/dm system, binaural, (2 receivers, transmitter, microphone), any type	Х	-
V5283 Assistive listening device, personal fm/dm neck, loop induction receiver	X	-
V5284 Assistive listening device, personal fm/dm, ear level receiver	X	-
V5285 Assistive listening device, personal fm/dm, direct audio input receiver	X	-
V5286 Assistive listening device, personal blue tooth fm/dm receiver	X	-
V5287 Assistive listening device, personal fm/dm receiver, not otherwise specified	X	-
V5288 Assistive listening device, personal fm/dm transmitter assistive listening device	X	-
V5289 Assistive listening device, personal fm/dm adapter/boot coupling device for receiver, any type	X	-
/5290 Assistive listening device, transmitter microphone, any type	X	-
/5298 Hearing aid, not otherwise classified	Х	-
/5299 Hearing service	-	Х
/5336 Repair communication device	Х	-
V5362 Speech screening	X	-
√5363 Language screening	X	-
V5364 Dysphagia screening	X	_

<sup>\*</sup> These codes require preauthorization after a certain number of visits. Visits and limits are dependent on plan type and/or provider type. © 2023 Select Health. All rights reserved. 2197751 9/23