

ACNE

MEDICATION(S) SUBJECT TO STEP THERAPY

ADAPALENE-BENZOYL PEROXIDE 0.1-2.5 % GEL, AZELEX, TRETINOIN 0.05 % GEL, TRETINOIN MICROSPHERE 0.04 % GEL, TRETINOIN MICROSPHERE 0.1 % GEL, TRETINOIN MICROSPHERE PUMP 0.04 % GEL, TRETINOIN MICROSPHERE PUMP 0.1 % GEL

CRITERIA

Previous trial on at least ONE: Generic topical acne treatment

ADAPALENE

MEDICATION(S) SUBJECT TO STEP THERAPY

ADAPALENE 0.1 % CREAM, ADAPALENE 0.3 % GEL, TAZAROTENE 0.1 % CREAM

CRITERIA

Previous use of non-micronized tretinoin

AJOVY

MEDICATION(S) SUBJECT TO STEP THERAPY

AJOVY

CRITERIA

Previous trial on generics in two of the three following classes: a. Antidepressant: amitriptyline, nortriptyline, venlafaxine, b. Beta Blocker: atenolol, bisoprolol, metoprolol, nadolol, nebivolol, propranolol, timolol c. Anti-Epileptic agents: topiramate, valproic acid

ANTICONVULSANT

MEDICATION(S) SUBJECT TO STEP THERAPY

APTIOM, BRIVIACT 10 MG TAB, BRIVIACT 10 MG/ML SOLUTION, BRIVIACT 100 MG TAB, BRIVIACT 25 MG TAB, BRIVIACT 50 MG TAB, BRIVIACT 75 MG TAB, FYCOMPA, SPRITAM

CRITERIA

Previous trial on at least TWO of the following: carbamazepine, divalproex, epilol, ethosuximide, felbamate, lamotrigine, levetiracetam, oxcarbazepine, phenytoin, tiagabine, topiramate, valproic acid, zonisamide

ANTIDEPRESSION

MEDICATION(S) SUBJECT TO STEP THERAPY

APLENZIN, DRIZALMA SPRINKLE, EMSAM, FETZIMA, FETZIMA TITRATION, TRINTELLIX, VENLAFAXINE BESYLATE ER

CRITERIA

Previous trial on at least TWO of the following: bupropion, citalopram, desvenlafaxine, duloxetine, escitalopram, fluoxetine, fluvoxamine, mirtazapine, paroxetine, sertraline, venlafaxine (other than 112.5mg strength)

ANTIPSYCHOTIC

MEDICATION(S) SUBJECT TO STEP THERAPY

ASENAPINE MALEATE, AUVELITY, SECUADO

CRITERIA

Previous trial on at least ONE of the following: aripiprazole, clozapine, fluoxetine-olanzapine, haloperidol, olanzapine, paliperidone, quetiapine, risperidone, ziprasidone

ANZEMET

MEDICATION(S) SUBJECT TO STEP THERAPY

ANZEMET 50 MG TAB

CRITERIA

Patient must try ondansetron AND granisetron

BELSOMRA

MEDICATION(S) SUBJECT TO STEP THERAPY

BELSOMRA

CRITERIA

Previous trial on at least ONE of the following: zolpidem IR, zolpidem ER, zaleplon, eszopiclone, temazepam, triazolam, ramelteon, trazodone

BEVESPI

MEDICATION(S) SUBJECT TO STEP THERAPY

BEVESPI AEROSPHERE

CRITERIA

Patient must try BOTH Anoro and Stiolto

BUDESONIDE

MEDICATION(S) SUBJECT TO STEP THERAPY

BUDESONIDE ER

CRITERIA

Previous trial of: Mesalamine

CADUET

MEDICATION(S) SUBJECT TO STEP THERAPY

AMLODIPINE-ATORVASTATIN

CRITERIA

Previous trial on at least ONE of the following: atorvastatin, fluvastatin, lovastatin, pravastatin, rosuvastatin, simvastatin AND Previous trial on: amlodipine

CLOMIPRAMINE

MEDICATION(S) SUBJECT TO STEP THERAPY

CLOMIPRAMINE HCL, PROTRIPTYLINE HCL, TRIMIPRAMINE MALEATE

CRITERIA

Previous trial on at least ONE of the following: amitriptyline, amoxapine, desipramine, doxepin, imipramine, nortriptyline

CORLANOR

MEDICATION(S) SUBJECT TO STEP THERAPY

CORLANOR 5 MG/5ML SOLUTION, IVABRADINE HCL

CRITERIA

Previous trial on at least ONE of the following: acebutolol, atenolol, bisoprolol, labetalol, metoprolol, nadolol, pindolol, propranolol, timolol Exception for dilated cardiomyopathy in pediatric patients

DAPSONE

MEDICATION(S) SUBJECT TO STEP THERAPY

DAPSONE 5 % GEL

CRITERIA

Previous use of topical clindamycin AND topical erythromycin

DERM

MEDICATION(S) SUBJECT TO STEP THERAPY

PIMECROLIMUS

CRITERIA

Previous trial on: tacrolimus AND Previous trial on at least ONE of the following: betamethasone, clobetasol, hydrocortisone, triamcinolone

DIABETES

MEDICATION(S) SUBJECT TO STEP THERAPY

SEGLUROMET, SOLIQUA, STEGLATRO

CRITERIA

Previous trial on metformin, metformin ER, metformin solution, alogliptin/metformin, glipizide/metformin, glyburide/metformin, metformin/saxagliptin, OR pioglitazone/metformin

DIFICID

MEDICATION(S) SUBJECT TO STEP THERAPY

DIFICID

CRITERIA

Patient has tried oral vancomycin

EDARBYCLOR

MEDICATION(S) SUBJECT TO STEP THERAPY

EDARBYCLOR

CRITERIA

Previous trial on at least ONE of the following: candesartan, irbesartan, losartan, olmesartan, telmisartan, valsartan, amlodipine/olmesartan, amlodipine/valsartan, candesartan/HCTZ, irbesartan/HCTZ, losartan/HCTZ, olmesartan/amlodipine/HCTZ, olmesartan/HCTZ, telmisartan/amlodipine, telmisartan/HCTZ, valsartan/HCTZ

ENVARUSUS

MEDICATION(S) SUBJECT TO STEP THERAPY

ASTAGRAF XL, ENVARUSUS XR

CRITERIA

Patient has tried generic tacrolimus

EQUETRO

MEDICATION(S) SUBJECT TO STEP THERAPY

EQUETRO

CRITERIA

Previous trial on at least ONE of the following: carbamazapine ER or carbamazepine IR

FEMRING

MEDICATION(S) SUBJECT TO STEP THERAPY

FEMRING

CRITERIA

Previous trial on estradiol cream

GEMTESA

MEDICATION(S) SUBJECT TO STEP THERAPY

GEMTESA

CRITERIA

Previous trial on Myrbetriq AND one of the following: solifenacin, darifenacin, fesoterodine

INCRUSE

MEDICATION(S) SUBJECT TO STEP THERAPY

INCRUSE ELLIPTA

CRITERIA

Patient must try Spiriva

INS

MEDICATION(S) SUBJECT TO STEP THERAPY

OMNARIS, QNASL, QNASL CHILDRENS

CRITERIA

Previous trial on: fluticasone, mometasone, or flunisolide

MOVIPREP

MEDICATION(S) SUBJECT TO STEP THERAPY

PLENVU

CRITERIA

Previous trial on at TWO of the following: Suprep, Clenpiq, Sodium/Potas Sol Magnesium (Suprep)

NEUAC

MEDICATION(S) SUBJECT TO STEP THERAPY

CLINDAMYCIN PHOS-BENZOYL PEROX 1-5 % GEL, CLINDAMYCIN PHOS-BENZOYL PEROX
1.2-2.5 % GEL

CRITERIA

Previous use of clindamycin-BPO 1.2%-5%

OLOPATADINE

MEDICATION(S) SUBJECT TO STEP THERAPY

AZELASTINE-FLUTICASONE, OLOPATADINE HCL 0.6 % SOLUTION

CRITERIA

Previous trial on: azelastine nasal spray

PARKINSONS

MEDICATION(S) SUBJECT TO STEP THERAPY

RYTARY

CRITERIA

Patient must try generic carbidopa/levodopa

PRAMIPEXOLE

MEDICATION(S) SUBJECT TO STEP THERAPY

PRAMIPEXOLE DIHYDROCHLORIDE ER

CRITERIA

Previous trial on pramipexole IR

QELBREE

MEDICATION(S) SUBJECT TO STEP THERAPY

QELBREE

CRITERIA

Patient has tried: atomoxetine AND one of the following: guanfacine or clonidine

RASUVO

MEDICATION(S) SUBJECT TO STEP THERAPY

RASUVO

CRITERIA

Previous trial on: generic methotrexate

SOOLANTRA

MEDICATION(S) SUBJECT TO STEP THERAPY

IVERMECTIN 1 % CREAM

CRITERIA

Previous trial on at least ONE of the following: Azelaic Acid or Metronidazole (topical)

STATIN

MEDICATION(S) SUBJECT TO STEP THERAPY

EZETIMIBE-SIMVASTATIN, PITAVASTATIN CALCIUM

CRITERIA

Previous trial on at least ONE of the following: atorvastatin, fluvastatin IR, lovastatin, pravastatin, rosuvastatin, simvastatin

STIMULANTS

MEDICATION(S) SUBJECT TO STEP THERAPY

LISDEXAMFETAMINE DIMESYLATE 10 MG CAP, LISDEXAMFETAMINE DIMESYLATE 20 MG CAP, LISDEXAMFETAMINE DIMESYLATE 30 MG CAP, LISDEXAMFETAMINE DIMESYLATE 40 MG CAP, LISDEXAMFETAMINE DIMESYLATE 50 MG CAP, LISDEXAMFETAMINE DIMESYLATE 60 MG CAP, LISDEXAMFETAMINE DIMESYLATE 70 MG CAP, METHYLPHENIDATE

CRITERIA

For lisdexamfetamine and methylphenidate patches: Previous trial on ONE of: amphetamine/dextroamphetamine, dexmethylphenidate, dextroamphetamine, or methylphenidate caps/tabs

SUNOSI

MEDICATION(S) SUBJECT TO STEP THERAPY

SUNOSI

CRITERIA

Previous trial on at least one generic (e.g. modafinil, armodafinil, etc)

SYMLIN

MEDICATION(S) SUBJECT TO STEP THERAPY

SYMLINPEN 120, SYMLINPEN 60

CRITERIA

Previous trial on: insulin

TAZORAC

MEDICATION(S) SUBJECT TO STEP THERAPY

TAZORAC 0.05 % CREAM

CRITERIA

Previous use of tazarotene

TEKTURNA

MEDICATION(S) SUBJECT TO STEP THERAPY

ALISKIREN FUMARATE

CRITERIA

Previous trial on at least ONE of the following: benazepril, benazepril-HCTZ, captopril, enalapril, enalapril-HCTZ, fosinopril, fosinopril-HCTZ, lisinopril, lisinopril-HCTZ, quinapril, ramipril AND

Previous trial on at least ONE of the following: candesartan, candesartan-HCTZ, irbesartan, irbesartan-HCTZ, losartan, losartan-HCTZ, olmesartan, olmesartan-HCTZ, telmisartan, telmisartan-HCTZ, valsartan, valsartan-HCTZ

TIZANIDINE

MEDICATION(S) SUBJECT TO STEP THERAPY

TIZANIDINE HCL 2 MG CAP, TIZANIDINE HCL 4 MG CAP, TIZANIDINE HCL 6 MG CAP

CRITERIA

Previous trial on: tizanidine tablets

TRIPTAN

MEDICATION(S) SUBJECT TO STEP THERAPY

DICLOFENAC POTASSIUM(MIGRAINE), FROVATRIPTAN SUCCINATE, SUMATRIPTAN,
ZOLMITRIPTAN 5 MG SOLUTION

CRITERIA

Previous trial on at least ONE of the following: sumatriptan OR rizatriptan

TRULANCE

MEDICATION(S) SUBJECT TO STEP THERAPY

MOTEGRITY

CRITERIA

Previous trial on Linzess

VTAMA

MEDICATION(S) SUBJECT TO STEP THERAPY

VTAMA

CRITERIA

Previous trial on topical steroid, tretinoin, or tazarotene

VYZULTA

MEDICATION(S) SUBJECT TO STEP THERAPY

RHOPRESSA, ROCKLATAN, VYZULTA

CRITERIA

Previous trial on: latanoprost

WOMENS HEALTH

MEDICATION(S) SUBJECT TO STEP THERAPY

IMVEXXY MAINTENANCE PACK, IMVEXXY STARTER PACK, PREMARIN 0.625 MG/GM CREAM

CRITERIA

Previous trial on generic vaginal estradiol

ZORYVE

MEDICATION(S) SUBJECT TO STEP THERAPY

ZORYVE

CRITERIA

Previous use of BOTH the following: 1. Topical steroid, tretinoin, tazarotene 2. Vtama (Vtama not required for those under 18 years of age or those using for seborrheic dermatitis or atopic dermatitis)