



ProviderInsight[®]



**Nevada Edition
November 2024**

Welcome!

Find medical, dental, and pharmacy information as well as program and plan updates for:

- Commercial
- Select Health Medicare

In this Issue

SELECT HEALTH NEWS AND NETWORKS	2
Telehealth Place of Service (POS) 10 Now Reimbursed at the Higher, Non-Facility Rate.....	2
Select Health Donates \$50,000 to 10 Las Vegas Organizations Advancing Health and Well-being	2
Compliance Matters	3
Grant Funding Available for Electronic Health Record (EHR) Implementation	4
QUALITY IMPROVEMENT PROGRAMS	5
Quality Provider Program (QPP): The Fall Gather & Grow Conference.....	5
QPP: Focus on Social Determinants of Health (SDoH) Screening & Resources.....	5
HEDIS Measures: Updates.....	9
BEHAVIORAL HEALTH	15
Meet the Behavioral Health Program Team.....	15
Screening for Depression and Anxiety in Primary Care.....	16
PHARMACY	18
About Scripius.....	18
Update to Statin Exclusion Coding	19
MEDICARE	20
Important Update: Change for Mesquite Medicare Advantage Patients	20
Partnering for High-Quality Medicare Star Ratings.....	20
PRACTICE MANAGEMENT RESOURCES	21
Immunization Updates and ACIP Highlights	21
Vaccine Hesitancy: Strategies for Well-Child Check Visits.....	22
Automate Select Health Preauthorization Requests	25
Advance Care Planning (ACP): How to Get Started with Your Patients	26
Dental Health and Pregnancy.....	27
Navigate! How Can We Help You Today?	30



**Select
Health**

Select Health News and Networks

Telehealth Place of Service (POS) 10 Now Reimbursed at the Higher, Non-Facility Rate

The *Telehealth and Telemedicine Coding and Reimbursement Policy* has been recently updated. The biggest change is that **place of service (POS) 10** is now reimbursed at the non-facility rate, which is higher than the facility rate.

Telehealth/telemedicine services claims are required to be submitted with place of service 02 or 10. Effective **January 1, 2024**, telehealth services billed with the:

- **Place of service 02** will be reimbursed at the facility site of service differential and according to the Medicaid or Medicare fee schedules as appropriate.

NOTE: Telehealth coverage and reimbursement will vary by plan and geography based on certificates of coverage and state and federal regulations. Services are covered in accordance with the [Select Health Telehealth and Telemedicine Coding and Reimbursement Policy](#). Providers will be required to follow all state regulations related to state certifications and providing telehealth services to members outside of the state where the provider is licensed.

- **Place of service 10** will be reimbursed at the non-facility site of service differential and according to the Medicaid or Medicare fee schedules as appropriate.

Modifiers 95, GT, GQ, GO, FQ, and FR can also be appended as appropriate but are not required if the correct place of service is used.

Learn more. Access the full [Telehealth and Telemedicine policy](#).

Select Health Donates \$50,000 to 10 Las Vegas Organizations Advancing Health and Well-being

On **September 10, 2024**, Select Health awarded 10 outstanding organizations each \$5,000 for their exceptional contributions to enhancing health and well-being across Clark County. These awards honor and help fund organizations whose impactful work uplifts underserved populations and provides essential support to individuals in need.

The recipients address infant care education, shelter for homeless, support for abused women and children, youth programs, senior care, and medical resources for those in need. These funds will support utility bill assistance, transportation services for seniors, access to needed medical care and supplies, marketing, and community outreach.

[Learn more about the Select Health Awards.](#)

2024 LAS VEGAS AREA AWARD WINNERS

- [Assistance League of Las Vegas](#)
- [Baby's Bounty](#)
- [CARE Chest](#)
- [Girls on the Run Las Vegas](#)
- [Golden Rainbow of Nevada, Inc.](#)
- [Helping Hands of Vegas Valley](#)
- [Nevada Diabetes Association for Children and Adults](#)
- [New Horizons Learning Center](#)
- [Ronald McDonald House Charities of Greater Las Vegas](#)
- [The Shade Tree](#)



Compliance Matters

Select Health works closely with the Centers for Medicare and Medicaid Services (CMS) and the National Committee for Quality Assurance (NCQA) to ensure compliance with requirements for:

- Equal access for those with disabilities
- Cultural sensitivity training
- Accurate provider demographic information*
- Fraud, waste, and abuse training attestations*

Please review the requirements and relevant links for each of these. Then, contact your Provider Relations representative if you have questions.

ADA ACCOMMODATIONS

Per **CMS (42 CFR 438.206a)**, the **Americans with Disabilities Act (ADA)** and **Section 504 of the Rehabilitation Act**, these standards require healthcare providers to provide individuals with disabilities full and equal access to their healthcare services and facilities.

When you update your information in your quarterly demographic attestation, please update accommodations for those with disabilities along with your clinic location to specify whether your location is meeting the ADA standards. [Learn more about these standards.](#)

CULTURAL SENSITIVITY TRAINING

Per **NCQA (QI, Element E, Factor 2)** and **CMS (42 CFR 438.10)**, practitioners are required to complete cultural competency/sensitivity training.

* **NOTE:** Providers receive requests for attestations from **either** Intermountain Health Nevada or Select Health based on provider contracting status.

IMPORTANT REMINDER

The Centers for Medicare and Medicaid Services (CMS) encourages Select Health to educate providers about Qualified Medicare Beneficiaries (QMBs), a program that helps low-income Medicare beneficiaries by:

- Paying for their premiums, deductibles, copayments, and coinsurance
- Prohibiting billing for Medicare A/B deductibles and cost sharing
- Not discriminating against or refusing service because they are protected from paying cost sharing.

To learn more, access [CMS training regarding QMBs](#)

Compliance Matters is a new feature that will appear in each *Provider Insight* going forward. This feature will help providers with a variety of compliance issues required by regulatory bodies. **Questions about compliance?** Contact your Provider Relations representative.

Select Health offers a [brief, online training](#) that complies with this requirement in the education area of our website.

QUARTERLY DEMOGRAPHIC ATTESTATIONS*

Per **CMS and the Consolidated Appropriations Act**, practitioners are required quarterly to attest and update their demographic information.

Select Health provides for this attestation via a quarterly Qualtrics survey sent to your email inbox.

If you have not previously provided a preferred email address, please contact your Provider Relations representative.

FWA ATTESTATIONS PROCESS*

Per **CMS Medicare Managed Care Manual Ch. 21 (50.3.2)**, practitioners who see patients on Medicare are required to:

- Participate in a fraud, waste, and abuse (FWA) training
- Attest that compliant training has been completed in the first 90 days of contract/hire date and annually thereafter. Access the [online attestation form](#).

NOTE: Using the previously required, CMS-issued content is no longer mandatory; however, [this training](#) is still available as an option.

Grant Funding Available for Electronic Health Record (EHR) Implementation

The Nevada Department of Health and Human Services (DHHS) Division of Health Care Financing and Policy (DHCFP) manages the funding appropriated through AB 7. This funding is a one-time grant of \$3,000,000 total for purchasing and implementing an EHR system (individual grant amounts are variable; see [full announcement](#)). Grant funds available also address maintenance, transmittal, and exchange of EHRs, prescriptions, and other health-related information (electronic records, prescriptions, etc.).

Deadline for application is 5:00 p.m. PST, March 31, 2025.

WHO CAN APPLY

Eligible applicants include entities or employees of entities who have a staff of 50 people or less **and are either:**

- A licensed healthcare provider (as defined in NRS 629.091 and title 54 of NRS); **or**
- Any licensed person per title 57 of NRS.

HOW PROVIDERS AND FACILITIES CAN APPLY

[View the full announcement](#) from the DHHS including application requirements.

Quality Improvement Programs

Quality Provider Program (QPP): The Fall Gather & Grow Conference

Held on **October 29, 2024**, the QPP (referred to in Nevada as Quality Provider Plus Program) fall conference featured sessions on program updates, breast cancer screening, and immunizations. These conferences provide an opportunity for us to review program updates, share best practice, and connect clinics to discuss common barriers and solutions.

Conference materials presentations are available online in the [QPP Training area](#) or by clicking the linked images below. You can find the full video of the conference online as well.



Focus on Social Determinants of Health (SDoH)

The World Health Organization (WHO) estimates that Social Determinants of Health (SDoH) account for 30-35% of health outcomes. SDoH are described as the conditions where people are born, live, learn, work, play, worship, and age that affect a wide range of health, functioning, and quality-of-life outcomes and risks.

When health is impacted negatively or affects a patient's ability to maintain health and wellness, it is referred to as a "health-related social need." Unmet social needs can affect the ability or willingness to follow a treatment plan or support a healthy pregnancy. Select Health continually strives to meet the SDoH requirements of the National Committee for Quality Assurance (NCQA) and the Centers for Medicare and Medicaid Services (CMS) as well as to maintain the accreditations that give you and your patients confidence in getting the support you need.

NCQA HEDIS MEASURE: SOCIAL NEED SCREENING AND INTERVENTION (SNS_E)

This measure looks at six indicators, one each for screening and intervention across three social needs: Food, housing, and transportation. It looks at the percentage of members who, during the measurement period, were screened via a pre-specified instrument at least once during the measurement period for unmet needs. Members who screen positive for one of these needs receive a corresponding intervention.

This new measure may require updates to clinic workflows and electronic medical record (EMR) documentation. Select Health is currently working to identify a process that includes documentation for both screening and intervention, which will help providers incorporate this measure into their workflow.

Continued on page 6...

Quality Improvement Programs, Continued

...Continued from page 5

For now, we encourage you to follow these three steps for implementing SDOH screening and health-related social need interventions:

1. Screen using a validated screening instrument, such as:

- **Protocol for Responding to & Assessing Patients' Assets, Risks & Experience (PRAPARE)** is a national standardized patient risk assessment tool that is evidence-based and available in over 25 languages. Download [PRAPARE](#) in English as well as translated versions.
- **The Safe Environment for Every Kid (SEEK) screening approach** is a brief evidence-based questionnaire that screens for targeted problems that can jeopardize children's health, development, and safety. These targeted problems are:
 - Parental Depression
 - Parental Substance Use
 - Major Parental Stress
 - Intimate Partner (or Domestic) Violence
 - Food Insecurity
 - Harsh Punishment

SEEK is available in English and six other languages.

- **Social Check** – An Intermountain Health checklist screening tool that asks members if they are worried about seven different types of social needs.* (Social Check use requires permission for affiliated providers; contact Intermountain Health via IPOffice@imail.org or **801-442-5756**)

These instruments can be collected before, during, or after a healthcare encounter and administered as self-reports or as in-person, provider-to-member interaction during a visit.

* Derived from the national [PRAPARE social determinants of health protocol](#) developed by the National Association of Community Health Centers, the Association of Asian Pacific Community Health Organizations, and the Oregon Primary Care Organization and their development partners.



- ### 2. Document a social need
- by using the **ICD-10-CM Z codes (categories Z55-65)**. Assign these codes when the documentation specifies an associated problem or risk factor that influences the member's health. This adds health-related social need to the problem or diagnosis list. [Learn more about these codes.](#)
- ### 3. Become a QPP participating clinic.
- If you are not already part of this program, learn more by visiting the [program website area](#) or by contacting the team at qualityprovider@selecthealth.org.

IDENTIFIED BARRIERS TO SDOH IMPLEMENTATION

Select Health understands the challenges that busy provider practices face in screening members and connecting them to the appropriate resources. These challenges include:

- **Lack of SDOH knowledge.** How do we know which resources are available to our patients? How are needs appropriately defined? For example, how do you define:
 - **Problems related to education and literacy:** Is schooling unavailable because the student can't access programs nearby (or because they choose not to attend?)
 - **Underachievement in school:** Are we to ask patients about their grades and whether they could have done better if they applied themselves?

Continued on page 7...

Quality Improvement Programs, Continued

...Continued from page 6

- **Access to resources.** Caregivers and providers feel powerless when tangible SDoH resources are not readily accessible at point of care.
- **Lack of equitable resources.** Help should not be payer dependent and should address the diverse needs of the community.
- **Overburdened caregivers.** Clinics often need more staff, case management, mental health integration, and simplified screening for workflow/documentation efficiency.
- **Follow through and follow up.** Providers may feel responsible to solve SDoH problems for every patient when added to the diagnosis or problem list, setting an unrealistic expectation that may/may not be within their scope of practice.

HOW SELECT HEALTH SUPPORTS SCREENING AND RESOURCE IDENTIFICATION

Through our care managers and Healthy Beginnings program, we can work with members to create personalized plans that supports physical and mental well-being and healthy pregnancies. These caregivers can incorporate appropriate connections to SDoH resources as part of care for chronic illnesses and pregnancy.

Our Quality Provider Program (QPP) offers providers an extended disease management and preventive care focus through information sharing, including connecting members with SDoH resources and supporting provider efforts to include screening approaches into their workflow.

Select Health also equips providers and members with **relevant SDoH resources**, such as:

- **Community Health Workers** (Medicare plan members) who frequently assess and support members with SDoH needs
- **Unite Us** (Nevada Health Link Members): We offer access to this [211 technical organization](#), which links members to customized health and social services. This patient-centered and collaborative organization:
 - Minimizes barriers to care
 - Connects members directly to a community partner or 211 specialists
 - Makes it possible for ACA members (via Nevada Health Link) to sign up in their provider's office
 - Ensures closed-loop communication
- **Results from SDoH data collection, analysis, and interpretation efforts**, which are essential to health equity, improved health outcomes, and lower healthcare costs (see **Figure 1** on the next page for an example).

We have ongoing programs to gather SDoH data to:

- Identify community and population needs in the diverse markets we serve
- Empower providers to identify and address health disparities
- Help members live the healthiest lives possible
- Support quality measurement required for NCQA requirements, HEDIS and STARS ratings, and Health Equity Accreditation

ADDITIONAL RESOURCES

- [Care Management at Select Health](#) (rack card)
- [Health-Related Social Needs vs. The Social Determinants of Health](#)
- [Improving the Collection of Social Determinants of Health \(SDOH\) Data with ICD-10-CM Z Codes](#)
- [Proposed New Measure for HEDIS Measurement Year \(MY\) 2023: Social Need Screening and Intervention \(SNS-E\)](#)

Quality Improvement Programs, Continued

...Continued from page 7

Figure 1. SDoH Data Collection Program Example

From Data to Action

The Women's Health Quality Provider Program tracked SDoH screening data for 2023 and identified the top health-related needs as **food insecurity** and **housing/housing instability**. We then developed steps that could help address these needs together at the organizational level, via the QPP program, and within individual clinics. For example:

At the organizational level, Select Health offers:

- Community Health Workers who deliver food to a member's door
- Care Management who identifies low-income housing resources for members

At the QPP level, we support providers with education on:

- The simplicity of 211 website use
- Intimate partner violence (IPV) screening implementation and resource connections

At the individual clinic level, member support might include:

- Putting 211 flyers (by state in English and Spanish) in public areas (available in the [Resources & Instructions](#) area of the Select Health Provider website)
- Creating a bulletin board with free local food and formula resources

HEDIS Measures Updates

Developed by the National Committee for Quality Assurance (NCQA), the Healthcare Effectiveness Data and Information Set (HEDIS) is one of healthcare's most used performance improvement tools. It measures performance improvements that can make a meaningful difference in people's lives. The next several pages feature details, changes, and tips related to these five, key HEDIS measures:

- Pharmacotherapy Management of COPD Exacerbation (PCE)
- Follow Up After Emergency Department (ED) Visit for People with Multiple High-risk Chronic Conditions (FMC)
- Glycemic Status Assessment for Patients with Diabetes (GSD)
- Use of Imaging Studies for Low Back Pain (LBP)
- Controlling Blood Pressure (CBP) and Blood Pressure Control in People with Diabetes (BPD)

HEDIS Measure (Overview): Pharmacotherapy Management of COPD Exacerbation (PCE)

The PCE measure assesses Chronic Obstructive Pulmonary Disease (COPD) exacerbations for adults 40 years of age and older who had appropriate medication therapy prescribed to manage an exacerbation. NCQA defines COPD exacerbation as when there is an inpatient or ED visit with a primary discharge diagnosis of COPD.

Two rates are measured for medication types dispensed (see **Figure 2** on the next page):¹

1. A systemic corticosteroid or evidence of an active prescription **within 14 days** of the event
2. A bronchodilator or evidence of an active prescription **within 30 days** of the event

WHY THIS MEASURE MATTERS

COPD affects nearly 15 million adults in the U.S. Appropriate medication prescribed following a COPD exacerbation can help prevent future flare-ups and reduce COPD costs.¹

HELPFUL TIPS:

Schedule a follow-up appointment after a COPD exacerbation ED visit or inpatient stay to ensure that the patient has the appropriate medications and understands the importance of adherence.

Discuss any barriers that prevent your patient from filling their prescriptions.

Provide a COPD Action Plan that includes recommendations what to do when COPD symptoms occur as well as a plan to help manage COPD. The American Lung Association provides these resources:^{2,3}

- [COPD Action Plan & Management Tools](#)
- [COPD Medication Tracker](#)

Questions? Contact Stacey Merrill, Quality Consultant RN at stacey.merrill@selecthealth.org.

REFERENCES

1. National Committee for Quality Assurance (NCQA). Pharmacotherapy Management of COPD Exacerbation. **NCQA.org** website. 2024. <https://www.ncqa.org/hedis/measures/pharmacotherapy-management-of-copd-exacerbation/>. Accessed October 17, 2024.
2. American Lung Association. COPD Action Plan & Management Tools. **Lung.org** website. No date. <https://www.lung.org/lung-health-diseases/lung-disease-lookup/copd/living-with-copd/copd-management-tools>. Accessed October 17, 2024.
3. American Lung Association. COPD Action Plan & Management Tools. **Lung.org** website. No date. <https://www.lung.org/lung-health-diseases/lung-disease-lookup/copd/treating/copd-medications>. Accessed October 17, 2024.

Continued on page 10...

Disclaimer: The information contained in this article is not intended to, and does not, constitute medical advice. Providers are responsible for exercising appropriate medical judgment in the treatment of their patients. This is not a guarantee of coverage. Members should contact the Member Services Department at **800-538-5038** for plan-specific coverage information.

...Continued from page 9

Figure 2. Medications Measured with PCE

Systemic Corticosteroids (Active Prescription Within 14 Days)				
Description	Prescription Medications			
Glucocorticoids	<ul style="list-style-type: none"> • Cortisone • Dexamethasone 	<ul style="list-style-type: none"> • Hydrocortisone • Methylprednisolone 	<ul style="list-style-type: none"> • Prednisolone • Prednisone 	
Bronchodilators (Active Prescription Within 30 Days)				
Description	Prescription Medications			
Anticholinergic agents	Aclidinium bromide	Ipratropium	Tiotropium	Umeclidinium
Beta 2-agonists	<ul style="list-style-type: none"> • Albuterol • Arformoterol 	<ul style="list-style-type: none"> • Formoterol • Indacaterol 	<ul style="list-style-type: none"> • Levalbuterol • Metaproterenol 	<ul style="list-style-type: none"> • Olodaterol • Salmeterol
Bronchodilator combinations	<ul style="list-style-type: none"> • Albuterol- ipratropium • Budesonide- formoterol • Formoterol- aclidinium 	<ul style="list-style-type: none"> • Formoterol- glycopyrrolate • Formoterol- mometasone • Fluticasone- salmeterol 	<ul style="list-style-type: none"> • Fluticasone-vilanterol • Fluticasone furoate- umeclidinium-vilanterol • Glycopyrrolate- indacaterol 	<ul style="list-style-type: none"> • Olodaterol- tiotropium • Umeclidinium- vilanterol

HEDIS Measure (Overview): Follow Up After Emergency Department (ED) Visit for People with Multiple High-risk Chronic Conditions (FMC)

This measure focuses on the percentage of members 18 years of age and older, who have/had **all** of these:

1. Multiple high-risk chronic conditions
2. An ED visit
3. A follow-up service within 7 days of the ED visit

These members are at higher risk of mortality and readmission than members without chronic conditions, making timely follow-up after the ED visit crucial.

WHAT ARE HIGH-RISK CHRONIC CONDITIONS?

- Chronic obstructive pulmonary disease (COPD), asthma, or unspecified bronchitis
- Alzheimer’s disease and related disorders
- Chronic kidney disease
- Depression
- Heart failure
- Acute myocardial infarction
- Atrial fibrillation
- Stroke and transient ischemic attack

WHAT CAN PROVIDERS DO TO HELP CLOSE THIS OPEN GAP FOR PATIENTS?

Three key actions can positively impact the measure:

1. Encourage patients to schedule a follow-up visit **within 7 days** of an ED visit. Remind them about this type of follow up at their annual wellness visits.
2. Educate patients about other available follow-up services, like telehealth or care management, when they cannot make an in-person visit within the 7-day time frame.
3. Consider having hospital systems send you notifications when one of your patients has visited an ED so that you can assist them with scheduling a follow-up visit.

[Learn more about this measure.](#)

Questions? Contact Azure Gaskill, Quality Consultant RN via email at azure.gaskill@selecthealth.org.

HEDIS Measure (Revised): Glycemic Status Assessment for Patients with Diabetes (GSD)

The National Committee for Quality Assurance (NCQA) revised the name of the HEDIS measure Hemoglobin A1c Control for Patients With Diabetes (HBD) to Glycemic Status Assessment for Patients With Diabetes (GSD) starting in 2024. This change was made to reflect the addition of a glucose management indicator (GMI). The GMI is calculated based on continuous glucose monitoring (CGM) data using average glucose levels.

KEY UPDATES

- References to HbA1c in the HEDIS measure are now stated as “glycemic status” with a glycemic status goal <8%.
- Continuous glucose monitor GMI results can now be used in addition to a HbA1c.
- **LOINC code 97506-0** is used to identify GMI values.
- GMI values in the chart must include:
 - Documentation of the continuous glucose monitoring including a result
 - Date range associated with the GMI. The end date of the range is used for the assessment date.
- The result of the most recent glycemic status assessment (HbA1c or GMI) performed during the measurement year will count towards compliance.

BEST PRACTICE TIPS:

- Provide education on lab results and adjust treatment plans as needed.
- Set care gap alerts in your electronic medical record when screenings are due.
- Outreach to patients who have not had their diabetic testing and eye exams completed.
- Document HbA1c or GMI result date and numeric value in the medical record.
- Incorporate a GMI workflow to assess blood sugar control for those who use a continuous glucose monitor.
- Remember to include CPT II HbA1c codes to help reduce the burden of HEDIS medical record chart review. Use these codes on the date of service the HbA1c was drawn. (See **Figure 3** below.)

If using an EMR system, please consider electronic data sharing with Select Health to help us capture the glycemic status values. This will help reduce HEDIS chart requests and improve the quality of care we can provide our members. If interested, please email us at qualityimprovement@selecthealth.org.

Questions? Contact Stacey Merrill, Select Health Quality Consultant RN at stacey.merrill@selecthealth.org.

Figure 3. CPT II HbA1c Codes

CPT II Codes	HbA1c Test Result
3044F	Hemoglobin A1c level less than 7.0%
3051F	Hemoglobin A1c level greater than or equal to 7% and less than 8.0%
3052F	Hemoglobin A1c level greater than or equal to 8.0% and less than or equal to 9.0%
3046F	Hemoglobin A1c level greater than 9.0%

HEDIS Measure (Overview): Use of Imaging Studies for Low Back Pain (LBP)

This measure related to appropriate use of imaging is important for primary care providers (PCPs) as well as urgent care, orthopedics, and pain and spine providers.

WHY IT MATTERS

Imaging, such as X-rays or MRIs, can expose patients to radiation, which can have risks. Imaging can lead to member worry, more tests, and maybe even treatments that aren't necessary.

Focusing on the member's story, physical exam findings, and any red flags helps providers better understand problems and create the right treatment plan based on the member's needs.

Use imaging only when needed to help keep healthcare costs down and use our resources wisely.

BEST PRACTICES & TIPS:

- **Update the member's medical history/problem list** to include:
 - Cancer diagnosis
 - Trauma within last 90 days
 - IV drug abuse
 - Neurologic impairment within the last 12 months
 - HX of HIV/active HIV
 - Spinal infection within the last 12 months
 - Major organ transplant
 - Fragility fractures in the past 90 days
 - Lumbar surgery
 - Spondylopathy
- **Update the Medication List/Reconciliation** to note the following drug therapies:
 - Corticosteroid use for 90 days anytime in the last 12 months
 - Osteoporosis drug therapy

- **When documenting the patient's history, make sure to include specifics about the back pain:**
 - Location of the pain
 - Date symptoms of back pain started
 - How long the pain has persisted
 - Aggravating factors
 - Range of motion
 - Nerve pain/possible nerve involvement
- **Point out and document "Red Flags,"** especially:
 - Fever
 - Unexplained weight loss
 - Nerve problems
 - Issues with bowels or bladder
- **Use standardized forms** that make sure to address the member's medical history, health history, medication list, exam findings, and "Red Flags". This helps to create consistency and prevents missing something important.
- **Avoid ordering diagnostic studies in the first four weeks of new-onset back pain in the absence of red flags.**

CODING FOR LBP IMAGING AND HEDIS

Figures 4 and 5 (on the next page) provide ICD-10-CM codes that either trigger members into or remove members from the HEDIS LBP measure.

These lists are not all-inclusive. This information is NOT about a change in policy but a reference to quality improvement activities.

Continued on page 13...

Quality Improvement Programs, Continued

...Continued from page 12

Figure 4. Common ICD-10-CM Codes that TRIGGER members into the HEDIS Measure

ICD-10 Code	Description
M47.816	Spondylosis without myelopathy or radiculopathy lumbar region
M54.16, M54.17	Radiculopathy, lumbar region
M54.30 - M54.32	Sciatica
M54.40 - M54.42	Lumbago with Sciatica
M99.03, M99.04	Segmental & Somatic Dysfunction of lumbar region/sacral region
M99.83	Other Biomechanical Lesions of Lumbar Region
S33.5XXA, S33.6XXA	Sprain of ligaments of lumbar spine Sprain of sacroiliac joint,
S39.012A (D,S)	Strain of muscle, fascia, & tendon of lower back
S39.92XS	Unspecified injury of lower back, sequela
NOTE: This is a list of commonly used codes. Other codes not listed here related to low back pain may trigger member to qualify for the HEDIS measures.	

Figure 5. ICD-10 Codes that will REMOVE the member from the LBP HEDIS Measure (If imaging is done within 28 days of the diagnosis for medical necessity)

ICD-10 Code	Description
G89.11	Acute pain due to trauma
B20; Z21	HIV
CPT & ICD PCS Codes (as applicable)	Lumbar Surgery
R29.2	Abnormal Reflex
M46.46	Discitis, unspecified, lumbar region
A17.81; G06.1; M46.25 - M46.28	Spinal Infection; Osteomyelitis; discitis
Z86.03	Personal history of neoplasm of uncertain behavior (ANY CANCER)
Z85.40	Personal history of malignant neoplasm of unspecified female genital organ (cervix, uterus, ovary, etc)
Z85.820	Personal history of malignant melanoma of skin
M45.6	Spondylopathy lumbar region
R26.2	Difficulty in walking, not elsewhere classified
G83.4	Cauda equina syndrome
M46.36	Infection of intervertebral disc (pyogenic), lumbar region
Z85.9	Personal history of malignant neoplasm, unspecified (ANY CANCER)
Z85.3	Personal history of malignant neoplasm of breast
Z85.45	Personal history of malignant neoplasm of unspecified male genital organ (prostate, testicular, etc.)
Z94.0	History of Kidney Transplant

HEDIS Measure (Claims Coding): Controlling Blood Pressure (CBP) and Blood Pressure Control in People with Diabetes (BPD)

Each year Select Health participates in the HEDIS audit with some HEDIS measures also impacting our STARS rating. CBP and BPD are two of these measures.

In our efforts to improve the rating of these measures along with the health of our members, we are looking to simplify the way we collect information for us and for clinics to comply with this measure.

CBP and BPD measures require nurse reviewers from Select Health to request and review patient charts to abstract blood pressure readings. This is time-consuming for reviewers and requires clinics to take time to provide access to the required charts.

HOW HAS THIS WORKED IN THE PAST?

In the past, we have used many ways to request patient charts, including direct access to clinic electronic medical records (EMRs), asking clinics to pull and send charts, and having our reviewers come to the clinic to gather needed charts. This current process requires a great deal of time for clinic staff as well as Select Health nurse reviewers.

HOW CAN WE SIMPLIFY THIS PROCESS?

When a claim is submitted with CPT II codes for blood pressure, there is no need for either the clinic to send a chart or for the Select Health nurse auditor to review the chart. The CPT II codes are captured administratively, and no further action is needed. This applies to both **claim-captured** and **patient-reported** blood pressure readings.

Please submit CPT II codes (see Figure 6) for both types of readings.

HOW CAN YOU HELP?

Implement this change: If your clinic is not already submitting CPT II codes for blood pressure readings, please consider implementing this change to decrease workload for clinics and for Select Health.

Share with your vendor: If your clinic works with a vendor to do claims coding, please share this message with them and ask that they use the CPT II codes in **Figure 6** below when submitting claims.

This change in workflow will allow us to target education and resources to those members most in need.

Questions? Contact Kirstin Johnson at **801-442-8224** or via email at: kirstin.johnson@selecthealth.org.

Figure 6. Claims Coding for Blood Pressure

CPT II Code	Blood Pressure Reading
Systolic	
3074F	Less than 130
3075F	130-139
3077F	Equal to or greater than 140
Diastolic	
3078F	Less than 80
3079F	80-89
3080F	Equal to or greater than 90

Behavioral Health

Meet the Select Health Behavioral Health Program Leaders

The Select Health Behavioral Health Program supports all aspects of services, benefits, and programming for members and strives to ensure equal access to evidence-based treatment. Program leadership includes **Dr. Dean Mayer**, Medical Director for the Behavioral Health Sciences, and **Alison Warcup**, Behavioral Health Program Manager.

DEAN MAYER, MD

Dr. Dean Mayer was named as the Select Health Medical Director for Behavioral Health Services 2 years ago. Dr. Mayer's background is a 30-year career with Intermountain as a primary care provider and hospitalist. He is Board Certified in Internal Medicine and has practiced in both outpatient and inpatient settings throughout his career.



Dr. Dean Mayer

He began his career in 1994 as a categorical medicine intern at LDS Hospital, completing his residency as the Chief Medical Resident in 1997. Along with his work as an Internist/Hospitalist he has held administrative positions as a Medical Director in Cardiovascular care, Case Management, and Hospital Administration. During that time he has received awards for excellence in clinical delivery and patient care.

Dr. Mayer's interest in behavioral health started with program development for Intermountain hospitals where he organized and implemented a clinical pathway for patients with addictions to be transitioned out of hospital care and into recovery programs while completing care for infections caused by intravenous drug users. This led to his position with Odyssey House

of Utah as the Chief Medical Officer managing the delivery of medical care for those in residential addiction treatment. It was through that work that he was offered the opportunity to manage behavioral health networks and initiatives with Select Health. He now splits his time between Odyssey House and Select Health carrying on his interest in both clinical medicine and behavioral health/addiction treatment delivery.

Dr. Mayer's personal interests include mountain biking, skiing, hiking, golfing and home maintenance projects. He spent several years coaching in youth basketball leagues when his children were young.

ALISON WARCUP, DNP, MSN, BA, PMHNP-BC

Alison is a board-certified psychiatric mental health nurse practitioner and the behavioral health, program manager at Select Health.

She received her bachelor degrees in Anthropology and English from Brigham Young University, her masters degree in Nursing from Yale University, and recently completed her Doctorate of Nursing Practice at Frontier Nursing University.

Prior to joining Select Health, Alison worked clinically with children, teens, young adults, and their families in both San Diego and Utah for over a decade.

In her free time, she enjoys reading, traveling, listening to her ever expanding vinyl collection, and pottery.



Alison Warcup

Screening for Depression and Anxiety in Primary Care

For busy primary care practices, mental health screening presents both workflow and implementation challenges:

- The time it takes to administer and score a standardized screening tool
- The concern about next steps when scores indicate a need for referral or pharmacological treatment

To help support those challenges, the following introduces problem scope and an overview of the most used screening tools for your practice.

Questions? Contact Alison Warcup at alison.warcup@selecthealth.org.

UNDERSTANDING THE PROBLEM

Recent data show that the United States is in mental health crisis for people of all ages. Consider these statistics:

Depression:

- 20% of American adults experienced anxiety and depression symptoms in 2023.¹
- 40% of high school students reported struggling with persistent feelings of sadness or hopelessness in 2023.¹
- Youth and young adults (ages 10–24) account for 15% of all suicides, an increase of 52% since 2000. Suicide is the second-leading cause of death for this age group.¹
- 10% to 20% of new mothers report having some type of clinical postpartum depression. Additionally, research indicates that 10% of new fathers experience symptoms of depression as do about 8% of adoptive parents who report experiencing severe postpartum depression.²
- According to the *2024 Maternal Mental Health State Report Card*, the U.S. is failing to adequately support

maternal mental health. In the Select Health coverage area, Utah is only one of 4 states to exceed a “C+”, with Idaho (D), Colorado (C), and Nevada (F) receiving grades far below that.³

Regionally, prevalence of postpartum depression is high. **Figure 7** below illustrates prevalence data from the report card for statewide average as well as counties with highest and lowest prevalence.

Generalized Anxiety Disorder (GAD):

- The most common mental illness in the U.S. is anxiety, which affects around 40 million adults annually. Approximately 7% of children aged 3–17 experience issues with anxiety each year. Most people develop symptoms before age 21.
- An American Psychiatric Association’s 2024 survey results show that 43% of U.S. adults feel anxious about current events. Of that total, those polled said that anxiety relates to the economy (77%), the 2024 U.S. election (73%), and gun violence (69%).⁴

USING MENTAL HEALTH SCREENING TOOLS

Solving this crisis starts with improving mental health screening, often at the primary care level, which is frequently the first line of defense for improving patient mental health outcomes. The following overview in **Figure 8** (on the next page) covers the most used screening tools recommended for:

- **Reliability:** Measure’s ability to produce consistent results
- **Validity:** Ability to discriminate between someone with and without a problem
- **Sensitivity:** Test accuracy for identifying individuals who have a problem
- **Specificity:** Test accuracy for identifying individuals who do not have a problem
- **Accessibility:** Freely accessible or low cost

Figure 7. Regional Prevalence Data³

Prevalence Data	Utah	Idaho	Nevada	Colorado
Statewide Ave.	23.2%	18.8%	19.7%	19.1%
Highest County	Toole (26.7%)	Madison (21.8%)	Lander (21.2%)	Larimer (21.2%)
Lowest County	Summit (19.3%)	Blaine (16.6%)	Clark (18.3%)	Costilla (17.6%)

Continued on page 17..

Behavioral Health, Continued

...Continued from page 16

Figure 8. Overview of Most Commonly Used, Self-Report Screening Tools

Depression Screens	# of Items	Administration / Scoring Time	Languages Available
Beck Depression Inventory (BDI)/ Depression ages 13–80: <ul style="list-style-type: none"> Measures characteristic attitudes and symptoms Identifies behavioral manifestations and severity BDI-FS (fast screen) also available for age 13+ 	21	10 minutes/training required for scoring	English, Spanish (6 th grade reading level)
Patient Health Questionnaire (PHQ)-9/ Depression & Suicidality: <ul style="list-style-type: none"> Screens for frequency of symptoms over past 2 weeks Assesses presence and duration of suicide ideation 	9	< 5 minutes/ <3 minutes	Only validated in English version
PHQ-2/ Depression (1 st two items from the PHQ-9)	2	1 minute for both	Only validated in English version
Edinburgh Maternal Depression: Screens postpartum women for depression	10	< 5minutes/ 5 minutes	English, Spanish; Cross-cultural validity
Suicide Risk Screen	# of Items	Administration / Scoring Time	Languages Available
Columbia Suicide Severity Rating Scale (C-SSRS): <ul style="list-style-type: none"> Assesses patients in diverse settings and predicts overall risk and need for admission Defines/stratifies suicidal ideation & behavior over time Validated for ages 5 through adult 	6	Varies: 1-2 or 2-5 minutes/scoring uses an algorithm*	Over 100 languages
Anxiety Screens	# of Items	Administration / Scoring Time	Languages Available
GAD 7: <ul style="list-style-type: none"> Identifies probable cases of GAD along with measuring anxiety symptom severity Also screens for panic disorder, social anxiety, and PTSD 	7	1-2 minutes	Over 50 languages and dialects
Beck Anxiety Inventory: <ul style="list-style-type: none"> Assesses intensity of physical/cognitive anxiety symptoms experienced during the past week Validated for ages 17–80 	21	3-5 minutes (can be self-report)/2-3 minutes for provider to score (no training needed)	English, Spanish (reliability and validity in both)

* If a patient answers "yes" to question #2 or #3, they should be referred to behavioral health services for further evaluation. If they answer "yes" to question #4, #5 or #6, then IMMEDIATE help is required; provider should contact 911, 988, or any other behavioral health emergency service in their community, while ensuring someone stays with the patient until a higher level of behavioral health care can be accessed.

References:

- Centers for Disease Control and Prevention (CDC). *Protecting the Nation's Mental Health*. August 8, 2024. **CDC.org** website. <https://www.cdc.gov/mental-health/about/what-cdc-is-doing.html>. Accessed October 31, 2024.
- Postpartum Depression. *Postpartum Depression Statistics*. 2024. **postpartumdepression.org** website. <https://www.postpartumdepression.org/resources/statistics/#:-:text=While%20exact%20postpartum>. Accessed on October 31, 2024.
- The Policy Center for Maternal Mental Health. *Maternal Mental Health State Report Cards (2024)*. **policycentermmh.org** website. (May, 2024). <https://www.policycentermmh.org/state-report-cards>. Accessed October 31, 2024.
- American Psychological Association (APA). *Stress in America 2024: A nation in political turmoil*. **APA.org** website. 2024. <https://www.apa.org/pubs/reports/stress-in-america/2024>. Accessed October 31, 2024.

Pharmacy

Scripius: New Look, Same Commitment to Lowering Prescription Costs

Drug prices are increasing at unsustainable levels — and consequently, prescription costs are the fastest-growing component of employer health plans.¹ According to a recent survey, 37% of Americans have chosen not to fill a prescription because of cost.² Much of the problem stems from the lack of transparency in the Pharmacy Benefit Manager (PBM) market. Scripius, in partnership with Select Health, is revolutionizing the value of pharmacy benefits through ethical and transparent business practices and relationships.

WHAT IS SCRIPUIS?

Scripius, a product of Select Health, is a full-service PBM helping to lower drug costs for employer groups, nonprofit health plans and health systems, and members.

Launched in 1998 as Select Health Prescriptions and renamed in 2021, Scripius recently debuted new branding to better align to the shared mission and look of parent companies — Select Health and Intermountain Health.

WHAT IS THE VALUE OF SCRIPUIS?

Scripius offers:

- **A strategic approach to lowering prescription drug costs.** Scripius employs evidence-based cost containment strategies that help improve member outcomes. These strategies helped save health plan clients an average of 20% on net pharmacy costs.
- **100% transparency.** Scripius discloses all revenue streams and builds meaningful partnerships through ethical business practices.



"Scripius was created with the intent to disrupt the market through managing prescription drug spend to the lowest net cost, providing complete transparency of contracts, pricing, and data, while providing hero-level customer experiences."

*Eric Cannon
Chief Pharmacy Officer of Select Health
and General Manager for Scripius*

- **Deeper insights into claims data.** Scripius provides real-time rebate reports and line-item claims detail to employer and health plan and health system clients.
- **Superior customer experiences.** Scripius serves nearly 2,000,000 members across all 50 states. Over 23,000 members use Scripius' drug cost comparison tool each month to discover prescription savings opportunities.

[Learn more.](#)

The screenshot shows the Scripius website interface. At the top, it says "Welcome To Prescription Savings" with "Pricing" and "Savings" tabs. Below this, there are two sections: "GUARANTEE" and "COVID-19 TESTING". The "GUARANTEE" section states: "The easiest way to pay your premium: safe and secure, automatic payments, no account needed." with a "Learn more" link. The "COVID-19 TESTING" section states: "The easiest way to pay your premium: safe and secure, automatic payments, no account needed." with a "Learn more" link. At the bottom, there is a section titled "You Get The Real Price Tag." with an illustration of a hand holding a price tag. Below this, it says: "When shopping for a Pharmacy Benefit Manager (PBM), finding the real price tag can feel like putting a puzzle together. Rebates? Ingredient costs? Administration fees? We found the real price tag, and ours is the lowest we have seen in the industry." with two links: "Solve The Pricing Puzzle" and "A Price Transparency Story".

References:

1. Umland, B, Survey gives early look at employer response to rising health costs. MarshMcLennan (Mercer) website. November 16, 2023. Available at <https://www.mercer.com/en-us/insights/us-health-news/survey-shows-early-look-at-employer-response-to-rising-health-costs/>. Accessed November 15, 2024.
2. Walters Kluwer. Wolters Kluwer's Pharmacy Next survey shows 58% of Americans likely to first seek non-emergency healthcare at pharmacies. Wolters Kluwer website. May 17, 2023. Available at: <https://www.wolterskluwer.com/en/news/survey-shows-americans-seek-non-emergency-healthcare-at-pharmacies>. Accessed November 15, 2024.



Update to Statin Exclusion Coding

NEW: The Pharmacy Quality Alliance (PQA) has removed the ICD-10 code of **T46.6X5A** from the eligible rhabdomyolysis myopathy exclusions. Please refer to the updated table below for appropriate statin exclusions. As a reminder, exclusion coding must be submitted in a claim EACH year for the patient to be removed from statin measures. Charting a statin intolerance in the electronic medical record (EMR) does not remove a member from the statin measures. Use the list of required codes in **Figure 9** below; note that a statin allergy diagnosis does not count as an exclusion unless a claim for one of the following codes is submitted.

Questions? Contact either Kirstin Johnson, Select Health Quality Consultant RN (for cardiovascular statin measure) at **801-442-8224** or kirstin.johnson@selecthealth.org OR LeeAnn Madrid (for diabetes statin measure) with the Select Health pharmacy team at leann.madrid@selecthealth.org.

Figure 9. Overview of Qualifying Statin Exclusions to be Coded

For Diabetes Patients ONLY		For Cardiovascular Patients ONLY	
<ul style="list-style-type: none"> • Prediabetes (R73.03, R73.09 codes) • PCOS (E28.2 codes) 		<ul style="list-style-type: none"> • IVF • Myalgia (M79 codes) • Palliative Care 	
For BOTH Diabetes and Cardiovascular Patients			
<ul style="list-style-type: none"> • Cirrhosis • Dialysis 	<ul style="list-style-type: none"> • Hospice Care • Lactation 	<ul style="list-style-type: none"> • Myopathy (G72 codes) • Myositis (M60 codes) 	<ul style="list-style-type: none"> • Pregnancy • Rhabdomyolysis (M62 codes)

Medicare

Important Update: Change for Mesquite Medicare Advantage Patients

Effective **January 1, 2025**, Select Health will transition the following responsibilities for Medicare Advantage (MA) patients residing in Mesquite, NV to Intermountain Health Nevada (IHNV):

- Prior authorizations
- Referrals
- Care management
- Utilization management
- Claims payments

This change applies to both MA HMO and MA PPO plans and is aimed at ensuring a smooth transition with no service disruptions. **Select Health commercial plans on our Med and Value networks will not be affected.**

WHERE TO SUBMIT CLAIMS

Submit Medicare claims to:

Payer ID: 20501
P.O. Box 221375
Eagan, MN 55121

Please be sure to use this information beginning January 1, 2025.

HOW TO MANAGE PRIOR AUTHORIZATIONS

- **Medicare:** Smart UM is the portal for Medicare prior authorizations.
- **Commercial:** For commercial patients, CareAffiliate remains the designated portal.

Questions? Contact us at nvproviderrelations@selecthealth.org. For questions regarding Medicare, please call the IHNV help desk at **702-253-2680**.

Partnering for High-Quality Medicare Star Ratings

Every year, Medicare uses Star Rating system to measure how well Medicare Advantage and Part D plans perform. Medicare scores performance in several categories, including quality of care and customer service.

SELECT HEALTH AWARDED 2025 MEDICARE STAR RATINGS

For 2025, Select Health's newer Medicare PPO contract received its first rating, 3.5 out of 5 stars. Our Medicare HMO plan received 4 out of 5 stars, an above-average rating. Medicare rewards plans with 4+ star ratings with bonus payments and extra benefits.

HOW PROVIDERS CONTINUE TO HELP US ACHIEVE

The Select Health Medicare team is committed to quality and performance, and together we know we can improve future star ratings. While the formula for star ratings is complex, it breaks down into achievable building blocks. Here are some ways providers can support Select Health Medicare's five-star goals:

- **Annual Wellness Visits (AWVs):** Encourage members to schedule an AWV each year with their primary care provider.
- **Health Risk Assessments:** Remind patients about taking a Health Risk Assessment within 30 days of enrolling on their Select Health Medicare plan.
- **Vaccines:** Become a vaccine advocate, especially for annual flu and COVID-19 vaccines. Select Health provides these to members free of charge.
- **Preventive Screenings:** Encourage members to get timely services, such as colonoscopies and mammograms.
- **Home Safety:** If a member is at risk for falls or struggles with getting in and out of the bathtub, let us know so we can connect them with a Select Health care manager.

Practice Management Resources

Immunization Updates and ACIP Highlights

The Advisory Committee on Immunization Practices (ACIP) of the Centers for Disease Control (CDC) met on **October 23–24, 2024**, for its regular triennial vaccine meeting.

Figure 10 below and on the next page summarizes the votes, key guidance, evaluations, and discussions from these meetings related to pneumococcal, COVID-19, influenza, meningococcal, respiratory syncytial virus (RSV), human papilloma virus (HPV), and other vaccines as well as 2025 immunization schedules.

Learn more by accessing:

- [Related details](#) (vaccine evidence presented, committee discussion, and votes) for each recommendation summarized in **Figure 14** (and for previous updates) can be found on the [Select Health Provider Tools](#) area of our website under ACIP Meeting Updates.
- **Archived meeting minutes and slides** are available on the [ACIP meeting website](#) (click on "Meeting Materials").
- **COVID vaccine recommendations** are available on the CDC's [Clinical Considerations](#) website.

Figure 10. Vaccines Guidance Summary

VOTES TO RECOMMEND AND APPROVE	
PNEUMOCOCCAL VACCINES	Administration of: <ul style="list-style-type: none"> • Pneumococcal conjugate vaccines (PCV15, PCV20 or PCV21) to persons ages 50 years and older. • Either PCV20 or PCV21 to complete a series (rather than PPSV23) for adults who have received a dose of PCV13 but have not completed their pneumococcal series.
COVID-19 VACCINES	<ul style="list-style-type: none"> • A second dose of 2024–2025 COVID-19 vaccine for: <ul style="list-style-type: none"> — Adults ages 65 years and older with a 6-month interval between doses. — Persons ages 6 months–64 years who are moderately or severely immunocompromised with a six-month interval between doses (minimum interval two months) • Persons ages six months and older who are moderately or severely immunocompromised may receive additional doses of 2024–2025 COVID vaccine (three or more doses) at least two months apart under shared clinical decision-making.
INFLUENZA VACCINES	Persons ages 18 years who are solid organ transplant patients on immunosuppressive medication regimens may receive either high-dose influenza vaccine (HD-IIV3) or adjuvanted influenza vaccine (aIIV3) in the VFC program.
MENINGOCOCCAL VACCINES	An increased interval between doses in the two-dose series of Bexsero to six months. A three-dose series (0, 1–2, 6 months) may be used for rapid protection and should be used for persons at high-risk ages 10 years and older.
IMMUNIZATION SCHEDULES	Approved Child and Adolescent as well as Adult Immunization Schedule revisions for 2025 (access the full update for a list of revisions).

Continued on page 22...

Figure 10. Vaccines Guidance Summary, Continued

NO VOTE: REVIEWS AND DISCUSSIONS	
RSV MATERNAL/ PEDIATRIC	<ul style="list-style-type: none"> • A Vaccine Safety Datalink (VSD) study of matched vaccinated and unvaccinated pairs showed no increased risk of preterm delivery or infants small for gestational age in women receiving RSVPreF vaccine (Abrysvo) at gestational weeks 32 through 36. • A potential increase in hypertensive disorder of pregnancy that warrants further study. • Data on candidate infant monoclonal antibody clesrovimab.
RSV ADULT	Discussed information on third-season efficacy, vaccine safety, and use in persons younger than age 60 years.
HPV VACCINE	Evaluation of a potential schedule with reduced number of doses. Review of schedule initiation studies at ages 9–10 years with the potential to revise the recommendation language to make initiation at those ages more standard.
OTHER VACCINES	<p>Chikungunya – The Work Group is evaluating Bavarian Norda’s virus-like particle (VLP) vaccine for use in persons ages 12 years and older.</p> <p>Cytomegalovirus (CMV) – Moderna’s CMV vaccine is in Phase 3 study in females ages 16–40 years.</p> <p>Mpox – The Work Group is evaluating Mpox vaccine use in persons ages 12–17 years.</p>

Questions about immunization? Contact Tamara Sheffield, MD, MPA, MPH, Medical Director, Immunization Programs, Intermountain Health Canyons Region, at **801-442-3946**.

Vaccine Hesitancy: Strategies for Well-Child Check Visits

Throughout the ages of infant, toddler, childhood, and adolescence, the relationship that forms between the child (with their parents) and the provider is one of trust and learning that helps ensure the health and well-being of the child as they mature.

THE IMPORTANCE OF WELL-CHILD CHECKS (WCC)

Why do we want to see kids when they are well? The answer lies in being able to check:

- Physical health
- If the child is developing appropriately
- For good mental health
- Level of activity and participation in school and play

The WCC also presents the opportune time for ensuring that the child is immunized according to the recommended vaccine schedule.

The benefits of vaccines outweigh the risks – vaccines prevent many serious diseases that can cause severe illness, disability, or death. Diseases like measles, polio, and hepatitis B can have devastating consequences, and vaccines have significantly reduced their prevalence.¹

THE CHALLENGE OF VACCINE HESITANCY

The last few years have seen an increase in pediatric vaccine hesitancy — a significant challenge during the WCC visit. This hesitancy poses risks not only to individual children, but also to public health at large. As providers, you are at the forefront of this issue, often encountering parents who are uncertain or resistant to vaccinating their children. Understanding the roots of vaccine hesitancy, its implications, and effective communication strategies is crucial to fostering trust and ensuring the well-being of your young patients.

Continued on page 23...

Practice Management Resources, Continued

...Continued from page 22

Building that trusting relationship with the concerned parent enhances your ability to answer questions and help the parent determine the best course of action for their child.

Vaccine hesitancy is a complex issue that is influenced by many factors, including things like: safety concerns, misinformation from a variety of sources including social media, lack of trust, complacency, access issues, and/or cultural and social influences

STRATEGIES FOR ADDRESSING VACCINE HESITANCY

Addressing vaccine hesitancy in your practice and community involves a multifaceted approach that combines education, empathy, and engagement. Here are some effective strategies for WCC visits as well as for practice management and community engagement:

- **Strategies During the WCC Visit:**
 - Build Trust and Rapport: Establishing a trusting relationship with families is crucial for effective communication. Listening to concerns and showing empathy can increase the likelihood of parents following recommendations.²
 - Provide clear, evidence-based information about the safety and efficacy of vaccines to dispel myths and misinformation. Use reputable sources, such as the CDC and WHO, to back up your claims. Highlight the rigorous testing and continuous monitoring that vaccines undergo to ensure their safety. Avoid medical jargon and use simple, clear language to explain the benefits and safety of vaccines. Visual aids, infographics, and videos can help make the information more accessible and understandable.^{3,4}
 - Listen to the concerns and fears without judgment. Show empathy and understanding, which can help build trust. Personal stories and testimonials from people who have benefited from vaccines can also be powerful.³
- **Strategies After the WCC Visit:**
 - Regularly follow up with individuals who have expressed hesitancy. Provide ongoing support and information to help them make informed decisions. Reminders for vaccination appointments can also be helpful.³
 - Be Patient and Persistent: Changing attitudes and behaviors takes time, so it's important to be patient and persistent in educating families.¹
- **Strategies for Practice Management**
 - Increase access to vaccines by providing flexible hours for vaccination appointments and organizing community vaccination drives as well as offering vaccines at local clinics, schools, and workplaces.⁴
 - Promote a practice and community culture that values and supports vaccination through public health campaigns, educational programs, and community events. Highlight the collective benefits of vaccination, such as herd immunity and the protection of vulnerable populations.³
- **Strategies for Community Engagement:**
 - Work with trusted community leaders, healthcare providers, and influencers to spread positive messages about vaccination. These individuals can help reach a wider audience and lend credibility to the information being shared.⁴
 - Use social media and community forums to counteract myths and misinformation. Provide factual, evidence-based responses to address common misconceptions and provide accurate information.³
 - Ensure that healthcare provider colleagues and peers are equipped with the knowledge and resources to address vaccine hesitancy. Consistent messaging from all healthcare professionals can reinforce the importance of vaccination.⁴

Continued on page 24...

Practice Management Resources, Continued

...Continued from page 23

The families that you care for as a primary care provider value your opinion and expertise. They trust you to help guide them to make informed and shared decisions about their child's health. By implementing these strategies, you can help reduce vaccine hesitancy and increase vaccination rates in your community, ultimately contributing to better public health outcomes.

LEARN MORE

Access these online resources:

- Centers for Disease Control and Prevention (CDC); Vaccines and Immunizations. Vaccinate with Confidence. **CDC.gov** website. 2019. <https://www.cdc.gov/vaccines/partners/vaccinate-with-confidence.html>. Accessed October 31, 2024.
- Kaiser Permanente; American Hospital Association. Addressing COVID-19 Vaccine Hesitancy in Your Community. **AMA.org** website. July 15, 2021. <https://www.aha.org/system/files/media/file/2021/07/KP-Recs-Increasing-Vaccine-Uptake-Quick-Reference-Guide.pdf>. Accessed October 31, 2024.
- Select Health. Advisory Committee on Immunization Practices (ACIP) Updates. **Selecthealth.org** website. <https://selecthealth.org/providers/publication-resources/tools>. Accessed October 31, 2024.

References:

1. World Health Organization (WHO). Safety of COVID-19 Vaccines. **who.int.org** website. March 31, 2021. <https://www.who.int/news-room/feature-stories/detail/safety-of-covid-19-vaccines>. Accessed October 31, 2024.
2. Contrera J, Warren M. Immunizations, including the COVID-19 vaccine, and regular checkups keep children, families, and providers safe. U.S. Department of Health and Human Services; Administration for Children & Families. June 6, 2022. <https://www.acf.hhs.gov/blog/2022/06/blog/immunizations-including-covid-19-vaccine-and-regular-checkups>. Accessed October 31, 2024.
3. Goje O, Kapoor A. Meeting the challenge of vaccine hesitancy. *Cleveland Clin J of Med*. 2024;91(9 suppl 1):S50-S56.
4. Singh P, Dhalaria P, Kashyap S, et al. Strategies to overcome vaccine hesitancy: A systematic review. *Systematic Reviews*. 2022;11 (78).

Automate Select Health Preauthorization Requests: Switch to CareAffiliate®

Start submitting preauthorization requests electronically with [CareAffiliate](#), Select Health's online preauthorization tool for commercial networks (Med and Value).^{*} Compared to faxed and emailed requests, using this tool offers many benefits, such as:

- Reduced response time
- 24/7 preauthorization status information
- No risk of faxed information being lost, sent to the wrong number, or other errors
- Reduced follow-up calls and decision delays due to missing information
- Automatic review and preauthorization decisions for many procedures

GETTING STARTED WITH CAREAFFILIATE

CareAffiliate Access — Use of CareAffiliate requires access to the Select Health secure Provider Portal (login required). To request access, follow these online instructions:

- [Participating Providers](#)
- [Intermountain Health Nevada Providers](#)

ACCESSING TRAINING AND RESOURCES

Learn more by visiting our [online training area](#), where we now feature short training videos to help you get started, or by reading the CareAffiliate [Frequently Asked Questions](#).

^{*} Medicare Advantage preauthorization requests should be submitted to Intermountain Health Nevada. **Questions?** Contact your Nevada Provider Relations representative.

Recent Updates

- **September 4, 2024:** Pain Interventions request type has been updated to reflect current criteria for Commercial plans.
- **April 24, 2024:** Eye procedures have been updated to reflect current criteria for the Medicare plan.
- **April 3, 2024:** Eye procedures have been updated to reflect current criteria (Commercial, CHIP, and Medicaid).
- **March 13, 2024:** The Hyperbaric Oxygen Therapy request type has been updated to improve user experience.

USER TIPS

Remember these helpful tips as you use CareAffiliate:

- **Exclude** procedure codes that do not require review should not be included on requests.
- **Resolve common issues**, such as being unable to access a provider or receiving a 401 error, by:
 - Clearing your browsing data. **Ctrl+Delete** keyboard shortcut can be used for most browsers.
 - Do a new search instead of selecting the requesting or servicing provider from the type-ahead, drop-down list. To search, use the magnifying glass icon and enter the NPI.
- **Need a Pharmacy Preauthorization?** Submit your requests through [PromptPA](#).

Questions? Email us at careaffiliate@selecthealth.org.

Advance Care Planning (ACP): How to Get Started with Your Patients

ACP can seem overwhelming in a busy medical practice and oftentimes patients are not prepared or comfortable to start the conversation.

Select Health offers resources to make advance care planning easier for you, your practice, and your patients.

SHARING RESOURCES BEFORE THE PATIENT'S NEXT VISIT

The first step is to get your patients to start thinking about and learning about ACP prior to their visit with you.

Below are resources you can share with your patients. These resources can help start the conversation so that the visit time will be used more efficiently, and your patients will be more familiar and comfortable with the ACP process:

- National Institutes of Health publications:
 - [Advance Care Planning: A Conversation Guide](#)
 - [Tips for Advance Care Planning](#)
- National Institute on Aging ([nih.gov](#)) [Advance Care Planning website](#)


GETTING SELECT HEALTH REIMBURSEMENT FOR ADVANCE CARE PLANNING

Select Health reimburses you for having advance care discussions with your patients, even in the same visit where other services are provided. Use these CPT codes:

- **99497** for the first 15–30 minutes (counts for 1.5 RVU)
- **99498** for each additional 30 minutes of service (counts for 1.4 RVU)

Learn more. Access the American Academy of Family Physician's guidance: [Coding & Documentation: Advance Care Planning](#) or the Centers for Medicare and Medicaid Services (CMS) publication: [MLN909289 - Advance Care Planning](#).

Questions? Contact either Dr. Catherine Burton (catherine.burton@imail.org) or Dr. Mary Suchyta (mary.suchyta@selecthealth.org).



Dental Health and Pregnancy

As we work to improve maternal health outcomes, it is important that we focus on the impact of poor oral health to prevent problems for both mother and child.

The most common oral manifestations associated with pregnancy include dental caries, periodontitis, gingivitis, pyogenic granuloma, and candidiasis. For example, research indicates that the presence of periodontal disease can be twice as high in pregnant women and in non-pregnant women.¹

Beyond maternal health, there is a strong relationship between preterm birth and periodontitis.²

WHY ARE PREGNANT WOMEN MORE AT RISK?

Pregnant women are more susceptible to gingivitis and periodontal disease due to changes in the body and lifestyle during pregnancy, such as:

- **Hormonal changes:** Producing more progesterone and estrogen causes increased vessel dilatation in the gingival area, increasing mouth absorbency and contributing to a less-efficient immune system.
- **Nausea gravidarum (morning sickness):** More frequent vomiting induces tooth sensitivity. A more acidic oral cavity increases caries risk and enamel erosion.
- **Carbohydrate Consumption:** More frequent snacking to avoid nausea may increase the risk for caries and gingivitis.
- **Social Determinants of Health (SDoH):** Demographic, social, and economic barriers to regular dental care include:
 - Affordability of dental insurance deductibles and copays since it is treated as a separate entity from traditional health insurance
 - Limited availability of dental care in poorer urban and rural settings

- **Misunderstandings About Oral Health Priorities:**

Both providers and patients can have mistaken beliefs about the impact of oral health on one's general health and that it protects the developing baby to delay dental care until after birth. Timely visits for early diagnosis and treatment can reduce disease risk. (See **Figure 11** on the next page for-specific guidance.)

ARE THESE ORAL MANIFESTATIONS PREVENTABLE?

For pregnant women, the oral prophylaxis rate (dental cleanings) is only 46%, with much lower rates among those who are socially and economically disadvantaged.³ Contributing factors to this underutilization include:³

- Lack of recommendations about routine dental checkups during pregnancy
- Cost and availability
- Additional need for time off work and babysitting
- Cultural concerns about seeking dental care during pregnancy

WHAT CAN PROVIDERS DO TO HELP?

The nation's *Healthy People 2030* goals have identified 15 oral health-related objectives to combat poor oral health and increase dental care access.⁴

Published in 2012, a national consolidated set of interprofessional guidelines (co-sponsored by the American College of Obstetricians and Gynecologists and the American Dental Association) stressed oral health promotion and care during pregnancy for all women.⁵

Specifically, the guidance focuses on the role prenatal and oral health providers should play in assessing, advising, referring, and sharing/coordinating care for this patient population. However, a recent study of 275 providers (134 prenatal providers and 141 oral health providers), found significant gaps in prenatal and oral health providers' awareness, familiarity, beliefs, and

...Continued on page 28

Practice Management Resources, Continued

...Continued from page 27

practice behaviors related to the interprofessional prenatal oral health guidelines.⁶

There are several ways providers can improve outcomes for pregnant patients, such as:

- **Become familiar with the interprofessional guidelines.**⁵
- **Educate patients about the changes they experience** during pregnancy that can increase oral disease risk as well as the importance of good dental hygiene,
- **regular dental checkups, and cleaning for maternal and child health.**
- **Ask patients** if they have a dentist and get regular checkups and cleanings.
- **Explore and understand the reasons** why women do not seek dental care during pregnancy
- **Use the information in Figure 11 (below) as a reference** when discussing maternal oral health with your patients.

Figure 11. Common Oral Problems in Pregnant Women⁷

Outcome	Action Plan	Safe Timing
GINGIVITIS		
Inflammation and bleeding of the gums when probing/brushing	<ul style="list-style-type: none"> • Get regular dental checkups. • Maintain good oral hygiene (including brushing 2X/day and flossing). • If persists, visit dentist. 	Throughout pregnancy
PERIODONTITIS		
Lost teeth; infected gums (if untreated, becomes periodontitis)	<ul style="list-style-type: none"> • Refer for scaling and root surface instrumentation. • Root canal, if necessary. 	Second trimester
TOOTH EROSION		
Sensitivity of the teeth	<ul style="list-style-type: none"> • Clean oral cavity with water after vomiting. • Avoid brushing for 1 hour. • Dental restoration if needed. 	Throughout pregnancy
XEROSTOMIA		
Dryness of mouth	<ul style="list-style-type: none"> • Maintain good oral hygiene. • Drink 2-3 L of water/day. • Avoid caffeine, tobacco, alcohol. • Use saliva substitutes and other interventions (e.g., chewing sugar-free gum). 	Throughout pregnancy
TOOTH DECAY		
Food accumulation in the cavity, causing pain	<ul style="list-style-type: none"> • Maintain good oral hygiene. • Get needed fillings (but not amalgam). 	Throughout pregnancy
PREGNANCY TUMOR (PYOGENIC GRANULOMA OR PREGNANCY EPULIS)		
Hyperplastic lesion or overgrowth on gingiva	<ul style="list-style-type: none"> • Avoid irritant products like tobacco, smoke. • Get professional cleanings. • Ask about hormonal level management. • Surgical removal or electrocautery, if necessary. 	Throughout pregnancy

Practice Management Resources, Continued

...Continued from page 28

References:

1. Pecci-Lloret MP, Linares-Pérez C, Pecci-Lloret MR, Rodríguez-Lozano FJ, Oñate-Sánchez RE. Oral Manifestations in Pregnant Women: A Systematic Review. *J Clin Med*. 2024;13(3):707.
2. Calixto N., Alves C., Abreu L., Thomaz E., et al. Detection of periodontal pathogens in mothers of preterm birth and/or low weight. *Med. Oral Patol. Oral Cir. Bucal*. 2019;24:e776–e781.
3. Jahan SS, Hoque Apu E, Sultana ZZ, Islam MI, Siddika N. Oral Healthcare during Pregnancy: Its importance and challenges in lower-middle-income countries (LMICs). *Int J Environ Res Public Health*. 2022 Aug 27;19(17):10681.
4. U.S. Department of Health and Human Services; Office of Disease Prevention and Health Promotion. Healthy People 2030: Oral Conditions. [odphp.health.gov](https://odphp.health.gov/healthypeople/objectives-and-data/browse-objectives/oral-conditions) website. <https://odphp.health.gov/healthypeople/objectives-and-data/browse-objectives/oral-conditions>. Accessed October 30, 2024.
5. Oral Health Care During Pregnancy Expert Workgroup. *Oral Health Care During Pregnancy: A National Consensus Statement*. 2012. Washington, DC: Maternal and Child Health Oral Health Resource Center.
6. Vamos CA, Cayama MR, Mahony H, et al. Oral health during pregnancy: An analysis of interprofessional guideline awareness and practice behaviors among prenatal and oral health providers. *BMC Pregnancy Childbirth*. 2023;23(1):721.
7. Islam NAB, Haque A. Pregnancy-related dental problems: A review. *Heliyon*. 2024;10(3):e24259.

Practice Management Resources, Continued

Navigate! How can we help you today?

Start with Select Health online self-service solutions. Access our provider website (selecthealth.org/providers) for the quickest way to get your questions answered. Direct links are in purple type.

Do you need to:	Go to:
Find member ID card information?	https://selecthealth.org/providers/claims/id-guides
Access non-covered codes/ preauthorization requirements?	https://selecthealth.org/providers/publication-resources/tools
Request preauthorization?	https://selecthealth.org/providers/preauthorization
Appeal a claim?	https://files.selecthealth.cloud/api/public/content/provider_appeal_form.pdf
Find pharmacy resources?	https://selecthealth.org/providers/pharmacy
Access dental provider resources?	https://selecthealth.org/providers/dental
Access Select Health policies (medical, dental, coding/reimbursement)?	https://selecthealth.org/providers/policies
Learn about our secure provider tools (Provider Benefit Tool, CareAffiliate®)?	For the Provider Benefit Tool (check eligibility and claims status): https://selecthealth.org/providers/claims/provider-benefit-tool For CareAffiliate (submit and track online preauthorization requests): https://selecthealth.org/providers/preauthorization/careaffiliate/ca-training

Contact us when you can't find answers online. We're here to help Monday through Friday. Phone and email requests are answered in the order they are received.

When you need to:	Access:
Verify member benefits or get help with claims payment issues and information	The Provider Benefit Tool or Member Services: 800-538-5038
Resolve issues with provider setup or directory listing	Provider Development: 800-538-5054 ; provider.development@selecthealth.org
Get help with access to tools on our secure Provider Portal and online tools (Provider Benefit Tool, CareAffiliate)	Provider Web Services: providerwebservices@selecthealth.org
Resolve claims appeals/preauth issues	Compliance and Appeals: 844-208-9012
Manage Electronic Funds Transfer (EFT)	EDI Department: 800-538-5099 (fax: 801-442-0372); edi@selecthealth.org
Change passwords, reactivate accounts, resolve issues with 2-Step Authentication (PingID)	Account Help Desk: 801-442-7979, Option 2
Request fee schedules (contracted providers only)	Provider Development: SHFeeScheduleRequests@selecthealth.org



Disclaimers:

Select Health refers to many of the products in this issue by their respective trademarks, but Select Health does not own those trademarks; the manufacturer or supplier of each drug owns the drug's trademark. By listing these products, Select Health does not endorse or sponsor any drug, manufacturer, or supplier. And these manufacturers and suppliers do not endorse or sponsor any Select Health service or plan and are not affiliated with Select Health.

Select Health uses third-party links in this newsletter for informational purposes only. Information contained in these third-party links is the sole responsibility of the owner of the third-party link. Select Health is not responsible for the accuracy, legality, or content of third-party links, and use of these links is at the discretion of the end-user.