

Quality Provider Program: Endocrinology

Performance Measures Quick Guide

For more details about these measures, refer to the [Quality Provider Program Quality Measures: Endocrinology](#) booklet. All measures relate to women as described in the denominator.

| Measure/Abbr. | Who's Included? (Denominator) | What's Needed? (Numerator) | How Often? | Exclusion(s) ¹ | Helpful Codes |
|--|---|--|---|--|--|
| Diabetes Care: Glycemic Status in Control/GSD | Members ages 18–75 identified as having diabetes (type 1 or type 2) through claim/encounter data or pharmacy data | Most recent hemoglobin A1c (HbA1c) or glucose management indicator (GMI) is <8% | Annual, most recent A1C used for measurement | Members who: <ul style="list-style-type: none"> Are enrolled in hospice or palliative care any time during the measurement year Died any time during the measurement year Medicare members 66 years and older who: <ul style="list-style-type: none"> Enrolled in an I-SNP or living in a long-term institution any time during the measurement year Had claim-based proof of frailty and advanced illness during the measurement year Have been prescribed dementia medications For EED Measure Only: Note that blindness does not remove patient from the measure. | <ul style="list-style-type: none"> A1c CPT II Codes: <ul style="list-style-type: none"> Compliant: 3044F <7; 3051F 7–8 Non-compliant: 3052F 8–9; 3046F >9 |
| Diabetes Care: Eye Exam/EED | | Retinal eye exam performed by an optometrist or ophthalmologist* OR a negative retinal eye exam performed in the year prior to the measurement year | Annual if positive; every 2 years if negative | | <ul style="list-style-type: none"> Eye Exam Inclusion CPT II Codes: 2022F; 2023F Low risk of retinopathy: 3072F |
| Diabetes: Kidney Health Evaluation (KED) | Members 18–85 identified as having diabetes (type 1 or type 2) through claim/encounter data or pharmacy data | eGFR and uACR (or urine creatinine and albumin test within 4 days of each other) | Annual | Members who: <ul style="list-style-type: none"> Have had ESRD or dialysis by the end of the measurement year Enrolled in hospice or palliative care any time during the measurement year Died any time during the measurement year Medicare members: <ul style="list-style-type: none"> (For those 66 years and older) Enrolled in an I-SNP or living in a long-term institution any time during the measurement year (For those 66 to 80 years of age) With claim-based proof of frailty and advanced illness or were dispensed a dementia medication during the measurement year (For those 81 years of age and older by the end of the measurement year) With at least 2 indications of frailty during the measurement year on different dates of service | <ul style="list-style-type: none"> eGFR Codes: 80047, 80048, 80050, 80053, 80069, 82565 uACR Codes: 82043, 82570 (NOTE: Requires the use of both codes for compliance) |

* To be compliant, a retinal exam performed during the measurement year must include the result and evidence that result was read or reviewed by an optometrist or ophthalmologist; for abnormal retinal eye exams, diabetes eye exams must be repeated annually. An eye exam with result documented as "unknown" does not meet criteria.

Continued...

| Measure/Abbr. | Who's Included? (Denominator) | What's Needed? (Numerator) | How Often? | Exclusion(s) ¹ | Helpful Codes |
|--|--|--|----------------|---|---|
| Med Adherence: Diabetes (MA)²/MAD | Select Health Medicare members (ages 18 and older) with 2 fills of any non-insulin diabetes medication | Adherence to medications as prescribed at least 80% of PDC (portion of days covered) | Annual | <ul style="list-style-type: none"> Enrollment in hospice care, diagnosis of end-stage renal disease (ESRD), or dialysis coverage dates any time during the measurement year One or more prescriptions for insulin | N/A |
| Osteoporosis: Management (MA)²/OMW | Women ages 67–85 who suffered a fracture | Bone mineral density (BMD) test or dispensed prescription to treat osteoporosis | After fracture | <p>Members who:</p> <ul style="list-style-type: none"> Had a BMD test within 24 months prior to the fracture Received osteoporosis therapy or dispensed a medication to treat osteoporosis within 12 months prior to the fracture Enrolled in hospice or palliative care or died any time during the measurement year Enrolled in an I-SNP or living in a long-term institution any time during the intake period through the end of the measurement year Are ages 67–80 and have claim-based proof of both frailty plus EITHER: <ul style="list-style-type: none"> Advanced illness on at least 2 different dates of service; OR Were dispensed a dementia medication during the measurement year Are ages 81 and older and have at least 2 indications of frailty on different dates of service during the intake period to the end of the measurement year | <p>BMD Test Codes: 76977, 77078, 77080, 77081, 77085, 77086</p> <p>NOTE: Fractures of the finger, toe, face, and skull are not included in this measure.</p> |
| Osteoporosis: Screening (MA)²/OSW | Women ages 65–75 who have not received osteoporosis therapy or osteoporosis medication | Screening test | Every 2 years | <p>Members who:</p> <ul style="list-style-type: none"> Have a claim for osteoporosis long-acting therapy at any time in their history Were dispensed a prescription to treat osteoporosis within the last 3 years Enrolled in hospice or palliative care or died any time during the measurement year Enrolled in an I-SNP or living in a long-term institution any time during the intake period through the end of the measurement year Are age 66 and older and have claim-based proof of both frailty plus EITHER: <ul style="list-style-type: none"> Advanced illness on at least 2 different dates of service; OR Were dispensed a dementia medication during the measurement year | <p>Osteoporosis Screening Test Codes: 76977, 77078, 77080, 77081, 77085</p> |

Continued...

| Measure/Abbr. | Who's Included? (Denominator) | What's Needed? (Numerator) | How Often? | Exclusion(s) ¹ | Helpful Codes |
|--|---|-------------------------------|------------|---|--|
| Statin Therapy: Diabetes (MA)²/ SUPD | Select Health Medicare members (ages 40 to 75) with diabetes | Dispensed one statin | Annual | Any of the following diagnoses/criteria at any time during the measurement year: <ul style="list-style-type: none"> • Hospice enrollment • End-stage renal disease (ESRD) diagnosis or dialysis coverage dates • Rhabdomyolysis and myopathy • Pregnancy, lactation, and fertility • Cirrhosis • Pre-diabetes • Polycystic ovary syndrome (PCOS) | Exclusion codes: <ul style="list-style-type: none"> • Myositis: M60.80, M60.819, M60.829, M60.839, M60.849, M60.859, M60.869, M60.879, M60.9 • Myopathy: G72.0, G72.89, G72.9 • Rhabdomyolysis: M62.82 • Lactation: O91.03, O91.13, O91.23, O92.03, O92.13, O92.5, O92.70, O92.79, Z39.1 • PCOS: E28.2 • Cirrhosis: K70.30, K70.31, K71.7, K74.3, K74.4, K74.5, K74.60, K74.69 • ESRD: I12.0, I13.11, I13.2, N18.5, N18.6, N19, Z91.15, Z99.2 |

¹ Hospice will exclude members from all measures.

² (MA) Limited to Select Health Medicare members only.