

Quality Provider Program 2025 Performance Measures

WOMEN'S HEALTH



TABLE OF CONTENTS

Chlamydia Screening 3
Postpartum Depression Screening 4
Postpartum Depression Follow Up..... 5
Prenatal Depression Screening 6
Prenatal Depression Follow Up..... 7
Social Determinants of Health Screening 8
Substance Use Disorder Screening During Pregnancy 9

APPENDICES:

Appendix A: Screening Instrument Tables for 2025 Program 10
Appendix B: Weeks of Gestation Less than 37 Value Set..... 11
Appendix C: Eligible Social Determinants of Health (SDoH) Z Codes12

Chlamydia Screening in Women (CHL)

Description	The percentage of women ages 16–24 identified as sexually active who had at least one test for chlamydia during the measurement year
Denominator	Members ages 16 to 24 (any time in the measurement year) who have been identified as sexually active through the use of claim/encounter data and pharmacy data during the measurement year
Numerator	Members in the denominator who had one or more chlamydia screening(s) during the measurement year
Measurement Periods	January 1 through December 31 of the measurement year
Exclusions for 2025	<ul style="list-style-type: none"> • Enrollment in hospice any time during the measurement year • A pregnancy test during the measurement year and a prescription for isotretinoin on the date of the pregnancy test or within the 6 days after the pregnancy test • A pregnancy test during the measurement year and an X-ray on the date of the pregnancy test or within the 6 days after the pregnancy test • Members who died any time during the measurement year
Corrections Allowed	<p>Copy of EMR note or progress note signed by provider indicating the result and result date of the screening. This can be the actual screening report or documentation by the provider in the medical record.</p> <p>NOTE: The National Committee for Quality Assurance (NCQA) does not allow exclusions for abstinence or monogamy.</p>

Postpartum Depression Screening (PDS-E)

Description	The number of deliveries in which members were screened for clinical depression using a standardized instrument during the postpartum period*
Denominator	Deliveries during September 8th of the year prior to the measurement period through September 7th of the measurement period.
Numerator	Deliveries in which members had a documented result for depression screening, using an age-appropriate standardized instrument, performed during the 7–84 days following the delivery date
Measurement Periods	January 1 through December 31 of the measurement year
Exclusions for 2025	<ul style="list-style-type: none"> • Enrollment in hospice any time during the measurement period • Members who die any time during the measurement period
Coding Requirements	See Appendix A: Screening Instrument Tables for 2025 Program (page 8).

* The American College of Obstetricians and Gynecologists (ACOG) recommends multiple postpartum visits no later than 12 weeks after birth that include a full assessment of psychological well-being, including screening for postpartum depression and anxiety with a validated instrument.

The U.S. Preventive Services Task Force (USPSTF) and ACOG also recommend that screening be implemented with adequate systems in place to ensure accurate diagnosis, effective treatment, and appropriate follow-up. Submit formal process in writing.

Postpartum Depression Follow Up (PDS-E30)

Description	The number of deliveries in which members received follow-up care within 30 days of a positive depression screen finding
Denominator	All deliveries from the Postpartum Depression Screening Measure (PDS-E) with a positive finding for depression during the 7–84 days following the date of delivery.
Numerator	<p>Deliveries in which members received follow-up care on or up to 30 days after the date of the first positive screen (31 total days)</p> <p>Any of the following on or up to 30 days after the first positive screen:</p> <ul style="list-style-type: none"> • An outpatient, telephone, e-visit or virtual check-in follow-up visit with a diagnosis of depression or other behavioral health condition • A depression case management encounter that documents assessment for symptoms of depression or a diagnosis of depression or other behavioral health condition • A behavioral health encounter, including assessment, therapy, collaborative care or medication management (ICD-10-CM code Z71.82) • A dispensed antidepressant medication <p>OR</p> <p>Documentation of additional depression screening on a full-length instrument indicating either no depression or no symptoms that require follow-up (i.e., a negative screen) on the same day as a positive screen on a brief screening instrument</p>
Measurement Periods	January 1 through December 31 of the measurement year
Exclusions for 2025	<ul style="list-style-type: none"> • All episodes for members who use hospice services or benefit during the measurement period • Member who dies any time during the measurement period
Coding Requirements*	See Appendix A: Screening Instrument Tables for 2025 Program (page 8).

NOTE: The United States Preventive Services Task Force (USPSTF) and American College of Obstetricians and Gynecologists (ACOG) also recommend that screening be implemented with adequate systems in place to ensure accurate diagnosis, effective treatment, and appropriate follow up. (B recommendation)

* See [Coding Reference \(PND-E30 and PDS-E30\)](#)

Prenatal Depression Screening (PND-E)

Description	The number of deliveries in which members were screened for clinical depression during pregnancy using a standardized instrument*
Denominator	<p>Deliveries during the measurement period that meet the following criteria:</p> <p>Meet requirements for participation</p> <p>Have a gestational age assessment (SNOMED CT code 412726003; value is not null) or gestational age diagnosis within 1 day of the delivery date. A code from any of the value sets indicated below meets criteria for gestational age diagnosis:</p> <ul style="list-style-type: none"> • Weeks of Gestation Less Than 37 Value Set** • 37 weeks gestation (ICD-10-CM code Z3A.37) • 38 weeks gestation (ICD-10-CM code Z3A.38) • 39 weeks gestation (ICD-10-CM code Z3A.39) • 40 weeks gestation (ICD-10-CM code Z3A.40) • 41 weeks gestation (ICD-10-CM code Z3A.41) • 42 weeks gestation (ICD-10-CM code Z3A.42) • 43 weeks gestation (ICD-10-CM code Z3A.49)
Numerator	<p>Deliveries in which members had a documented result for depression screening, using an age-appropriate standardized screening instrument, performed during pregnancy (on or between pregnancy start date and the delivery date)</p> <p>Deliveries between January 1 and December 1 of the measurement period: Screening should be performed between the pregnancy start date and the delivery date (including on the delivery date).</p> <p>Deliveries between December 2 and December 31 of the measurement period: Screening should be performed between the pregnancy start date and December 1 of the measurement period.</p>
Measurement Periods	January 1 through December 31
Pregnancy Start Date	Pregnancy start date is calculated by subtracting the gestational age (in weeks) at the time of delivery from the delivery date. Use the last gestational age assessment or diagnosis within 1 day of the start or end of the delivery.
Exclusions for 2025	<ul style="list-style-type: none"> • Enrollment in hospice any time during the measurement period • Members who die any time during the measurement period
Coding Requirements	See Appendix A: Screening Instrument Tables for 2025 Program (page 10).

* USPSTF recommends screening for depression among adolescents and adults including pregnant and postpartum women. (B recommendation)
 ACOG recommends that clinicians screen patients at least once during pregnancy or the postpartum period for depression and anxiety symptoms using a standardized, validated tool.

The USPSTF and ACOG also recommend that screening be implemented with adequate systems in place to ensure accurate diagnosis, effective treatment, and appropriate follow-up. (B recommendation)

** See Appendix B on [page 11](#).

Prenatal Depression Follow Up (PND-E30)

Description	The percentage of deliveries in which members received follow-up care within 30 days of a positive depression screen finding.
Denominator	All deliveries in which members had a documented positive finding for depression, using an age-appropriate standardized screening instrument, performed during pregnancy (on or between pregnancy start date and the delivery date).
Numerator	<p>Deliveries in which members received follow-up care on or up to 30 days after the date of the first positive screen (31 total days)</p> <p>Any of the following on or up to 30 days after the first positive screen:</p> <ul style="list-style-type: none"> • An outpatient, telephone, e-visit or virtual check-in follow-up visit with a diagnosis of depression or other behavioral health condition • A depression case management encounter that documents assessment for symptoms of depression or a diagnosis of depression or other behavioral health condition • A behavioral health encounter, including assessment, therapy, collaborative care or medication management (ICD-10-CM code Z71.82) • A dispensed antidepressant medication <p>OR</p> <p>Documentation of additional depression screening on a full-length instrument indicating either no depression or no symptoms that require follow-up (i.e., a negative screen) on the same day as a positive screen on a brief screening instrument</p>
Measurement Periods	January 1 through December 31
Pregnancy Start Date	Pregnancy start date is calculated by subtracting the gestational age (in weeks) at the time of delivery from the delivery date. Use the last gestational age assessment or diagnosis within 1 day of the start or end of the delivery.
Exclusions for 2025	<ul style="list-style-type: none"> • All episodes for members who use hospice services or benefit during the measurement period • Member who dies any time during the measurement period
Coding Requirements*	<ul style="list-style-type: none"> • See Appendix A: Screening Instrument Tables for 2025 Program (page 10). • Have a gestational age assessment (SNOMED CT code 412726003; value is not null) or gestational age diagnosis within 1 day of the delivery date. A code from any of the following value sets meets criteria for gestational age diagnosis: <ul style="list-style-type: none"> — Weeks of Gestation Less Than 37 Value Set** — 37 weeks gestation (ICD-10-CM code Z3A.37) — 38 weeks gestation (ICD-10-CM code Z3A.38) — 39 weeks gestation (ICD-10-CM code Z3A.39) — 40 weeks gestation (ICD-10-CM code Z3A.40) — 41 weeks gestation (ICD-10-CM code Z3A.41) — 42 weeks gestation (ICD-10-CM code Z3A.42) — 43 weeks gestation (ICD-10-CM code Z3A.49)

* See [Coding Reference \(PND-E30 and PDS-E30\)](#)

** See Appendix B on [page 11](#).

Social Determinants of Health (SDoH) Screening and Needs Identification

Description	The number of members screened for social determinants of health (SDoH) during the measurement period who screened positive for a social need.
Denominator	All attributing members for the measurement period
Numerator	Members screened with a standardized instrument who had a positive screen for social determinants of health*
Measurement Period	January 1 through December 31
Coding Requirements	Utilization of Z Codes for positive screening (see Appendix C on page 12). Payout is based on Z Codes received through claims.

* Recommended screening tool: [PRAPARE](#) or Social Check (Intermountain Health internal tool)

Substance Use Disorder Screening During Pregnancy

Description	The number of deliveries in which members were screened for substance use disorder while pregnant using a standardized instrument
Denominator	All attributing pregnant members for the measurement year, minus exclusions
Numerator	Members in the denominator who had a documented result for substance use disorder screening, using an age-appropriate standardized screening instrument, performed during pregnancy
Measurement Period	January 1 through December 31
Exclusions for 2025	<ul style="list-style-type: none">• Enrollment in hospice any time during the measurement period• Members who die any time during the measurement period

Appendix A: Screening Instrument Tables for 2025 Program

INSTRUMENTS FOR ADOLESCENTS (≤17 YEARS)	TOTAL SCORE LOINC CODES	POSITIVE FINDING
Patient Health Questionnaire® (PHQ-9)	44261-6	Total Score ≥10
Patient Health Questionnaire Modified for Teens® (PHQ- 9M)	89204-2	Total Score ≥10
Patient Health Questionnaire-2® (PHQ-2)*	55758-7	Total Score ≥3
Beck Depression Inventory-Fast Screen® (BDI-FS)* **	89208-3	Total Score ≥8
Center for Epidemiologic Studies Depression Scale-Revised (CESD-R)	89205-9	Total Score ≥17
Edinburgh Postnatal Depression Scale (EPDS)	71354-5	Total Score ≥10
PROMIS Depression	71965-8	Total Score (T Score) ≥60

INSTRUMENTS FOR ADULTS (18+ YEARS)	TOTAL SCORE LOINC CODES	POSITIVE FINDING
Patient Health Questionnaire® (PHQ-9)	44261-6	Total Score ≥10
Patient Health Questionnaire-2® (PHQ-2)*	55758-7	Total Score ≥3
Beck Depression Inventory-Fast Screen® (BDI-FS)* **	89208-3	Total Score ≥8
Beck Depression Inventory (BDI-II)	89209-1	Total Score ≥20
Center for Epidemiologic Studies Depression Scale-Revised (CESD-R)	89205-9	Total Score ≥17
Duke Anxiety-Depression Scale® (DUKE-AD)**	90853-3	Total Score ≥30
Edinburgh Postnatal Depression Scale (EPDS)	71354-5	Total Score ≥10
My Mood Monitor® (M-3)	71777-7	Total Score ≥5
PROMIS Depression	71965-8	Total Score (T Score) ≥60
Clinically Useful Depression Outcome Scale (CUDOS)	90221-3	Total Score ≥31

* Brief screening instrument; all other instruments are full-length.

** Proprietary; there may be cost or licensing requirement associated with use.

Appendix B: Weeks of Gestation Less than 37 Value Set

- Z3A.01 [Z3A.01] Less than 8 weeks gestation of pregnancy
- Z3A.08 [Z3A.08] 8 weeks gestation of pregnancy
- Z3A.09 [Z3A.09] 9 weeks gestation of pregnancy
- Z3A.10 [Z3A.10] 10 weeks gestation of pregnancy
- Z3A.11 [Z3A.11] 11 weeks gestation of pregnancy
- Z3A.12 [Z3A.12] 12 weeks gestation of pregnancy
- Z3A.13 [Z3A.13] 13 weeks gestation of pregnancy
- Z3A.14 [Z3A.14] 14 weeks gestation of pregnancy
- Z3A.15 [Z3A.15] 15 weeks gestation of pregnancy
- Z3A.16 [Z3A.16] 16 weeks gestation of pregnancy
- Z3A.17 [Z3A.17] 17 weeks gestation of pregnancy
- Z3A.18 [Z3A.18] 18 weeks gestation of pregnancy
- Z3A.19 [Z3A.19] 19 weeks gestation of pregnancy
- Z3A.20 [Z3A.20] 20 weeks gestation of pregnancy
- Z3A.21 [Z3A.21] 21 weeks gestation of pregnancy
- Z3A.22 [Z3A.22] 22 weeks gestation of pregnancy
- Z3A.23 [Z3A.23] 23 weeks gestation of pregnancy
- Z3A.24 [Z3A.24] 24 weeks gestation of pregnancy
- Z3A.25 [Z3A.25] 25 weeks gestation of pregnancy
- Z3A.26 [Z3A.26] 26 weeks gestation of pregnancy
- Z3A.27 [Z3A.27] 27 weeks gestation of pregnancy
- Z3A.28 [Z3A.28] 28 weeks gestation of pregnancy
- Z3A.29 [Z3A.29] 29 weeks gestation of pregnancy
- Z3A.30 [Z3A.30] 30 weeks gestation of pregnancy
- Z3A.31 [Z3A.31] 31 weeks gestation of pregnancy
- Z3A.32 [Z3A.32] 32 weeks gestation of pregnancy
- Z3A.33 [Z3A.33] 33 weeks gestation of pregnancy
- Z3A.34 [Z3A.34] 34 weeks gestation of pregnancy
- Z3A.35 [Z3A.35] 35 weeks gestation of pregnancy
- Z3A.36 [Z3A.36] 36 weeks gestation of pregnancy

Appendix C: Eligible Social Determinants of Health (SDoH) Z Codes

Z CODE CATEGORY NAME	CODE	CODE NAME
Problems Related to Education and Literacy (Z55)	Z55	Problems Related To Education And Literacy
	Z550	Illiteracy And Low-Level Literacy
	Z551	Schooling Unavailable And Unattainable
	Z552	Failed School Examinations
	Z553	Underachievement In School
	Z554	Educational Maladjustment And Discord With Teachers And Classmates
	Z555	Less Than A High School Diploma
	Z558	Other Problems Related To Education And Literacy
	Z559	Problems Related To Education And Literacy, Unspecified
Problems Related to Employment and Unemployment (Z56)	Z56	Problems Related To Employment And Unemployment
	Z560	Unemployment, Unspecified
	Z561	Change Of Job
	Z562	Threat Of Job Loss
	Z563	Stressful Work Schedule
	Z564	Discord With Boss And Workmates
	Z565	Uncongenial Work Environment
	Z566	Other Physical And Mental Strain Related To Work
	Z568	Other Problems Related To Employment
	Z5681	Sexual Harassment On The Job
	Z5682	Military Deployment Status
	Z5689	Other Problems Related To Employment
	Z569	Unspecified Problems Related To Employment
	Occupational Exposure to Risk Factors (Z57)	Z57
Z570		Occupational Exposure To Noise
Z571		Occupational Exposure To Radiation
Z572		Occupational Exposure To Dust
Z573		Occupational Exposure To Other Air Contaminants
Z5731		Occupational Exposure To Environmental Tobacco Smoke
Z5739		Occupational Exposure To Other Air Contaminants
Z574		Occupational Exposure To Toxic Agents In Agriculture
Z575		Occupational Exposure To Toxic Agents In Other Industries
Z576		Occupational Exposure To Extreme Temperature
Z577		Occupational Exposure To Vibration
Z578		Occupational Exposure To Other Risk Factors
Z579	Occupational Exposure To Unspecified Risk Factor	

Appendix C: Eligible SDoH Z Codes, Continued

Z CODE CATEGORY NAME	CODE	CODE NAME
Problems Related to Housing and Economic Circumstances (Z59)	Z59	Problems Related To Housing And Economic Circumstances
	Z590	Homelessness
	Z5900	Homelessness Unspecified
	Z5901	Sheltered Homelessness
	Z5902	Unsheltered Homelessness
	Z591	Inadequate Housing
	Z592	Discord With Neighbors, Lodgers And Landlord
	Z593	Problems Related To Living In Residential Institution
	Z594	Lack Of Adequate Food And Safe Drinking Water
	Z5941	Food Insecurity
	Z5948	Other Specified Lack Of Adequate Food
	Z595	Extreme Poverty
	Z596	Low Income
	Z597	Insufficient Social Insurance And Welfare Support
	Z598	Other Problems Related To Housing And Economic Circumstances
	Z5981	Housing Instability, Housed
	Z59811	Housing Instability, Housed, With Risk Of Homelessness
	Z59812	Housing Instability, Housed, Homelessness In Past 12 Months
	Z59819	Housing Instability, Housed Unspecified
Z5989	Other Problems Related To Housing And Economic Circumstances	
Z599	Problem Related To Housing And Economic Circumstances, Unspecified	
Problems Related to Social Environment (Z60)	Z60	Problems Related To Social Environment
	Z600	Problems Of Adjustment To Life-Cycle Transitions
	Z602	Problems Related To Living Alone
	Z603	Acculturation Difficulty
	Z604	Social Exclusion And Rejection
	Z605	Target Of (Perceived) Adverse Discrimination And Persecution
	Z608	Other Problems Related To Social Environment
	Z609	Problem Related To Social Environment, Unspecified

Appendix C: Eligible SDoH Z Codes, Continued

Z CODE CATEGORY NAME	CODE	CODE NAME
Problems Related to Upbringing (Z62)	Z62	Problems Related To Upbringing
	Z620	Inadequate Parental Supervision And Control
	Z621	Parental Overprotection
	Z622	Upbringing Away From Parents
	Z6221	Child In Welfare Custody
	Z6222	Institutional Upbringing
	Z6229	Other Upbringing Away From Parents
	Z623	Hostility Towards And Scapegoating Of Child
	Z626	Inappropriate (Excessive) Parental Pressure
	Z628	Other Specified Problems Related To Upbringing
	Z6281	Personal History Of Abuse In Childhood
	Z62810	Personal History Of Physical And Sexual Abuse In Childhood
	Z62811	Personal History Of Psychological Abuse In Childhood
	Z62812	Personal History Of Neglect In Childhood
	Z62813	Personal History Of Forced Labor Or Sexual Exploitation In Childhood
	Z62819	Personal History Of Unspecified Abuse In Childhood
	Z6282	Parent-Child Conflict
	Z62820	Parent-Biological Child Conflict
	Z62821	Parent-Adopted Child Conflict
	Z62822	Parent-Foster Child Conflict
	Z6289	Other Specified Problems Related To Upbringing
	Z62890	Parent-Child Estrangement Nec
	Z62891	Sibling Rivalry
Z62898	Other Specified Problems Related To Upbringing	
Z629	Problem Related To Upbringing, Unspecified	

Appendix C: Eligible SDoH Z Codes, Continued

Z CODE CATEGORY NAME	CODE	CODE NAME
Other Problems Related to Primary Support Group or Family Circumstances (Z63)	Z63	Other Problems Related To Primary Support Group, Including Family Circumstances
	Z630	Problems In Relationship With Spouse Or Partner
	Z631	Problems In Relationship With In-Laws
	Z633	Absence Of Family Member
	Z6331	Absence Of Family Member Due To Military Deployment
	Z6332	Other Absence Of Family Member
	Z634	Disappearance And Death Of Family Member
	Z635	Disruption Of Family By Separation And Divorce
	Z636	Dependent Relative Needing Care At Home
	Z637	Other Stressful Life Events Affecting Family And Household
	Z6371	Stress On Family Due To Return Of Family Member From Military Deployment
	Z6372	Alcoholism And Drug Addiction In Family
	Z6379	Other Stressful Life Events Affecting Family And Household
	Z638	Other Specified Problems Related To Primary Support Group
Z639	Problem Related To Primary Support Group, Unspecified	
Problems Related to Certain Psychosocial Circumstances (Z64)	Z64	Problems Related To Certain Psychosocial Circumstances
	Z640	Problems Related To Unwanted Pregnancy
	Z641	Problems Related To Multiparity
	Z644	Discord With Counselors
	Z65	Problems Related To Other Psychosocial Circumstances
	Z650	Conviction In Civil And Criminal Proceedings Without Imprisonment
	Z651	Imprisonment And Other Incarceration
	Z652	Problems Related To Release From Prison
	Z653	Problems Related To Other Legal Circumstances
	Z654	Victim Of Crime And Terrorism
	Z655	Exposure To Disaster, War And Other Hostilities
	Z658	Other Specified Problems Related To Psychosocial Circumstances
	Z659	Problem Related To Unspecified Psychosocial Circumstances

Appendix C: Eligible SDoH Z Codes, Continued

Z CODE CATEGORY NAME	CODE	CODE NAME
Problems Related to Medical Facilities and Other Health Care (Z75)	Z75	Problems Related To Medical Facilities And Other Health Care
	Z750	Medical Services Not Available In Home
	Z751	Person Awaiting Admission To Adequate Facility Elsewhere
	Z752	Other Waiting Period For Investigation And Treatment
	Z753	Unavailability And Inaccessibility Of Healthcare Facilities
	Z754	Unavailability And Inaccessibility Of Other Helping Agencies
	Z755	Holiday Relief Care
	Z758	Other Problems Related To Medical Facilities And Other Health Care
	Z759	Unspecified Problem Related To Medical Facilities And Other Health Care